




AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Idaho - ss.

Marietta Hanson

....., being first duly sworn, says she is the.....Bookkeeper..... of the IDAHO COUNTY FREE PRESS, a weekly newspaper published and issued weekly at Grangeville, Idaho county, State of Idaho, and is of general circulation in said county and state, that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 8th day of October, 1992, and the last publication on the 15th day of October, 1992; that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight consecutive weeks prior to the publication of said notice or advertisement.

Marietta Hanson

STATE OF IDAHO }

COUNTY OF }

On this.....15th.....day of.....October.....in the year of.....1992....., before me, a Notary Public, personally appeared.....Marietta Hanson....., known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

Residing at.....Grangeville, Idaho

My commission expires: 6-4-98

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

77-07324 ✓
WAKEFIELD, MICHAEL STEVEN
9930 E WAHA RD
LEWISTON, ID 83501
Source: SPRINGS Tributary:
CROOKED CREEK
Diversion Pt: NESWNE Sec. 22 T 26N R 08E in IDAHO County. NWSWNE Sec 22 T 26 N R 08E in IDAHO County.
Use: DOMESTIC (0.40 CFS)
Total Diversion: (.040 CFS)
Date Filed: 9/2/1992
In: IDAHO County
T26N R08E S22 SWNE
79-07211

RAY, JACK L
PO BOX 22
GRANGEVILLE, ID 83530
Source: WHITE BIRD CREEK
Tributary: SALMON RIVER
Diversion Pt: NESW Sec 14 T 28N R 01E in IDAHO County.
Use: IRRIGATION (0.20 CFS)
Total Diversion: (.020 CFS)
Date Filed: 9/3/1992
In: IDAHO County T28N R01E S14 NESW
0.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before OCTOBER 26, 1992.

R. KEITH HIGGINSON, Director
Published: 10/8/1992 & 10/15/1992

08-15


RECEIVED

OCT 19 1992

Department of Water Resources
Western Regional Office

MICROFILMED
DEC 10 1992

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Unable to measure flow from spring directly - could have measured flow at 1" standpipe, but this would have been flow from storage tank.

MICROFILMED



T26N
R8E
Sec 22
(Projected)

P14
Home site
SWNE

P14
Spring
NWSENE

N E Z P E R C E

22

23

27

28

77-07324

MICROFILMED
AUG 25 2000

1 of 3

P/D

Spring

Box



P/D

1800 Gal.

Storage

Tank

(Buried)

Wood frame

+ wood

Top



MICROFILMED

AUG 25 2000

77-07324

3 of 3

P/u

Value

Boxes

at home
site.



P/u

1"

standpipe

- flowing

at

home

site



MICROFILMED

AUG 25 2000

77-07324

3 of 3

P/u

1" Stand pipe

+

Shop

site



P/D

Another

view

of

1800 Gal.

Storage

Tank -

buried.



MICROFILMED

AUG 25 2000

77-07324

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 77-07324

Priority: September 2, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that MICHAEL STEVEN WAKEFIELD
9930 E WAHA RD

LEWISTON ID 83501

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 2, 1992; and
has submitted Proof of Beneficial Use on September 17, 1997. An examination indicates
that the works have a diversion capacity of 0.080 cfs of water from:

SPRINGS

tributary to CROOKED CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSENE , Sec. 22, Township 26N, Range 08E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC


26N 08E 22

SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
The water right confirmed by this license is subject to all prior water rights
and shall be administered in accordance with Idaho law and applicable rules of
the Department of Water Resources. Signed and sealed this 11TH day of
FEBRUARY, 2000.


Acting for KARL J. DREHER, Director

MICROFILMED
AUG 25 2000

FEB 7 - 2000

RECEIVED

FEB 7 - 2000

Department of Water Resources

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 77-07324

Date of Priority: September 2, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

Comes now

MICHAEL STEVEN WAKEFIELD

9930 E WAHA RD

LEWISTON ID 83501

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 77-07324, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to CROOKED CREEK

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

DOMESTIC

01/01 to 12/31

0.04 CFS

1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSENE , Sec. 22, Township 26N, Range 08E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC

26N 08E 22

SWNE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 9330-E WAHA RD, this 2 day of February, 2000.

Lewiston Id
83501

Michael S. Wakefield
(Signature)

MICROFILMED

AUG 25 2000

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 77-07324

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee 50⁰⁰ Receipted by Jm # C048044 Date 2/8/00


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 77-07324 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

Witness my hand this 11TH day of FEBRUARY, 2000.


Acting for KARL J. DREHER, Director

MICROFILMED
AUG 25 2000

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No: 100000
Receipt By: [Signature]
Date Received: 9/17/97

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

SEP 17 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 77-07324 Telephone No. 208-743-5630

2. Name(s) of Permit Holder(s): MICHAEL STEVEN WAKEFIELD

3. Mailing Address: 9930-E WAHA Rd Lewiston Id. 83501

4. Source of Water: SPRINGS If GROUNDWATER (well), Date Drilled: mo. — / yr. —

a. Well Driller: — Drilling Permit Number: — - - - -

b. OPTIONAL:
Pump Horsepower: — Pressure (psi): — Dynamic pumping level (ft): —

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): —

Irrigation (No. of acres): — Other: —

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR — acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes — or No ✓

Has the measuring device been installed? Yes — or No ✓

Flow Measurement Port: Is a flow measurement port required? Yes — or No ✓

Has the measurement port been installed? Yes — or No ✓

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: MICHAEL STEVEN WAKEFIELD Telephone Number: 208-743-5630

Address: 9930-E WAHA Rd, Lewiston Id 83501

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Michael S. Wakefield Date: 9-12-97
(include your title, if on behalf of company or organization)

DEC 11 1997

RECEIVED
DEC 06 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

**REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 77-07324

Name(s) of Permit Holder: MICHAEL STEVEN WAKEFIELD

Mailing Address: 9930 - E WAHA RD LEWISTON ID 83501

Date Proof is Due: JAN 1, 1996 Telephone No. (208) 743-5630

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

1 SPRING (collection Pond is MOSTLY Completed) +
Approx. 250-300 feet^(out of 900') of WATER LINE HAS BEEN
LOG^{(BY HAND) 4' deep} - Approx 100' of 1/2" Pipe + FITTINGS +
A HOLDING TANK HAVE BEEN PURCHASED Costing \$1400.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

THE FOREST SERVICE JUST ISSUED MY PERMIT FOR EASEMENT ON 8/1/94
BECAUSE OF SNOW + WEATHER CONDITIONS IN DIXIE THE TIME ONE CAN
SPEND ON THE PROJECT IS SHORT EACH YEAR + THE FOREST SERVICE
HAS MADE DIGGING THE ENTIRE SYSTEM BY HAND A CONDITION OF
MY PERMIT. TO DO IT RIGHT THE LINE MUST BE 4' DEEP
PERMIT HOLDER(S) REQUEST AN EXTENSION TO JAN 1, 1996 (if possible)

FEE: \$50.00

Michael Steven Wakefield
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1999.

Signed this 8TH day of December, 19 95

J. Blum Jaylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 77-07324

Proposed Priority: September 2, 1992 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **MICHAEL STEVEN WAKEFIELD**
9930 E WAHA RD
LEWISTON ID 83501

has applied for a permit to appropriate water from:

SPRINGS

tributary of **CROOKED CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESWNE , Sec. 22, Township 26N, Range 08E
NWSWNE , Sec. 22, Township 26N, Range 08E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC


26N 08E 22 SWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 3, 1996**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of December, 1992


for R. Keith Higginson, Director

MICROFILMED

DEC 10 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant MICHAEL STEVEN WAKEFIELD Phone (208) 743-5630
Post office address 9930-E WAHA Road Lewiston Id 83501
2. Source of water supply UNDAMED STREAM SPRINGS which is a tributary of CROOKED CREEK
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 22 Township 26N Range 8E B.M. Idaho County; additional
points of diversion if any: NE SW NE, 22, 26N, 8E.
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 6 SPRINGS & PIPELINE
TO HOME
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

RECEIVED
DEC 10 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1 HOME
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
26N.	8E	22			D														

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. NA

- Who owns the property at the point of diversion? APPLICANT / FOREST SERVICE
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. SPECIAL USE PERMIT

12. Remarks: _____

RECEIVED

DEC 10 1992



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael S. Wakefield
(Applicant)

Received by st AB Date 9/4/92 Time 12:30 pm Preliminary check by AB cy4
Fee \$ 30.00 Receipted by AB # N-5905 Date 9/2/92
Publication prepared by GG Date 9/30/92 Published in Idaho County Free Press
Publication approved st Date 10-26-92
10/7 & 10/14/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

DEC 10 1992

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Idaho - ss.

..... Marietta Hanson, being first duly sworn, says she is the.....Bookkeeper..... of the IDAHO COUNTY FREE PRESS, a weekly newspaper published and issued weekly at Grangeville, Idaho county, State of Idaho, and is of general circulation in said county and state, that the said notice, of which the one hereto attached is a true copy, was published in said paper for two..... weeks, being published two..... times, the first publication being on the 8th..... day of October....., 19.....92, and the last publication on the.....15th..... day of October....., 19.....92; that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight consecutive weeks prior to the publication of said notice or advertisement.

Marietta Hanson

STATE OF IDAHO)

COUNTY OF)

On this.....15th..... day of.....October..... In the year of.....1992....., before me, a Notary Public, personally appeared.....Marietta Hanson....., known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

Residing at.....Grangeville, Idaho

My commission expires:.....6-4-98.....

NOTICE OF PUBLICATION

The following application has been filed to appropriate the water rights of the State of Idaho:

WAKEFIELD, MICHAEL STEVEN
3000 E WANA RD
LEWISTON, ID 83801
Source: SPRINGS Tributary:
CROOKED CREEK
Division Pt. NE 1/4 Sec. 22 T. 20N R. 04E
08E in IDAHO County, MINIMUM Sec 22
T. 20N R. 04E in IDAHO County
Use: DOMESTIC AND IRRIGATION
Total Diversion: (0.40 CFS)
Date Filed: 9/2/1992
In: IDAHO County
T20N R04E S22E
70-07211

RAY, JACOB
PO BOX 22
GRANGEVILLE, ID 83803
Source: WHITE RIVER CREEK
Tributary: SALMON RIVER
Division Pt. NE 1/4 Sec 14 T. 20N R. 04E
in IDAHO County
Use: IRRIGATION (0.20 CFS)
Total Diversion: (0.20 CFS)
Date Filed: 9/8/1992
In: IDAHO County T20N R04E S14
NE 1/4
0.5 ACRES TOTAL

This project(s) will be subject to all prior water rights. Projects must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Apple Way, Boise, Idaho 83705 on or before OCTOBER 28, 1992.

A. KENNEDY, Notary Public
Published: 10/19/92

RECEIVED

OCT 19 1992

Department of Water Resources
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 14, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

MICHAEL STEVEN WAKEFIELD
9930 E WAHA RD
LEWISTON ID 83501

RE: WATER RIGHT NO. 77-07324

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

for Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


AUG 25 2000

CERTIFICATE OF MAILING

I hereby certify that on the 14th day of **February, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 77-07324

MICHAEL STEVEN WAKEFIELD
9930 E WAHA RD
LEWISTON ID 83501


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 25 2006

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

AUG 25 2006

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 25 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 25, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

MICHAEL STEVEN WAKEFIELD
9930 E WAHA RD
LEWISTON ID 83501

RE: WATER RIGHT NO. 77-07324

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion developed is in a location other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:klt

Enclosure

MICROFILMED

JAN 25 2000

LICENSE REVIEW CHECKLIST

Permit No. T7-07324 Date: 12/29/99 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: change

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P43)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs
Fee Limit 0.2 cfs
Measured _____ cfs
Theoretical 0.08 cfs

Recommended Total Diversion Rate 0.04

Water Uses OK

Change (P46)

Irrigation	_____ cfs	_____ af
Stockwater	_____ cfs	_____ af
Domestic	<u>0.04</u> cfs	<u>1.2</u> af
_____	_____ cfs	_____ af
_____	_____ cfs	_____ af
Total	<u>0.04</u> cfs	<u>1.2</u> af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)
supp. Gw (WB7/065/079)
overlap spec combined rts (W35)
>1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: _____

Additional Conditions NO Watermaster Control
NO GW Measurement/Measuring Device
NO Other
Trust (052/R55 - remove 051)
Non-trust (048/049)

Government Lots? NO - unsurveyed area

Advance Priority? yes If yes, explain why below.
no

SRBA Claim? NO - Not req'd.

Adjust memo NO

Amend Letters P39 P87, S06

Second Amendment Notice P49 ~~P46~~ S06

RECEIVED

NOV 08 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 77-07324

1. Owner: Michael Steven Wakefield Phone No. (208) 743-5630

Current Address: 9930 E Waha Rd., Lewiston, ID 83501

2. Accompanied by: Mike Wakefield EXAM DATE: 10-29-99

Address: Same Phone No. (208) 842-2728

Relationship to Permit Holder: Same other Cabin at

Dixie

3. Source: Springs tributary to Crooked Creek

B. OVERLAP REVIEW

(Actually - unnamed stream, which is a small Trib. of Crooked Cr.)

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Note: Un-surveyed Area - Section 22 projected.

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	NE	22	26N	8E	Idaho	Site Visit, map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
26N	8E	22			D														
				</															

MICROFILMED

NOV 25 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Unable to measure flow from spring directly - could have measured flow at 1" standpipe but this would have been flow from storage tank.

MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for internal and external domestic use from a spring development. The spring was found to be in the NW SE NE, not the location shown in the permit. There are 3-4 other springs in the same general area that are not developed. The owner developed this one as the best source of water.
2. The spring, Pld, is located on U.S. Forest Service property, and the Pld is located on private land. The owner has a Special Use Permit, for the spring development and pipeline, from the Forest Service.
3. The spring development is a 24" circular concrete pipe section (on end) with gravel pack and lid. A 130', 1 1/2" PE pipe conveys the spring water to a 1800 gal. storage tank. The ~~the~~ tank has an overflow line to an unnamed stream, and a 1000', 1 1/2" PE pipe to the Pld. At the Pld, the mainline ends at 2, 24" corr. valve boxes. One line serves the home site from a 1" standpipe, and the other serves the shop site. The home + shop are under construction, and the water is being used at the site.
4. The owner also has an old cabin in Dixie with Ph.# 842-2728.

Have conditions of permit approval been met? ☒ yes ☐ no

AUG 25 2000

Note: Home + Shop are under construction - water system is fully developed and used by owner when he is there working on house.

Additional Computation Sheets Attached

From Springs to 1800 Gal. Storage Tank: 130', 1 1/2" PE pipe, 82' Head

$$H = H_f + H_\phi + H_\nu$$

$H_f = \text{Pipe friction; } H_v = \text{Vel. Head} = \frac{v^2}{2g}$

$$H_2 = \text{misc. losses} = 10\% H_1 = 0\% \rightarrow$$

Assume Q		Vel.	Total Head Loss	Head Available
<u>cfs</u>	<u>gpm</u>	<u>fps</u>	<u>loss</u>	<u>avail/266</u>
0.04	18	3.4	3.5'	82'
0.10	45	8.0	19.2'	12'
0.08	36	6.4	12.2	12'

1. Volume Calculations for Irrigation:

$$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{4 \text{ pipe} = 0.08 \text{ cfs Allow } 0.04 \text{ cfs}}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} =$$

2. Volume Calculations for Other Uses:

External + Internal Domestic: 1.2 AFA

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>1.2</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Totals:			<u>0.04</u>	<u>1.2</u>

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

P/O is spring
in NWSENE,
Sec. 22


Field Examiner's Name Sam Tami Date 11-1-99

Reviewer	Date
----------	------

SEAL

MICROFILMED

311



T26N
R8E
Sec 22
(Projected)

Pip Spring
NWSENE

PERCE

Pima Home Site
SWNE

77-07324

MICROFILM
176 25 2000




Lot 3

P/D

Spring

Box



P/D

1800 Gal.

Storage

Tank

(Buried)

Wood frame

+ wood

Top

77-07324


2 of 3

P/u

Value

Boxes

at home
site.



P/u

1"
standpipe

- flowing

at

home
site



MICROFILM...

AUG 25 2001

77-07324

3 of 3


P/u

1" stand pipe

+

Shop

site



P/D

Another

view

of

1800 Gal.

Storage

Tank -

buried.



MICROFILMED

AUG 25 2000

77-07324

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 77-0324 Reviewed by Jay Date 9-19-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
 Groundwater source
 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
 / Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 9-17-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 19, 1997

Michael Steven Wakefield
9930 E Waha Rd
Lewiston ID 83501

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 77-07324

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208) 334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

C: IDWR - Regional Office

MICROFILMED
DEC 11 1997

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 77-07324 Reviewed by [Signature] Date 12-8-95

BASIC INFORMATION

12-6-95 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend extend to Jan. 1, 1999, on basis of due diligence.

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X _____
Change Proof Due Date 1-1-99 _____
Change Priority Date X _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 8, 1995

Michael Steven Wakefield
9930-E Waha Rd.
Lewiston, ID 83501

RE: Permit No. 77-07324

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **January 1, 1999**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

RECEIVED

JAN 26 1996

October 31, 1995

MICHAEL STEVEN WAKEFIELD
9930 E WAHA RD
LEWISTON ID 83501

PROOF DUE NOTICE

RE: PERMIT NO. 77-07324

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

NOV 26 1995





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 8, 1992

MICHAEL STEVEN WAKEFIELD
9930 E WAHA RD
LEWISTON ID 83501

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 77-07324

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

RECEIVED

DEC 10 1992

APPLICATION FOR PERMIT REVIEW

Balm

Application #: 77-7324 Date: 12-03-92 Reviewer: Brenda Miller

SYSTEM COMPLETED:

- No - **26A-P17**
- Complete in 1 year - P16
- Yes
 - Proof not submitted - P16
 - Proof submitted - N/A

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- NMR <fl ch>, A of C *Salmon-Clearwater*
- LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

- Approved w/permit - P99
- Not included - 046-46A-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), **NMR <flow chart>**

LOCATION:

- Water Districts - WD No.
- Surface water - R04, R04-01H-P01(LT.2 w/pump)
- R04-01J-P08(GT.2), NMR <flow chart>
- Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- Svan Falls Flag** - (1, Blank or Other)
- Trust - 051-052-053-P74(Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
- 042(req.), 002-P06(MD), 07A(Spec.),
- 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD),
- 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021 (Boise River - upstream from L Peak)
- (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date: - 01-03-1996

Other Conditions/Remarks: -

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: Cgt DATE: 9/17/92 APPLICATION: 77-07324
Wakefield

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:
no P/D
yes P/U
non-patched

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☐ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ 1992 moratorium Domestic - exempt
☐ Diversion within interim protected river area
☐ Send dam safety information:
☐ Send power requirement letter:
☐ Send fish farm requirement letter:
☐ Power residency affidavit:
☐ Power efficiency form:
☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side:

RECEIVED
NOV 9 1992

Department of Water Resources

PROCESSING

APPLICATION N°

77-07324
Wakefield

Wakefield

YES NO

SEND COPIES TO

YES NO

YES NO

FINAL REGIONAL PROCESSING REVIEW

YES NO

Handwriting practice lines. A checkmark is written above the first line. Slanted strokes are written on the lines.

26A (Allow 3 yrs)

See below for additional information

Recommended Date or Priority 9/2/1992

Recommended by: _____ Date: 11/4/1992

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

SEPTEMBER 22, 1992

Idaho County Free Press
P.O. Box 267
Grangeville, ID 83530

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 26, 1992.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED

DEC 10 1992

77-07324

WAKEFIELD, MICHAEL STEVEN
9930 E WAHA RD
LEWISTON, ID 83501

Source: SPRINGS

Tributary: CROOKED CREEK

Diversion Pt: NESWNE Sec 22 T 26N R 08E in IDAHO County.
 NWSWNE Sec 22 T 26N R 08E in IDAHO County.

Use: DOMESTIC (.040 CFS)
 Total Diversion: (.040 CFS)

Date Filed: 9/ 2/1992

In: IDAHO County
 T26N R08E S22 SWNE

DEC 10 1992