

x 4903

10

HES 446
T-3

Draw

Applicants' map

77-7323

Block

4000

3600

3000

3400

15

HES 447
T-3

P/D

BDY

22

8M

CARL
COM
IN


FOREST

DEC 16 1992

MC

(ALSO SEE TOPO
IN 77-07322)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** Timed full from non-restricted outlet at delivery end of irrigation system. ∴ 1 1/2" open fire hose to 5 gal bucket, 5 gal in 14 sec. Domestic system (Spring) meas not possible. See attached theoretical calculation



PERMIT 77-7323 INIT cjh
T. R. S. Q/Q MICROFILME
P/D 24N 3E 15 SENE
SCALE 1:24K
PHOTO ID. Q-10 SEP 16 1997



NORTH

MICROFILMED

77-7323

SEP 16 1997





P/u, IRRIGATION
NESE S15
Part A



P/u, DOMESTIC (2)
NWSN' S14
Part B



P/O STREAM
Part A



P/O SPRING
Part B

UNFILMED
SEP 16 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 77-07323

Priority: September 16, 1992 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 3.2 AF

This is to certify, that TERESA ADAIR
ROBERT NUCKOLS

PO BOX 279

RIGGINS ID 83549

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 16, 1992; and has submitted Proof of Beneficial Use on December 27, 1994. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from:

UNNAMED STREAM tributary to GASPER CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/30	0.02 CFS	2.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	3.2 AF

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 15, Township 24N, Range 03E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
24N	03E	15	Lot 1(NESE)	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>
24N	03E	14	Lot 3(NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

SEP 16 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 77-07323

CONDITIONS OF APPROVAL AND REMARKS

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs nor more than 2.0 afa for irrigation of the land described above.
6. Domestic use is for 2 homes and does not include lawn, garden, landscape, or other types of irrigation.
7. Place of use located within H.E.S. 447.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of AUGUST, 1977.


Acting for KARL J. DREHER, Director

REC-1111
SEP 16 1977

RECEIVED

DEC 27 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 77-7323 Telephone No. (208) 628-3503

2. Name(s) of Permit Holder(s): Robert Nuckols or Teresa Adair

3. Mailing Address: P.O. Box 279, Riggs, ID 83549

4. Source of Water: unnamed stream If GROUNDWATER (well), Date Drilled: mo. ___ / yr. ___

a. Well Driller: _____ Drilling Permit Number: _____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 2 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .08 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ___ or No X
Has the measuring device been installed? Yes ___ or No ___

Flow Measurement Port: Is a flow measurement port required? Yes ___ or No X
Has the measurement port been installed? Yes ___ or No ___

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Robert Nuckols Telephone Number: (208) 628-3503

Address: P.O. Box 279, Riggs, ID 83549

10. The information given on this form is my true statement of the extent to which the above named permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Robert Nuckols or Teresa Adair Date: DEC 29 1994
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 77-07323

Proposed Priority: September 16, 1992 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **TERESA ADAIR**
ROBERT NUCKOLS
PO BOX 279
RIGGINS ID 83549

has applied for a permit to appropriate water from:

UNNAMED STREAM tributary of **GASPER CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/01 to 11/30	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 15, Township 24N, Range 03E
IDAHO County

<u>PLACE OF USE:</u>	<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
IRRIGATION	24N	03E	15	NESE	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 2, 1995**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for in-house use only for 2 homes.
6. This right, when combined with Right No. 77-07322, is limited to 1/2 acre of irrigation.
7. Place of use is within H.E.S. 447.

MICROFILMED

DEC 16 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 77-07323

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of December, 1992

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

DEC 16 1992

Ident. No. 77-07323

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROBERT NUCKOLS 208-628-3503
Address: PO BOX 279
RIGGINS ID 83549
OR
Name: TERESA ADAIR 208-628-3503
Address: PO BOX 279
RIGGINS ID 83549
2. Source: UNNAMED STREAM Trib. to: GASPER CREEK
3. Location of Point of Diversion: ~~SENE~~ Sec. 15, Township 24N, Range 03E
IDAHO County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| DOMESTIC | 01/01 | 12/31 | 0.080 | | |
| IRRIGATION | 03/01 | 11/30 | .03 | | |
5. Total quantity to be appropriated is:
0.080 CFS (and/or) AF
.04
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
GRAVITY PIPELINE SYSTEM
 - Height of storage dam 2 feet; active reservoir capacity
acre-feet; total reservoir capacity 50 gal acre-feet; period of
year when water will be diverted to storage: 1/1 to 12/31 inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.
8. Description of proposed uses:
DOMESTIC 2 HOMES WITH COMBINED IRRIGATION & 1/2 acre. *

* Charges per taken with T. Adams 9/24/62.
Notation modified as needed. P/O to QQ per applicant's map & topog.
- SL

9. Place of Use: ~~DOMESTIC~~ ^{IRRIGATION}

TWN RGE SEC

24N 03E 15

NESE

a 5 acre

TOTAL .5 acre

PLACE OF USE: DOMESTIC SAME AS IRRIGATION

10. Describe any other water rights used for the same purposes.

~~none~~

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

12. Remarks: { Domestic use is for in-house use only for 2 homes. This right, when combined with right no. 77-07322, is limited to 1/2 acre irrigation.
13. Map of proposed point of diversion and place of use attached? [X]
Place of use within H.C.S. 447.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See original for signature
Applicant

Received by JFW Date 9/16/92 Time 5:00 Preliminary check by JL

Fee \$ 30 Receipted by JFW # W015402 Date 9/16/92

Publication prepared by GG Date 9/30/92 Published in Idaho County Free Press
10/7 & 10/14/92

Publication approved at Date 11-2-92

* Changes per phone with T. Admin 9/22/92.
Database modified as needed, receipt # added to d.base.

-JL

APPROVED

DEC 16 1992

SEE COMMENTS

X4903

10

X4307

HES 446
T-3

Applicants' map

77-7323

4000

3600

3000

3400

15

HES 447
T-3

P/D

2200

BDY

CARL
COM
IN

DEC FOREST

NC

(Also see topo
77-7323)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

628-3503

1. Name of applicant Robert Nuckols or Teresa Adair Phone 628-3549

Post office address P.O. Box 279 Riggs ID 83549

2. Source of water supply UNNAMED stream which is a tributary of Gaspar Crk

Locally known as Nuckols Draw

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot

Sec. 15 Township 24 N Range 3E B.M. Idaho County; additional

points of diversion if any:

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 for Irrig. purposes from 3/1 to 11/30 (both dates inclusive) *

Amount for purposes from to (both dates inclusive)

Amount for purposes from to (both dates inclusive) *

5. Total quantity to be appropriated is (a) .04 .08 and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

Gravity pipeline system.

Storage
MA *

b. Height of storage dam 2 feet; active reservoir capacity 50 gallons acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:

 to inclusive.

c. Proposed well diameter is inches; proposed depth of well is feet.

d. Is ground water with a temperature of greater than 90°F being sought?

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

2 years (minimum 1 year).

- ORIGINAL Application -

* Change per taken with T. Adair 9/29/92

DEC 16 1992

-82

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 2 Households.
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
24W	03E	15													D				
															½				½ *

Total number of acres to be irrigated ½

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant *

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This right, when combined with right no. 77-07302, is limited to ½ acre irrigation.

SEP 6 1992

* Changes per tel. w/ T. Adair 9/29/92

-52

13. Map of proposed project: show clearly the proposed point of diversion, place, township and range number.

See Computer-generated
 appl. for map
 -JL 9/29/92

DEC 16 1992

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert Muckale

(Applicant)

Preso Adair

Received by JFW Date 9/16/92 Time 5:00 PM Preliminary check by _____
Fee \$ 30.22 Receipted by JFW ^W# 015402 Date 9/16/92
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

DEC 16 1992

SD-0420-2
ADD COMMENT

Idaho Department of Water Resources
Modify Comment

Date: 09/29/92
Time: 13:42:33

Water Right Number: 77-07323

Comment Date: 9/29/1992 User ID: LESTER

Subject: LEGAL DESCRIPTION _____

P/D may be in Lot 10 or in HES 447 (probably the latter since the applicants show P/D on their land). Cannot be sure per topo & lot plat.

As in 77-07322, the application was revised per applicant's ok to allow uses within limits of 42-111 & moratorium. See Comments in 77-07322 for more information & for topo with lot plats.

(ENTER=Add)

(Gold4=Prev) (Gold5=Next)

DEC 16 1992

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

77-07322

ADAIR, TERESA
P.O. BOX 279
RIGGINS, ID 83549
Source: GASPER CREEK Tributary:
SALMON RIVER
Diversion Pt: LOT 10 (SENE) Sec 15 T
24N R 03E in IDAHO County.
Use: POWER (.100 CFS)
DOMESTIC (.040 CFS)
FIRE PROTECTION (.100 CFS)
IRRIGATION (.030 CFS)
Total Diversion: (.140 CFS)
Date Filed: 9/16/1992
In: IDAHO County
T24N R03E S15 NESE
0.5 ACRES TOTAL

ADAIR, TERESA
NUCKOLS, ROBERT
P.O. BOX 279
RIGGINS, ID 83549
Source: UNNAMED STREAM Tributary:
GASPER CREEK
Diversion Pt: SENE Sec 15 T 24N R 03E
in IDAHO County.
Use: DOMESTIC (.040 CFS)
IRRIGATION (.030 CFS)
Total Diversion: (.040 CFS)
Date Filed: 9/16/1992
In: IDAHO County
T24N R03E S15 NESE
0.5 ACRES TOTAL
The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
OCTOBER 26, 1992.

R. KEITH HIGGINSON, Director
Published: 10/7/1992 & 10/14/1992

08-15

STATE OF IDAHO

County of Idaho - ss.

Marietta Hanson, being
first duly sworn, says she is the Bookkeeper of the
IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho,
and is of general circulation in said county and state, that the
said notice, of which the one hereto attached is a true copy, was
published in said paper for two weeks, being published
two times, the first publication being on the
8th day of October, 1992,
and the last publication on the 15th day of
October, 1992; that the said notice was
published in the newspaper proper and not a supplement; that
said newspaper has been continuously and uninterruptedly
published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or
advertisement.

Marietta Hanson

STATE OF IDAHO }

COUNTY OF }

On this 15th day of October in the year
of 1992, before me, a Notary Public, personally
appeared Marietta Hanson, known or
identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me
that he executed the same.

[Signature]
Notary Public for Idaho

Residing at Grangeville, Idaho

My commission expires: 6-4-98

RECEIVED

OCT 19 1992

Department of Water Resources
Western Regional Office

DEC 16 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 22, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TERESA ADAIR
ROBERT NUCKOLS
PO BOX 279
RIGGINS ID 83549

RE: WATER RIGHT NO. 77-07323

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED

SEP 16 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be led within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECEIVED

SEP 16 1987

CERTIFICATE OF MAILING

I hereby certify that on the 22nd day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 77-07323

TERESA ADAIR
ROBERT NUCKOLS
PO BOX 279
RIGGINS ID 83549


Kari Lynn Townsend
Secretary

SEP 16 1997

MEMORANDUM

DATE: August 20, 1997

TO: Water Right File 77-07323

FROM: Shelley W. Keen 

RE: Source and Place of Use

On August 18, 1997, Robert Nuckols visited me to discuss my request for a licensing amendment for Right 77-07323. The amendment was requested to add a second point of diversion and to include Govt. Lot 3 of Section 14 in the place of use.

Mr. Nuckols told me that he is not willing to amend the permit to include the second point of diversion, which is a very small spring that arises and sinks on his land. He said that he gets some domestic water from the spring, but most of the domestic water comes from the unnamed stream described in the permit. I have eliminated the spring from our licensing recommendation.

Mr. Nuckols also questioned the need for an amendment to correct the place of use. He pointed out that his application map indicated that the use would occur within H. E. S. 447, the permit said that the place of use is within H. E. S. 447, and the use is actually within H. E. S. 447. Based on this reasoning, I agree that the development is consistent with the permit. The place of use should be described as recommended by the field examiner in order to clarify the actual place of use. The revised description should not be considered a change requiring an amendment.

SEP 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 31, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TERESA ADAIR
ROBERT NUCKOLS
PO BOX 279
RIGGINS ID 83549

RE: WATER RIGHT NO. 77-07323

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

SEP 18 1997

MEMORANDUM

TO: File 77-07323

FROM: Sharla Curtis

DATE: July 30, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 77-07323 are based on the following:

H. RECOMMENDATIONS

Irrigation	3/1 - 11/30	0.02 cfs	2.0 afa
Domestic	1/1 - 12/31	0.04	1.2 afa
	TOTALS	0.04 cfs	3.2 afa

The total rate of diversion at 0.03 cfs/acre for ½ acre is 0.02 cfs.

Examiner: Cindy Hodges
Exam Date: July 12, 1995

Figure 1 is a schematic representation of the experimental design. It shows a sequence of events: 'Stimulus presentation', 'Response', 'Feedback', and 'Inter-trial interval'. The sequence is repeated for multiple trials.

LICENSE REVIEW CHECKLIST

PERMIT NO. 77-07323

DATE 7/30/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE add spring

Is change clarification of originally intended source?

POINT OF DIV add 2nd

If not, prepare Notice of Intent to Void

Amendment required yes

PLACE OF USE

Amendment required yes

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .04 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured .05 cfs stream
 Theoretical .10 cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
 NATURE OF USES

Use

<u>Int .02</u>	Volume Calculation
<u>Dom .04</u>	<u>.5 x 4.0 = 2.0</u> af
<u> </u>	<u>1.2 (2 int)</u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
SUBTOTAL	<u>3.2</u> af

Flow rate cfs X days X 1.9835 = af

Total volume recommended af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WBS (2)
W31 (.02, 2.0)
P/U H.E.S. 447.

CONDITIONS Watermaster Control WD#

 GW Measurement/Measuring Device

 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed NA

1st Amend Letter P37, P38

Adjustment Memo

2nd Amend Letter P42

Irrig rate

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 24 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 77-7323

1. Owner: TERESA ADAIR for ROBERT NUCKOLS Phone No. 628-3503 (msg)

Current Address: PO Box 279 RIGGINS 83549

2. Accompanied by: Rob EXAM DATE: 7.12.95

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: unhamed stream tributary to Gasper Creek
Spring Gasper Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 77-7262, 7322

2. Other water rights with the same point of diversion: 77-4105, 7322, 7323

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	NE	15	24N	3E	Idaho	2 pd's

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
24N	3E	14									D								
		15									L.3				.5				
															L.1				

MICROFILMED

APR 16 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = NTS

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** Timed full from non-restricted outlet at delivery end of irrigation system: 1 1/2" open fire hose to 5 gal bucket, 5 gal in 14 sec. Domestic system (spring) meas not possible. See attached theoretical calculation.

E. NARRATIVE/REMARKS/COMMENTS

TWO points of diversion were developed for irrigation & domestic uses at a common P/u. In the unnamed Stream: a 1' tall rock dam w/screened intake diverts through 2" PVC to a 30 gal collection/sand trap container. A 1 1/2" PVC line exits the collection chamber, for 760' to a reduction joint. 600' of 1 1/4" PVC continues to the place of use. A 1" "T" valve is present at the lowest point. The line is used mostly for irrigation of garden area (0.5 ac) using gravity pressurized sprinklers - a line also goes to both residences for misc. external uses. All potable water is collected at a spring just off the same drainage, at roughly the same elevation as the rock dam. A separate buried collection pipe and 3/4" line conducts flows into 2, 1500 gal holding tanks and then approx 1500' to the place of use in ^{the} 2 residences. The Spring and the Surface diversion are a part of the same drainage, trib to Gasper Creek, and are in such close proximity they can be considered likely hydraulically connected. Therefore am recommending adding the ^{spring} source to the permit. Even though 2 separate systems were developed (one potable, one not) they serve the same P/u. All uses & both P/b's should remain together on the permit.

P/u aka HES 477 aka govt lot 1. Domestic uses in Sec 14 (lot 3).

O-laps: 77-7322 from Gasper CK @ different P/b, when completed, will provide domestic/power uses at same P/u, through different system. (proof due Sept 96 - collected some info)

77-7262 is Salmon R. diversion on separate acres. Has been developed but pump lost in high water - will do exam in conjunction w/ 7322 later this year.

Have conditions of permit approval been met? ☒ yes ☐ no

77-4105 Spring claimed by USFS - could be another spring in this QQ. could not confirm. NO additional irrigation anticipated under 7322.

F. FLOW CALCULATIONS

Measured Method:

Stream diversion 5 gal in 14 sec: $\frac{5 \times 60}{14} = 21.4 \text{ gpm} = .047 \text{ cfs}$

check: theoretical .065 cfs

Spring diversion theoretical: .023 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5 \times 4.0 = 2.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 275 \times 1.9835 = 16.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.0$$

2. Volume Calculations for Other Uses:

Domestic internal (2) $2 \times 1.6 = 1.2$
(non-consumptive uses)

*Note: a portion of domestic (non-consumptive) flows diverted through stream diversions

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/1	11/30	.03	2.0
DOMESTIC	1/1	12/31	.04 *	1.2
Totals:			.04	3.2

2. Recommended Amendments

☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy Hodges Date 4/5/96

Reviewer _____ Date _____

SEAL

RECORDED
SEP 16 1996

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
 04/05/96
 Project: Flow Computation for Permit No. 77-07323
 ADAIR/NUCKOLS - STREAM DIVERSION
 Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.85} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 500.00 feet
 Pressure Req'd: 30.00 psi
 Available Head: 430.70 feet
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.25	760.00	130.42	
1.00	600.00	304.92	
10.00	0.00	0.00	
10.00	0.00	0.00	435.34

Rate of Flow: 0.065 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.

100 10 100
 100 10 100

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
 04/05/96
 Project: Flow Computation for Permit No. 77-07323
 ADAIR/NUCKOLS - SPRING DIVERSION
 Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 500.00 feet
 Pressure Req'd: 20.00 psi
 Available Head: 453.80 feet
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
0.75	1500.00	451.26	
10.00	20.00	0.00	
10.00	0.00	0.00	
10.00	0.00	0.00	451.26


Rate of Flow: 0.023 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.

APR 16 1996




PERMIT 77-7323 INIT gh
T. R. S. Q/Q
P/D 24N 8E 15 SENE
SCALE 1:24K
PHOTO ID. Q-10 SEP 10 1977



NORTH

77-7323



7 12 '85




P/u, IRRIGATION
NESE S15
Part A



P/u, DOMESTIC (2)
NWSN S14
Part B



P/O STREAM
Part A



P/O SPRING
Part B

7323

IRRIGATION - Rock dam pipe w/ screen to collection
(30 gal) barrel (filtering, settling) 2" PVC to barrel, 1 1/2"
from barrel downhill 700' to reduce to 1 1/4"
600' to P/u (main valve junction) 1" + 1" to
2 lower dam uses. + fire protection (exempt)
measurement: system capacity through
open fire hose, 1 1/2" 5 gal in 14 sec
= 21 gpm total

garden/orchard = .5 ac. using gravity pressurized
also uses a spring for internal dam use - ^{sprinklers} separate
3/4" line to 2, 1500 gal tanks. Can add to this? or NOT?

7322 Power - Dam - Fire Do later. Proof due 9/96

Double cement dams 22" W x 18" H each.

Stainless steel grate w/ 2" stainless steel
outlet in lower dam - immediate to 1 1/2" pipe
1400' to 24V Pelton/alternator generating max 38amps
time of exam generating 34 amps.

Power goes to battery bank then inverter to AC
& lines to 2 homes (~~2~~ 1 permanent +
1 temporary + 1 under construction, then
temporary dwelling to be demolished)
T installed in line for fire hose
connection.

350' head, psi @ alternator = 115

permit holder meas pipe capacity @ 60 gpm
using 75 gpm (open flow)

2 nozzles
max -
1 1/2" & 1 1/4"
nozzle

SEP 16 1997

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 77-07323 Reviewed by [Signature] Date 12-28-94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
no Required?
1 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	- = +	_____
Date proof due	_____		_____
No. of days late	_____		_____
Priority Date	_____		_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 12-27-94

December 28, 1994

TERESA ADAIR
ROBERT NUCKOLS
PO BOX 279
RIGGINS ID 83549

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 77-07323

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
DEC 29 1994

October 31, 1994

TERESA ADAIR
ROBERT NUCKOLS
PO BOX 279
RIGGINS ID 83549

PROOF DUE NOTICE

RE: PERMIT NO. 77-07323

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

DEC 29 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 10, 1992

TERESA ADAIR
ROBERT NUCKOLS
PO BOX 279
RIGGINS ID 83549

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 77-07323

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED

DEC 16 1992

APPLICATION FOR PERMIT REVIEW

Application #: 77-7323 Date: 12-03-92 Reviewer: Brenda Miller

SYSTEM COMPLETED:

No - **26A-P17**
 Complete in 1 year - P16
 Yes
 Proof not submitted - P16
 Proof submitted - N/A

GROUNDWATER:

GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
 - NMR <fl ch>, A of C *Salmon Reservoir*
 LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

Approved w/permit - P99
 Not included - 046-46A-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), **NMR <flow chart>**

LOCATION:

Water Districts - WD No. _____
 Surface water - R04, R04-01H-P01(LT.2 w/pump)
 R04-01J-P08(GT.2), NMR <flow chart>
 Groundwater - P05
 Irrigation Districts - 023
 Canal Co. Areas - 023
 Drainage Districts - 024
 Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - _____ (1, Blank or Other)
 Trust - 051-052-053-P74(Consumptive Uses)
 Non Trust <1> - 048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....
 Boise (63) - 05A & 11E
 Payette (65) - 047-P04, 059-P71
 Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
 042(req.), 002-P06(MD), 07A(Spec.),
 044(Policy 5G)
 Power - Use Power Review
 Mining - 06A, 010, or 09E-P10 & 054(req.)
 Storage - 18A-for multiple measuring devices(In WD),
 18B-P09(Size)
 Rec/Wildlf/Aes - 027(Non-Consumptive)
 Domestic - 021 (Boise River - upstream from L Peak)
 (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

Beneficial Use Due Date: - 01-02-1995

Other Conditions/Remarks: - This right when combined.....

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: jc DATE: 9/29/92 APPLICATION: 77-07323

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use: Gov't. Lots: N P/D
Nature of proposed use: (Include description of use) N P/U
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes No* In form to receipt:

ADDITIONAL INFORMATION

YES NO
N/A A
Overlapping place of use: (Describe source & relationship to present application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium *
Diversion within interim protected river area
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary Analysis Sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

RECEIVED
NOV 9 1992

Department of Water Resources

* See comments attached to appl. & to appl. no. 77-07322.
Revised appl. to remain within limits of moratorium.
0/2 } total .04 cfs
1/2 acre } 2500 gpd

PROCESSING

APPLICATION NO.

77-07323

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received: Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dms

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

Use for domestic purposes + 5.5ac irr is exempted under the moratorium

See below for additional information

Recommended Date or Priority 9/16/1992

Recommended by: Dms Date 11/4/92

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

Boyd needs ranch a limit to 1/2 acre with 77-07322 - for condition of approval?

CONVERSATION MEMORANDUM

DATE 9/29/92

FILE 77-07322

NAME OF PARTY Teren Adair 628-3503

EMPLOYEE Steve Laster

RE:

- D/2 hours includes irrigation. per monitoring,
can allow total irrig $\leq 1/2$ acre.
- Will show irrig $1/2$ ac. each appl. with limiting conditions
in remarks.
- 77-07322 - obtaining special use permit from F.S.
- Storage N/A

modify appls. per this info.
acceptable to Applicant, ok to process.

MICROFILMED

DEC 16 1992

77-07323

ADAIR, TERESA
NUCKOLS, ROBERT
PO BOX 279
RIGGINS, ID 83549

Source: UNNAMED STREAM

Tributary: GASPER CREEK

Diversion Pt: SENE Sec 15 T 24N R 03E in IDAHO County.

Use: DOMESTIC (.040 CFS)
IRRIGATION (.030 CFS)
Total Diversion: (.040 CFS)

Date Filed: 9/16/1992

In: IDAHO County
T24N R03E S15 NESE

0.5 ACRES TOTAL

MAILED

DEC 16 1992