



Let





77-07308

T24N


R3E

P11

P10

MICROFILMED

AUG 07 1991



Footbridge

RECEIVED

MAY 28 1991

AFFIDAVIT C. PUBLICATION

STATE OF IDAHO

County of Idaho - ss.

Marietta Hanson

Department of Water Resources
Western Regional Office

....., being
first duly sworn, says she is the Bookkeeper..... of the
IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho,
and is of general circulation in said county and state, that the
said notice, of which the one hereto attached is a true copy, was
published in said paper fortwo..... weeks, being published
.....two.....times, the first publication being on the
.....15th.....day ofMay....., 19.....91.....,
and the last publication on the.....22nd.....day of
.....May....., 19.....91.....; that the said notice was
published in the newspaper proper and not a supplement; that
said newspaper has been continuously and uninterruptedly
published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or
advertisement.

Marietta Hanson

STATE OF IDAHO }

}

COUNTY OF }

}

On this.....22nd.....day of.....May.....in the year
of.....1991....., before me, a Notary Public, personally
appeared.....Marietta Hanson....., known or
identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me
that he executed the same.

[Signature]

Notary Public for Idaho

Residing at.....Grangeville, Idaho.....

My commission expires:.....9-10-92.....

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

JUNGERT CORPORATION
BOX 1197

RIGGINS, ID 83549

Source: SPRING Tributary: FRENCH
CREEK

Diversion Pt: LOT 8 (SWSENE) Sec 13 T
24N R 03E

Use: IRRIGATION (.020 CFS)
DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 4/29/1991

In: T24N R03E S13 Lot 8 (SENE)
0.5 ACRES TOTAL


The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before JUNE
3, 1991.

R. KEITH HIGGINSON, Director
M15-22

MICROFILMED

AUG 07 1991

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Timed fill in 5gal bucket. 5 gal in 4.5 min

MICROFILMED


NOV 0 1998




PERMIT 77-7308 INIT cjl
T. R. S. Q/Q CR FILMED
P/D 24N 3E 13 SENE
SCALE 1:24K NOV 09 1998
PHOTO ID. _____



MICROFILMED
97-7308
NOV 09 1998





SCALE: 2 INCHES EQUALS 1 MILE. DRAW MAP IN INK.

18404 77-2064



P/O
Collection site,
w/ valve inside
blue bucket



P/U
campsite only

MICROFILMED

NOV 09 1998

77-7308

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 77-07308

Priority: April 29, 1991

Maximum Diversion Rate:
Maximum Diversion Volume:

0.01 CFS
0.6 AF

This is to certify, that JUNGERT CORP

PO BOX 1197

RIGGINS ID 83549

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 29, 1991; and has submitted Proof of Beneficial Use on May 20, 1993. An examination indicates that the works have a diversion capacity of 0.010 cfs of water from:

SPRING

tributary to FRENCH CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 8 (SWSENE), Sec. 13, Township 24N, Range 03E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC

24N 03E 13 Lot 8 (SENE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for a campsite and does not include lawn, garden, landscape, or other types of irrigation.

MICROFILMED

NOV 09 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 77-07308

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 7TH
day of OCTOBER, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

NOV 09 1998

RECEIVED

MAY 21 1993

Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 5/20/93
Receipt No. W016277
Receipt by JFM.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 77-07308 Telephone No. 628-3497

2. Name(s) of Permit Holder(s): Jungert Corp.

3. Mailing Address: P.O. Box 1197 Riggins ID 83549

4. Source of Water: Spring

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 2 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation .5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes NO Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Same as above -
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-20-93 Marein Jungert - Vice Pres.
Date Signature (and title, if on behalf of a company or organization)

JUL 06 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 77-07308

Proposed Priority: April 29, 1991 Maximum Diversion Rate: 0.04 CFS
This is to certify, that JUNGERT CORP.

P.O. BOX 1197
RIGGINS, ID 83549

has applied for a permit to appropriate water from:

SPRING

tributary of FRENCH CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/01 to 12/01	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 8(SWSENE), Sec. 13, Township 24N, Range 03E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
24N	03E	13	LOT 8(SENE)	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. Domestic use is for 2 homes.

RECEIVED

AUG 07 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 77-07308

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

15 th day of July, 1991.

for 
R. Keith Higginson, Director

RECEIVED
AUG 07 1991

Ident. No. 77-07308

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JUNGERT CORPORATION 208-628-3497
Address: BOX 1197
RIGGINS, ID 83549
2. Source: SPRING Trib. to: FRENCH CREEK
3. Location of Point of Diversion: LOT 8 (SWSENE), Sec. 13, Township 24N, Range 03E
IDAHO County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/01 | 12/01 | 0.020 | | |
| DOMESTIC | 01/01 | 12/31 | 0.040 | | |
5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
SPRINGBOX AND PIPELINE
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 years.
8. Description of proposed uses:
DOMESTIC AND IRRIGATION FOR 2 HOMES
9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES
24N	03E	13	LOT 8 (SENE) 0.5

ACRES ACRES TOTAL
0.5
Total number of acres irrigated: 0.5
AUG 07 1991

Place of Use: DOMESTIC, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?

BLM

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.
SPECIAL USE PERMIT IN PROCESS

12. Remarks:

Domestic use is for 2 homes.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marion Jurgat V. Pres.
Applicant

Received by SL Date 4/29/91 Time 12:22 Preliminary check by lw

Fee \$ 30⁰⁰ Receipted by SL # W013258 Date 4/29/91


Publication prepared by GG Date 5-8-91 Published in Idaho County Free Press
5/15 & 5/22/91


Publication approved ST Date 6-3-91

MICROFILMED

AUG 07 1991

Let δ





77 07308

T24N

R3E

AUG 07 1991

NOTED

PAYETTE NATIONAL FOREST

77-07308

INTER-DEPARTMENT MEMO — 1

FROM *Brad Dingee*

DATE 5/26/88

TO *77-7260, 77-7261, 77-7259*

SUBJECT *Corporate Officers*

Pres. -- *Clyde Jungert*
V. Pres. -- *Marion Jungert*
Sec./Treas. -- *Barbara Jungert*

SIGNATURE

Note new address & telephone #

MICROFILMED

AUG 07 1988

MAY 28 1991

STATE OF IDAHO

County of Idaho - ss.

Marietta Hanson

Department of Water Resources
Western Regional Office

....., being
first duly sworn, says she is the Bookkeeper..... of the
IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho,
and is of general circulation in said county and state, that the
said notice, of which the one hereto attached is a true copy, was
published in said paper fortwo..... weeks, being published
.....two.....times, the first publication being on the
.....15th.....day ofMay....., 19⁹¹.....,
and the last publication on the.....22nd.....day of
.....May....., 19⁹¹.....; that the said notice was
published in the newspaper proper and not a supplement; that
said newspaper has been continuously and uninterruptedly
published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or
advertisement.

Mary H. Hanson

STATE OF IDAHO)

COUNTY OF _____)

On this.....22nd.....day of.....May.....in the year
of.....1991....., before me, a Notary Public, personally
appeared.....Marietta Hanson....., known or
identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me
that he executed the same.

Notary Public for Idaho

Residing at..... Grangeville, Idaho

My commission expires:.....9-10-92.....

MICROFILMED

AUG 07 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 8, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JUNGERT CORP
PO BOX 1197
RIGGINS ID 83549

RE: WATER RIGHT NO. 77-07308

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED

NOV 9 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
3
NOV 09 1998

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of October, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 77-07308

JUNGERT CORP
PO BOX 1197
RIGGINS ID 83549


Kari Lynn Townsend
Secretary

MICROFILMED

NOV 09 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 77-07308 DATE 10/2/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .04 cfs
 Fee limit .20 cfs \$5000
 Measured .01 cfs
 Theoretical 5 cfs

Recommended Total Div Rate .01 cfs

WATER USES	Change (P46)		
<u>Dom</u>	<u>.01</u> cfs	<u>.6</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
	cfs	af	supp. gw (WB7/065/079)
	cfs	af	overlap spec. combined rts (W35)
	cfs	af	<1acre (W31)
	cfs	af	(W01/WB5/070/071/075)
TOTALS	<u>.01</u> cfs	<u>.6</u> af	Domestic (W42 or W43/025/027/R22 or R23)
			Power (042) Fire (077) Wtr Quality (081/R07)

Flow rate .01 cfs X 365 days X 1.98 = 7.2 af

REMARKS if composite

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no SRBA Claim NA Adjust Memo _____
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 24 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 77-7308

1. Owner: JUNGERT CORP

Phone No. 628-3497

Current Address: PO Box 1197 Riggins ID 83549

2. Accompanied by: John Carlin

EXAM DATE: 7.12.95

Address: French CK. Rd Riggins

Phone No. _____

Relationship to Permit Holder: family friend

3. Source: Spring tributary to French Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 77-4040, 2064

2. Other water rights with the same point of diversion: 77-7307, 4040

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	8	SW	SE	NE	13	24N	3E	Idaho	

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
24N	3E	13				D													
						L.8													

MICROFILMED

NOV 09 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.D. as applicable.



Scale: 1" = NTS

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Timed fill in 5 gal bucket. 5 gal in 4.5 min

MICROFILMED

NOV 0 1998

E. NARRATIVE/REMARKS/COMMENTS

A buried Spring collection site w/ 4" perforated collection pipe to 3/4" conveyance line to P/A. Spring is used to provide potable water for a family campsite. No residence is present. At the P/A, a ~~1/2" P/A~~^{1/2" P/A} (also buried system) and faucet are used to obtain flows. A garden hose ~~is~~ was attached to faucet & Spring flows were being allowed to flow off the property and into French Creek. Measurement was taken at the hose.

There was irrigation found on the property; this was occurring from French Ck under license 77-2064 (see maps from files). No irrigation was possible from the Spring.

Other overlaps: 77-4040 - Domestic use for a property across the road & 77-7307 - P/D in French Creek for a camp in SWNE Sec 13.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 09 1998

F. FLOW CALCULATIONS

Measured Method:

5 gals in 4.5 min (270 sec)

$$\frac{5 \times 60}{270} = 1.1 \text{ gpm} = .002 \text{ cfs}$$

check: pipeflow equation = .008 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

allow .01 cfs

2. Volume Calculations for Other Uses:

campsite equivalent to single dom use = 0.6 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	.01	0.6
Totals:			.01	0.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy J. Hodges Date 4/5/96

Reviewer _____ Date _____

SEAL

MICROFILMED

NOV 09 1998

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
12/27/93
Project: Flow Computation for Permit No. 77-07308
JUNGERT
Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 \cdot (100 / \text{roughness})^{1.85} \cdot ((\text{cfs} \cdot 448.8)^{1.852} / \text{ID}^{4.8655} \cdot \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 70.00 feet
 Pressure Req'd: 10.00 psi
 Available Head: 46.90 feet
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80


Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
0.70	900.00	47.54	
10.00	0.00	0.00	
10.00	0.00	0.00	
10.00	0.00	0.00	47.54

Rate of Flow: 0.008 CFS


Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.

MICROFILMED


NOV 09 1998



PERMIT 77-7308 INIT glt
T. R. S. Q/M REFILED
P/D 24N 3E 13 SENE
SCALE 1:24K NOV 09 1998
PHOTO ID. _____



MICROFILMED
NOV 09 1998



77-2064

24N 3E

RIVER

SALMON

French Creek

Q77-1068

Q77-1065

Q77-4029

Snake Spring


BM 3457

Q77-4019

77-2064

MICROFILMED
NOV 8 9 1988

MICROFILMED





P/O
Collection site,
w/ valve inside
blue bucket



P/u
campsite only

MICROFILMED

NOV 09 1998

77-7308

Jungert 7308

Spring flow - 5 gal in 4.5 min

Creek flow - 5 gal in 30 sec.

→ Irrigating .5 ac. No domestics present
but family uses spot for camping
occasionally

77-7308

Spring: 4" perforated collection, buried in rock,
Valved @ old blue bucket. ^{buried} 3/4" plastic line
down hill to P/U - garden hose on end.

existing
license

Creek: 2" PVC line laid in creek. line
for ~100' follows creek then leaves creek, reduced
to 1 1/2" to Standpipe and faucet at
meadow. 2. Rainbirds operating
but took meas. through open hose.
~~No right for this one? 77-~~7308~~2064~~

MICRO CLERK

NOV 09 1998

May 28, 1993

JUNGERT CORP.
P.O. BOX 1197
RIGGINS ID 83549

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 77-07308

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
JUL 06 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 77-07308

Reviewed by klg

Date 5/21/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

domestic - 2

yes Address same as permit?

irrigate .5

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

NA Drilling permit required?

/ Copy in the file? Drilling Permit No. _____

/ Amount paid for permit _____ Correct?

/ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

NA Required?

50 Amount Submitted

/ Installed?

yes Correct?

/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority Date _____ + _____

New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 5/20/93
5/28/93 klg

April 30, 1993

JUNGERT CORP.
P.O. BOX 1197
RIGGINS ID 83549

PROOF DUE NOTICE

RE: PERMIT NO. 77-07308

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUL 06 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 18, 1991

JUNGERT CORP.
P.O. BOX 1197
RIGGINS, ID 83549

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 77-07308

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECEIVED
AUG 07 1991

APPLICATION FOR PERMIT REVIEW

Application #: 77-7308

Reviewer: Pam Skaggs

Date: 7-9-91

Existing:

✓No

Complete in 1 year

- 26A-P17

- P16

Yes

Proof not submitted

- P16

Proof submitted

- N/A

Groundwater:

GT. 0.2 cfs

- 01G-P03, 01C-P03(existing well)

LT. 0.2 cfs

- N/A

Drilling Permit:

Approved w/permit

- P99

Not included

- 046-P23(All GW, even existing wells)

Location:

Water Districts

- WD No. _____

Surface water

- 005, 005-01H-P01(LT.2 w/pump)

005-01J-P08(GT.2)

Groundwater

- P05

Irrigation Districts

- 023

Canal Co. Areas

- 023

Drainage Districts

- 024

Boise Front (63)

- 058 (Groundwater)

✓Swan Falls Flag

- _____ (1, Blank or Other)

Trust

- 051-052-053-P74(Consumptive Uses)

Non Trust

- 048-049

River Basins:

(Surface Water)

Water District Control Condition &....

Boise (63)

- 05A & 11E

Payette (65)

- 047-P04, 059-P71

Snake (01, 02 & 03)

- 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation

- 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power

- Use Power Review

Mining

- 06A or 010, 09E-P10 & 054(req.)

Storage

- 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic

- 027(Non-Consumptive)

Domestic

- 021(restricted areas)

Ownership:

✓Non land owner

- 004

Protested:

Agreement

- 020

Beneficial Use Due Date:

- 07-01-1993

Other Conditions Recommended

REPRODUCED

AUG 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: h DATE: 4/30/91 APPLICATION: 77-07308

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☒	Field report attached:
☐	☒	Critical groundwater area:
☐	☒	Groundwater management area:
☐	☒	Diversion within interim protected river area
☐	☒	Send dam safety information:
☐	☒	Send power requirement letter:
☐	☒	Send fish farm requirement letter:
☐	☒	Power residency affidavit:
☐	☒	Power efficiency form:
☐	☒	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☒	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☒	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

☒ Additional information on reverse side:

RECEIVED
JUN 18 1991

Department of Water Resources

OVERLAPS

P/W:

77-04040-HUPPERT-FR. CR.
02064-HINKLEY-FR. CR.
07261-JUNBERT-Spring
07304-JUNBERT-Spring

P/D:

77-04040-HUPPERT-FR. CR.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

May 15, 1991

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

Natural Resource Specialist
Bureau of Land Management
3948 Development Ave.
Boise, ID 83705

Re: Application for Permit No. 77-7308 in the name of Jungert Corporation

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by May 15, 1991.
June 3, 1991

If you have any questions regarding the application, please contact this office.

Sincerely,

David R. Tuthill Jr.
DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

RECEIVED

AUG 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MAY 8, 1991

Idaho County Free Press
P.O. Box 267
Grangeville, ID 83530

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 3, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED
MAY 07 1991

77-07308

JUNGERT CORPORATION
BOX 1197
RIGGINS, ID 83549

Source: SPRING

Tributary: FRENCH CREEK

Diversion Pt: LOT 8 (SWSENE) Sec 13 T 24N R 03E

Use: IRRIGATION (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 4/29/ 1991

In: T24N R03E S13 Lot 8 (SENE)

0.5 ACRES TOTAL

RECORDED

AUG 07 1991