


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dan Allen
(Applicant)
asst. Scott Executive

RECORDED
JUL 16 1991

AFFIDAVIT OF PUBLICATION

APR 15 1991

STATE OF IDAHO

County of Idaho - ss.

Marietta Hanson

Department of Water Resources
Western Regional Office

....., being
first duly sworn, says she is the Bookkeeper..... of the
IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho,
and is of general circulation in said county and state, that the
said notice, of which the one hereto attached is a true copy, was
published in said paper fortwo.....two.....weeks, being published
.....two.....times, the first publication being on the
3rd.....day of April.....1991,
and the last publication on the.....10th.....day of
April....., 1991; that the said notice was
published in the newspaper proper and not a supplement; that
said newspaper has been continuously and uninterruptedly
published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or
advertisement.

Marietta Hanson

STATE OF IDAHO }

COUNTY OF }

On this.....10th.....day of.....April.....in the year
of.....1991....., before me, a Notary Public, personally
appeared.....Marietta Hanson....., known or
identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me
that he executed the same.

[Signature]
Notary Public for Idaho

Residing at.....Grangeville, Idaho.....

My commission expires:.....9-10-92.....

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

77-07307

BOY SCOUTS OF AMERICA

110 SCOUT LN.

BOISE, ID 83702

Source: FRENCH CREEK Tributary:

SALMON RIVER

Diversion Pt: LOT 8 (SENE) Sec 13 T

24N R 03E

Use: DOMESTIC (.040 CFS) Total

Diversion: (.040 CFS)

Date Filed: 3/20/1991

In: T24N R03E S13 Lot 8 (SWNE)

79-07203

U.S. DEPT. OF AGRICULTURE

FOREST SERVICE

FEDERAL BLDG.

P.O. BOX 7669

MISSOULA, MT. 59807

Source: SALMON RIVER Tributary:

SNAKE RIVER

Diversion Pt: LOT 1 (SENENW) Sec 23 T

26N R 01E

Use: IRRIGATION (3.100 CFS)

IRRIGATION STORAGE (17.00 AF)

IRRIGATION FROM STORAGE (15.00

AF)

DIVERSION TO STORAGE (3.100 CFS)

Total Diversion: (3.100 CFS) (17.00 AF)

Date Filed: 3/11/1991

In: T26N R01E S23 Lot 1 (NWNE) SWNE

SENE Lot 4 (SENW) NESW Lot 5

(NWSW) NESE NWSE

155.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before APRIL
22, 1991.

R. KEITH HIGGINSON, Director
Published 4/3/1991 & 4/10/1991

A3-10

MICROFILMED

JUL 16 1991



RECEIVED
AUG 13 1997
Department of Water Resources

Not at this address

*Current Address:
8901 W. Franklin Rd
Boise 83709
376-4411*

IDAHO DEPARTMENT OF WATER RESOURCES
1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

To
L77-07307
BOY SCOUTS OF AMERICA
110 SCOUT LN
BO


RETURNED TO SENDER
UNDELIVERABLE AS ADDRESSEE
FORWARDING ORDER

BOYS110 837022011 1N 07 08/06/97
RETURN TO SENDER

NO FORWARD ORDER ON FILE
UNABLE TO FORWARD
RETURN TO SENDER

SEP 16 1997
MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	W/K	1.5		Jacuzzi (?)	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. **Measurements:** No meas possible. Tanks are filled manually, no overflow. Pump submersible & all lines buried. See theoretical calculation. Open discharge into tanks

MICROFILMED

SEP 16 1997



PERMIT 77-7307 INIT gh
T. R. S. Q/Q
P/D 24N 3E 13 SENE MICROFILME
SCALE 1:24K
PHOTO ID. SEP 16 1997



77-7307

MICROFILMED
SEP 16 1997




←
holding
tanks
←



Place of use
washroom, (green)
kitchen (blue)

MICROC-HILL
SEP 16 1997

77-7307



REPRODUCED
JUL 16 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 77-07307

Priority: March 20, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.1 AF

This is to certify, that BOY SCOUTS OF AMERICA

110 SCOUT LN

BOISE ID 83702

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 20, 1991; and has submitted Proof of Beneficial Use on June 1, 1993. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from:

FRENCH CREEK

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	05/01 to 10/31	0.04 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SENE), Sec. 13, Township 24N, Range 03E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC

24N 03E 13 Lot 7(SWNE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for a Boy Scout Organization Camp.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of August, 1997.

Acting for KARL J. DREHER, Director

MICROFILMED

SEP 16 1997

RECEIVED

JUN 01 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00
Date 6-1-93
Receipt No. 0027692
Receipt by CA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 77-07307 Telephone No. 342-6839
2. Name(s) of Permit Holder(s): Ore-Ida Council - Boy Scouts of America
3. Mailing Address: 110 Scout Lane, Boise, Idaho 83702
4. Source of Water: French Creek

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic X (No. of households) use for a Boy Scout Organization Camp. Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? _____ Yes _____ No

OR
Flow Measurement Port: Required? _____ Yes NO Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Warren E. Shepherd 342-6839
Name Telephone No.

110 Scout Lane Boise, Idaho 83702
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-24-93
Date

Warren E. Shepherd - Asst. Scout Executive
Signature (and title, if on behalf of a company or organization)

JUL 06 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 77-07307

Proposed Priority: March 20, 1991 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **BOY SCOUTS OF AMERICA**
110 SCOUT LN.
BOISE, ID 83702

has applied for a permit to appropriate water from:

FRENCH CREEK

tributary of **SALMON RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	05/01 to 10/30	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 8(SENE), Sec. 13, Township 24N, Range 03E
IDAHO County

PLACE OF USE: DOMESTIC
TWN RGE SEC


24N 03E 13 LOT 8(SWNE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Domestic use is for a Boy Scout Organization Camp.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20 day of June, 1991.

for

R. Keith Higginson, Director

RECEIVED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant BOY SCOUTS OF AMERICA Phone 342-6839
Post office address 110 SCOUT LANE, BOISE, ID 83702
2. Source of water supply FRENCH CREEK which is a tributary of SALMON RIVER
3. Location of point of diversion is _____ ¼ of SE ¼ of NE ¼, Govt. Lot E
Sec. 13 Township 24N Range 3E B.M. IDAHO County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for DOMESTIC purposes from 5-1 to 10-30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 3/4 HP PUMP IN CREEK
WITH 2" MAINLINE UP TO TWO - 9,000 GAL. STORAGE
TANK. GRAVITY FLOW FROM TANKS TO PLACE OF USE.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

NO
JUL 16 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. DOMESTIC USE IS FOR A BOY SCOUT ORGANIZATION CAMP. WATER IS USED FOR WASHING, SHOWERS, ETC., NOT USED FOR DRINKING WATER.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
24N	3E	13			18 D														

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. NONE

- Who owns the property at the point of diversion? APPLICANTS
- Who owns the land to be irrigated or place of use? APPLICANTS
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Not used for drinking water at this time.
A chlorinator may be installed in the future.

JUL 16 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dan Allen
(Applicant)
asst. State Engineer

APR 16 1991

Received by GJH Date 3-20-91 Time 10:50 Preliminary check by lin
Fee \$ 30.00 Receipted by GJH # 10013130 Date 3-20-91
Publication prepared by GG Date 3-27-91 Published in Idaho County Free Press
Publication approved JT Date 4-23-91 ^{4/3 & 4/10/91}

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUL 16 1991

APR 15 1991

Marietta Hanson

Department of Water Resources
Western Regional Office

Wm. H. Hays

COUNTY OF _____)

Notary Public for Idaho

Residing at..... Grangeville, Idaho.....

My commission expires:.....9-10-92.....

[illegible]

JUL 16 1997



BOY SCOUTS COUNCIL
of America

RECEIVED

AUG 20 1997

Department of Water Resources

August 18, 1997

Department of Water Resources
Attn: Kari Lynn
1301 N. Orchard
Boise, ID 83706

Dear Kari Lynn:

This is to notify you that our current mailing address is:

8901 West Franklin Road
Boise, Idaho 83709-0638

If you need additional information, please let us know.


Sincerely,

R. Ray Boyd
Scout Executive

RRB/kr

MICROFILMED

SEP 16 1997



RECEIVED
AUG 13 1997
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

To

L77-07307
BOY SCOUTS OF AMERICA
110 SCOUT LN
BO---

BOYS110

837022011 1N 07 08/06/97
RETURN TO SENDER

NO FORWARD ORDER ON FILE
UNABLE TO FORWARD
RETURN TO SENDER



UNDELIVERABLE
FORWARD TO SENDER

Handwritten: POE
2654



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 4, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BOY SCOUTS OF AMERICA
110 SCOUT LN
BOISE ID 83702

RE: WATER RIGHT NO. 77-07307

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ENCLOSURE

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

RECORDED 2

SEP 16 1937

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MSRC-111
SEP 16 1997

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 77-07307

BOY SCOUTS OF AMERICA
110 SCOUT LN
BOISE ID 83702


Kari Lynn Townsend
Secretary

SEP 16 1997

MEMORANDUM

TO: File 77-07307

FROM: Sharla Curtis

DATE: July 30, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 77-07307 are based on the following:

H. RECOMMENDATIONS

Domestic	5/1 - 10/31	0.04 cfs	0.1 afa
----------	-------------	----------	---------

There are 31 days in the month of October; it only makes sense to show a season from the first of May till the end of October.

Examiner: Cindy Hodges
Exam Date: July 12, 1995

SEP 14 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 77-07307

DATE 7/30/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change OK

Is change clarification of originally intended source? NO

POINT OF DIV Change OK

If not, prepare Notice of Intent to Void NO
Amendment required NO

PLACE OF USE Change OK

Amendment required NO change lot #

Does map agree with written description? ✓ yes NO no

OVERLAPS NO P/D NO P/U

RATE OF DIV

Permitted Rate .04 cfs
Fee limit .20 cfs \$50.00
Measured NO cfs
Theoretical .06 cfs .07

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/

NATURE OF USES	Use	cfs	Volume Calc
<u>5/1-10/31</u>	<u>Dom</u>	<u>.04</u>	<u>.1</u> af
<u>31 days in Oct</u>			<u>NO</u> af
			<u>NO</u> af
			<u>NO</u> af
			<u>NO</u> af
	SUBTOTAL	<u>.04</u>	<u>.1</u> af

Flow rate .04 cfs X 184 days X 1.98 = 14.6 af

Total volume recommended .1 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

Boy Scout Org. Camp

CONDITIONS


NO Watermaster Control WD# NO
NO GW Measurement/Measuring Device
NO Overlap
NO Use-specific conditions

Advancement of Priority Date Required NO yes NO no

SRBA Claim Filed N/A
Adjustment Memo Reason

1st Amend Letter N/A
2nd Amend Letter N/A

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = N.T.S.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	W/K	1.5		Jacuzzi (?)	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: No meas possible. Tanks are filled manually, no overflow. Pump submersible & all lines buried.
See theoretical calculation. Open discharge into tanks

E. NARRATIVE/REMARKS/COMMENTS

Submersible pump in French Creek used to fill 2, 21500 gal tanks for wash water for a Boy Scout camp (Whitewater Adventure Camp). Water is used for handwashing, sinks and showers & misc uses - all potable water is hauled in. Camp was not in session at the time of exam. Camp staff on site estimated 300^(total) campers (4-5 day stays) plus 2 full-time staff ~~over~~ 2 months every summer. Tanks are filled manually using a gas-powered generator to run the electric pump; approx 4-5 times each summer.

Tank capacity: 5' Dia x 10' long

$$A = \pi r^2 = \pi (2.5')^2 = 19.6 \text{ ft}^2$$

$$V = A \times L = 196 \text{ ft}^3$$

$$196 \text{ ft}^3 \times 7.5 \text{ gal/ft}^3 = 1472 \text{ gal}$$

Overlaps: 77-4040 & 77-7308 - other uses, opposite side of French Creek.

No irrigation or other consumptive use under this permit.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 16 1997

F. FLOW CALCULATIONS

Measured Method:

 Additional Computation Sheets Attached

HP equation: $\frac{1.5 \times 8.8 \times .7}{120 + (5 \times 2.31)} = .07$ (no friction loss incl.)

Pumpback computation = $.06$ (w/ friction losses calculated)

This appears to be reasonable & exceeds permit limit.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

300 campers, 5 day visits = 1500 camper days

2 FT Staff, 2 mos (8 wks) = ~~160~~ 80 staff days
 $8 \times 5 \text{ days} \times 2 = 80$

1580 user days/yr $\times 10 \text{ gal/day/user}$
 (v. limited facilities)

$= 15,800 \text{ gal/yr} = .1 \text{ AF}$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	5/01	10/30	.04	.1
Totals:			.04	.1

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy J. Hodges Date 4/5/96

Reviewer _____ Date _____

SEAL

RECEIVED
 APR 16 1996

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Cindy Hodges
 4/5/96
 Project: Flow Computation for 77-07307
 Boy Scouts of America
 Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
 $f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Lengt})$

To Find: Compute Rate of Flow for a Pumpback System

Data Table

Vertical Lift: 120.00 feet
 Pressure Req'd: 5.00 psi
 Required Head: 131.55 feet
 Pump Horsepower: 1.50 horsepower

Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe
 aluminum - joint length 20' = 125, j
 30' = 130, joint length 40' = 132, j
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast ir
 old pipes in poor condition = 60 to


Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Frict
1.75	1000.00	28.78	
1.00	0.00	0.00	
1.00	0.00	0.00	
			28.78

Initial Estimate of Rate of Flow: 0.060 CFS


Computation of Rate of Flow: 0.06 CFS

Solution is shown in the Computation of Rate of Flow.
 Solution is obtained by entering an initial estimate of rate of flow,
 and by changing this factor until it approximates as closely as possible
 the Computation of Rate of Flow.

SEP 16 1997



PERMIT 77-7307 INIT gh
T. R. S. Q/Q
P/D 24N 3E 13 SENE
SCALE 1:24K
PHOTO ID. 16 037



2 ~~500~~ tanks — 5' Dia X 10' = 1500 gals
pump w/k HP.

fill tanks ~ 5 HRS = 10 gpm?


water for ~~non~~ potable uses only

2" pipe from pumps to tanks — fill 4-5 times
per summer

avg 300 campers + staff (6 FT - 2 mos)
whitewater scout camp.

pump worked on in McCall — pump shop by
Gravity Sports — check on way down?

(Jeffries' Pump House) — 1.5 HP Subm. 1 1/4" discharge



←
holding
tanks



Place of use
washroom, (green)
kitchen (blue)

SEP 18 1995

77-7307

June 3, 1993

BOY SCOUTS OF AMERICA
110 SCOUT LN.
BOISE ID 83702

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 77-07307

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUL 06 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 77-07307

Reviewed by Klg

Date 6/2/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

domestic

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

NA Drilling permit required?

/ Copy in the file? Drilling Permit No. _____

/ Amount paid for permit _____ Correct?

/ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

NA Required?

50 Amount Submitted

/ Installed?

yes Correct?

/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority Date _____ + _____

New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 6/1/93
6/3/93 Klg

April 30, 1993

BOY SCOUTS OF AMERICA
110 SCOUT LN.
BOISE ID 83702

PROOF DUE NOTICE

RE: PERMIT NO. 77-07307

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MAILED
JUL 06 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 27, 1991

BOY SCOUTS OF AMERICA
110 SCOUT LN.
BOISE, ID 83702

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 77-07307

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

JUL 16 1991

APPLICATION FOR PERMIT REVIEW

Application #: 77-7307
Date: 6-17-91

Reviewer: Pam Skaggs *PS*

Existing:

☒ No

Complete in 1 year - 26A-P17
P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)

LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99

Not included - 046-P23(All GW, even existing wells)

Location:

Water Districts - WD No. _____

Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

Swan Falls Flag - _____ (1, Blank or Other)

Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

☒ Beneficial Use Due Date: 07-01-1993
☐ Other Conditions Recommended _____

PS
JUL 16 1991

Form No. 202a.
10/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: lu DATE: 3/21/91 APPLICATION: 77-07307
77-

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: ☒ P/D
☒ Nature of proposed use: (Include description of use) ☒ P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO | |
|-------------------------------------|-------------------------------------|---|
| ☒ | ☐ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☒ | ☐ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☐ | Field report attached: |
| ☐ | ☒ | Critical groundwater area: |
| ☐ | ☒ | Groundwater management area: |
| ☐ | ☒ | Diversion within interim protected river area |
| ☐ | ☒ | Send dam safety information: |
| ☐ | ☒ | Send power requirement letter: |
| ☐ | ☒ | Send fish farm requirement letter: |
| ☐ | ☒ | Power residency affidavit: |
| ☐ | ☒ | Power efficiency form: |
| ☐ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☒ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____
Additional information on reverse side: ☒

RECEIVED
MAY 29 1991

Department of Water Resources

APPLICATION NO.

77-

Fee amount, receipt number and date recorded on application:

YES NO

Handwriting practice lines showing four slanted strokes (diagonal lines) written on ruled lines.

Adjudication Bureau

YES NO

Other

YES/ NO

✓✓

Application published correctly: If not, record action taken.

[illegible]

Special conditions of approval or cover letter:

26A (Allow 2 yrs)

Recommended by:

Dr

Date 5/22/91

See below for additional information. By

Date _____

[Blank lined area]

N. 89° 42' W.

29.80

50.75:49.30 $\frac{1}{2}$ 48.00, 48.17

2220

2

5 17.52, 20.45

Sec 14

59147

Mr. O. N.

49.70

N 89° 56' W.

7972

5.89°43'N.

80.20

29.30

507.225

59650

13-80A/4

8010

25

Set 24

0149

RESTRICTED

JUN 16 1991

ALBION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MARCH 27, 1991

Idaho County Free Press
P.O. Box 267
Grangeville, ID 83530

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 22, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED
JUL 16 1991

77-07307

BOY SCOUTS OF AMERICA
110 SCOUT LN.
BOISE, ID 83702

Source: FRENCH CREEK

Tributary: SALMON RIVER

Diversion Pt: LOT 8 (SENE) Sec 13 T 24N R 03E

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 3/20/ 1991

In: T24N R03E S13 Lot 8 (SWNE)

APR 13 1991