


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George E. Phillips

(Applicant)

Francis P. Chisholm

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 77-7149 in the name of Posey E. Phillips and/or Francis P. Chohrach was published in error on August 27 and September 3, 1981.

The Point of Diversion and Place of Use was advertised as being within the SENE $\frac{1}{4}$, Sec. 14, T22N, R5E. B.M. Whereas, the actual point of Diversion and Place of Use is within the SENW $\frac{1}{4}$, Sec. 14, T22N, R5E. B.M.. Idaho County.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before March 15, 1982.

A. Kenneth Dunn
DIRECTOR

Published in the Idaho
County Free Press on
February 24 & March 3, 1982.
F24-M3

AFFIDAVIT OF PUBLICATION

Nona C. Donaldson being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 24 day of February, 19 82, and the last publication on the 3 day of March, 1982; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona C. Donaldson

Subscribed and sworn to before me this 3 day
of March, 19 82

[Signature], Notary Public
for State of Idaho, residing at Grangeville, Idaho.

MICROFILMED

RECEIVED
MAR 8 1982

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION



Permit No. 77-7149
Phone No. 345-1167
1. Owner: Posey E. Phillips and Francis P. Gohkack
Current Address: 1560 Hise Boise, ID 83705
2. Accompanied by: NO ONE AVAILABLE EXAM. DATE: 7/2/87
Address: N/A Phone No. N/A
Relationship to Permit Holder: N/A
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: 77-7103, 7220 ☐ Copies Attached
2. Other water rights with same point of diversion: 77-7103, 7209, 7220 ☐ Copies Attached ☐ Copies of Field Exam's Attached
Copies Not Attached since aren't conflicting or overlapping

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

NOV 22 1989

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).









State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 77-07149

Priority: September 15, 1981

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
2.4 AF

This is to certify, that POSEY E. PHILLIPS
FRANCIS P. CHOHRACH

1560 HISEL

BOISE, ID 837050000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 17, 1981; and has submitted Proof of Beneficial Use on March 30, 1987. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SESENW, Sec. 14, Township 22N, Range 05E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC

22N 05E 14

SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of NOVEMBER, 1987.

Acting for

R. Keith Higginson, Director

MICROFILMED

NOV 22 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 77-7149 IN THE)
NAME OF POSEY E. PHILLIPS & FRANCIS P. CHOHRACH) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before March 1, 1987; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on March 30, 1987;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 77-7149 be REINSTATED and the priority advanced to September 15, 1981.

Dated this 1st day of May, 1987.

MICROFILMED

MAY 13 1987


L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant POSEY E. PHILLIPS & FRANCIS P. CHORRACH Phone 362-3237
Post office address 3312 ITHCA BOISE IDAHO 83709
2. Source of water supply UNNAMED SPRING which is a tributary of SECESH RIVER
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 22 N
Range 5E B.M. IDAHO County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0-20 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)
Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)
Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. CATCH BASIN WITH 1 1/4" PLASTIC PIPE (APPROX 400 GAL. CATCH BASIN)
b. Height of storage dam SEE ABOVE (A) feet, active reservoir capacity SEE ABOVE (A) acre-feet; total reservoir capacity SEE ABOVE (A) acre-feet, materials used in storage dam: SEE ABOVE (A)
Period of year when water will be diverted to storage SEE ABOVE (A) to SEE ABOVE (A) inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is SEE ABOVE (A) inches; proposed depth of well is SEE ABOVE (A) feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:


- (1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 22 N
Range 5E B.M.
(2) Amount of power to be generated: NONE horsepower under NONE feet of head.
(3) List number of each kind of livestock to be watered NONE

(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water N/A.

(5) If water is to be used for other purposes describe: DOMESTIC USE 5 HOUSES
SECESH MEADOWS SUBDIVISION NO. 4
LOTS: 33, 34, 35, 36 & 41

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 1 inch equals 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George Phillips Francis P. Chisholm
(Applicant)

7
Proposed Priority 8/17/1981

Received by CEB Date 17 Aug 81 Time 8:30 AM

Preliminary check by cem Fee \$ 30.00

Receipted by CEB Date 17 Aug 81 # 19583

Publication prepared by JP Date 8-20-81

Published in Idaho County Free Press Re-advertised

Publication dates 8-27-9-3-1981 12/17 & 12/24/81
3/25 & 3/4

Publication approved HR Date 9-14-81 + 3/10/82

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 77-7149, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 26th day of March, 19 82.

A. Glen Saylor
Chief, Operations Bureau

MICROFILMED

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 77-7149 in the name of Posey E. Phillips and/or Francis P. Chohrach was published in error on August 27 and September 3, 1981.

The Point of Diversion and Place of Use was advertised as being within the SENE $\frac{1}{4}$, Sec. 14, T22N, R5E. B.M. Whereas, the actual point of Diversion and Place of Use is within the SENW $\frac{1}{4}$, Sec. 14, T22N, R5E. B.M. Idaho County.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before March 15, 1982.

A. Kenneth Dunn
DIRECTOR

Published in the Idaho County Free Press on February 24 & March 3, 1982.

F24-M3

AFFIDAVIT OF PUBLICATION

Nona C. Donaldson being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 24 day of February, 1982, and the last publication on the 3 day of March, 1982; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona C. Donaldson

Subscribed and sworn to before me this 3 day of March, 1982

[Signature], Notary Public
for State of Idaho, residing at Grangeville, Idaho.



RECEIVED
MAR 8 1982

RECEIVED
MAR 8 1982

Department of Water Resources
Western Regional Office

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 77-7149 in the name of Posey E. Phillips and/or Francis P. Chohrach was published in error on August 27 and September 3, 1981.

The Point of Diversion and Place of Use was advertised as being within the SENE $\frac{1}{4}$, Sec. 14, T22N, R5E. B.M. Whereas, the actual Point of Diversion and Place of Use is within the SE $\frac{1}{4}$, Sec. 14, T22N, R5E. B.M. Idaho County.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before March 15, 1982.

A. Kenneth Dunn

DIRECTOR

Published in the Idaho County Free Press on February 25 & March 4, 1982.

RECORDED

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 77-7149 in the name of Posey E. Phillips and/or Francis P. Chohrach was published in error on August 27 and September 3, 1981.

The Point of Diversion and Place of Use was advertised as being within the SENE $\frac{1}{4}$, Sec. 14, T22N, R5E. B.M. Whereas, the actual Point of Diversion and Place of Use is within the SENW $\frac{1}{4}$, Sec. 14, T22N, R5E. B.M. Idaho County.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before January 4, 1982 .

A. Kenneth Dunn

DIRECTOR

Published in the Idaho County Free Press on December 17 and December 24, 1981.

2/19/82 -

Paper called - they had
run 2 ads together, they
needed this ad again.

IP.

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

77-7148

PAUL, HOWARD W. &/or
SARA
CLARK, DON &/ OR
DOROTHY
STAR ROUTE, CASCADE,
ID 83611

Source: UNNAMED
STREAM tributary to
SECESH RIVER

Date Filed: 08/19/1981

Amount: 2.00 CFS

Diversion Point: SENW
SWNW Sec 15 T 22N R 05E,
IDAHO Co.

Use: MINING (2.00 CFS)
from 05/01 to 11/01

Place of Use: SENW SWNW
Sec 15 T 22N R 05E

Diversion Means: PUMPS &
PIPELINES

77-7149

PHILLIPS, POSEY E.
CHOHRACH, FRANCIS P.
3312 ITHCA, BOISE, ID 83709

Source: UNNAMED
STREAM tributary to
SECESH RIVER

Dated Filed: 08/17/1981

Amount: 0.20 CFS

Diversion Point: SENE Sec
14 T 22N R 05E, IDAHO Co.

Use: DOMESTIC (0.02 CFS)
from 01/01 to 12/31

Place of Use: SENE Sec 14 T
22N R 05E

Diversion Means: CATCH
BASIN & PIPE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before SEPTEMBER 14, 1981.

A. KENNETH DUNN
Director

Published 8/26 & 9/2/81.

A28-S2

RECEIVED

SEP 14 1981

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

Nona C. Donaldson being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 26 day of August, 1981, and the last publication on the second day of September, 1981 and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 9 day of September, 1981

Marilyn J. Stolley, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

MICROFILMED

November 16, 1989

POSEY E. PHILLIPS
FRANCIS P. CHOHRACH
1560 HISEL
BOISE, ID 837050000

RE: PERMIT NO. 77-07149

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 22 1989

October 26, 1989

POSEY E. PHILLIPS
FRANCIS P. CHOHRACH
1560 HISEL
BOISE, ID 837050000

RE: PERMIT NO. 77-07149

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 26 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
7707149	22N	05E	14	SE	NW	SPRING	PHILLIPS, POSEY E.
7707103						SPRING	WYATT, DENNIS
7707209						SPRING	MEDLEY, DON C.
7707220						SPRING	LARSON, K. R.

MICROFILMED

NOV 24 1989

m 219-S.A.
6/86

PD : 22N SE S. 14 SE NW
pu
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

77-7149
Permit No.

RECEIVED

MAR -1 1988

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index S.L. 6/23/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached? NOT NEEDED
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☒ Other: _____

Check of P/U index S.L. 6/23/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached? NOT NEEDED
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☒ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A SL 6/23/87 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Steve Foster 7/2/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 1/22/88 (Initial and date)

Exam Reviewed by Manager of Regional Office AM 2/19/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office JD 2/24/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Posey E. Phillips and Francis P. Ghoerack Permit No. 77-9149
 Current Address: 1560 Hisel Boise, Id. 83705 Phone No. 345-1167
 2. Accompanied by: NO ONE AVAILABLE EXAM. DATE: 7/2/87
 Address: N/A Phone No. N/A
 Relationship to Permit Holder: N/A
 3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: 77-7103, 7220 ☐ Copies Attached *Copies NOT attached since aren't conflicting or overlapping*
 2. Other water rights with same point of diversion: 77-7103, 7209, 7220 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
 Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A spring with a 10'x2' springbox and approx. 900' of buried 1 1/4" pipe provides internal domestic water to lots 33-36 in Secesh Meadows Subd #4. Domestic units include 1 cabin, 1 trailer in place, and 2 campers or trailers brought to property as needed. On lot 34 one finds the buried pipe emerging from ground. Three hose faucets are available on two 3/4" pipes. A buried 1 1/4" branch leads several hundred feet to lot 36, where a 3/4" pipe & faucet are used. A shut-off valve is found on mainline as it emerges from ground.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		N/A			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NW	14	22N	SE	Idaho	11565 MAPS: 15' x 7 1/2' QUADS.
									Also used compass, pacing, and
									vehicle odometer. Note 7 1/2' quad covers
									3/4 of Section 14 and 15' quad covers other 1/4.

6. Place(s) of Use:

Indicate Method of Determination Same as in P/D

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
22N	SE	14								D/4									—

MICROFILMED

NOV 22 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
stopwatch						

2. Measurements:

2 identical readings : 5 gallons in 45 s.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{60}{45} \times 5 = 6.67 \text{ gpm}$ $\frac{6.67}{448.8} = .0149 = .01 \text{ cfs}$

2. Alternate Method for Checking Purposes: NONE

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

INTERNAL DOMESTIC USE ON 4 UNITS AT .6 AFA each = 2.4

V.

$.04 \times 1.9835 \times 365 = 28.96 = 29.0$

MICROFILMED

NOV 22 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Note reinstatement and priority order of 5/1/87. New priority is 9/15/81.
Obtained specs on system etc. in phone conversation with Mr. Phillips on 6/22/87.
Allow .04 cfs (no fee submitted). Measurement should not limit cfs since this is an abnormal water year; also, measurement is not a primary (required) type.
OVERLAP
PO: 77-7103, 7209, 7220 ARE PERMITS FOR OTHER SPRINGS.
PU: 77-7103 & 7220 ARE DOMESTIC USE ON DIFFERENT LOTS IN SAME SUBDIVISION.
NO OVERLAP CONFLICT.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	2.4
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Steven Lester
Signature Steven Lester
Certification Date _____
Field Report Preparation Date 7/2/87

BD
1/22/88



CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DOM 9/7/89

MICROFILMED

NOV 22 1989

Winton Inn to Park: $3.8 - 1.9 = 1.1$ mi.
 Bridge to Draining: $1.9 - 3.0 = 1.1$ mi


NOTE: REMAINDER OF S. 14 IS COVERED
 by 15' Burgdorf quad.


77-7149

22 N SE S. 14
 SE NW

Driveway to CABIN:
 $3.0 - 3.1 = .1$ mi

ROAD →
 WARM SPRING
 REEF
 LOCATED
 UNNAMED stream
 2874 IV
 500' PD. 994






THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLORADO OR WASHINGTON 25, D. C.
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

1700' E } quadrangle figures on permit
 1500' S }
 Located 2. cks. conference
 w/ S. River

77-7149
 22N 5E S. 14









77 7149

① P/O
Springbox, buried
pipe. Approx.
1 mile N. of
Secesh River Bridge

② P/U
Near Secesh River.
(NE of McCall).
Note emerging
pipe & faucets in
center of
photo (see photo 4)

③ P/U
continued.

④
Emerging pipe
from buried
mainline.

MICROFILMED

NOV 22 1969

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 77-7149 *ChobRach*
Name(s) of Permit Holder(s): Posey Phillips Francis
Post Office Address: 3312 Ft. Baker Boise Idaho
83709 Tel. No. 362-3237

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7-21- *1989* (date) *Michael* I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

2-1-83
Date

Posey Phillips
Signature of Permit Holder

Poser 131 10/10/75
3312 11:22 PM
Boise Idaho 83709
2 FEB 1983



MICROFILMED

NOV 22 1989



RECEIVED

FEB 8 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 77-7149

DATE: Apr. 29, 1987

Date proof received

89

Mar. 30, 1987

Proof due

- 60

Mar. 1

Number of day proof late

29

Priority date

+229

Aug. 17, 1981

New priority date


258

Sept. 15, 1981

Remarks:

MICROFILMED

MAY 13 1981



MAR 30 1987

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received
Date
Receipt #
Receipt by
Reviewed by
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 77-7149

Name(s) of Permit Holder: Possey E Phillips & Francis P Ghohrach

Post Office Address: 1560 Hissel Boise Idaho 83705

Telephone No. 3451167

Source of Water: Spring

Extent of Use:

Domestic 2 (number of households) Stockwater (number and type of stock)

Irrigation (acres) Other/Remark

Total rate and/or volume for which proof is submitted .20 .045 ^{cts} acre-feet

Show the date water was first diverted and beneficially used under this permit: 7-30-82

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Possey E Phillips 3451167
1560 Hissel (Name) (Telephone Number)

Boise Idaho 83705
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 13 1987


3-30-87
Date

Possey E Phillips
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

 RETURN TO SENDER
X NO SUCH #
ATTEMPTED - NOT KNOWN
VACANT
ROUTE NUMBER 2816
INITIALS JS

Francis P. Chohrach
896 Goodwin
San Jose, CA 95128




RECEIVED

MAR 25 1987

Department of Water Resources

RECORDED
MAY 13 1987



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAR 25 1987

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 13, 1987

CHOHRACH, FRANCIS P.
PHILLIPS, POSEY E.
3312 ITHCA
BOISE, ID 83709

Department of Water Resources Francis P. Chohrach
986 Goodwin
San Jose, CA 95128
Posey E. Phillips
1560 Hisel
Boise, ID 83715

LAPSE NOTICE

RE: PERMIT NO. 77-7149

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED DECEMBER 31, 1986.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. Glen Saxton

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF


MICROFILMED

MAY 13 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RECEIVED
MAR 24 1987

Department of Water Resources



FBI 12 7R2029N1 03/20/87

RETURN TO SENDER
NO FORWARDING ORDER ON FILE
UNABLE TO FORWARD

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAR 24 1987

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 13, 1987

CHOHRACH, FRANCIS P.
PHILLIPS, POSEY E.
3312 ITHCA
BOISE, ID 83709

Department of Water Resources

Francis P. Chohrach,
986 Goodwin
San Jose, CA 95128
Posey E. Phillips
1560 Hisel
Boise, ID 83715

LAPSE NOTICE

RE: PERMIT NO. 77-7149

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED DECEMBER 31, 1986.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. Glen Saxton

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

MICROFILMED

MAY 13 1987

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 13, 1987

CHOHRACK, FRANCIS P.
PHILLIPS, ROSEY E.
3312 ITHCA
BOISE, ID 83709

Francis P. Chohrack
986 Goodwin
San Jose, CA 95128

Rosey E. Phillips
1560 Hise
Boise, ID 83715

LAPSE NOTICE

RE: PERMIT NO. 77-7149

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED DECEMBER 31, 1986.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

MICROFILMED

MAY 13 1987

CERTIFICATION OF MAILING

I hereby certify that this letter was mailed by first class mail, postage paid, to the individual named below.

3-17-1987
Dita Fleck

INTER-DEPARTMENT MEMO — 1

FROM

Peter Fleck

DATE *1-20-1987*

TO

File 77-7149

SUBJECT

Returned B/h V Notice

*The Idaho County Assessor's Office
has an address of 1560 Hiral, Boise,
ID 83715 for Phillips. An address for
Chokrach is 986 Goodwin, San Jose, CA
95128.*

*I'm forwarding the notice to the Boise
address*

MICROFILMED

MAY 13 1987

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Boise, Idaho 83720

CLAIM CHECK
NO.

600948

☐ HOLD

DATE

1ST NOTICE

2ND NOTICE

RETURN

Detached from
PS Form 3849-A
Oct. 1980

RETURN TO SENDER
() MOVED LEFT NO ORDER
(X) EXPIRED ORDER
() UNKNOWN/UNDELIVERABLE
() NO SUCH NUMBER/STREET

907

RECEIVED

JAN 05 1987

Department of Water Resources

CERTIFIED MAIL

NO. 138621

82156
986
1560
Office 83715
Chap

BOISE

U.S. POSTAGE

97

MAY 19 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
DECEMBER 31, 1986

138621

PHILLIPS, POSEY E.
3312 LITHICA
BOISE, ID 83709

PROOF DUE NOTICE

RE: PERMIT NO. 77-7149

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

MAY 13 1987

WATER RIGHT NUMBER 77-7149

OWNER LAST NAME - PHILLIPS
OWNER LAST NAME - CHOHRACH
ADDRESS LINE 1 - 3312 ITHCA
ADDRESS LINE 3 -

SOURCE - SPRING

STAGE - PERMIT

TOTAL DIV. VOLUME -

DIVERSION POINT - SENW 14 22N 05E LOT

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE - DOMESTIC

DECREE NAME -

REMARKS - P/U LOTS ARE 33, 34, 35, 36, & 41 IN SECESH MEADOWS SUBD.

NON IRRIG USE - D/5 HOMES

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 03-01-1987 PERMIT/DENIED - 03-26-1982 PROTESTED -

PROOF MADE - FLD EXAM - COND. OF APPROVAL - 04

DIVERSION MEANS - CATCH BASIN & PIPE

FIRST NAME - POSEY E.

FIRST NAME - FRANCIS P.

ORIG OWNER -

ORIG OWNER -

ADDRESS LINE 2 -

CITY - BOISE

STATE - ID ZIP CODE - 83709

TRIBUTARY OF - SECESH RIVER

PRIORITY - 08-17-1981 COUNTY - IDAHO

TOTAL DIV. RATE - .2000 -CFS

STATUS - .00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

USE - DOMESTIC

USE DIV. RATE -

.2000 CFS USE DIV. VOLUME -

.00 AFA

PLACE OF USE - TWN 22N RNG 05E SEC 14 TRACT SENW LOT

AC

DATE -

TOTAL ACRES 0

HEARING -

OLD NO. -

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PHILLIPS, POSEY E.
3312 ITHCA
BOISE, ID 83709

APRIL 07, 1982

RE: PERMIT NO. 77-7149

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
APR 10 1982

ACTION

X SOURCE - UNNAMED STREAM
L SOURCE - SPRING
L STAGE - PERMIT
L

TRIBUTARY OF - SECESH RIVER

TRIBUTARY OF - SECESH RIVER

PROOF DUE - 03-01-1987

COND. OF APPRVL - 04

WATER RIGHT NUMBER 77-7149

OWNER LAST NAME - PHILLIPS

FIRST NAME - POSEY E.

ORIG OWNER -

OWNER LAST NAME - CHUHRACH

FIRST NAME - FRANCIS P.

ORIG OWNER -

ADDRESS LINE 1 - 3312 ITHCA

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - BOISE

STATE - ID ZIP CODE - 83709

SOURCE - UNNAMED STREAM

*should be
Spring*

TRIBUTARY OF - SECESH RIVER

STAGE - APPLICATION

STATUS -

PRIORITY - 08-17-1981 COUNTY - IDAHO

TOTAL DIV. RATE - .2000 CFS

TOTAL DIV. VOLUME -

.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SENE 14 22N 05E LOT

REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE -

.2000 CFS

USE DIV. VOLUME -

.00 AFA

USE - DOMESTIC

PLACE OF USE - TWN 22N RNG 05E SEC 14 TRACT SENE LOT AC

DECREE NAME -

DATE -

TOTAL ACRES

0

REMARKS - P/O LOTS ARE 33, 34, 35, 36, & 41 IN SECESH MEADOWS SUBD.

NON IRRIG USE - D/5 HOMES

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - CATCH BASIN & PIPE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: DBS

APPLICATION NUMBER: 77-7149

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: SP Date: 9-15-81

SP 9-15-81

SP 9-15-81

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: Sept. 14 1981 / January 4, 1982
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application. 3/15/82

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-14-81
☒ Application published correctly. If not, record action taken: Idaho County Area Review
☒ Fee amount, receipt date & number, recorded on application. 30.00# 19583
☒ Publication dates and paper, recorded on application. 8/27 & 9/3, 1981 Re-advertised
☐ Protests, dates, withdrawal, etc., recorded on application. 12/17 & 12/24/81 & 2/25 & 3/4
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/17/81 Date of priority recommended.
Special conditions of approval or cover letter. Right-of-way clause

By: DBS Date: 3/15/82

STATE OFFICE REVIEW:

04

- ☐ See attached sheet for more information.

By: Jim Date: 3/26/82

RECEIVED
MAR 16 1982

RECEIVED

[illegible]



STATE OF IDAHO

DEPARTMENT OF FISH AND GAME

REGION 3
109 WEST 44TH
GARDEN CITY, IDAHO 83704

October 5, 1981

Mr. David B. Shaw
Western Region Supervisor
Department of Water Resources
92 South Cole Road
Boise, ID 83705

Re: 77-7149 (Posey E. Phillips & Francis P. Chohrach)
Unnamed Spring, a tributary of the Secesh River

Dear Dave:

Idaho Department of Fish and Game personnel have reviewed the above referenced application and offer no objection.

Sincerely,

James F. Keating
Regional Supervisor
Region 3/Boise

cc: Bureau of Program Coordination

RECEIVED

RECEIVED
OCT 7 1981

Department of Water Resources
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 334-2190

September 15, 1981

Idaho State Health Department
450 W. State St.
Boise, Idaho 83720

RE: Applications No. 77-7148 & 77-7149

Dear Sirs:

Enclosed is a copy of the above application for permit which may be of interest to your agency. Please review the application and submit any comments you may have as soon as it is convenient for you.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Region Supervisor

DBS:jp

Enclosure

RECEIVED
SEP 16 1981
BOISE, IDAHO



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 334-2190

September 15, 1981

Idaho Department of Fish and Game
P. O. Box 25
600 So. Walnut
Boise, Idaho 83707

RE: Applications No. 77-7148 & 77-7149

Dear Sirs:

Enclosed is a copy of the above application for permit which may be of interest to your agency. Please review the application and submit any comments you may have as soon as it is convenient for you.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Region Supervisor

DBS:jp

Enclosure

RECEIVED
SEP 16 1981
IDPH



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 334-2190

September 15, 1981

U. S. Department of Agriculture
Forest Service, Federal Bldg.
Attn: Chuck East
324 25th St.
Ogden, Utah 84401

RE: Applications No. 77-7148 & 77-7149

Dear Mr. East:

Enclosed is a copy of the above application for permit which may be of interest to your agency. Please review the application and submit any comments you may have as soon as it is convenient for you.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Region Supervisor

DBS:jp

Enclosure

ENCLOSURE

77-7149

PHILLIPS, POSEY E.
CHOHRACH, FRANCIS P.

3312 ITHCA, BOISE, ID 83709

Source: UNNAMED STREAM tributary to SECESH RIVER

Date Filed: 08/17/1981

Amount: 0.20 CFS

Diversion Point: SENE Sec 14 T 22N R 05E, IDAHO Co.

Use: DOMESTIC (0.20 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 14 T 22N R 05E

Diversion Means: CATCH BASIN & PIPE

RECORDED