


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Allen Mayes
(Applicant)

Affidavit of Publication

STATE OF IDAHO, }
COUNTY OF IDAHO, } ss.

I, ROBERT E. WHERRY, being first duly sworn, depose and say that I am the Publisher of the COTTONWOOD CHRONICLE, a weekly newspaper, published and issued weekly at Cottonwood, Idaho County, State of Idaho, which is of general circulation in said county and state, that the said notice, of which the one hereto is attached is a true copy, was published in said newspaper for 2 weeks being published 2 times, the first publication being on the 23 day of July, 1981, and the last publication on the 30th day of July, 1981; and that the said notice was published in the newspaper proper and not in a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight (78) consecutive weeks prior to the first publication of said notice or advertisement.

Robert E. Wherry

Subscribed and sworn to before me this 3rd day of August, 1981.
Robert E. Wherry, Notary Public,
for the State of Idaho, residing at Cottonwood, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

77-7145

MAYERS, AILEEN
P.O. BOX 25, WARREN, ID 83671

Source: WARREN CREEK
tributary to SALMON RIVER;
FRANKLIN CREEK tributary to
WARREN CREEK.

Date Filed: 7-1-81

Amount: 2.00 CFS.

Diversion Point: SWSW Sec 24 T
22N R 06E SESE Sec 23 T 22N R 06E,
IDAHO Co.

USE: MINING

(2.00 CFS) from 6-1 to 10-31

MINING STORAGE

(2.00 CFS) from 6-1 to 10-31

MINING FROM STORAGE

(49.0 AC-FT) from 6-1 to 10-31

DIVERSION TO STORAGE

(49.0 AC-FT) from 6-1 to 10-31

Place of Use: NWSW Sec 24 T 22N R
06E

Diversion Means: DAM & DITCHES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 10, 1981.

A. KENNETH DUNN
Director

Published in the Cottonwood
Chronicle July 23 and 30, 1981.

AUG 26 1981

Department of Water Resources

RECEIVED
AUG 10 1981

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Aileen Mayes (not Mayers as shown on point, type error)
Current Address: 2846 N. 2nd St. Fresno CA. 93703
2. Accompanied by: Same EXAM. DATE: 9/9/88
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Warren Creek tributary to Salmon River
Franklin Creek Warren Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.



T22N

R6E

77-07145

NOV 21 1991

(gov't lots in W1/2W1/2 S. 23)

P/O #2
P/O #1 "Headgate" for ditches

Dam #3 Pond
(also was portable pump here as diversion)

Ditch - runs from Warren Ck to Franklin Ck

P/O #1 ON WARREN CREEK.
"HEADGATE" consists of
rocks stacked up to
divert water into earth
ditch.

PHOTO ONE-



RECEIVED

NOV 21 1991

P/O #2 earth &
rock beam to dam
up Warren ck.
for Pond #1.
View is upstream,
picture is Aileen
Mayer.

PHOTO TWO-





Portable pump
can route pond #1
water to each
ditch via this
diversor box (or
when pond is
full, can directly
flow into box &
then to ditch).

PHOTO THREE-



P/O #3, pond
#2 on
Franklin Creek.
View is south.

PHOTO FOUR-

REPRODUCTION

NOV 21 1991



Partial view
is view of 2
of 3 settling
pond sites.

This is the
flat between
Wapaw & Franklin
Creeks.

View is NE.

PHOTO FIVE-

RECEIVED


NOV 21 1991

CROSS SECTION NUMBER 1

For File Number 77-07145 #1 for the WARREN CREEK DITCH

Number	Rod Reading	Water Depth	Distance
1	0.00	0.00	0.00
2	0.50	0.50	0.15
3	0.70	0.70	0.30
4	0.90	0.90	0.45
5	1.00	1.00	0.60
6	1.00	1.00	0.75
7	1.00	1.00	0.90
8	1.00	1.00	1.05
9	1.00	1.00	1.20
10	0.70	0.70	1.35
11	0.50	0.50	1.50
12	0.00	0.00	1.65

The area for this cross section is 1.25 square feet
and the wetted perimeter is 2.91 feet.



CROSS SECTION OF DITCH

RECEIVED

21 1991

ADDITIONAL
COMPUTATION SHEETS
77-07145

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 77-07145

Priority: July 1, 1981

Maximum Diversion Rate: 2.00 CFS
Maximum Diversion Volume:¹ 165.3 AF

This is to certify, that AILEEN MAYES
2846 N 2ND

FRESNO CA 937030000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 1, 1981; and
has submitted Proof of Beneficial Use on July 15, 1982. An examination indicates
that the works have a diversion capacity of 2.110 cfs of water from:

WARREN CREEK
FRANKLIN CREEK

tributary to SALMON RIVER
tributary to WARREN CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MINING	06/01 to 10/31	2.00 CFS	165.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 24, Township 22N, Range 06E
SESE , Sec. 23, Township 22N, Range 06E
IDAHO County

PLACE OF USE: MINING
TWN RGE SEC

22N 06E	23	NESE
	24	NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

RECORDED

NOV 21 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 77-07145

CONDITIONS/REMARKS:

6. Issuance of this license does not preclude a determination of forfeiture of this right through non-use which may include a period of time beginning subsequent to the licensing field examination conducted by the department.
7. Two points of diversion located within the SESE, S23, T22N, R6E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5TH day of NOVEMBER, 1991.

Acting for


R. Keith Higginson, Director

RECEIVED
NOV 21 1991

NOV 21 1991

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 77-07145

RECEIVED
OCT 24 1991

Date of Priority: July 1, 1981

Maximum Diversion Rate: ^{Department of Water Resources} 2.00 CFS
Maximum Diversion Volume: 165.3 AF

Comes now
2846 N 2ND
FRESNO CA 937030000

AILEEN MAYES

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 77-07145, and requests that the permit be changed as follows:

Source: WARREN CREEK
Source: FRANKLIN CREEK

tributary to SALMON RIVER
tributary to WARREN CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MINING	06/01 to 10/31	2.00 CFS	165.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 24, Township 22N, Range 06E
SESE , Sec. 23, Township 22N, Range 06E
IDAHO County

PLACE OF USE: MINING
TWN RGE SEC

22N 06E	23	NESE
	24	NWSW

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Fresno Calif., this 21st day of October, 1991.

Aileen Mayes
(Signature)

RECEIVED

NOV 21 1991

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 77-07145

FOR DEPARTMENT USE ONLY

#C022146

Preliminary check by SD Fee = \$20.00 Received by DB Date 10/25/91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 77-07145 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
6. Issuance of this license does not preclude a determination of forfeiture of this right through non-use which may include a period of time beginning subsequent to the licensing field examination conducted by the department.
6. Two points of diversion located within the SESE, S23, T22N, R6E.

Witness my hand this 5TH day of NOVEMBER, 1991.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Aileen Mayers Phone NONE
Post office address P.O. Box 25 WARREN ID 83671
2. Source of water supply WARREN CREEK & FRANKLIN CREEK which is a tributary of SALMON RIVER
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 22N
Range 6E B.M. Idaho County, additional points of diversion if any: SESE Sec. 23 T22N R6E

4. Water will be used for the following purposes:

Amount 2.0 for MINING purposes from 6-1 to 10-31 (both dates inclusive)
(cfs or acre-feet per annum) DIVERSION TO
Amount 2.0 for STORAGE purposes from 6-1 to 10-31 (both dates inclusive)
(cfs or acre-feet per annum) STORAGE FOR
Amount 49 for MINING purposes from 6-1 to 10-31 (both dates inclusive)
(cfs or acre-feet per annum) DIVERSION FROM
Amount 49 for STORAGE purposes from 6-1 to 10-31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.0 cubic feet per second and/or b. 49 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. storage dams, ditches

b. Height of storage dam 9 1/2 feet, active reservoir capacity 49 acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 22N
Range 6E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: PLACER MINING

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

77-7059 Abandoned

9. a. Who owns the property at the point of diversion App


b. Who owns the land to be irrigated or place of use App

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11/11/2011

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED
JUL 10 1964
IDAHO DEPT. OF AGRICULTURE
BOISE, IDAHO

X Allen Mayes
(Applicant)

Proposed Priority 7/1/1981

DBS

7-8-81
7/1/81

12:00
3:44 p.m.

Received by RC Date 7/1/81 Time 11:50 AM

Preliminary check by _____ Fee \$ 65.00

Received by ry Date 6/30/81 7-1-81 # 19626

Publication prepared by JP Date 7-10-81

Published in Idaho County Free Press

Publication dates 7-23, 30-81

Publication approved LS Date 8-10-81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by LS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 77-7145, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
Water used under this permit if discharged into a natural channel shall meet Idaho Water Quality Standards.

Witness my hand this 29th day of September, 19 81.

L. Glen Saxton
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO, }
COUNTY OF IDAHO, } ss.

I, ROBERT E. WHERRY, being first duly sworn, depose and say that I am the Publisher of the COTTONWOOD CHRONICLE, a weekly newspaper, published and issued weekly at Cottonwood, Idaho County, State of Idaho, which is of general circulation in said county and state, that the said notice, of which the one hereto is attached is a true copy, was published in said newspaper for 2 weeks being published 2 times, the first publication being on the 23 day of July 1981, and the last publication on the 30th day of July 1981; and that the said notice was published in the newspaper proper and not in a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight (78) consecutive weeks prior to the first publication of said notice or advertisement.

Robert E. Wherry

Subscribed and sworn to before me this 3rd day of August 1981
Robert E. Wherry, Notary Public,
for the State of Idaho, residing at Cottonwood, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

77-7145

MAYERS, AILEEN

P.O. BOX 25, WARREN, ID 83671

Source: WARREN CREEK
tributary to SALMON RIVER;
FRANKLIN CREEK tributary to
WARREN CREEK.

Date Filed: 7-1-81

Amount: 2.00 CFS.

Diversion Point: SWSW Sec 24 T
22N R 06E SESE Sec 23 T 22N R 06E,
IDAHO Co.

USE: MINING

(2.00 CFS) from 6-1 to 10-31

MINING STORAGE

(2.00 CFS) from 6-1 to 10-31

MINING FROM STORAGE

(49.0 AC-FT) from 6-1 to 10-31

DIVERSION TO STORAGE

(49.0 AC-FT) from 6-1 to 10-31

Place of Use: NWSW Sec 24 T 22N R
06E

Diversion Means: DAM & DIT-
CHES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 10, 1981.

A. KENNETH DUNN
Director

Published in the Cottonwood
Chronicle July 23 and 30, 1981.

RECEIVED

AUG 26 1981

Department of Water Resources

RECEIVED

AUG 10 1981

Department of Water Resources
Western Regional Office

November 13, 1991

AILEEN MAYES
2846 N 2ND
FRESNO CA 937030000

RE: WATER RIGHT NO. 77-07145

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

NOV 21 1991

October 15, 1991

AILEEN MAYES
2846 N 2ND
FRESNO CA 937030000

RE: WATER RIGHT NO. 77-07145

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
NOV 21 1991

LICENSE REVIEW CHECKLIST

Permit No. 77-7145

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ok
Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac N/A

Capacity Actual measurement checked
Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒ amend. needed
More than one per $\frac{1}{4}$? Remember remark 2nd p/d in SESE
Check p/d overlap

Uses Check irrigation period of use w/ chart

P/U Verify with map ☒ permit ☒ amendment needed
> 5 acres irrigated, run overlap

Remarks More than one p/d in $\frac{1}{4}$
Description of non-irrig uses
Special overlap condition

Conditions -

Measuring device examiner states remote
W.Master control file - ok to remove.
Overlap
Water quality 200
Other 757

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day NOV 30 day ☒

Back of field report signed?
Reviewer [Signature] Date 10/7/77 Review time 6 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Aileen Mayes (NOT MAYERS AS SHOWN ON PERMIT, TYPE EARLY)
Current Address: 2846 N. 2nd St. Fresno CA. 93703
2. Accompanied by: Same EXAM. DATE: 9/9/88
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Warren Creek tributary to Salmon River
Franklin Creek Warren Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3 diversions on 2 creek are found. On Warren Ck., a rock "headgate" supplies water to an earth ditch that runs NE towards Franklin Ck. area. Laterals can carry water to plw. Just below creek pld, an on-stream pond (pond #1 is pld #2) is found. A portable pump can route water from pond to ditch or, if pond is very full, pond water can flow directly into ditch via a wooden diversion box. A second pond, pld #3, is found on Franklin Ck. and a portable pump can direct water via portable pipeline to earth ditch s/pv directly to plw. Three settling ponds are found on flats near confluence of the creeks.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Portable pump	unknown	5	unknown, diesel (no tag)	Baylor	6" intake & outflow
(pump not on site but owner conveyed this information)					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1			SE	SE	23	22N	6E	Idaho	USGS 7 1/2' quad; 2 pld in
2			SE	SE	23				SESE 5.23
3			SW	SW	24				#1 = ditch #2 = checkdam on Ck. #3 = Checkdam on Ck + portable pump at same.

6. Place(s) of Use:

Indicate Method of Determination

USGS 7 1/2' quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
22N	6E	23													M				-
		24											M						-

NOV 21 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
on-site used:	Climometer	Engineers	tape			
in-office used:	MANNING'S	Sq.	Program	on PC	at Western	
(4/24/91)						

See memo of Explanation

2. Measurements:

Pond #1 circular with 100' diam & 6 depth (warren ck)

$$V = \pi r^2 d = [(3.1416)(50)^2(6)] / 43560 = 1.082 \text{ a.f.}$$

Pond #2 rect. 110' x 75' x 4' (Franklin ck)

$$V = [(110)(75)(4)] / 43560 = .758 \text{ a.f.}$$

$$\text{TOTAL Storage} = 1.84 \text{ a.f.}$$

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached *See MANNING'S Eq. info*

1. Measured Method: "measured" cfs ditch capacity $\approx$ 1.80 cfs

2. Alternate Method for Checking Purposes:

estimated Q for portable pump where moderate psi (30) assumed and lift $\approx$ 15' per owner's info.

$$Q = \frac{(8.8)(5)(.6)}{(2.31)(30) + 15} = .31 \text{ cfs} \quad \left\{ \begin{array}{l} \text{diesel} \\ \text{capacity} \\ 2.11 \text{ cfs} \end{array} \right.$$

F. PUMP EFFICIENCY DATA (Optional)

(it uses .7 efficiency, Q = .37 cfs)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

Based on ditch capacity (1.80) and pump capacity where

1. Volume Calculations for Irrigation:

pumping from Pond #2 (Franklin ck), could recommend the full 2.0 cfs if permit fee \$125 exam fee.

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

NOV 21 1991

2. Volume Calculations for Other Uses:

actual use

IF $\rightarrow$ Mining use estimated 100 days/season $\div$ 10 hr/day.
IF divert 2 cfs: $2 \text{ cfs} \times 488.8 \frac{\text{g}}{\text{cfs}} \times 60 \frac{\text{min}}{\text{hr}} \times 10 \frac{\text{hr}}{\text{d}} = 538560 \text{ gallons/day}$

THEN $\rightarrow$ $[(538560)(100)] / 325850 = 165.3 \text{ afa}$

permit days

COMPARED TO $\rightarrow$ $(2)(153)(1.9835) = 606.95 = 607 \text{ afa}$

rec'd 165.3

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Division capacity 2.11 cfs but permit limit is 2.00 cfs
No meas. devices found but shouldn't be a problem for remote site.
3 settling ponds used for water quality condition ~~of~~ or approval on permit.
Ponds 1 & 2 total 1.8 a.f. but rec'd rate can divert $(2)(1.9835) = 4$ a.f./24 hrs.; Storage not required in this case. Settling ponds not included in storage evaluation since typically this is not done in licensing (at least as far as I know).
Owner stated that operation was suspended in 1987 due to financial & personal reasons. It's possible that forfeiture of part ~~of~~ or all of right may occur by 1992.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Mining	6/1	10/31	2.00	165.3
Totals:			2.00	165.3

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☒ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Steve Lester

Signature

Steve Lester

Certification Date

4/24/91


Field Report Preparation Date



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

NOV 21 1991



T22N

R6E

77-07145

(gov't lots 2 W42W1/2 S.23)

Ditch - runs from Warren Cr to Franklin Cr

Dams Pond #3
(also was portable pump here as ditch)

Dams Pond #2
Pond #1
Pond #4
Pond #5
Pond #6
Pond #7
Pond #8
Pond #9
Pond #10
Pond #11
Pond #12
Pond #13
Pond #14
Pond #15
Pond #16
Pond #17
Pond #18
Pond #19
Pond #20
Pond #21
Pond #22
Pond #23
Pond #24
Pond #25
Pond #26
Pond #27
Pond #28
Pond #29
Pond #30
Pond #31
Pond #32
Pond #33
Pond #34
Pond #35
Pond #36
Pond #37
Pond #38
Pond #39
Pond #40
Pond #41
Pond #42
Pond #43
Pond #44
Pond #45
Pond #46
Pond #47
Pond #48
Pond #49
Pond #50
Pond #51
Pond #52
Pond #53
Pond #54
Pond #55
Pond #56
Pond #57
Pond #58
Pond #59
Pond #60
Pond #61
Pond #62
Pond #63
Pond #64
Pond #65
Pond #66
Pond #67
Pond #68
Pond #69
Pond #70
Pond #71
Pond #72
Pond #73
Pond #74
Pond #75
Pond #76
Pond #77
Pond #78
Pond #79
Pond #80
Pond #81
Pond #82
Pond #83
Pond #84
Pond #85
Pond #86
Pond #87
Pond #88
Pond #89
Pond #90
Pond #91
Pond #92
Pond #93
Pond #94
Pond #95
Pond #96
Pond #97
Pond #98
Pond #99
Pond #100

MEMORANDUM

TO: FILE 77-07145
FROM: STEVE LESTER
DATE: APRIL 24, 1991
SUBJECT: FIELD EXAM REPORT - FLOW CALCULATIONS

I mistakenly thought that the system was operational before arriving at this remote site. I had hoped to do an open channel measurement but was unable to do so. The owner told me that mining operations were suspended in 1987 due to financial and other reasons.

I was not trained in using Manning's Equation at that time but made the best approximation that I could based on previous office preparation for such an occurrence. Based on field notes, the parameters of the earth ditch were estimated and used in the Manning's program available via the PC. While in the field, I measured a ditch slope of approx. 1% using a clinometer (personal equipment). I tried to verify the slope by using an engineers tape and hand level to estimate $\Delta y : \Delta x$ based on measuring 200' of ditch and using a crude method to measure changes in elevation.

The Manning's eq. was run twice with the same parameters except that different slopes were used, 1% and .5%. Remember that this is a mountain ditch and probably is steeper than typical valley ditches. The flow estimates were averaged. The best available information leads to a reasonable conclusion that 1.80 cfs can be carried by the ditch.

The pump was not at the site. The owner provided the pump details used to estimate pump flows from P/D #3 at Franklin Creek. I have no reason to doubt the pump information although it was not confirmed. The same pump could be ^{also} used at the Warren Creek pond. At least .50 cfs was available at Franklin Creek (and much more would be during early summer runoff period).

Although beneficial use was not in progress during the exam, it was obvious that a system was in place and that use had occurred in the recent although undocumented (per specific last date) past. Due to the remoteness of the site and difficulty of scheduling exams such as this, it is recommended that licensing proceed based on the available information. However, the S.O. may want to hold the file until either five years from 1987 (date of last use?) or until SRBA review and recommendation period, whichever comes first.

RECEIVED
NOV 21 1991

P/O #1 ON WARREN CREEK.
"HEADGATE" consists of
rocks stacked up to
divert water into earth
ditch.

PHOTO ONE-

RECEIVED

NOV 21 1991



P/O #2 earth
Rock beam to dam
up Warren ck.
for Pond #1.
View is upstream,
picture is Aileen
Mayer.

PHOTO TWO-





Portable pump
can route pond #1
water to ecath
ditch via this
diversion box (or
when pond is
full, can directly
flow into box &
then to ditch).

PHOTO THREE-



P/O #3, pond
#2 on
Franklin Creek.
View is south.

PHOTO FOUR-

MICROFILMED

NOV 21 1991



Partial view
+ view of 2
of 3 settling
pond sites.

This is the
flat between
Wapen + Franklin
Creeks.

View is NE.

PHOTO FIVE-

APPROVED

NOV 21 1991

MANNING EQUATION CHANNEL CAPACITY RESULTS

02-10-1980

File Number: 77-07145 #1

Claimant: MAYES

Channel measured: WARREN CREEK DITCH

Date of measurement: 9/9/88

Measurement location:

APPROX. 500 FT. DOWNSTREAM FROM P/D

Calculation prepared by: LESTER

Comments about the measurement:

SEE MEMO OF EXPLANATION CONCERNING THIS MEASUREMENT

The results of the calculation are:

The length of the channel measured is 200 feet.

The upstream and downstream rod readings are 1.00 and 3.00 feet.

The channel cross section is 1.25 ft-sq.

The wetted perimeter is 2.91 feet.

The hydraulic radius is 0.43 feet.

The slope is 0.0100

The roughness coefficient is 0.0500

The flow velocity is 1.692 ft/sec.

The rate of flow is 2.11 cfs.

for 1% slope

Per attached worksheet → "n" (Roughness value) Computation SHEET

RECEIVED


NOV 21 1991

CROSS SECTION NUMBER 1

For File Number 77-07145 #1 for the WARREN CREEK DITCH

Number	Rod Reading	Water Depth	Distance
1	0.00	0.00	0.00
2	0.50	0.50	0.15
3	0.70	0.70	0.30
4	0.90	0.90	0.45
5	1.00	1.00	0.60
6	1.00	1.00	0.75
7	1.00	1.00	0.90
8	1.00	1.00	1.05
9	1.00	1.00	1.20
10	0.70	0.70	1.35
11	0.50	0.50	1.50
12	0.00	0.00	1.65

The area for this cross section is 1.25 square feet
and the wetted perimeter is 2.91 feet.



CROSS SECTION OF DITCH

2.1 1991

ADDITIONAL
COMPUTATION SHEETS
77-07145

"n" (ROUGHNESS VALUE) COMPUTATION SHEET ^{1/}
Natural Channels Or Valleys ^{2/}

Natural Channels Or Valleys

77-07145

River or Ditch Warren ck ditch

Bv-22

Date _____

8/9/88

Project

[illegible]

11/ Based on Supplement "B" to Sec. 5. Hydraulics, National Engineering Handbook

2/ Agricultural Flood Plains 0.05 to 0.06 Low, 0.07 to 0.09 Average, 0.10 to 0.20 High.

Project _____ River or Ditch _____ By _____ Date _____

[illegible]

11/ Based on Supplement "B" to Sec. 5, Hydraulics, National Engineering Handbook
 22/ Agricultural Flood Plains 0.05 to 0.06 Low, 0.07 to 0.09 Average, 0.10 to 0.20 High.

MANNING EQUATION CHANNEL CAPACITY RESULTS

02-10-1980

File Number: 77-07145 #2

Claimant: MAYES

Channel measured: WARREN CREEK DITCH

Date of measurement: 9/9/88

Measurement location:

SAME AS IN #1

Calculation prepared by: LESTER

Comments about the measurement:

The results of the calculation are:

The length of the channel measured is 200 feet.

The upstream and downstream rod readings are 2.00 and 3.00 feet.

The channel cross section is 1.25 ft-sq.

The wetted perimeter is 2.91 feet.

The hydraulic radius is 0.43 feet.

The slope is 0.0050

The roughness coefficient is 0.0500

The flow velocity is 1.197 ft/sec.

The rate of flow is 1.49 cfs.

for 1/2 % slope

$$\bar{X} \text{ cfs} = \frac{2.11 + 1.49}{2} = \underline{1.80} \text{ recommend for hearing}$$

MICROFILMED

NOV 21 1991

CROSS SECTION NUMBER 1

For File Number 77-07145 #2 for the WARREN CREEK DITCH

Number	Rod Reading	Water Depth	Distance
1	0.00	0.00	0.00
2	0.50	0.50	0.15
3	0.70	0.70	0.30
4	0.90	0.90	0.45
5	1.00	1.00	0.60
6	1.00	1.00	0.75
7	1.00	1.00	0.90
8	1.00	1.00	1.05
9	1.00	1.00	1.20
10	0.70	0.70	1.35
11	0.50	0.50	1.50
12	0.00	0.00	1.65

The area for this cross section is 1.25 square feet
and the wetted perimeter is 2.91 feet.

RECEIVED
NOV 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

RECEIVED
JAN 23 1989

Jan. 23, 1989

Aileen Mayes
2846 North Second Street
Fresno, CA. 93703

Department of Water Resources

RE: Water Right 77-07145

Dear Aileen:

This letter confirms our telephone conversation of several days ago concerning your water right near Warren for mining purposes. The field exam was conducted on 9/9/88. The exam changes the permit to a license, which is the current stage of the above right. A license is appurtenant to the land and thus is part of the real property in any land sale.

The remaining process concerns preparing and processing the field exam report. The report will be reviewed by the licensing section, and a license will be issued. The process can take considerable time due to the volume of normal work and the additional work required by the ongoing adjudication. Meanwhile, the right remains valid and should be considered a license. If you have any additional questions or concerns, please contact our office.

Sincerely,

Steve Lester
Sr. Water Resource Agent

RECEIVED

NOV 21 1991

Form 204-p
6/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

77-7145 COMMENCEMENT OF WORKS

Permit No. 107+109

Name(s) of Permit Holder(s): Aileen Mayes

Post Office Address: Box 25

Warren Idaho Tel. No. None

☐ I hereby certify that construction of diversion works for the above referenced permit began on 1981 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.


7/14/82
Date

Aileen Mayes
Signature of Permit Holder

Gilean Mayes
Box 25
Warren, Idaho

83671

NOV 21 1991



JUL 30 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

4/86

RECEIVED

JUN 3 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

KEYPIMMED

For Office Use Only OK
Fee Received 125
Date 6-5-87
Receipt # 44918
Receipt by HL
Sent to S.O. 6/8/87

RECEIVED

JUN 18 1987

1. Permit No. # 77-7145

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: Aileen Mayes3. Post Office Address: Box 25, Warren, Idaho 83671 or2846 N. 2nd St. Fresno, Calif. 93703 Telephone No. (none in Warren, Id.)4. Source of Water: Warren Creek and Franklin Creek 209-227-8308 Fresno Calif.

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark mining6. Total rate &/or volume for which proof is submitted 2 cfs 49 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1981

8. Person to contact to accompany the department representative during the field examination:

Aileen Mayes
Box 25, Warren, Idaho 83671 (Name)
or 2846 N. 2nd St. Fresno, Calif. 93703 no phone in Warren, Id. none
(Address) 209-227-8308 (Telephone Number)☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)5-22-87
DateAileen Mayes
Signature of Permit Holder (and title, if appropriate)

NOV 21 1991

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00 ← 2 cff
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

77-7145
MAYERS, AILEEN
P.O. BOX 25
WARREN, ID 83671

138344

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

JUL 09 1987

September 1, 1983

Aileen Mayers
Box 25
Warren, ID 83671

Dear Ms. Mayers:

Re: Permit No. 77-7145

This office received the letter dated July 23, 1983 and also the Statement of Beneficial Use postcard submitted July 15, 1982. The Idaho statutes make it necessary to submit a statement only once during the permit process.

The next step is for our Western Regional office to do a field examination of the water distribution system and the extent of use. The field examiner will contact you prior to conducting the examination or you may contact the regional office to set up an appointment.

If you have any questions concerning your permit, feel free to contact this office or the Western Regional office at 334-2100.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

MICROFILMED

JUL 09 1987

77-7145
Idaho Dept. of Water Resources: 7-23-83
Dear Sir:

The Idaho Dept. of Water Resources
requires a statement that the
permit holder(s) has completed
development to the extent
shown below:

Name(s) of Permit Holder: Aileen Mayer

P.O. Address: Box 25

Warren, Idaho, 83671

Source of water: Warren Creek
and Franklin Creek

Extent of use:
Mining

7/23/83
Date

Aileen Mayer
Signature of Permit Holder

RECEIVED

MICROFILMED

JUL 27 1983

Department of Water Resources
JUL 29 1983

Sincerely,
Aileen Mayer
Box 25
Warren, Idaho
83671

77-7145

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. ~~1087-109~~

Name(s) of Permit Holder:

Aileen Mayer

Post Office Address:

Box 25 Warren, Idaho

Zip 83671

Tel. No.

none

Source of Water:

Warren Creek and Franklin Creek

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☒ Other

mining

Measuring Device:

Required?

☐ Yes☐ No

Installed?

☐ Yes☐ No

Access Port:

Required?

☐ Yes☐ No

Installed?

☐ Yes☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

Fall '81

Date

Aileen Mayer

Signature of Permit Holder



ileen Mayer
Box 25
Warren, Idaho
83671



Department of Water Resources

JUL 15 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

POSTAGE WILL BE PAID BY ADDRESSEE

October 5, 1982

Ms. Aileen Mayers
P. O. Box 25
Warren, Idaho 83671

RE: Permit No. 77-7145

Dear Ms. Mayers:

We are in receipt of your letter dated September 7, 1982 in which you provided information for and asked questions about the above-referenced permit.

You have now submitted sufficient Proof of Beneficial Use, so your paperwork requirements with respect to the permit are completed. Our next action will be to schedule and conduct a field examination from our Western Regional Office located here in Boise. You will be notified by our examiner prior to the visit.

Regarding the amount of water diverted by your pump, we do not have records that will provide that information. Records provided by the pump manufacturer do not satisfy the measuring device requirement. Instead, you must install an "access port" on the discharge pipe of your system. Instructions for this access port are enclosed.

Regarding a water right on Webb Foot Creek, we have enclosed an Application For Permit and Instructions, for your convenience. If you would like assistance please feel free to visit either this office or our Western Regional Office.

Sincerely,

DAVID R. TUTTILL, JR., P. E.
Supervisor, Water Allocation Section

DRT:jg

Enclosure

cc: Western Regional Office

Dept of Water Resources

RECEIVED

SEP 7 1982

Sept, 2, 1982

Dear Sir:

Department of Water Resources

In regard to water permit for Warren Creek and Franklin Creek. I sent in two cards 7/14/82 I think I referred to permits 107 and 109 which are dredge mining permits connected with the use of the water from Warren Creek and Franklin Creek.

In the fall of 1981 and spring of 1982 a Pacific pump of Pacific Pump Co. Oakland, Calif.
29-60121-340501
Ser. # N08201---D
6" pump
Detroit Diesel motor
3-71 S.M.C. motor
2100 R.P.M.

15' head

Warren Creek and Franklin Creek supplied water for the operation on dredge permit #107.

Can you file this information with the white card and blue card, and the No. of water permit is (77-7121) July 1st 1981?

Please send me the amount of water used by this pump, and apply to improvement.

Sincerely,

Cileen Mayes
Box 25
Warren, Idaho.
83671

P.S. I would like to get water rights on Webb's Creek 3/4 mile up from Warren Creek and about 1 mile below Keystone Meadows.


C. M.

Blue card
77-7145

RECEIVED

Aileen Mayle
Box 95
Warren, Idaho.

83671



RETURN RECEIPT
REQUIRED

CERTIFIED

No. 211594

MAIL

Idaho Department of Water Resources
State House
Boise, Idaho.

83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MAYERS, AILEEN
P.O. BOX 25
WARREN, ID 83671

SEPTEMBER 29, 1981

RE: PERMIT NO. 77-7145

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



ACT

ION

L STAGE - PERMIT

PROOF DUE - 09-01-1986

L

COND. OF APPROV. - OIC 090 L03

WATER RIGHT NUMBER 77-7145

OWNER LAST NAME - MAYERS

FIRST NAME - AILEEN

ORIG OWNER -

ADDRESS LINE 1 - P.O. BOX 25

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - WARREN

STATE - ID ZIP CODE - 83671

SOURCE - WARREN CREEK

TRIBUTARY OF - SALMON RIVER

SOURCE - FRANKLIN CREEK

TRIBUTARY OF - WARREN CREEK

STAGE - APPLICATION

STATUS -

PRIORITY - 07-01-1981

COUNTY - IDAHO

TOTAL DIV. RATE -

2.0000 -CFS

TOTAL DIV. VOLUME -

.00 AFA

TRR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWSW 24 22N 06E LOT REDIV

SESE 23 22N 06E LOT

REDIV -

FROM - 06-01 TO - 10-31 USE - MINING

USE DIV. RATE -

2.0000 CFS

USE DIV. VOLUME -

49.00 AFA

FROM - 06-01 TO - 10-31 USE - MINING STORAGE

USE DIV. RATE -

2.0000 CFS

USE DIV. VOLUME -

49.00 AFA

FROM - 06-01 TO - 10-31 USE - MINING FROM STORAGE

USE DIV. RATE -

.0000 CFS

USE DIV. VOLUME -

49.00 AFA

FROM - 06-01 TO - 10-31 USE - DIVERSION TO STORAGE

USE DIV. RATE -

.0000 CFS

USE DIV. VOLUME -

49.00 AFA

USE - MINING

PLACE OF USE - TWN 22N RNG 06E SEC 24 TRACT NWSW LOT AC

DECKEE NAME -

DATE -

TOTAL ACRES

0

REMARKS -

NON IRRIG USE - X/PLACER MINING

OTHER RIGHTS FOR SAME USE - 77-7059

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE -

FLD EXAM -

COND. OF APPROVAL -

DIVERSION MEANS - DAM & DITCHES

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: _____

APPLICATION NUMBER: 77-7145
MAYERS

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☒ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☒ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 777959 same place
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: Aug 10, 1981
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: Aug 10, 1981
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65.00 = 19626
☒ Publication dates and paper, recorded on application. 7-23 & 30-81
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/1/81 Date of priority recommended: _____
Special conditions of approval or cover letter. OIC, O9D

By: GLS Date: 8/20/81

STATE OFFICE REVIEW:

SW 103 OIC, O9D

☐ See attached sheet for more information.

By: Polyn Date: 9/15/81

RECEIVED
AUG 26 1981

ZZ-7145-

MAYERS, AILEEN

P.O. BOX 25, WARREN, ID 83671

Source: WARREN CREEK tributary to SALMON RIVER
FRANKLIN CREEK tributary to WARREN CREEK

Date Filed: 07/01/1981

Amount: 2.00 CFS

Diversion Point: SWSW Sec 24 T 22N R 06E SESE Sec 23 T 22N R 06E,
IDAHO Co.

Use: MINING	(2.00 CFS)	from 06/01 to 10/31
MINING STORAGE	(2.00 CFS)	from 06/01 to 10/31
MINING FROM STORAGE	(49.0 AC-FT)	from 06/01 to 10/31
DIVERSION TO STORAGE	(49.0 AC-FT)	from 06/01 to 10/31

Place of Use: NWSW Sec 24 T 22N R 06E

Diversion Means: DAM & DITCHES

RECEIVED
JUL 12 1981