


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dennis L. Wyatt
(Applicant)

22 N - SE - 5.14

See next map for N. part
of S. 14



OVER

77-07103

From Payette Natl Forest info

Wright


PD 300' up on NF

Sh Bn, tank, 300' of

Flowed pipes

JUN 29 1992

ALTERNATE
Diagram



Wright

3-80

Wyatt






PHOTO ONE-

*P/D Springbox approx. 500' east of cabin
& on east side of subd. access road.*



PHOTO TWO-

P/u cabin on lot #30.

RECEIVED
JUN 29 1992

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE
WATER RIGHT NO. 77-07103

AMENDED

Priority: June 2, 1980

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.6 AF

This is to certify, that DENNIS WYATT
JACQUELINE WYATT

1912 W KINGSWOOD COURT
MERIDIAN ID 83642

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 2, 1980; and
has submitted Proof of Beneficial Use on July 11, 1983. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: SESENW , Sec. 14, Township 22N, Range 05E
IDAHO County

PLACE OF USE: DOMESTIC
TWN RGE SEC

22N 05E 14 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.
7. Place of use is located within Lot 30, Secesh Meadows Subdivision No. 4.

RECORDED

FEB 08 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 77-07103

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of DECEMBER, 19 92.

Acting for Norman C Young
R. Keith Higginson, Director

FEB 08 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 77-07103

Priority: June 2, 1980

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.6 AF

This is to certify, that DENNIS WYATT
JACQUELINE WYATT

1912 W KINGSWOOD COURT
MERIDIAN ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 2, 1980; and has submitted Proof of Beneficial Use on January 1, 1980. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

7-11-83

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: SESENW , Sec. 14, Township 22N, Range 05E
IDAHO County

PLACE OF USE: DOMESTIC
TWN RGE SEC

22N 05E 14 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.
7. Place of use is located within Lot 30, Secesh Meadows Subdivision No. 4.

RECORDED

JUN 29 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 77-07103

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of JUNE, 1992.


Acting for R. Keith Higginson, Director

RECORDED

JUN 29 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Dennis &/or Jacqueline Wyatt Phone 342-7288

Post office address 4803 Alamosa, Boise, Idaho 83703

2. Source of water supply Spring which is a tributary of Sinks

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 22N

Range 5E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. spring box, storage tank, pipeline
to use. _____

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 22N
Range 5E B.M. NE SW

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

MICROFILM

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 Inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jennine L. Wyatt
(Applicant)

Proposed Priority 6/2/80

Received by RR Date 6/2/80 Time 12:15

Preliminary check by CLS Fee \$ 20.00

Receipted by HLH Date 6/2/80 # 16331

Publication prepared by HLH Date 6/5/80

Published in Idaho Co. Free Press

Publication dates 6/12 & 6/19/80

Publication approved HLH Date 6-30-80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RLH Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 77-7103, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 10th day of July, 1980.

A. Glen Sayton
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

77-7102
REMER, WALTER H.
KOEHLER, STEVEN W.
105 W. 19TH AVE.,
LEWISTON, ID 83501
Source: **UNNAMED**
STREAM tributary to
JUMBO CANYON
Date Filed: 05/30/1980
Amount: 0.40 CFS
Diversion Point: Sec 23 T
28N R 06E, IDAHO Co.
Use: **INDUSTRIAL** (0.04
CFS) from 05/01 to 12/31
POWER (0.34 CFS) from
01/01 to 12/31
DOMESTIC (0.02 CFS) from
01/01 to 12/31
Place of Use: Sec 23 T 28N
R 06E Sec 26 T 26N R 06E
Diversion Means: **DAM,**
WATER WHEEL AND
PIPELINE.

77-7103
WYATT, DENNIS &/or
JACQUELINE
4808 ALAMOSA, BOISE, ID
83703
Source: **UNNAMED**
SPRING tributary to **SINKS**
Date Filed: 03/02/1980
Amount: 0.12 CFS
Diversion Point: **SENW Sec**
14 T 22N R 05E, IDAHO Co.
Use: **DOMESTIC** (0.12 CFS)
from 01/01 to 12/31
Place of Use: **SENW NESW**
Sec 14 T 22N R 05E
Diversion Means: **SPRING**
BOX, STORAGE TANK
AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 82 S. Cole Road, Boise, Idaho 83709 on or before JUNE 30, 1980.

C. STEPHEN ALLRED
Director
Published 6/11 & 6/18/80.
Jnl1-18

AFFIDAVIT OF PUBLICATION

..... Nona Donaldson being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 11th day of June 19 80 and the last publication on the 18th day of June 19 80; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 20th day of June 19 80

Maileyn J. Staley Notary Public
for State of Idaho, residing at Grangeville, Idaho.

o.k.
H2H

MICROFILMED

RECEIVED
JUN 23 1980

Department of Water Resources
Western Regional Office

SD-4103
INQUIRY

Idaho Department of Water Resources
Water Rights Names Screen

Date: 11/03/99
Time: 14:25:11

Water Right Number: 77-07103

address change
FIRST PAGE

Owner Codes: O Original Owner P Present Owner L Lien Holder T Trustee
C Current Owner R Representative S Lessee
K Also Known As A Attorney of Record D Dir Rpt Owner

Last: WYATT

First: DENNIS

Address: ~~1912 W KINGSWOOD COURT~~
2354 W McMillan Rd
State: ID ZIP: 83642-
Owner Code: C

City: MERIDIAN
Phone: (208) -

Name Connector:

Last: WYATT

First: JACQUELINE

Address: ~~1912 W KINGSWOOD COURT~~
2354 W McMillan Rd
State: ID ZIP: 83642-
Owner Code: C

City: MERIDIAN
Phone: (208) -

(Enter=Exit) (GOLD4=Prev Screen) (GOLD6=End of Data) (GOLD8=Cancel)
(GOLD5=Next Screen)

Kari Lynn,

11-3-99

*Please ~~contact~~ ^{enter} our new
address change.*

Thank you

Jackie Wyatt

11.18.99

*WR2 updated
Kst*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 28, 1992

DENNIS WYATT
JACQUELINE WYATT
1912 W KINGSWOOD CT
MERIDIAN ID 83542

RE: Water Right No. 77-07103

Dear Water Right Holder(s):

During an unrelated review of water rights, a computer generated error was identified on your license. The date you submitted proof of beneficial use was listed incorrectly. We have corrected the error and have issued you an amended license. This correction in no way effects or changes the water right as originally licensed.

I have enclosed a copy of the amended license for your records.

If you have any questions, please feel free to contact me at (208) 327-7943.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 08 1993

June 16, 1992

DENNIS WYATT
JACQUELINE WYATT
1912 W KINGSWOOD COURT
MERIDIAN ID 83642

RE: WATER RIGHT NO. 77-07103

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUN 29 1992

April 16, 1992

DENNIS WYATT
JACQUELINE WYATT
1912 W KINGSWOOD COURT
MERIDIAN ID 83642

RE: WATER RIGHT NO. 77-07103

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
JUN 29 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Dennis & Jacqueline Wyatt Permit No. 779-07703
Current Address: 1912 W. Kingswood Court Phone No. 888-1175
Meridian ID. 83642
2. Accompanied by: no one per 9/2/88 telecon EXAM. DATE: 9/9/88
Address: ~~Spring~~ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Spring tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: N/A For D/I - no other users
from this spring ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached Forest Service info



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUN 29 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A springbox and buried storage tank with approx 500' of 2" line ~~supply~~ internal domestic water to 1 cabin supply

A bunkhouse is also present, but no water line serves this.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NW	14	22N	SE	IDAH0	USGS 7 1/2' quad; subd. plot
									Permit shows spring to QQ but can license now to QQQ.

6. Place(s) of Use:

Indicate Method of Determination 7 1/2' quad + subd. plot

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
22N	SE	14								D									—

Do not use this space

MICROFILMED

JUN 29 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE POSSIBLE

E. FLOW CALCULATIONS

☒ Additional "Computation" Sheets Attached

1. Measured Method: allow .04 cfs for 1 home, assume 2" line
could carry this from add'l info sheet

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

DOMESTIC USE, 1 home interval = .6 af JUN 29 1992

RECEIVED

H. REMARKS AND OVERLAP REVIEW ANALYSIS

P/U = LOT 30 SECESH MEADOWS SUBD. No. 4

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	.6
Totals:			.04	.6

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

JFW 3/27/01

Signature


Certification Date

Field Report Preparation Date

Steve Lester

Steve Lester

9/9/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

1992 JUN 29 1992

JUN 29 1992

materials obtained from Gene Gibson but
not sure of the source of this info

FL

FLOW RATE (GPM) FOR GRAVITY FLOOD SYSTEMS USING PVC PIPE


VERTICAL DROP (ft)	Inside Diameter: 2 inches						
	L=50ft	L=100ft	L=200ft	L=300ft	L=500ft	L=1000ft	L=2000ft
1	29.3 (3.0)	20.56 (2.1)	14.7 (1.5)	11.9 (1.22)	9.3 (0.95)	6.4 (0.66)	4.5 (0.46)
5	66.5 (6.8)	48.9 (5.0)	34.8 (3.56)	28.2 (2.88)	21.5 (2.2)	14.9 (1.53)	10.2 (1.05)
10		70.5 (7.2)	50.2 (5.13)	40.9 (4.18)	31.3 (3.2)	21.6 (2.21)	14.9 (1.53)
15			62.3 (6.37)	50.7 (5.18)	38.9 (3.98)	26.9 (2.75)	18.6 (1.9)
20				59.2 (6.05)	45.4 (4.64)	31.4 (3.21)	21.7 (2.22)
25					51.2 (5.23)	35.4 (3.62)	24.4 (2.5)
30					56.5 (5.77)	39.1 (4.0)	27.0 (2.76)
40					66.0 (6.74)	45.7 (4.67)	31.5 (3.22)
50						51.5 (5.26)	35.5 (3.63)
65						59.3 (6.06)	40.9 (4.18)
80						66.3 (6.78)	45.8 (4.68)
100							51.7 (5.28)

gpm

77-07103

22 N - SE - 5.14

See next map for N part
of S. 14



Steel Pin on all other Points
Lot Numbers

Lot 46
Warren's and State's
Meadow Road

Auggoner

Warren, Idaho 43

Lot 43

(PLAT 1 of 2)

Lot #30

T2N NO. 4

T. 22 N. R. 5 E. B. M.

IS ENGINEERS

Secesh Meadows

Subdivision No. 4

Lot 46

77-07220

Warrenty Deed with

Guaranteed Title

77-07220

77-07220

77-07220

77-07220

77-07220

77-07220

77-07220

77-07220

77-07220

77-07220

77-07220

JUN 24 1992

COMMON 5600. MAP FOR

77-07103 & A77-07103

77-07220

77-07209

77-07209

77-07209

77-07209

Warrenty Deed with

Guaranteed Title

77-07209

Subdivision Recorded
Idaho County Recorder's Office
OVER

77-07103

From Payette Natl Forest info

Weyatt


PD 300' up on NF

514 kg, tank, 300' of

to be used

JUN 29 1992

ALTERNATE
Diagram




All Excavation will be done by hand & surface will be returned to its natural state

Weyatt

3-60

Wyatt



Permit 77-07103

Photos taken 9/9/88

Pg 1 of 1



PHOTO ONE-

P/D Springbox approx. 500' east of cabin
on east side of subd. access road.



PHOTO TWO-

P/u cabin on lot # 36.

RECEIVED
JUN 29 1992

4/86

RECEIVED

MAY 8 1987

KEYPUNCHED

Department of Water Resources
Western Regional Office
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received NO FEE PAID
Date

Receipt #

Receipt by

0.9 4/7/87

RECEIVED
JUN 09 1987

1. Permit No. 77-7103

Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Dennis & OR Jacqueline Wyatt

3. Post Office Address: 1912 W Kingswood CT Meridian 83642

Telephone No. 888-1175

4. Source of Water: Spring

5. Extent of Use:

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .02 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

7-4-87

8. Person to contact to accompany the department representative during the field examination:

Permit Holder (Name)

ABOVE (Address) (Telephone Number)

RECEIVED
JUN 29 1987

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

5-6-87
Date

Dennis Wyatt
Signature of Permit Holder (and title, if appropriate)

Agent - Emmon

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

77-7103
WYATT, DENNIS
WYATT, JACQUELINE
4803 ALAMOSA
BOISE, ID 83703

138337

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

JUN 29 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 30, 1983

DENNIS WYATT
4803 ALAMOSA
BOISE

ID 83703

RE: Permit No. 77-7103

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECEIVED
DEC 31 1983

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 77-7103.

Name(s) of Permit Holder: Dennis & Jacqueline Wyatt

Post Office Address: 4803 Alamosa Boise 83703

Tel. No. 392-7288

Source of Water:

Extent of Use: ☒ Domestic 3 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-28-83

Date

Jacqueline Wyatt
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS


Permit No. 77-7103
Name(s) of Permit Holder(s): Dennis Wyatt
Post Office Address: 4603 Alameda
Boise ID 83703 Tel. No. 342-7288

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 7-1-81 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7-1-82 Dennis Wyatt
Date Signature of Permit Holder

Dennis Wyatt
4403 Alamo
Boise Id 83703



RECEIVED

JUL 6 1982



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T E U F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WYATT, DENNIS & JACQUELINE
4803 ALAMOSA
BOISE, ID 83703

JULY 23, 1980

RE: PERMIT NO. 77-7103

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CLS

APPLICATION NUMBER: 77-7103
Wgette

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☒ U.S. Forest Service. RM 6/10/80 ✓
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/30/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6-23-80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☐ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 6/2/80 Date of priority recommended.
Special conditions of approval or cover letter. Right-of-way clause

By: DBS Date: 7/1/80 **MICROFILMED**

STATE OFFICE REVIEW:

- 04
S.L.
COVER LETTER w/80ND
☐ See attached sheet for more information.
By: RH jeni Date: 7/3/80 **RECEIVED**
JUL 01 1980
Department of Water Resources

WYATT, DENNIS &/or JACQUELINE

4803 ALAMOSA, BOISE, ID 83703

Source: UNNAMED SPRING tributary to SINKS

Date Filed: 06/02/1980

Amount: 0.12 CFS

Diversion Point: SENW Sec 14 T 22N R 05E, IDAHO Co.

Use: DOMESTIC (0.12 CFS) from 01/01 to 12/31

Place of Use: SENW NESW Sec 14 T 22N R 05E

Diversion Means: SPRING BOX, STORAGE TANK AND PIPELINE.

MICROFILMED

June 10, 1980

Supervisor's Office
Payette National Forest
P.O. Box 1026
McCall, ID 83638

RE: 7707103

Dear Sir:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter.

If you have questions regarding the application, please contact this office.

Sincerely,

H. L. HARRINGTON
Secretary

Enclosure