


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

June B Cook
(Applicant)

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that JOHN B. &/or JUNE B. COOK Box 407 Riggins, ID has on August 15, 1977 submitted Application No. 77-7065 for a permit to appropriate 1.75 cubic feet per second of water from Elkhorn Creek trib. Salmon River by means of headgate and ditch within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 28 T24N-R3E B.M., Idaho County to be used from Jan 1 to Dec 31 for power generation and domestic purposes within the Government Lot 6 Sec 21 T24N-R3E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before September 12, 1977.

C.STEPHEN ALLRED

Director

Published in the Idaho County Free Press, Grangeville, ID on August 24, 1977 and August 31, 1977.

A24-31

AFFIDAVIT OF PUBLICATION


..... Nona Donaldson being first duly sworn, says he is the office manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 24 day of August 1977, and the last publication on the 31 day of August 1977; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

..... Nona Donaldson

Subscribed and sworn to before me this 31 day of August 1977.

..... Martin J. Sallee Notary Public for State of Idaho, residing at Grangeville, Idaho.


OK 148
9-2-77



Department of Water Resources
Western Regional Office

RECEIVED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

→ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

→ Aerial Photo Attached (required for irrigation of 10+ acres)

→ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical pipeflow measurement, See attached.
Permit holder est = 150 gpm. Discharge pressure @ power plant 80 psi thru 1 1/2" nozzle. Too much outflow for bucket measure. See photo.
Flow controls are at power plant. Nozzle size is interchangeable but 1 1/2" is most efficient.


Cook: Diversion = rock dam, Screen 10" Steel ^(pipe) culvert under road to 10" PVC - follows contour to a control box in Sec 21 - then reduced to 2, 4" lines - one for irrigation and one for combined uses ultimately terminating at Power plant. - 80 psi to 1 1/2" valve @

full load


Permit holder estimate = 150 gpm head = 200 ft



Sprinklers - 7 lines
6 birds each.
System can run
2 lines (12) + flood
est 20 ac




PERMIT 77-7065 INIT gjh
T. R. S. Q/Q
P/D 24N 3E 28 NENW
SCALE 1:24K
PHOTO ID. _____





← P/O, showing grated
entrances to penstock
& rock dam

Below left: generator
" right: tail flows



AUG 2 2 1956

77-7065

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 77-07065

Priority: October 10, 1977

Maximum Diversion Rate: 0.32 CFS
Maximum Diversion Volume: 233.1 AF

This is to certify, that DAVID J COOK
DANIEL W COOK
BEATE COOK
ANN B. COOK

PO BOX 379

RIGGINS ID 83549

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 15, 1977; and has submitted Proof of Beneficial Use on December 27, 1982. An examination indicates that the works have a diversion capacity of 0.320 cfs of water from:

ELKHORN CREEK tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
POWER	01/01 to 12/31	0.32 CFS	231.7 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF
	Totals	0.32 CFS	233.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW, Sec. 28, Township 24N, Range 03E
IDAHO County

PLACE OF USE: POWER

TWN RGE SEC

24N 03E 21 Lot 6(SWSE)

PLACE OF USE:

DOMESTIC, same as POWER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

APR 23 1987

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 77-07065

CONDITIONS OF APPROVAL AND REMARKS

5. Water used under this right when discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. The water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this license.
7. The diversion and use of water for hydropower purposes under this license is subject to review by the Director on or after January 1, 2003. Upon appropriate findings relative to the interest of the public, the Director may cancel all or any part of the use authorized herein and may revise, delete or add conditions under which the right may be exercised.
8. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3rd
day of APRIL, 1997.


KARL J. DREHER, Director

MICROFILMED

APR 23 1997

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application		Cook, John B. Cook, June B.	1.75
~~Full Assignment~~		~~Cook, Daniel W.~~	~~1.75~~
Full Assignment		Cook, Daniel W. Cook, Beate Cook, David Cook, Ann B.	1.75

RECEIVED

AUG 22 1996

State of Idaho
DEPARTMENT OF WATER RESOURCES

RECEIVED

APR 15 1996

WATER RESOURCES
WESTERN REGION**ASSIGNMENT OF PERMIT**

To change the ownership of a permit

I, JUNE B OR DANIEL W COOK, hereby assign to DANIEL W. COOK OR BEATE COOK OR
(Permit Holder) DAVID J. COOK OR ANN B. COOK
 of PO Box 198 RIGGINS ID 83599
(Full Address)

All my right, title, and interest in and to Permit No. 77-07065
 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
 Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
 point of diversion location, and the amount of water in cubic feet per second.

Made this 8th day of April, 1996.

June B. Cook
 Permit Holder(s)
 (only one signature req'd)

State of Idaho)
 County of Idaho ^{SS}

On this 8th day of April, 1996, personally appeared before me
 the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.

Chris Travis - Riggins Idaho
 Notary Public

My commission expires:

10-10-2000

Signature

Pd \$25--
4-15-96
#W020717
By: VR

AUG 22 1996

\$25.00
 fee

SEAL

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 77-7065 IN THE)
NAME OF DANIEL W. COOK) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before November 1, 1982; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on December 27, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 77-7065 be REINSTATED and the priority advanced to October 10, 1977.

Dated this 17th day of February, 1983.



L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED
FEB 21 1983

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

DEC 27 1982

Department of Water Resources

I, JUNE B. COOK, hereby assign to DANIEL W. COOK
of Box 379 RIGGINS ID 83549
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 77-7065
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 8th day of DECEMBER, 19 82.

June B. Cook
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Idaho) ss.

On this 8th day of December, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he, (she) (they) executed the same.

seal

Norma L. Bradley
Notary Public residing at
Riggins, Idaho

My commission expires:

July 11, 1983

Identification No. _____
Application No. 77-7065

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant JOHN B. &/or JUNE B. COOK Phone: 628-3601
post office address Box 407 Riggins, ID 83549
2. Source of water supply Elkhorn Creek which is a tributary of Salmon River
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 28 Township 24N
Range 3E B.M. Idaho County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.67 for power purpose from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.08 for domestic purpose from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.75 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
headgate and ditch

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 5,000
8. Description of proposed uses:
a. If water is **not** for irrigation: Lot 6
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 21 Township 24N
Range 3E B.M. _____
(2) Amount of power to be generated: 12kw hp under 180 feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

June B. Cook
(Applicant)

Proposed Priority 8/15/77

Received by W/m Date 8-15-77 Time 3:15

Preliminary check by GLS Fee \$ 35.00

Received by W/m Date 8-15-77 # 8815

Publication prepared by W Date 8-18-77

Published in Idaho County Free Press

Publication dates August 24-31

Publication approved W Date 9-6-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W/m

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 77-7065, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1982.
- Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 8 day of November 1977.

S. Kenneth Shum
Deputy Director


Individual Owner

AFFIDAVIT TO ESTABLISH RESIDENCE

I, John B. &/or June B. Cook of Box 407, Riggins, Id., County of Idaho, State of Idaho, being duly sworn, do hereby certify that I am a bona fide resident of the State of Idaho.

/s/ June B. Cook
Subscribed and sworn to before me this 5th day of August, 19 77

/s/ John B. Cook
Notary Public
Residence Boise, Id
My Commission Expires Mar 3-1980



Corporation or Association

AFFIDAVIT TO ESTABLISH RESIDENCE
OR QUALIFICATIONS TO DO BUSINESS UNDER THE LAWS OF
IDAHO...


I, _____ of _____, County of _____, State of Idaho, being first duly sworn, depose and say:
That I am the designated statutory agent of the _____,
that as such I am in charge of the registered office of the said _____
_____, as provided by Section 30-143, Idaho Code, at _____
_____, Idaho, wherein are kept the records provided by Section 30-144, Idaho Code, and that _____ is a legal _____
qualified to do business in the State of Idaho under the laws of the State of Idaho.

/s/ _____

Subscribed and sworn to before me this _____ day of _____, 19 _____

/s/ _____

Notary Public
Residence _____
My Commission Expires _____



NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that JOHN B. &/or JUNE B. COOK Box 407 Riggins, ID has on August 15, 1977 submitted Application No. 77-7065 for a permit to appropriate 1.75 cubic feet per second of water from Elkhorn Creek trib. Salmon River by means of headgate and ditch within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 28 T24N-R3E B.M., Idaho County to be used from Jan 1 to Dec 31 for power generation and domestic purposes within the Government Lot 6 Sec 21 T24N-R3E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before September 12, 1977.

C. STEPHEN ALLRED

Director

Published in the Idaho County Free Press, Grangeville, ID on August 24, 1977 and August 31, 1977.

A24-31

AFFIDAVIT OF PUBLICATION

..... Nona Donaldson being first duly sworn, says he is the office manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 24 day of August 1977, and the last publication on the 31 day of August 1977; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

..... Nona Donaldson

Subscribed and sworn to before me this 31 day of August 1977.

..... Marilyn J. Stalley Notary Public for State of Idaho, residing at Grangeville, Idaho.


OK 148
9-2-77

RECEIVED

SEP 2 1977

Department of Water Resources
Western Regional Office

RECEIVED
SEP 2 1977





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 4, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DAVID J COOK
DANIEL W COOK
BEATE COOK
ANN B. COOK
PO BOX 379
RIGGINS ID 83549

RE: WATER RIGHT NO. 77-07065

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of April, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 77-07065

DAVID J COOK
DANIEL W COOK
BEATE COOK
ANN B. COOK
PO BOX 379
RIGGINS ID 83549



Vanessa Roby
Secretary

MICROFILMED

APR 23 1997

MEMORANDUM

TO: File 77-07065

FROM: Sharla

DATE: March 26, 1997

RE: Term of Years

Power use is for an individual power facility which does not require licensing from FERC. Since power is solely used by the right holder and is not sold, there is no power purchase contract. Therefore, the term of years to be listed on the license is not pre-determined by the above. As set forth in Section 42-203B(7), the term of years (once determined) is calculated as commencing at the time of the proof of beneficial use filing. Previously issued licenses falling in this category have had a term set for 10 years. In this case, proof was filed more than ten years ago. The term will be given an additional ten years, thus expiring January 1, 2003.

MICROFILMED

APR 23 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 77-07065

DATE 3/20/97

REVIEWER: SHARLA

NAME Change OK

Address Change PO Box 379

SOURCE Change OK

Is change clarification of originally intended source? Yes

POINT OF DIV Change OK

If not, prepare Notice of Intent to Void Amendment required NO

PLACE OF USE Change OK

Amendment required NO

Does map agree with written description? Yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate 1.75 cfs

Fee limit 2.0 cfs \$ 125.00

Measured .32 cfs

Theoretical — cfs

Recommended Total Div Rate .32 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation	
<u>Power</u>	<u>231.7</u> af
<u>Dom.</u>	<u>2 x 1.2 = 2.4</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>233.1</u> af

Flow rate .32 cfs X 365 days X 1.98 = 231.7 af

Total volume recommended — af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1/2 homes.
WA2 (1/1/2003)

CONDITIONS Watermaster Control WD# —

GW Measurement/Measuring Device —

Overlap —

R23 Use-specific conditions OGE,

Advancement of Priority Date Required yes no

SRBA Claim Filed ✓

1st Amend Letter NA

Adjustment Memo WA2

2nd Amend Letter —



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 6, 1966

DANIEL W COOK
BEATE COOK
DAVID J COOK
ANN B COOK
PO BOX 198
RIGGINS ID 83549


RE: Permit No. 77-07065

Dear Permit Holder(s):

We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:ph

RECEIVED
AUG 22 1966

DATE: 08/06/96
PAGE: 1

Misc: Water District Number: Field Exam Fee: R (Received)

MEMORANDUM

DATE: August 2, 1996

TO: Jim J. and/or Patti H.

FROM: Shelley W. Keen *SWK*

RE: Assignment of Permit 77-07065

While looking in file 77-07065, I found that a completed assignment form had been forwarded from the region between field exam pages. I think it can be processed.

AUG 22 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 24 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 77-7065

1. Owner: DANIEL W COOK Phone No. 628-3759

Current Address: Box 379 RIGGINS ID 83549

2. Accompanied by: Dan & Dave Cook EXAM DATE: 7-11-95

Address: Box 379 (both) Phone No. Above

Relationship to Permit Holder: owners

3. Source: Elkhorn Creek tributary to Salmon River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 77-4031

2. Other water rights with the same point of diversion: 77-4031

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	NW	28	24N	3E	Idaho	Site visit, orthoquad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
24N	3E	21															P/D		
																	L.6		

AUG 22 1996

- 3. Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: $r =$ NTS.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical pipeflow measurement, See attached.
Permit holder est = 150 gpm. Discharge pressure @ power plant 80 psi
thru 1 1/2" nozzle. Too much outflow for bucket measure. See photo.
Flow controls are at power plant. Nozzle size is interchangeable but
1 1/2" is most efficient.

E. NARRATIVE/REMARKS/COMMENTS

Permit is for domestic (2) and power purposes.

A rock diversion dam on Elkhorn Creek diverts to a screened 10" ~~horizontal~~ ^{horizontal} culvert then to 10" PVC penstock. After crossing the ranch road, the buried penstock meanders ^{north} along a contour for approx 1600' to a junction box in SWSWSE S21. At the junction the single line is reduced to 2, 4" lines. One ~~line~~ line bears northwest to the irrigation system for approx 20 ac (under 77-4031). The second line continues north to the power plant, located just south of the county road. Two spurs off this line serve 2 domestic units w/ yard irrigation of approx 1/2 ac each. Power plant consists of a belt-driven 6KW AC generator which produces all the power required ~~for~~ for the two homes. Tailwater from the plant goes ~~thru~~ under the county road and returns to the Salmon R.

Overlap only w/ 77-4031 as described above. Claims 77-4035 & 4036 in the name of Cook are situated W. of Elkhorn Creek, use a different P/O, & have been purchased by another party. Claim A77-7065 filed based on this permit. Info placed in claims file.

Since permit was issued prior to 1977, yard irrigation was likely included in Domestic use. As that irrigation was developed, I am including it in the recommendation.

→ (@.04 per home)

Have conditions of permit approval been met? ☒ yes ☐ no

(No meas device req)

RECEIVED

AUG 22 1996

SEAL

Reviewer _____ Date _____
Field Examiner's Name Andy Hodges Date 3/29/96

I. AUTHENTICATION

Change P.D. as reflected above _____
Change P.U. as reflected above _____
Add P.D. as reflected above _____
Add P.U. as reflected above _____
None _____
Other _____

2. Recommended Amendments

Beneficial Use	From	To	Rate of Diversion	Annual Volume
POWER	1/1	12/31	.32	231.7
DOMESTIC	1/1	12/31	.08	2.4
Totals:			.32	231.7

1. Recommended Amounts

H. RECOMMENDATIONS

Power (capacity volume) $.32 \times 365 \times 1.9835 = 231.7 \text{ AFA}$

D/2 homes with yard irrigation (see remarks) $2 \times 1.2 = 2.4 \text{ AFA}$

2. Volume Calculations for Other Uses:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

Pipeflow equation - to power plant only (does not include
irrigation flows under 77-4031)
.32 cfs (144 gpm)

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Cook: Diversion = rock dam, Screen 10" steel culvert (pipe)
 under road to 10" PVC - follows contour
 to a control box in Sec 21 - then reduced
 to 2, 4" lines - one for irrigation and one
 for combined uses ultimately terminating at
 power plant. - 80 psi
 to 1 1/2" valve @
 full load

Permit holder
 estimate = 150 gpm
 head = 200 ft

25-40 psi
 3/16" Sprinklers & flood
 200' Flood 2" turnouts
 Field #1 by Creek
 Field #2 above house
 100'

Controls at
 lower end.

2, 45° vertical elbows
 150' Power Plant, 6kW AC generator

2" 2" 2" 2"

800' 4" PVC

Sprinklers - 7 lines
 6 birds each.

System can run
 2 lines (12) + flood
 est 20 ac

1600' 10" PVC

80' 10" steel pipe (culvert, corrugated)

AUG 2 1966

$$WHP = \frac{750 \times 200}{3960} = 37.9$$

$$EFF = \frac{WHP}{EHP}$$

$$EHP = 8.04$$

866.8830V

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
3/29/96
Project: Flow Computation for Permit No. 77-07065
COOK
Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table


Total Head: 200.00 feet
 Pressure Req'd: 80.00 psi
 Available Head: 15.20 feet
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
9.75	1680.00	0.25	
3.75	950.00	14.89	
10.00	0.00	0.00	
10.00	0.00	0.00	15.14


Rate of Flow: 0.320 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.

RECEIVED
AUG 22 1996



PERMIT 77-7065 INIT *cjh*
T. R. S. Q/Q
P/D 24N 3E 28 NENW
SCALE 1:24K
PHOTO ID. 22199



89° 56' W.
1 JOHN L. CHANDLER
1 H.E.S. No. 248
1 CABIN
1 N.

S. 89° 55' W.

80.02

40

46.33

80

35.90

19.50

Sec 21

574.33

21.61 21.20

33.00

SALMON

CABLE FERRY

27.32

1.80 45.40

0.20 22.70

7.00

0.20 22.70

S. 89° 58' W.

29.10

42.40

43.80

S. 89° 40' W.

80.00

TA

Sec 28

640

N. 0° 4' W.

N. 0° 3' W.

West

S. 89° 57' W.


80.30

77-7065
24N 3E7
AUG 2 1996



← P/O, showing grated
entrances to penstock
& rock dam

Below left: generator
" right: tail flows



77-7065

77-7065

~ 2 1996

4/86

RECEIVED
JUN - 3 1988

KEYED

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 125.00Date 6/7/88Receipt # W000314Receipt by SPSent to S.O. 6/28/88

RECEIVED

JUN 6 1988

1. Permit No. 77-7065

Department of Water Resources

Western Regional Office

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

* 2. Permit Holder: DANIEL W. COOK3. Post Office Address: Box 379 Riggins ID 83549Telephone No. (208) 628-3759 or 37084. Source of Water: ELKHORN CREEK

5. Extent of Use:

Domestic X (No. of households) Stockwater _____ (No. and type of stock)Irrigation _____ (acres) Other/Remark Power6. Total rate &/or volume for which proof is submitted 1.75 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

* 8 19 78

8. Person to contact to accompany the department representative during the field examination:

SAME

(Name)

(Address)

(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 3 Jun 88

Signature of Permit Holder (and title, if appropriate)

AUG 22 1996

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

77-7065
COOK, JANE B.
COOK, DANIEL W.
P.O. BOX 379
RIGGINS, ID 83549

May 5, 1988

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 9, 1988, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 10, 1987.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 8, 1988, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

AUG 22 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

77-7065
COOK, JANE B.
COOK, DANIEL W.
P.O. BOX 379
RIGGINS, ID 83549

138319

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

APR 22 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 5, 1984

John P. Wolflin, Field Supervisor
Ecological Services
Fish and Wildlife Service
4620 Overland Road, Room 209
Boise, ID 83705

Dear Mr. Wolflin:

This office has reviewed your letter of August 23, 1984 relative to a hydro project on Elkhorn Creek, Idaho County, Idaho.

A review of Department water right files shows that Application No. 77-7155 in the name of Guy M. Carlson was submitted to the Department on January 22, 1982. The application proposes the following:

Source: Elkhorn Creek
Point of diversion: SWSE, Sec. 33, T24N, R3E
Rate of diversion: 40 cfs
Use: power from January 1 to December 31
Place of use: SWSE, Sec. 21, T24N, R3E

The application has not been approved by the Department since the application has been protested by Gerald P. Kooyers of Riggins, Idaho. A hearing will be scheduled and conducted by the Department relative to the matter.

Water right Permit No. 77-7065 has been issued to John B. and June Cook. The permit shows the following:

Date of filing: August 15, 1977
Source: Elkhorn Creek
Point of diversion: NENW, Sec. 28, T24N, R3E
Rate of diversion: 1.67 cfs - power
0.08 cfs - domestic
Place of use: Lot 6, Sec. 21, T24N, R3E
Status: Permit proof of beneficial use has been submitted.
Department needs to conduct a field examination before a license of water right will be issued.

RECEIVED
SEP 11 1984

AUG 29 1984

Water right Permit No. 77-7181 has been issued to Gerald P. and Geneva Kooyers. The permit shows the following:

Date of filing: June 28, 1982

Source: Elkhorn Creek

Point of diversion: NESW, Sec. 28, T24N, R3E

Rate of diversion: 3.0 cfs January 1 to December 31

Place of use: SESW, Sec. 21, T24N, R3E

Status: Permit - Proof of beneficial use due June 1, 1985.


Department records also show several water rights for irrigation and domestic use with a point of diversion in Sec. 28, T28N, R3E.

From the information presently available, it appears the diversion structure in Sec. 33 must be in connection with protested Application 77-7155. The water right hearing to be held by the Department hopefully will clarify additional information about the diversion structure. The hearing will be scheduled by the Department's Western Regional office in Boise.

We appreciate your calling this matter to our attention.

If this office can be of assistance to you, please feel free to contact Dave Shaw at 334-2190.

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

LGS:rf

AUG 22 1986



United States Department of the Interior

FISH AND WILDLIFE SERVICE
ECOLOGICAL SERVICES
4620 Overland Road, Room 209
Boise, Idaho 83705

RECEIVED

AUG 27 1984

Department of Water Resources

August 23, 1984

Idaho Department of Water Resources
450 West State Street
Boise, Idaho 83720

Re: Suspected Illegally Operating
Hydro Project
Elkhorn Creek, Idaho County, Idaho

Gentlemen:

While conducting a site visit for a proposed hydroelectric project (FERC 7378) on Elkhorn Creek, tributary to the Salmon River, the Fish and Wildlife Service (Service) discovered an operating hydroelectric facility for which to our knowledge the Service has not conducted any environmental review. We suspect the project may have been planned and constructed without appropriate consultation with Federal and state regulatory authorities and fish and wildlife agencies. The Service has not been consulted by the developer; nor has it reviewed public notices of the Federal Energy Regulatory Commission, the Army Corps of Engineers, or the Idaho Department of Water Resources.

The flow-affected stream reach includes portions of Sections 21, 28, and 33 in T24N; R3E, Boise Meridian (map enclosed). The diversion structure, located at the footbridge near the middle of Section 33, is unscreened and has not been evaluated for fish passage. Any resident and anadromous fish using the system now or in the future will be adversely impacted by this project. Photographs of the diversion structure have been enclosed for your review.

The Service did not investigate the return flows below the powerhouse located on the private property labeled on the map as the Howard Ranch. Please note the labels on the map for diversion and powerplant are for the planned project, not the existing project.

RECEIVED

AUG 22 1984

We recommend that you investigate the legality of the project. The Service would appreciate coordination of your investigation and subsequent actions with its office in Boise. Thank you for your attention to this serious matter.

Sincerely yours,



John P. Wolflin
Field Supervisor

Enclosure

cc: IDFG, Hdqtrs., Boise (Richards and Hansen)
IDFG, McCall (Anderson)
NMFS, Portland (Bennett)
CE, Boise (Olsen)
BLM, Boise (Minckler)
BLM, Cottonwood (Wilson)
FWS, RO, ES (AHR), Portland (Sundeen)

RECEIVED
JUL 22 1996

February 17, 1983

Daniel W. Cook
Box 379
Riggins, ID 83549

Dear Mr. Cook:

Re: Permit No. 77-7065

This office acknowledges receipt of the assignment conveying this permit to you. The assignment has been entered into the department's records. A copy of the permit and order of reinstatement are enclosed for your records.

This office also acknowledges receipt of the statement of beneficial use submitted for the permit. Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding the field examination, please contact our Western Regional office at 208-334-2190.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 77-7065

Name(s) of Permit Holder: DANIEL W. COOK

Post Office Address: Box 379

RIGGINS ID 83549 Tel. No. 628-3708

Source of Water: ELK HORN CREEK, TRIB. of SALMON RIVER

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other POWER 4 KW

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8 DEC 84

Date

Daniel W. Cook

Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
DEC 27 1982
Department of Water Resources

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 77-7065

DATE: Feb. 15, 1983

Date Proof Received

Proof Due

Number of Days Proof Late

361

305

56

Dec. 27, 1982

Nov. 1

Priority Date

Number of Days Proof Late

New Priority Date

227

56

283

Aug. 15, 1977

= Oct. 10, 1977

Remarks

MICROFILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

COOK, JOHN B. & JANE B.
P.O. BOX 407
RIGGINS, ID 83549

NOVEMBER 03, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 77-7065 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED AUGUST 31, 1982.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

MICROFILMED

CERTIFICATION OF MAILING
I hereby certify that on 11/29/1982
a true and correct copy of this document was
deposited in the United States mail,
properly prepaid, addressed to the
individual named above.

Peter Fleck

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138621

COOK, JOHN B. & JANE B.
P.O. BOX 407
RIGGINS, ID 83549

AUGUST 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 77-7065 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
JUL 1 1982

November 9, 1977

Re: Permit No. 77-7065

John B. &/or June B. Cook
Box 407
Riggins, ID 83549

Dear Mr. &/or Mrs. Cook:

Enclosed is a copy of your approved Application for Permit No. 77-7065. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 77-7065

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) GHS 8/16/77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) GHS 8/16/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) sf OK

Affidavit of Publication received (date) 9-6-77

(12) _____

Final date for protests 9-12-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

8-15-77 Proposed Priority

Reason for Reduction _____

NO Measuring device required (would serve no purpose)

See attached sheet for other conditions of approval

No special conditions for approval

(15) District W

By JJA

Date 9-8-77



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

August 19, 1977

Re: Notice of Application for Water Permit No. 77-7065 -- John &/or June B. Cook
78-7100 -- U. S. Forest Service
79-7059 -- Marvin Armstrong
Notice of Claim to a Water Right No. 77-4031 -- John &/or June Cook

Idaho County Free Press
Box 267
Grangeville, ID

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before September 12, 1977.

Sincerely,

RITA FLECK
Secretary

Bill submitted
9-6-77
y

RECEIVED
SEP 11 1977
MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that JOHN B. &/or JUNE B. COOK
Box 407 Riggins, ID
has on August 15, 1977 submitted Application No. 77-7065
for a permit to appropriate 1.75 cubic feet per second ~~and~~
~~per~~ of water from Elkhorn Creek trib. Salmon River
by means of headgate and ditch
within the NE 1/4 Sec 28 T24N-R3E B.M., Idaho County

to be used from Jan 1 to Dec 31
for power generation and domestic purposes

within the Government Lot 6 Sec 21 T24N-R3E B.M.,

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before September 12, 1977.

C. STEPHEN ALLRED

Director

Published in the Idaho County Free Press, Grangeville, ID
on August 24, 1977 and August 31, 1977.

GEN 11000000