

13.

umber,




Scale: 2 in

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEC 20 1991

Ray E. Infanger
(Applicant)



MICROFILMED


SEP 16 1997

75

74

75

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL #1	STA-RITE	1.5			2"
WELL #2	STA-RITE	1.5			2"
BACKUP PUMP	NO TAG CENT.	1.5			2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE		H.S.G.			0-100	28 PSI
						SYSTEM WAS ON.

2. Measurements: _____

NOT RECORDED


SEP 16 1997

FIELD NOTES

House Well 1960

2 Trailer back wells #1 1972
#2 1988?


Switch lights - Not used now at trailer back



Usage 50751
0-100
Pressure hose.

MICROFILMED
SEP 16 1997

74-07306



75
74
75

T21N, R22E

74-07306

MICROFILMED
SEP 16 1997

ROAD LEGEND

INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA 1989



45° 07' 30"
113° 52' 30"

T21N, R22E

PLACE OF USE

PIPE
LINE

POINT OF DISSECTION

74-07303

7205

7204

9009

9005

9015

5400

3601

3003

1802

1601

0004

0001

17W

3001

6005

6606

6607

6604

202

9013

901

7

8

17



RAY INFANGER

DOMESTIC / IRRIGATION

143



DISTANCE
VIEW
PLACE OF
USE +
POINT OF
DIVERSION



VIEW OF
WELL -
POINT OF
DIVERSION

PERMIT
NUMBER

74-07306

RECORDED

SEP 16 1997

RAY INFANDEL

DOMESTIC / IRRIGATION

2 / 3

VIEW OF
PRESSURE
TANK AND
HOLDING TANK.
CONTROL
SYSTEMS



VIEW OF
SYSTEM
PRESSURE
PUMP +
CONTROLS +
COVERED
WELL #1



MONITORING
SEP 16 1997

PERMIT
NUMBER

74-07306

RAY INFANGER

DOMESTIC / IRRIGATION

3/3



VIEW OF
PLACE OF
USE -
TRAILER CT.


3 26 '96

MICROFILMED

SEP 16 1997

PERMIT
NUMBER

74-07306



MICROFILMED
SEP 16 1997

74-07306

RECEIVED
MAY 24 1967

MAY 24 1977

UNRECORDED
DEC 30 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 75-07649

Priority: March 30, 1990

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 19.0 AF

This is to certify, that RAY E INFANGER
VERA S INFANGER

RT 1 BOX 174

SALMON ID 83467

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 30, 1990; and has submitted Proof of Beneficial Use on September 30, 1991. An examination indicates that the works have a diversion capacity of 0.360 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.06 CFS	7.0 AF
DOMESTIC	01/01 to 12/31	0.20 CFS	12.0 AF
	Totals	0.20 CFS	19.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 18, Township 21N, Range 22E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
21N	22E	18	NENE	2		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.

RECORDED

SEP 10 1997


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**


WATER RIGHT NO. 75-07649

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for a 20 unit trailer park and does not include lawn, garden, landscape, or other types of irrigation.
7. Two points of diversion are located within NENE, S18, T21N, R22E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of AUGUST, 1992.


Acting for KARL J. DREHER, Director



ENCLOSURE

SEP 16 1992

State of Idaho
Department of Water Resources

RECEIVED

AUG 21 1997

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 75-07649

Date of Priority: March 30, 1990

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

19.0 AF

Comes now

RAY E INFANGER

VERA S INFANGER

RT 1 BOX 174

SALMON ID 83467

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 75-07649, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.06 CFS	7.0 AF
DOMESTIC	01/01 to 12/31	0.20 CFS	12.0 AF
	Totals	0.20 CFS	19.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 16, Township 21N, Range 22E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
21N 22E 18	NENE 2			2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Salmon, Idaho, this 18 day of August, 1997.

Ray E. Infanger
Vera S. Infanger
(Signature)

MICROFILMED

SEP 16 1997

PAGE 2


State of Idaho
Department of Water Resources**APPLICATION FOR AMENDMENT**
(For Licensing Purposes)
WATER RIGHT NO. 75-07649

FOR DETERMINATION UNDERPreliminary check by SWK Fee = \$50.00 Received by JW # C039882 Date 8-18-97**ACTION OF THE DEPARTMENT OF WATER RESOURCES**

I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 75-07649 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Domestic use is for a 20 unit trailer park and does not include lawn, garden, landscape, or other types of irrigation.
7. Two points of diversion are located within NENE, S18, T21N, R22E.

Witness my hand this 27TH day of AUGUST, 1997.
Acting for **KARL J. DREHER, Director**

MICROFILMED

SEP 16 1997

RECEIVED
SEP 30 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 74-07306 75-07649 Telephone No. 756-3642
2. Name(s) of Permit Holder(s): Ray E. Infanger, VERA S. INFANGER
3. Post Office Address: Route #1 Box 174, SALMON, IDAHO 83467
4. Source of Water: Well
 - a. If ground water, well driller's name: RICHARD DAHLE Date drilled: 1972
 - b. Pump horsepower: 1 1/2 + 1 1/2 Pressure (psi): 45 Dynamic pumping level (ft.): 30 feet
5. Extent of Use:

Domestic <u>20</u> (No. of households)	Irrigation <u>2</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____

Record shows this is a sage plot only the mor. PAK. ???

6. Total rate and/or volume for which proof is submitted .20 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

RAY E. INFANGER 756-3642
Name Telephone No.
Route #1 Box 174, Salmon, Idaho 83467
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9-20-91
Date

Ray E. Infanger
Signature (and title if on behalf of a company or organization)

UNRECORDED

SEP 30 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. ~~74-07306~~ 75-07649

Proposed Priority: March 30, 1990 Maximum Diversion Rate: 0.20 CFS

This is to certify, that RAY E. INFANGER
VERA S. INFANGER
RT. 1 BOX 174
SALMON, ID 83467

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.06 CFS
DOMESTIC	01/01 to 12/31	0.20 CFS
Totals		0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: NENENE Sec. 18, Township 21N, Range 22E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
21N 22E 18	NENE 2			2
Total number of acres irrigated:				2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for a 20 unit trailer park.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of September, 1990.

[Signature]
for R. Keith Higginson, Director
APPROVED

DEC 30 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Ray E. or Vera S. Infanger Phone 752-3642
Post office address Rt. 1, Box 174, Salmon, ID 83467
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 18 Township 21N Range 22E B.M. Lemhi County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .20 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) 04/01 11/01
Amount .06 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum) _____
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) _____
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) _____
5. Total quantity to be appropriated is (a) .20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pump
* 2 PUMPS DOWN SAME WELL (AS PER CONVERSATION WITH MR.
INFANGER, 8/3/90 PRM)
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6" inches; proposed depth of well is 32 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED

DEC 30 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 20 unit trailer park
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
21N	22E	18	D																
21N	22E	18	2																2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This well has been in use since 1972 (well log attached).

DEC 30 1991

Received by CW hht Date 4/27/90 4/2/90 Time 12:10P. 2:00pm 16:15 Preliminary check by _____
Fee \$ 30⁰⁰ Received by hht # CO16026 Date 3/30/90
Publication prepared by LB Date 8-16-23-70 Published in Recorder-Herald
Publication approved CW Date 9-11-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

DEC 30 1991

73-07114
KESSLER, DONALD R.
KESSLER, ZOLDA
P.O. BOX 6
ELLIS, ID 83235
Source: SPRING
Tributary: SINKS
Diversion Pt: NENWSE Sec 25 T
16N R 20E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 4/23/1990
In: T16N R20E S25 NWSE
1.0 ACRES TOTAL

74-07305
MCFARLAND LIVESTOCK CO
INC.
BOX 50
LEMHI, ID 83465
Source: GROUNDWATER
Diversion Pt: NWNE Sec 8 T 16N
R 25E
Use: IRRIGATION (2.500 CFS)
Total Diversion: (2.500 CFS)
Date Filed: 5/25/1990
In: T16N R25E S05 NWSE SWSE
SESE S08 NENE NWNE SWNE
125.0 ACRES TOTAL

74-07306
INFANGER, RAY E.
INFANGER, VERA S.
RT. 1, BOX 174
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: NENENE Sec 18 T
21N R 22E
Use: IRRIGATION (.060 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 3/30/1990
In: T21N R22E S18 NENE
2.0 ACRES TOTAL

75-07497
ELK BEND MUTUAL WATER
CO.
HC 61 BOX 76
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: LOT 9 (NWSW) Sec
10-T 18N R 21E
Use: DOMESTIC (1.000 CFS)
Total Diversion: (1.000 CFS)
Date Filed: 12/14/1989
In: T18N R21E S10 Lot 9
(SWNW) Lot 8 (NESW) Lot 9
(NWSW) Lot 11 (SWSW) Lot 12
(SESW) Lot 7 (NWSE) Lot 13
(SWSE) SESE S15 Lot 1 (NWNE)

75-07532
TACKE, ROBERT
P.O. BOX 995
HAYDEN LAKE, ID 83835
Source: SALMON HOT
SPRINGS
Tributary: SINKS
Diversion Pt: NESWNE Sec 3 T
20N R 22E
Use: IRRIGATION (.330 CFS)
COMMERCIAL (.330 CFS)
HEATING (.330 CFS)
RECREATION STORAGE:
(170.00 AF)
Total Diversion: (.330 CFS)
Date Filed: 7/19/1990
In: T20N R22E S03 NWNW
SWNW T21N R22E S34 NESW
NWSW SWSW SESW
132.5 ACRES TOTAL

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, East-
ern Region, 150 Shoup Avenue,
Suite 15, Idaho Falls, Idaho
83402 on or before SEPTEMBER
3, 1990.

R. KEITH HIGGINSON,
Director
Published 8/16/1990 and
8/23/1990

8-16-2tc

AUG 29 1990

Department of Water Resources

Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights 73-07114,
74-07305, 74-07306, 75-07497, 75-07532, a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for 2 consecutive issues, commencing with the issue
dated Aug. 16, 1990 and ending with the issue dated Aug. 23
1990

STATE OF IDAHO
COUNTY OF LEMHI

On this twenty third day of August in the year of 19 90,
before me, A Notary Public, personally appeared
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Shailer K. Hodges
Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 9-21-95

Publication Fee \$ 109.08

MICROFILMED
DEC 30 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 28, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RAY E INFANGER
VERA S INFANGER
RT 1 BOX 174
SALMON ID 83467

RE: WATER RIGHT NO. 75-07649

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED
SEP 16 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


SEP 16 1997

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 75-07649

RAY E INFANGER
VERA S INFANGER
RT 1 BOX 174
SALMON ID 83467


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 16 1997

MEMORANDUM

DATE: August 18, 1997

TO: Water Right File 31-07338

FROM: Shelley W. Keen *SWK*

RE: Licensing Amendment

Today we received a \$50.00 check from Ray Infanger for the licensing amendment for right 31-07338. However, no signed amendment form was enclosed with the check. I called Mr. Infanger and arranged to fax him an amendment form to sign and send back right away. I told Mr. Infanger that IDWR would issue a receipt for his check and match it with the amendment when the amendment is received.

MICROFILMED

SEP 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 8, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RAY INFANGER
RT 1 BOX 174
SALMON ID 83467

RE: Water Right No. 75-07649

Dear Mr. Infanger:

On June 17, 1997, and again on July 10, 1997, I sent you a letter notifying you that water right permit 75-07649 should be amended before a water right license is issued. On July 17, 1997, you called and asked me to send you some additional information. I mailed the additional information to you that afternoon.

Now that you have had time to review the additional information, I am writing to remind you that the amendment is still required in order to license your water right as it was actually developed. You should already have a copy of the amendment form. Please send it with the \$50.00 amendment fee within fourteen days. If I have not received the amendment by August 22, 1997, you will be issued a water right license for less than could have been allowed.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Dear Sir,

Thank you so much for your patience with me. It just didn't seem to make sense the 8 foot could make such a problem.

Thank you again,

MICROFILMED

SEP 16 1997

Sincerely,

\$50.00 CK #2598 enclosed.

K:\NAME\TRS\INFANGE2.DOC

P.S. Tell Norm Young to call if he can spare the time

756-3642



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 8, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RAY INFANGER
RT 1 BOX 174
SALMON ID 83467

RE: Water Right No. 75-07649

Dear Mr. Infanger:

On June 17, 1997, and again on July 10, 1997, I sent you a letter notifying you that water right permit 75-07649 should be amended before a water right license is issued. On July 17, 1997, you called and asked me to send you some additional information. I mailed the additional information to you that afternoon.

Now that you have had time to review the additional information, I am writing to remind you that the amendment is still required in order to license your water right as it was actually developed. You should already have a copy of the amendment form. Please send it with the \$50.00 amendment fee within fourteen days. If I have not received the amendment by August 22, 1997, you will be issued a water right license for less than could have been allowed.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

MICROFILMED

SEP 16 1997



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

July 17, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RAY INFANGER
RT 1 BOX 174
SALMON ID 83467

RE: Water Right No. 75-07649

Dear Mr. Infanger:

Thank you for calling this afternoon in response to my request that you amend your permit to add the second point of diversion. As you requested, I have enclosed copies of the following items from your water right file.

- Application for Permit filed March 30, 1990
- Permit to Appropriate Water issued September 27, 1990
- Proof of Beneficial Use received by IDWR on September 30, 1991
- Beneficial Use Field Report signed January 17, 1997

I have also enclosed copies of the sections of the Idaho Code that you requested.

- Section 42-111 Domestic purposes defined.
- Section 42-211 Amended application or permit.
- Section 42-221 Fees of the department.
- Section 42-227 Drilling and use of wells for domestic purposes excepted.

Section 42-227, does in fact exempt the use of water from a well for domestic purposes from the water right permit requirement. However, reading 42-111(2) you will see that the definition of domestic purposes applied to Section 42-227 excludes multiple ownership subdivisions and mobile home parks. The result is that a water right is required for multiple ownership subdivisions and mobile home parks.

Also, you asked me to talk with Norm Young if I got a chance. I have not been able to get in touch with Norm, but I have enclosed a copy of a May 10, 1984 memorandum authored by Norm. The memorandum addresses the need for an amendment if a point of diversion is added to a water right.


MICROFILMED

SEP 16 1997

Ray Infanger
July 17, 1997
Page 2

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen". The signature is written in dark ink and is positioned above the printed name.

Shelley Walter Keen
Water Rights Supervisor

Enclosures

MICROFILMED
SEP 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 10, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RAY E INFANGER
VERA S INFANGER
RT 1 BOX 174
SALMON ID 83467

RE: WATER RIGHT NO. 75-07649

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

SEP 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

June 17, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RAY E INFANGER
VERA S INFANGER
RT 1 BOX 174
SALMON ID 83467

RE: WATER RIGHT NO. 75-07649

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
SEP 16 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 74-07306

DATE 6/9/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>✓ add</u>	<u>✗</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate .20 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured — cfs
 Theoretical .36 cfs

Recommended Total Div Rate .20 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use Dom

Volume Calculation

2 x 3.5 = 7 af

12.0 af

— af

— af

SUBTOTAL 19.0 af

Flow rate .20 cfs X 365 days X 1.98 = 144.5 af

Total volume recommended 19.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

2 pld in NENE S18
1/20 unit trailer park / invy not incl.

CONDITIONS — Watermaster Control WD# —

R30 GW Measurement/Measuring Device

R30 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo —

1st Amend Letter —

2nd Amend Letter —

✓ P39, P38
✓ P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 21 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 74-07306

1. Owner: RAY E. OR VERA S. INFANGER Phone No. (208) 756-3642

Current Address: RT 1, BOX 174, SALMON, IDAHO 83467

2. Accompanied by: OWNER EXAM DATE: 3/26/96

Address: N/A Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: GROUNDWATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 75-04197 SALMON RIVER, 75-07118

2. Other water rights with the same point of diversion: 75-07118 WELL

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	18	21N	22E	LEMMI	U.S.G.S. TOPO MAP / NAAPP PHOTOS

2. Place(s) of Use:


Indicate Method of Determination ON SITE INSP.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	22E	18	D																

MICROFILMED

SEP 16 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for Irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL #1	STA-RITE	1.5			2"
WELL #2	STA-RITE	1.5			2"
BACKUP PUMP	NO TAG CENT.	1.5			2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE		H.S.G.			0-100	28 PSI
						SYSTEM WAS ON.

2. Measurements: _____

PHOTOFILMED

SEP 16 1997

E. NARRATIVE/REMARKS/COMMENTS

WATER IS LIFTED BY (3) 1/2 HP PUMPS TO A 1,400 GALLON
STORAGE TANK. FROM 2 WELLS. #1 WELL DUG IN 1972,
WELL #2 DUG IN 1988. WATER IS DELIVERED ON DEMAND
FROM STORAGE TANK VIA A 4" MAIN LINE TO 20
TRAILERS AND SURROUNDING GRASSY AREAS.

APPROXIMATELY 2 ACRES ARE IRRIGATED OUT OF THE FIVE
ACRE TRAILER PARK.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

SEP 16 1997

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

$$Q = \text{THEORETICAL} = 0.373 \text{ cfs} \quad \text{0.36 kws}$$

$$\boxed{20 \text{ TRAILERS} = 0.10 \text{ cfs}} \quad \text{0.20 kws}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \text{ AC} \times 3.5 = 7 \text{ AFA.}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.06 \text{ cfs} \times 183 \times 1.9835 = 21.778 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7 \text{ AFA.}$$

2. Volume Calculations for Other Uses:

$$20 \text{ trailers} \times 0.6 \text{ afa} = 12.0 \text{ afa HWT}$$

H. RECOMMENDATIONS

INSTANTANEOUS DOMESTIC (TRAILER) DEMAND LIMITS TO 0.10 CFS.
NO AFA FOR DOMESTIC AS 2 ACRES ARE SAME PLACE OF USE.

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs) 0.20 cfs kws	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	0.06 0.10	12.0
IRRIGATION	4/15	10/15	0.10 0.06	7
Totals:			0.16 cfs 0.20 cfs	7 AFA 19.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPKINS Date 1/17/97

Reviewer _____ Date _____

SEAL

MICROFILMED
SEP 16 1997

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

Hp = Horsepower = 4.5 hp (3 pumps)

Eff = Efficiency = 0.70 (Usually 70%)

Lift: (Static Level + Assumed Draw down)

Static Water Level = 6 ft. well log

Assumed Draw down = + 2 ft.

Lift = 8

OR

Measured Dynamic Water Level = _____ ft.

psi = Operating Pressure = _____ psi

$$Q_{cfs} = \left[\frac{4.5}{Hp} \times 8.814 \times \frac{0.7}{eff} \right] \div \left[\frac{8}{Lift} + \left(\frac{30}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\frac{27.764}{ } \right] \div \left[\frac{77.24}{ } \right]$$

$$Q_{cfs} = \underline{0.36} \text{ cfs}$$

MICROFILMED
SEP 16 1997


PERMIT NO. 74-7306

FIELD NOTES

House Well 1960

2 Trailer back Wells $\begin{matrix} \#1 & 1972 \\ \#2 & 1988? \end{matrix}$


Setch lights - Not used now at trailer back




Pressure Reg. 45 PSI 50 PSI
0-100

11/10/87 FILMED
SEP 16 1987

74-07306



270 55' 271
INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA 1989



MICROFILMED
SEP 16 1997

ROAD LEGEND

113° 52' 30"

T21N, R22E

PLACE OF USE

PIPE
LINE

POINT OF
DISSEMINATION

74-07303



RAY INFANGER

DOMESTIC / IRRIGATION

143

DISTANCE
VIEW

PLACE OF
USE +
POINT OF
DIVERSION



VIEW OF
WELL -
POINT OF
DIVERSION



PERMIT
NUMBER

74-07306


SEP 16 1997

RAY INFADGEL

DOMESTIC / IRRIGATION

2 / 3

VIEW OF
PRESSURE
TANK AND
HOLDING TANK.
CONTROL
SYSTEMS



VIEW OF
SYSTEM
PRESSURE
PUMP &
CONTROLS +
COVERED
WELL # 1



PHOTOGRAPH
SEP 16 1997

PERMIT
NUMBER

74-07306

RAY INFANGER

DOMESTIC / IRRIGATION

35/3

VIEW OF
PLACE OF
USE -
TRAILER CT.



MOHIC-1

SEP 16 1987

PERMIT
NUMBER

74-07306

November 8, 1991

RAY E. INFANGER
VERA S. INFANGER
RT. 1 BOX 174
SALMON ID 83467

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 74-07306

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED

DEC 30 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 74-7306

Date 11-5-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
1972 ☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

LB

138941
July 31, 1991

RAY E. INFANGER
VERA S. INFANGER
RT. 1 BOX 174
SALMON, ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 74-07306

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 30 1991

October 15, 1990

Ray E. Infanger
Rt. 1, Box 174
Salmon, ID 83467

RE: PERMIT NO. 74-07306

Dear Representative Infanger:

In response to our telephone conversation today, I am enclosing a partially completed proof of beneficial use form. If all of the development you intend to do under terms of the permit is complete, the form needs to be signed and returned together with a license examination fee in the amount of fifty dollars (\$50). After receipt of the proof and the fee, the department will schedule a field examination of your system.

As we also discussed, the paragraph in the permit approval notice letter in connection with "drilling permits" does not apply to your well, since the well associated with the permit was constructed prior to enactment of the statutes dealing with "drilling permits".

Please feel free to contact this office if we can be of further assistance or if you have additional questions.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

Encl: 2

c: IDWR - E. Region

NOT REPLIED

DEC 30 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 28, 1990

RAY E. INFANGER
VERA S. INFANGER
RT. 1 BOX 174
SALMON, ID 83467

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 74-07306

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained. ✓

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED

SEP 30 1991

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MINUTEMAN
DEC 30 1991

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Submit for advertising

5-8-90
8-3-90

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DN

DATE 8/3/90
5/24/90

APPLICATION NUMBER

74-7306

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use 4/1 "/1"
☒ Nature of proposed use (Include description of use.) Commercial
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion
☐ Yes ☒ No Field check required
☐ Yes ☒ No Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
SEP 17 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No Inform for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 9-3-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 3-30-1990
By HWT Date 9-12-90

STATE OFFICE REVIEW

P23, P10, P16 46
By KEW See below for additional information
Date 9-21-90

ADDITIONAL INFORMATION

POSSIBLE P/D OVERLAP w/ 75-07118

POSSIBLE P/U OVERLAP w/ 75-07118, 04197

09-Aug-1990

RAY E. OR VERA S. INFANGER
RT. 1, BOX 174
SALMON, ID 83467

RE: Application for Permit No. 74-7306

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Recorder-Herald on AUGUST 16 & 23, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED
DEC 30 1991

74-07306

INFANGER, RAY E.
INFANGER, VERA S.
RT. 1, BOX 174
SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NENENE Sec 18 T 21N R 22E

Use: IRRIGATION (.060 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)


Date Filed: 3/30/ 1990

In: T21N R22E S18 NENE

2.0 ACRES TOTAL

MICROFILMED

DEC 30 1991



State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

RECEIVED

This form requires that this report be filed with the State Registration Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER Name <u>Ray L. Lopez</u> Address <u>Salinas, Idaho</u> Owner's Permit No. _____		2. WATER LEVEL Depth of water level _____ Static water level <u>6</u> feet below land surface Pumping ☐ Yes ☒ No <u>6.7 M. One</u> Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug	
3. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandonment)		4. WELL TEST DATA ☐ Pump ☒ Other ☐ Other Discharge (GPM) <u>30</u> Flow Rate <u>None</u> Head (Feet) _____	
5. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		6. LITHOLOGIC LOG Table with columns: Hole No., From, To, Description, Water Yield. Data includes: 1-2 ft. Brown clay, 2-8 ft. Brown clay & gravel, 8-31 ft. Coarse gravel, 31-29 ft. Small washed gravel, 29-33 ft. Coarse gravel & fine sand.	
7. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dig ☐ Other		DEC 30 1991	
8. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>32</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness <u>3/32</u> inches Diameter <u>6</u> inches From <u>41</u> feet To <u>365</u> feet Material <u>Steel</u> How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ perforations _____ perforations _____			