


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

74-07329

USDA FOREST SERVICE
SALMON NATIONAL FOREST
HWY 93 N.

P.O. BOX 729

SALMON, ID 83467

Source: Ranch Spring

Tributary: SINKS

Diversion Pt.:

NWNWSW Sec 30 T 16N R28E

Use: STOCKWATER(.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 5/29/1991

In: T16N R28E S30 SWSW

74-07330

USDA FOREST SERVICE
SALMON NATIONAL FOREST
HWY 93 N.

P.O. BOX 729

SALMON, ID 83467

Source: NORTH SPRING

Tributary: SINKS

Diversion Pt.:

NWSWNW Sec 11 T 20N R24E

Use: STOCKWATER(.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 5/29/1991

In: T20N R24E S11 SWNW

74-07331

USDA FOREST SERVICE
SALMON NATIONAL FOREST

HWY 93 N.

P.O. BOX 729

SALMON, ID 83467

Source: UNNAMED SPRING

Tributary: SINKS

Diversion Pt.:

SWSWSE Sec 17 T 20N R25E

Use: STOCKWATER(.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 5/29/1991

In: T20N R24E S36 NENW

75-07570

ROGERS, KENNETH E.

P.O. BOX 947

SALMON, ID 83467

Source: CARMEN CREEK

Tributary: SALMON RIVER

Diversion Pt.: LOT 3

(NWNENW) Sec 2 T 22NR 22E

Use: IRRIGATION(.080 CFS)

Total Diversion: (.080 CFS)

Date Filed: 5/23/1991

In: T22N R22E S02 Lot 3

(NENW) SWNW SENW

4.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Eastern Region, 150
Shoup Avenue, Suite 15, Idaho Falls,
Idaho 83402 on or before JULY 8,
1991.

B. KEITH HIGGINSON, Director

75-07570 5/27/91 6/27/1991

6-20-21c

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

JUL 1- 1991

Department of Water Resources
Eastern District Office

RICK G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Application of Water Rights - 74-07329
74-07330, 74-07331, 75-07570

a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for Two (2) consecutive issues, commencing with the issue
dated June 20, 1991 and ending with the issue dated June 27,
1991.

STATE OF IDAHO

COUNTY OF LEMHI

ss.


On this 27th day of June in the year of 1991,
before me, A Notary Public, personally appeared RICK G. HODGES
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Residing At Salmon, Idaho

Publication Fee \$ 83.16

My Commission expires: 10/15/91

Notary Public for Idaho



T23N

T22N

T
22
N

Carmen

R22E

75-07570


Geological Survey

from aerial
1966


in datum
system,

grid ticks,

established




UTM GRID AND 1966 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



MICROFILMED
DEC 14 1999

CONTOUR INTERVAL 40 FEET
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, BENTON, MONTANA



75-07570

DEC 14 1999

KENNETH ROGERS

1 of 2



DITCH
↙

PUMP
REDIVERSION
TO SPRINKLER
SYSTEM



PLACE OF
USE

MODIFIED
DEC 14 1999

PERMIT
NUMBER

75-07570

212



PLACE OF Use



PLACE OF
Use
Undergoing
Landscaping

MICROFILMED
DEC 14 1999

PERMIT
NUMBER

75-07520

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 75-07570

Priority: May 23, 1991

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

14.0 AF

This is to certify, that KENNETH E ROGERS

PO BOX 947

SALMON ID 83467

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 23, 1991; and has submitted Proof of Beneficial Use on July 27, 1992. An examination indicates that the works have a diversion capacity of 0.180 cfs of water from:

CARMEN CREEK

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.08 CFS	14.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3 (NENW), Sec. 2, Township 22N, Range 22E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
22N	22E	2	Lot 3 (NENW) 0.1	SWNW 2.7	SENW 1.2	4

Total number of acres irrigated: 4

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 75D.
2. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
3. The right holder shall comply with all fish screening requirements of the Idaho Department of Fish and Game.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 29TH day of

OCTOBER, 1999.

Acting for

KARL J. DREHER, Director

MICROFILMED

JUN 14 1999

RECEIVED
JUL 27 1992

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 7-27-92
Receipt No. 0025035
Receipt by gf

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 75-07570 Telephone No. (208) 756-4940 756-4965
2. Name(s) of Permit Holder(s): Kenneth E. Rogers
3. Mailing Address: P.O. Box 947 Salmon, Idaho 83467
4. Source of Water: Carmen Creek

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 4 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .08 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Lockable
Measuring device: Required? X Yes _____ No Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes X ^{OR} No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Kenneth Rogers 756-4940 - 4965
Name Telephone No.
P.O. Box 947 Salmon, Idaho 83467
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-23-92
Date

Signature (and title, if on behalf of a company or organization)

RECORDED
AUG 21 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 75-07570

Proposed Priority: May 23, 1991 Maximum Diversion Rate: 0.08 CFS
This is to certify, that **KENNETH E. ROGERS**
P.O. BOX 947
SALMON, ID 83467
has applied for a permit to appropriate water from:

CARMEN CREEK tributary of **SALMON RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NWNEW), Sec. 2, Township 22N, Range 22E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
22N	22E	2	LOT 3(NENW) 0.5	SWNW 2	SENEW 1.5	4


Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 3, 1992**.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 75D.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of August, 1991.

for 
R. Keith Higginson, Director
for

OCT 01 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant x Kenneth E. Rogers DDS Phone 756-4940, 4965
Post office address x P.O. Box 947 Salmon, Id 83467

2. Source of water supply CARMEN CREEK which is a tributary of SALMON RIVER

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 03
Sec. 2 Township 22N Range 22E B.M. LEMHI County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for IRRIGATION purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.08 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1HP PUMP IN STREAM TO
2" MAINLINE.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

OCT 01 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
22N	22E	2					0.5 L3		2.0	1.5									4

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: UN PLATTED LOTS.

RECORDED


OCT 01 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

ASSR ES/ 6-15-90

Received by LB Date 5-23-91 Time 1:25 Preliminary check by HWS
Fee \$ 30⁰⁰ Received by HWS # E016113 Date 5-24-91
Publication prepared by LB Date 6-20-91 Published in Recorder - Herald
Publication approved LB Date 7-15-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

OCT 01 1991

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

74-07329

USDA FOREST SERVICE
SALMON NATIONAL FOREST
HWY 93 N.

P.O. BOX 729

SALMON, ID 83467

Source: Ranch Spring

Tributary: SINKS

Diversion Pt.:

NWNWSW Sec 30 T 16N R28E

Use: STOCKWATER(.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 5/29/1991

In: T16N R28E S30

SWSW

74-07330

USDA FOREST SERVICE
SALMON NATIONAL FOREST
HWY 93 N.

P.O. BOX 729

SALMON, ID 83467

Source: NORTH SPRING

Tributary: SINKS

Diversion Pt.:

NWSWNW Sec 11 T 20N R24E

Use: STOCKWATER(.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 5/29/1991

In: T20N R24E S11

SWNW

74-07331

USDA FOREST SERVICE
SALMON NATIONAL FOREST

HWY 93 N.

P.O. BOX 729

SALMON, ID 83467

Source: UNNAMED SPRING

Tributary: SINKS

Diversion Pt.:

SWSWSE Sec 17 T 20N R25E

Use: STOCKWATER(.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 5/29/1991

In: T20N R24E S36

NENW

75-07570

ROGERS, KENNETH E.

P.O. BOX 947

SALMON, ID 83467

Source: CARMEN CREEK

Tributary: SALMON RIVER

Diversion Pt.: LOT 3

(NWNENW) Sec 2 T 22N R 22E

Use: IRRIGATION(.080 CFS)

Total Diversion: (.080 CFS)

Date Filed: 5/23/1991

In: T22N R22E S02 Lot 3

(NENW) SWNW SENW

4.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Eastern Region, 150
Shoup Avenue, Suite 15, Idaho Falls,
Idaho 83402 on or before JULY 8,

Director

91

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

JUL 1 - 1991

Department of Water Resources
Eastern District Office

RICK G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Application of Water Rights - 74-07329
74-07330, 74-07331, 75-07570

....., a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for Two (2) consecutive issues, commencing with the issue
dated June 20, 1991 and ending with the issue dated June 27, 1991.

STATE OF IDAHO

COUNTY OF LEMHI

ss.

On this 27th day of June in the year of 1991,
before me, A Notary Public, personally appeared RICK G. HODGES
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Rachel E. Snook
Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 10/15/91

Publication Fee \$ 83.16



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 1, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

KENNETH E ROGERS
PO BOX 947
SALMON ID 83467

RE: WATER RIGHT NO. 75-07570

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


DEC 14 1999

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of November, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 75-07570

KENNETH E ROGERS
PO BOX 947
SALMON ID 83467


Kari Lynn Townsend
Secretary

MICROFILMED
DEC 14 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

DEC 14 1999

MEMORANDUM

TO: File 75-07570

FROM: Sharla

DATE: October 26, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 75-07570 are as follows:

H. RECOMMENDATIONS

Irrigation	4/1 – 10/31	0.08 cfs	14.0 af
------------	-------------	----------	---------

The stanndard irrigation season for this area is 4/1 – 10/31.

Exam Date: June 13, 1996
Examiner: Don Simpkins

MICROFILMED

DEC 14 1999

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 10/25/99

Permit No. 75-075701

BU Fee Pd \$ 50⁰⁰

Name/Address: ☒ OK ☐ CHANGE

Govt Lots n/a plat copy attached

AREA OF CONCERN: No ☒ SC Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: ☒ Flow Chart

Supp irr (irr = only use) - 065-079
Supp irr (+ other uses) - 100-101
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M (if on permit)

SURFACE WATER: ☒ Flow Chart

~~In/Above MSF~~ - WB9
WD - R04 (WD# 7SD)
≤ 0.20 cfs/others - R02- 01P or No MD
~~→ 0.20 cfs~~ - R43

LOCATION:

Trust - R55 (consumptive uses)
Non-Trust - 048-049 (consumptive uses
or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
PU Add - P41/P42

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

~~Snake R (01)~~ - W22, N/A
(02,03) - WB9 if above Weiser
~~Payette R (65)~~ - 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
~~Weiser R (67)~~ - 086-087

USES:

~~STORAGE~~ - 18A-R02-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 081
FISH PROP - 029 (70's only)-042-081
HEAT/COOL - R07 (injection well)
FIRE PROT. - 077

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075 (no parks/common areas, etc)
Irr use listed separate - WB5
Lawn/garden included - W01

ADVANCE PRIORITY? Yes ☒ No

MISC CONDITIONS/REMARKS:

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - C/tire shop
Non-consumptive - 027
Water Quality - 081-R07
Mitigation - 121 (if on permit)
PPU acre limit - W27

4/1 - 10/31 season

OVERLAP ANALYSIS/RATES/VOLUMES:

~~PD overlap rights~~ - W35-W36 Right # 75-04336 - no SRBA claim
~~PU overlap rights~~ - WB7-W31 (<1 ac)
~~GW replaced SW~~ - 050

Permit Rate 0.08 cfs Fee Limit 0.20 cfs
Measured 0.12 cfs Theoretical 0.18 - 0.19 cfs
25 ft and 40 psi

Use	Rate	Volume
<u>01</u>	<u>0.08</u> cfs	<u>4X35 =</u> af
<u> </u>	<u> </u> cfs	<u> </u> af
<u> </u>	<u> </u> cfs	<u> </u> af
TOTALS	<u> </u> cfs	<u>14.0</u> af

OTHER CONDITIONS/REMARKS/COMMENTS

SRBA Claim Filed Yes ☒ No

If no, is a claim required: Yes ☒ No

AMENDMENTS REQUIRED Yes ☒ No
Adjustment Memo Needed Yes ☒ No

If yes, paragraph codes:

season

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 16 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 75-07570

1. Owner: KENNETH E. ROGERS Phone No. (208) 756-4940

Current Address: P.O. Box 947, SALMON, ID 83467

2. Accompanied by: OWNER EXAM DATE: 6/13/96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: CARMEN CREEK tributary to SALMON RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE FOR PERMITEE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		NE	NW	2	22N	22E	Lemhi	On site/FSA AERIAL/USGS Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
22N	22E	2					0.1		2.7	1.2									4

MICROFILMED

DEC 14 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Marathon	3hp	—	Cent Turbine	1½' (1A94E)

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE		Ashcroft	0-60		0-60	—

2. Measurements: 8 - 3/16" NOZZLE SPRINKLERS 40 PSI - 36 PSI = Avg PSI = 38 PSI

MICROFILMED

DEC 14 1999

E. NARRATIVE/REMARKS/COMMENTS

DIVERSION Dam from CARMEN CREEK to Ditch to 3hp
portable Pump to mainline with sprinklers

STATIC: Dynamic pumping from ditch = 5'

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED
DEC 14 1999

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$3/16 \text{ nozzle @ } 38 \text{ psi} = 6.47 \text{ gpm} \times 8 = \frac{51.76 \text{ gpm}}{448.8 \text{ gpm}} = 0.12 \text{ cfs}$$

$$Q_{\text{LIMITED BY } 0.02 \text{ cfs/ac}} = 0.08 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 (3.5) = 14$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 = 0.08 (183) 1.9835 = 29$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14.0 \text{ cfs}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/15	10/15	0.08 cfs	14.0
Totals:			0.08 cfs	14.0 cfs

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name DON SIMPKINS Date 6/13/96

Reviewer Kathy C. Wilson Date 2/10/98

SEAL

MICROFILMED
DEC 14 1999

$$\text{SIN} = \text{OPP/HYP}$$

$$\text{COS} = \text{ADJ/HYP}$$

$$\text{TAN} = \text{OPP/ADJ}$$

$$A = \pi r^2 = \pi d^2 / 4 = C^2 / 4\pi = \frac{1}{2} Cr$$

Sprinkler Discharge (d = inches)

$$Q_{dis} = 0.0665 d^2 \sqrt{\text{psi}}$$

NOZZLE DIAMETER IN INCHES													
PSI	1/16	5/64	3/32	7/64	1/8	9/64	5/32	11/64	3/16	13/64	7/32	1/4	9/32
20	0.52	0.81	1.17	1.59	2.09	2.65	3.26	3.92	4.69	5.51	6.37	8.35	10.50
25	0.58	0.90	1.31	1.78	2.34	2.96	3.64	4.38	5.25	6.16	7.13	9.34	11.80
30	0.64	1.00	1.44	1.96	2.56	3.26	4.01	4.83	5.75	6.80	7.85	10.20	13.00
31	0.65	1.02	1.46	1.99	2.60	3.31	4.07	4.90	5.84	6.90	7.97	10.38	13.18
32	0.66	1.03	1.48	2.02	2.64	3.36	4.13	4.97	5.93	7.00	8.08	10.56	13.36
33	0.67	1.05	1.51	2.05	2.69	3.40	4.19	5.04	6.03	7.10	8.20	10.74	13.54
34	0.68	1.06	1.53	2.08	2.73	3.45	4.25	5.11	6.12	7.20	8.31	10.92	13.72
35	0.69	1.08	1.55	2.11	2.77	3.50	4.31	5.18	6.21	7.30	8.43	11.10	13.90
36	0.70	1.09	1.57	2.14	2.81	3.55	4.37	5.25	6.30	7.40	8.55	11.24	14.10
37	0.71	1.11	1.59	2.17	2.85	3.60	4.43	5.32	6.38	7.50	8.67	11.38	14.30
38	0.72	1.12	1.62	2.19	2.88	3.64	4.49	5.40	6.47	7.60	8.78	11.52	14.50
39	0.73	1.14	1.64	2.22	2.92	3.69	4.55	5.47	6.55	7.70	8.90	11.66	14.70
40	0.74	1.15	1.66	2.25	2.96	3.74	4.61	5.54	6.64	7.80	9.02	11.80	14.90
41	0.75	1.16	1.68	2.28	2.99	3.79	4.67	5.61	6.72	7.90	9.14	11.94	15.10
42	0.76	1.18	1.70	2.31	3.03	3.84	4.73	5.69	6.80	8.00	9.25	12.08	15.30
43	0.76	1.19	1.72	2.34	3.06	3.89	4.79	5.76	6.87	8.10	9.37	12.22	15.50
44	0.77	1.21	1.74	2.37	3.10	3.94	4.85	5.84	6.95	8.20	9.48	12.36	15.70
45	0.78	1.22	1.76	2.40	3.13	3.99	4.91	5.91	7.03	8.30	9.60	12.50	15.90
46	0.79	1.23	1.78	2.42	3.16	4.03	4.96	5.97	7.11	8.38	9.70	12.64	16.04
47	0.80	1.25	1.80	2.45	3.20	4.07	5.01	6.02	7.18	8.46	9.80	12.78	16.18
48	0.81	1.26	1.81	2.47	3.23	4.10	5.05	6.08	7.26	8.55	9.90	12.92	16.32
49	0.82	1.28	1.83	2.50	3.27	4.14	5.10	6.13	7.33	8.63	10.00	13.06	16.46
50	0.83	1.29	1.85	2.52	3.30	4.18	5.15	6.19	7.41	8.71	10.10	13.20	16.60
51	0.84	1.30	1.87	2.54	3.33	4.22	5.20	6.25	7.48	8.79	10.18	13.32	16.76
52	0.85	1.32	1.89	2.56	3.36	4.26	5.25	6.31	7.55	8.87	10.26	13.44	16.92
53	0.85	1.33	1.90	2.59	3.40	4.29	5.29	6.36	7.63	8.96	10.34	13.56	17.08
54	0.86	1.35	1.92	2.61	3.43	4.33	5.34	6.42	7.70	9.04	10.42	13.68	17.24
55	0.87	1.36	1.94	2.63	3.46	4.37	5.39	6.48	7.77	9.12	10.50	13.80	17.40
56	0.88	1.37	1.96	2.66	3.49	4.40	5.44	6.54	7.84	9.21	10.61	13.94	17.58
57	0.88	1.38	1.98	2.68	3.52	4.42	5.49	6.61	7.91	9.30	10.72	14.08	17.76
58	0.89	1.38	1.99	2.71	3.56	4.45	5.55	6.67	7.98	9.38	10.83	14.22	17.94
59	0.89	1.39	2.01	2.73	3.59	4.47	5.60	6.74	8.05	9.47	10.94	14.36	18.12
60	0.90	1.40	2.03	2.76	3.62	4.50	5.65	6.80	8.12	9.56	11.05	14.50	18.30
65	0.94	1.47	2.11	2.86	3.77	4.76	5.87	7.06	8.45	9.92	11.45	15.10	19.00
70	0.98	1.53	2.19	2.98	3.91	4.96	6.10	7.34	8.78	10.32	11.95	15.70	19.80
75	1.01	1.58	2.27	3.08	4.05	5.12	6.30	7.58	9.08	10.66	12.32	16.20	20.40
80	1.05	1.64	2.35	3.18	4.18	5.29	6.52	7.84	9.39	11.02	12.74	16.70	21.10
85	1.08	1.68	2.42	3.28	4.31	5.45	6.71	8.07	9.67	11.35	13.11	17.30	21.70
90	1.11	1.73	2.49	3.38	4.43	5.61	6.91	8.31	9.95	11.69	13.51	17.70	22.30
95	1.14	1.78	2.56	3.46	4.56	5.76	7.09	8.53	10.20	11.99	13.86	18.20	22.90
100	1.17	1.83	2.63	3.56	4.67	5.91	7.29	8.76	10.50	12.32	14.23	18.70	23.50

MICROFILMED

DEC 14 1999

75-07570

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

Hp = Horsepower = 3

Eff = Efficiency = .7 (Usually 70%)

Lift: (Static Level + Assumed Draw down)

Static Water Level = 5 ft. *FROM*

Assumed Draw down = + 0 ft. *dr. Static*

Lift = 5

OR

Measured Dynamic Water Level = _____ ft.

psi = Operating Pressure = 42 psi


$$Q_{cfs} = \left[\frac{3}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{5}{Lift} + \left(\frac{42}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\frac{18.5094}{1} \right] \div \left[\frac{101.936}{1} \right]$$

$$Q_{cfs} = \underline{0.18} \text{ cfs}$$


PERMIT NO. 75-07570
MICROFILMED

DEC 14 1999




Geological Survey

from aerial
1966
in datum
system,
grid ticks,
established




R22E



MICROFILMED
DEC 14 1999

CONTOUR INTERVAL 40 FEET
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY



75-07570

DEC 14 1999

KENNETH ROGERS

1/2



DITCH
PUMP
REDIVERSION
TO SPRINKLER
SYSTEM



PLACE OF
USE

INFORMATION
DEC 14 1999

PERMIT
NUMBER

75-07570

272



PLACE OF USE



PLACE OF
USE
Undergoing
Landscaping

MICROFILMED
DEC 14 1999

PERMIT
NUMBER

75-07570

July 31, 1992

KENNETH E. ROGERS
P.O. BOX 947
SALMON ID 83467

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 75-07570

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
AUG 21 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 75-07570 Reviewed by Klg Date 7/27/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
NA Drilling permit required?
/ Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

*proof acceptable
needs a lockable*

DATA ENTRY

New Address _____

Proof Made 7/27/92
7/30/92 Klg

May 31, 1992

KENNETH E. ROGERS
P.O. BOX 947
SALMON ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 75-07570

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MICROFILMED

AUG 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 26, 1991

KENNETH E. ROGERS
P.O. BOX 947
SALMON, ID 83467

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 75-07570

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECEIVED
OCT 01 1991

APPLICATION FOR PERMIT REVIEW

Application #: 75-7576

Date: 7-22-91

Reviewer:

Pam Skaggs

✓ Existing:

✓ No

✓Complete in 1 year - (P16)

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)

LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99

Not included - 046-P23 (All GW, even existing wells)

✓ Location:

✓Water Districts

WD No. 75D

✓Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

Swan Falls Flag - 1 (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054 (req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027 (Non-Consumptive)

Domestic - 021 (restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

✓ Beneficial Use Due Date: - 08-03-1992
Other Conditions Recommended

Other Conditions Recommended

RECEIVED
OCT 01 1991

Dist. for staffing: 30-May-1991
Submitted for advertising: 5-31-1991

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

75-7570

INITIAL REVIEW BY HWT DATE 5-30-91 APPLICATION NO. _____
APPLICANT NAME: KENNETH E. ROGERS, DDS

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION

- _____ Overlapping place of use (Describe source & relationship to present application on the back.)
_____ Overlapping point of diversion
_____ Yes _____ No Field check required
_____ Yes _____ No Field check by _____
_____ Yes _____ No Field report attached
_____ Yes _____ No Critical groundwater area
_____ Yes _____ No Groundwater management area
_____ Yes _____ No Send dam safety information
_____ Yes _____ No Send power requirement letter
_____ Yes _____ No Send fish farm requirement letter
_____ Yes _____ No Power residency affidavit
_____ Yes _____ No Power efficiency form
_____ Yes _____ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
_____ Yes _____ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
JUL 22 1991

Department of Water Resources

LOCAL PUBLIC INTEREST

Comments received from

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other _____

Project impacts/implications report

COMMENTS

75-07570

ROGERS, KENNETH E.
P.O. BOX 947
SALMON, ID 83467

Source: CARMEN CREEK

Tributary: SALMON RIVER

Diversion Pt: LOT 3 (NWNENW) Sec 2 T 22N R 22E

Use: IRRIGATION (.080 CFS)
Total Diversion: (.080 CFS)

Date Filed: 5/23/ 1991

In: T22N R22E S02 Lot 3 (NENW)

SWNW

SENW

4.0 ACRES TOTAL

75-07570
ROGERS, KENNETH E.
P.O. BOX 947
SALMON, ID 83467
Source: CARMEN CREEK
Tributary: SALMON RIVER
Diversion Pt: LOT 3
(NWNENW) Sec 2 T 22NR 22E
Use: IRRIGATION(.080 CFS)
Total Diverson: (.080 CFS)
Date Filed: 5/23/1991
In: T22N R22E S02 Lot 3
(NENW) SWNW SENW
4.0 ACRES TOTAL

OK
The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Eastern Region, 150
Shoup Avenue, Suite 15, Idaho Falls,
Idaho 83402 on or before JULY 8,
1991.

R. KEITH HIGGINSON, Director
Published 6/20/1991 and 6/27/1991
6-20-2tc

#####

RECORDED

OCT 01 1991

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.

R. KEITH HIGGINSON, Director

Published 6/20/1991 & 6/27/1991

RECEIVED
OCT 01 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

10-Jun-1991

KENNETH E ROGERS DDS
PO BOX 947
SALMON ID 83467

RE: Application No. 75-7570

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Recorder-Herald on June 20 & 27, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold Jones RB
HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

OCT 01 1991