


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED


JUN 10 1991

Joe Bailey
(Applicant)

re-copied to scale



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE PHOTOS + MAP*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
L-10	MARATHON EL.	50.		CORNELL PUMP	6"

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
TYME-FLYTE POLYSONIC METER			TF-P	7M0263		

2. Measurements: _____

RECEIVED
SEP 16 1997



2

1

POINT OF DIVERSION

PLACE OF USE

T19N, R21E



11

75-07567

16

JOE BAILEY

IRRIGATION

242


PLACE OF
USE

LOOKING
SOUTH



PLACE OF
USE

LOOKING
NORTH



FIELD FILMED
SEP 16 1997

PERMIT
NUMBER

75-07567

JOE BAILEY

IRRIGATION

15/2

POINT OF
DIVERSION
SALMON
RIVER



50 HP LIFT
PUMP



MICROFILMED
SEP 16 1997

PERMIT
NUMBER

75-07567

Cornell Pump Co.

2.5 YHBSO-2

ser. 71348

8.94

date

Valve

by pass

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

6"

Check
Valve

Water
Valve

Marathon Electric
SOHP


Model WE 324TTDR8610AN - W

Up Hill
8" line

Hold
Down
Block,
Constr.

1967

SEP 16 1967



IN: Salmon River
 IN/NEAR Salmon
 Lemhi COUNTY, Idaho
 DATE: 04/12/93 SHEET 1 OF 4
 APPLICATION BY:

75-07567

SEP 16 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 75-07567

Priority: February 14, 1991

Maximum Diversion Rate:

0.76 CFS

Maximum Diversion Volume:

133.0 AF

This is to certify, that JOE A BAILEY

1609 MARY ST

SALMON ID 83467

has complied with the terms and conditions

of the permit, issued pursuant to Application for Permit dated February 14, 1991; and has submitted Proof of Beneficial Use on June 1, 1993. An examination indicates that the works have a diversion capacity of 1.070 cfs of water from:

SALMON RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.76 CFS	133.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10(SWSW), Sec. 1, Township 19N, Range 21E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
19N	21E	1	Lot 10(SWSW)	10		10
		2	SESE	13		13
		11	NENE	6	NWNE 9	15

Total number of acres irrigated: 38

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

MICROFILMED
SEP 16 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 75-07567

CONDITIONS OF APPROVAL AND REMARKS

6. The right holder shall comply with all fish screening requirements of the Idaho Department of Fish and Game.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27TH day of August, 1977.


Acting for KARL J. DREHER, Director

RECORDED
SEP 16 1977

State of Idaho
Department of Water Resources

RECEIVED

AUG 19 1997

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 75-07567

Date of Priority: February 14, 1991

Maximum Diversion Rate: 0.76 CFS

Maximum Diversion Volume: 133.0 AF

Comes now

JOE A BAILEY

1609 MARY ST

SALMON ID 83467

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 75-07567, and requests that the permit be changed as follows:

Source: SALMON RIVER

tributary to SNAKE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/15 to 10/15	0.76 CFS	133.0 AF
------------	----------------	----------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 10(SWSW), Sec. 1, Township 19N, Range 21E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
19N	21E	1	Lot 10(SWSW)	10		10
		2	SESE	13		13
		11	NENE	6	NWNE 9	15

Total number of acres irrigated: 38

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Home, Salmon, Idaho, this 30 day of July, 19 97.

of Town
MICROFILMED

SEP 16 1997

Joe Bailey
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 75-07567

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 50⁰⁰ Received by JW # C039895 Date 8/19/97


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 75-07567 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. The right holder shall comply with all fish screening requirements of the Idaho Department of Fish and Game.

Witness my hand this 27TH day of AUGUST, 1997.


Acting for **KARL J. DREHER, Director**

MICROFILMED
SEP 16 1997

RECEIVED

JUN 11 1993

Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 6-1-93
Receipt No. C227682
Receipt by CH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 75-07567 Telephone No. (208) 756-3278

2. Name(s) of Permit Holder(s): Joe A Bailey

3. Mailing Address: 1609 Mary Street Salmon Idaho 83467

4. Source of Water: Salmon River tributary of Snake River

If GROUNDWATER, Well Driller's Name: N/A Date Drilled: N/A

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 52.5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.00 cfs OR 52.5 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? N/A Yes _____ No _____

OR
Flow Measurement Port: Required? _____ Yes ✓ No _____ Installed? N/A Yes _____ No _____

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Joe A Bailey (208) 756 3278 or (208) 756 4353
Name Telephone No.

1609 Mary Street Salmon Idaho 83467
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

05/28/93
Date

Lesley Bailey - co-owner
Signature (and title, if on behalf of a company or organization)

RECEIVED

JUL 06 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 75-07567

Proposed Priority: February 14, 1991 Maximum Diversion Rate: 1.00 CFS
This is to certify, that JOE A. BAILEY
1609 MARY STREET
SALMON, ID 83467
has applied for a permit to appropriate water from:

SALMON RIVER tributary of SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.00 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 2, Township 19N, Range 21E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
19N	21E	1	SWSW 15.7			15.7
		2	SESE 4.5			4.5
		11	NENE 23.1	NWNE 9.2		32.3

Total number of acres irrigated: 52.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31st day of May, 1991

[Signature]
R. Keith Higginson, Director

RECORDED

JUN 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Joe A. Bailey Phone (208) 756 3278
Post office address 1609 Mary Street Salmon, Idaho 83467
2. Source of water supply Salmon River which is a tributary of Snake
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 2 Township 19N
Range 21E B.M. Lemhi County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.00 for Irrigation purposes from 4-1 Standard In. Season April 15 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 5.04 1.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump sprinkler systems will be
used. Diversion placed in river to pump from.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

JUN 10 1991

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
19N	21E	1											15.7						15.7
19N	21E	2																4.5	4.5
19N	21E	11	23.1	9.2															32.3

Total number of acres to be irrigated 52.5

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Owner


b. Who owns the land to be irrigated or place of use Owner

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

RECEIVED
JUN 10 1991

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

JUN 10 1991

Joe Bailey
(Applicant)

Received by RB Date 2-14-91 Time 1:20

Preliminary check by HWS Fee \$ 45.00 # E015690

Receipted by HWS Date 2-14-91

Publication prepared by RB Date _____

Published in Recorder-Herald

Publication dates 4-4 & 11-91

Publication approved RB Date 5-6-91

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECEIVED

JUN 10 1991

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

74-07325
ZOOK, CLEMENTS F.
ZOOK, DOROTHY J.
P.O. BOX 183
LEADORE, ID 83464

Source: GROUNDWATER
Diversion Pt: NESE Sec 14 T 13N R
26E

Use: STOCKWATER (.040 CFS)

MINING (.040 CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 11/6/1990

In: T13N R26E S14 SWNE SENE
NESE NWSE

74-07326

JENSON, KEVIN

P.O. BOX 51

TENDON, ID 83468

Source: SPRING

Tributary: SINKS

Diversion Pt: LOT 1 (SWNWNW)

Sec 18 T 19N R 24E

Use: STOCKWATER (.050 CFS)

DOMESTIC (.060 CFS)

Total Diversion: (.110 CFS)

Date Filed: 3/14/1991

In: T19N R24E S07 SWNE NWSE
S18 NWNE NWNW

75-07567

BAILEY, JOE A.

1609 MARY STREET

SALMON, ID 83467

Source: SALMON

Tributary: SNAKE

Diversion Pt: SESE Sec 2 T 19N R

21E

Use: IRRIGATION (1.000 CFS)

Total Diversion: (1.000 CFS)

Date Filed: 2/14/1991

In: T19N R21E S01 SWSW S02

SESE S11 NENE NWNE

52.5 ACRES TOTAL

75-07568

ARROWHEAD WATER DISTRICT

P.O. BOX 542

SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NENESE Sec 2 T 21N

R 21E

Use: DOMESTIC (.400 CFS)

Total Diversion: (.400 CFS)

Date Filed: 2/19/1991

In: T21N R21E S01 NESW NWSW

NESE NWSE S02 SESW NESE

SWSE SESE

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Eastern Region, 150
Shoup Avenue, Suite 15, Idaho Falls,
Idaho 83402 on or before APRIL 22,
1991.

R. KEITH HIGGINSON,

Director

Published 4/4/1991 and

4/11/1991

4-4-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

APR 17 1991

Department of Water Resources
Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Application for Water Right: 74-07325,
74-07326, 75-07567, 75-07568

a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for two (2) consecutive issues, commencing with the issue
dated April 4, 1991 and ending with the issue dated April 11,
1991

STATE OF IDAHO

COUNTY OF LEMHI

ss.

On this 11th day of April in the year of 1991
before me, A Notary Public, personally appeared RICKY G. HODGES
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Rachel E. Snook
Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 10/15/91

Publication Fee \$ 82.08

JUN 10 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 28, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOE A. BAILEY
1609 MARY ST
SALMON ID 83467

RE: WATER RIGHT NO. 75-07567

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 16 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.


MICROFILMED

SEP 16 1997

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
SEP 16 1997

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 75-07567

JOE A BAILEY
1609 MARY ST
SALMON ID 83467


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 6, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOE A BAILEY
BOX 1041
SALMON ID 83467-1041

RE: WATER RIGHT NO. 75-07567

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within fourteen days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the filing fee for this amendment is \$50.00. If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK:klt

Enclosure

MICROFILMED
SEP 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 21, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOE BAILEY
BOX 1041
SALMON ID 83467

RE: Water Right No. 75-07567

Dear Joe:

Thank you for calling this morning. As we discussed, Permit No. 75-07567, which was issued to you in 1991, is in the process of being licensed. Before the license can be issued, however, your permit must be amended to depict your water use as it has actually been developed.

Your permit authorized the development of a water use with the point of diversion from the Salmon River located within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 2, Township 19 North, Range 21 East. The IDWR field examiner sent to verify your development reported that your point of diversion is actually within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 1, Township 19 North, Range 21 East. For your reference, I have enclosed a photocopy of the map submitted by the field examiner.

I have also enclosed an Application for Amendment form that contains information that will be included on your license when it is issued. The amendment form includes the change in the location of the point of diversion description. The last page of the Application for Amendment form contains a list of CONDITIONS and REMARKS proposed for the license when it is issued. These conditions and remarks may be modified upon further administrative review.

Please review the map and the amendment form carefully. If you concur with the information presented, sign the form and return it with the \$50.00 filing fee within fourteen days.

If you have any questions about this information, please contact me at (208) 327-7946 in Boise.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

enclosures

UNRECORDED

SEP 16 1997

J:\WRORDERS\FILELTRS\BAILEY.WP



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 24, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOE A BAILEY
1609 MARY ST
SALMON ID 83467

RE: WATER RIGHT NO. 75-07567

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within fourteen days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the filing fee for this amendment is \$50.00. If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MAILED
JUN 24 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 3, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOE A BAILEY
1609 MARY ST
SALMON ID 83467

RE: WATER RIGHT NO. 75-07567

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

ENCLOSURE

SEP 16 1997

MEMORANDUM

TO: File 75-07567

FROM: Sharla

DATE: May 16, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Right 75-07567 are based on the following:

C. DIVERSION AND DELIVERY SYSTEM

6. Place(s) of Use:

T19N, R21E, S1 - SWSW (9 acres)

S2 - SESE (13 acres)

S11 - NENE (6 acres), NWNE (10 acres)

TOTAL 38 acres

I. RECOMMENDATIONS

Irrigation	4/15 - 10/15	0.76 cfs	133.0 afa
------------	--------------	----------	-----------

An aerial photo has been solicited and used as the basis for determining irrigated acres. The total acres indicated by ASCS is 36.6, using a 660 scale grid overlay, the total acres irrigated is 38. The rate and volume have been changed accordingly.

Examiner: Don Simpkins

Exam Date: September 6, 1995

MICROFILMED

SEP 16 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 75-07567

DATE 3/19/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>✓</u>	<u>—</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>yes</u>
			Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>1.0</u> cfs	
Fee limit	<u>1.0</u> cfs	\$100 ⁰⁰
Measured	<u>1.07</u> cfs	1.48 sprinkler calc's
Theoretical	<u>1.55</u> cfs	

Recommended Total Div Rate .76 ~~1.0~~ cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation

<u>52.5</u> x <u>3.5</u>	af	
<u>183.8</u>	af	
<u>183.8</u>	af	
<u>183.8</u>	af	
<u>183.8</u>	af	
SUBTOTAL		
<u>275.4</u>		
<u>300.7</u>		
<u>133.0</u>		

38.0 x 3.5 = 133.0

Flow rate .76 cfs X 183 days X 1.98 ~~1.0~~ = 275.4 af

Total volume recommended 133.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

230 GW Measurement/Measuring Device

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no


SRBA Claim Filed N/A

Adjustment Memo acrs

1st Amend Letter P39 P38

2nd Amend Letter P47

Re-copied to scale



3

2

10

11

366

AVI

old
golf
course

407
7662



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 20, 1997

Lemhi County
Box 40
201 N. Church St.
Salmon, ID 83467

RE: Aerial photo

Dear Gentlemen:

We are in the process of licensing a water right in your area. We need to get if possible an aerial photo of township 19N, Range 21E, Sections 1, 2 and 11 dated in 1993 or as close to that as possible. I appreciate your help in this matter.

If you have any questions, please feel free to contact me at (208) 327-7945.

Sincerely,

Cindy Bird
Research Specialist

MICROFILMED
SEP 16 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 1 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 75-07567

1. Owner: JOE A. BAILEY Phone No. (208) 756-3278
SALMON OIL WK 756-2624

Current Address: 1609 HARRY STREET, SALMON, IDAHO 83467

2. Accompanied by: OWNER EXAM DATE: 9/6/95

Address: N/A Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: SALMON RIVER tributary to SNAKE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	L-10	NW	SW	SW	1	19N	21E	LEMHI	U.S. G.S. TOPO MAP

2. Place(s) of Use:


Indicate Method of Determination ON SITE INSPECTION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N	21E	1											L-10 15.7						15.7
19N	21E	2															L-6 4.5		4.5
19N	21E	11	L-1 23.1	L-2 9.2															32.3
																	TOTAL		52.5

RECEIVED
SEP 16 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

SEE PHOTOS + MAP



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
L-10	MARATHON EL.	50.		CORNELL PKMP	6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
TYME-PLATE	POLYSONIC	METER	TF-P	7M0263		

2. Measurements: _____

MICROFILMED

SEP 16 1997

E. NARRATIVE/REMARKS/COMMENTS

WATER IS PUMPED OUT OF SALMON RIVER BY A 50 HP PUMP TO AN 8" MAIN LINE. PUMP PUSHES WATER UP HILL AND UNDER HIGHWAY (PERPENDICULAR TO ROADWAY) VIA THE 8" MAINLINE TO THE SOUTH EAST SIDE OF FIELD. THE 8" LINE T'S AND TRAVELS NORTH EAST AND SOUTHWEST ALONG TOP END OF FIELD. PRESSURE ABOVE PUMP 83 PSI.

IRRIGATION SYSTEM USES TWO 5" WHEEL LINES (APPROX. 1/2 MILE) WITH ¹⁰⁸~~90~~ BIRDS HAVING ^{11/64}~~5/32~~ ORIFICES. END OF SYSTEM USES HAND LINE WITH 10 BIRDS HAVING 3/16 ORIFICE. AT TIME OF TEST SYSTEM PRESSURE WAS 40 PSI. (2 BIRDS / SECTION - 50' / SECTION)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 16 1997

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\text{SONIC METER} = +482.378 \text{ E O6PM} = \boxed{1.07 \text{ CFS}}$$

$$\text{PUMP (thorough)} = \frac{50 \text{ HP} \times 9.814 \times .7}{7 + (83 \times 2.308)} = \frac{308.49}{198.564} = 1.553 \text{ CFS}$$

$$\begin{aligned} \text{SYSTEM} &= 40 \text{ PSI WITH } 1/4 \text{ BIRDS} = 5.54 \times 108 = 598.32 \\ &40 \text{ PSI WITH } 3/4 \text{ BIRDS} = 6.64 \times 10 = 66.4 \end{aligned} \quad \frac{664.72}{448.8} = 1.48 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 52.5 \times 3.5 = 183.75$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.0 \times 183 \times 1.9835 = 362.98$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 183.75 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS PERMIT LIMITS TO 1.0 CFS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/15	10/15	1.0	183.8
Totals:			1.0 CFS	183.8 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPKINS Date 2/7/96

Reviewer [Signature] Date 3-22-96

SEAL

MICROFILMED

SEP 16 1997

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

SOHP
75-07567

PRINTER USE
? YES

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

09-06 17:5300
+002.90 % AI2

MODE SELECT
T0 CHECK

0319.0 MMSEC
100.27 % T0

MODE SELECT
INPUT

OUTER DIAMETER
8.6500 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1142 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.252 IN U

DAMPING SET
00 SEC

09-06 17:5700 *R
+482.378E 06PM

1.07CFS

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

SOHP
75-07567

PRINTER USE
? YES

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

09-06 17:5300
+002.90 % AI2

MODE SELECT
T0 CHECK

0319.0 MMSEC
100.27 % T0

MODE SELECT
INPUT

OUTER DIAMETER
8.6500 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1142 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.252 IN U

DAMPING SET
00 SEC


09-06 17:5700 *R
+482.378E 06PM

1.07CFS

MICROFILMED

SEP 16 1987

75-07567



JOE BAILEY

IRRIGATION

212

PLACE OF
USE

LOOKING
SOUTH



PLACE OF
USE

LOOKING
NORTH



RECORDED

SEP 16 1977

PERMIT
NUMBER

75-07567

JOE BAILEY

IRRIGATION


1512

POINT OF
DIVERSION

SALTWATER
RIVER



50 HP LIFT
PUMP



MICROFILMED

SEP 16 1997

PERMIT
NUMBER

75-07567

FIELD EXAM NOTES

EXAM # 75-07567

DATE OF EXAM 9/6/98

PERMITEE NAME Joe Bailey

OTHER WATER RIGHTS SAME POD NO

OTHER WATER RIGHTS SAME POU Dugway Cr.

1609 Mary Street
Salmon, Id. 83467
208-756-3278

PUMP #1 HP 50 MAKE Marathon SERIAL #
COLOR AND DESCRIPTION Take water from river (Salmon)
OUTPUT DIAMETER 8.65 SYSTEM PRESSURE 83 PSI WELL DEPTH
STATIC H2O WELL DEPTH DYNAMIC PUMP
PSI GAGE TYPE CHECK VALVE (Y) [N] GATE VALVE (Y) [N]

PUMP #2 HP MAKE SERIAL #
COLOR AND DESCRIPTION
OUTPUT DIAMETER SYSTEM PRESSURE PSI WELL DEPTH
STATIC H2O WELL DEPTH DYNAMIC PUMP
PSI GAGE TYPE CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

BOOSTER PUMP #1 HP MAKE SERIAL #
COLOR AND DESCRIPTION

BOOSTER PUMP #2 HP MAKE SERIAL #
COLOR AND DESCRIPTION

CIRCLE PIVOT [Y] [N] NUMBER OF TOWERS PIVOT LENGTH
PRESSURE [H] [L]

whal line (2) 11/64 bird Info. 108 birds
(2 birds/section: 2 whal/section 50 section)

HAND LINES (Y) [N] NUMBER OF LINES 1 LENGTH OF LINES
End of field 10 birds
RAIN BIRDS PER LINE NOZZEL DIAMETER 3/16 (1) 7/32 bird

SURFACE WATER TYPE OF MEASUREING DEVICE


AA METER PIGMY METER WEIR OR FLUME BUCKET/WATCH

PRESSURE AT TOP OF SYSTEM 40 PSI

USE BACK OF PAGE FOR SKETCH AND MEASUREMENTS OF SYSTEM

SEP 16 1998


Cornell Pump Co.
2.5 YHBSO-2
Ser. 71348 8.94



Model W E 324 T T D R 8610 A N - W

MICROFILM

SEP 16 1987



RECORDED

SEP 16 1997

IN: Salmon River
IN/NEAR Salmon
Lemhi COUNTY, Idaho
DATE: 04/12/93 SHEET 1 OF 4
APPLICATION BY:

75-07567

June 3, 1993

JOE A. BAILEY
1609 MARY STREET
SALMON ID 83467

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 75-07567

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 06 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 75-07567 Reviewed by Klg Date 6/2/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? irrigate 52.5
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
NA Drilling permit required?
/ Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100 Amount Submitted
yes Correct?
NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA _____
Date proof due / - _____
No. of days late / = _____
Priority Date / + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____ Proof Made 6/1/93
6/3/93 Klg

March 31, 1993

JOE A. BAILEY
1609 MARY STREET
SALMON ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 75-07567

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1993.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
JUL 06 1993





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 6, 1991

JOE A. BAILEY
1609 MARY STREET
SALMON, ID 83467

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 75-07567

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
JUN 10 1991

5.29.91

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Dist. for staffing 3-8-91
Submitted for advertising 3-14-91

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HWT DATE 3-12-91 APPLICATION NUMBER 75 7567

REQUIRED INFORMATION Joe A. Bailey

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☐ No Field check required
- ☐ Yes ☐ No Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
MAY 09 1991

Department of Water Resources

PROCESSING

☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No

Form for advertising
Statewide advertising
Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit

☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 4-22-91
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☒ Yes ☐ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information

Date of priority recommended 2-14-91

By HWS

Date 5-6-91

STATE OFFICE REVIEW

See below for additional information

By _____

Date _____

ADDITIONAL INFORMATION

Condition, 01

LOCAL PUBLIC INTEREST

Comments received from:

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other _____

Project impacts/implications report

COMMENTS

75-07567

BAILEY, JOE A.
1609 MARY STREET
SALMON, ID 83467

Source: SALMON

Tributary: SNAKE

Diversion Pt: SESE Sec 2 T 19N R 21E

Use: IRRIGATION (1.000 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 2/14/ 1991

In: T19N R21E S01	SWSW	
S02	SESE	
S11	NENE	NWNE

52.5 ACRES TOTAL

MICROFILMED

JUN 10 1991

27-Feb-1991

JOE A BAILEY
1609 MARY ST
SALMON ID 83467

RE: Application No. 75-07567

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in RECORDER-HERALD on April 4 & 11, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

ENCLOSURE

JUN 10 1991