




ber,

Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Regan B Miller
 (Applicant)
President Pleasant Meadows water c

R21E R22E

SALMON QUADRANGLE
IDAHO-LEMHI CO.

7.5 MINUTE SERIES (TOPOGRAPHIC)



II


R22E

h

T
22
N


I

i



75-07559

DEC 10 1957



PLEASANT MEADOWS WATER CO.

DOMESTIC USE ⁶ 30 HOMES

1 of 1

POINT OF
DIVERSION
WELL HOUSE



POINT OF
DIVERSION
6" Well



MICROFILMED
DEC 10 1987

PERMIT
NUMBER

75-07559

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 75-07559

Priority: June 24, 1994

Maximum Diversion Rate: 0.10 CFS
Maximum Diversion Volume: 18.0 AF

This is to certify, that PLEASANT MEADOWS WATER CO

PO BOX 123

CARMEN ID 83462

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 20, 1990; and has submitted Proof of Beneficial Use on June 24, 1994. An examination indicates that the works have a diversion capacity of 0.100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.10 CFS	18.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7(SENE), Sec. 18, Township 21N, Range 22E
LEMHI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

21N 22E	7	Lot 10(NESE)	Lot 12(SESE)
	17	NWNW	
	18	Lot 6(NENE)	Lot 7(SENE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use known as Lots 1-30, Pleasant Meadows Subdivision.
6. Domestic use is for 30 homes and does not include lawn, garden, landscape, or other types of irrigation.

MICRO FILMED

DEC 10 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 75-07559

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of OCTOBER, 1997.


Acting for KARL J. DREHER, Director

NOT RECORDED

DEC 10 1997

State of Idaho
Department of Water Resources

RECEIVED

OCT 14 1997

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 75-07559

Date of Priority: June 24, 1994

Maximum Diversion Rate: 0.10 CFS

Maximum Diversion Volume: 18.0 AF

Comes now
PO BOX 123
CARMEN ID 83462

PLEASANT MEADOWS WATER CO

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 75-07559, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.10 CFS	18.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7 (SENE), Sec. 18, Township 21N, Range 22E
LEMHI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

21N 22E	7	Lot 10 (NESE)	Lot 12 (SESE)
	17	NWNW	
	18	Lot 6 (NENE)	Lot 7 (SENE)

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Pleasant Meadows Subdivision, this 5th day of October, 1997.

MICROFILMED

DEC 10 1997

(Signature)

Sue Adams Sec. Treas.
Pleasant Meadows
Water Co.

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 75-07559

FOR DEPARTMENT USE ONLY

Preliminary check by SUK Fee = 5000 Received by LB # CANON Date 10/14/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 75-07559 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use known as Lots 1-30, Pleasant Meadows Subdivision.
6. Domestic use is for 30 homes and does not include lawn, garden, landscape, or other types of irrigation.

Witness my hand this 22ND day of OCTOBER, 1997.


Acting for **KARL J. DREHER, Director**

MICROFILMED

DEC 10 1997

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 75-07559	)	ORDER OF
IN THE NAME OF PLEASANT MEADOWS WATER	)	REINSTATEMENT
COMPANY	)	

This matter having come before the Idaho Department of Water Resources (Department), the Department finds as follows:

FINDINGS OF FACT

1. On March 7, 1991, the Department of Water Resources issued Permit No. 75-07559 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before March 1, 1994.

2. On December 31, 1993, the Department sent a proof due notice to the permit holder.

3. On March 7, 1993, the Department sent a lapse notice to the permit holder.

4. Section 42-218a.2., Idaho Code, authorizes the Department to reinstate a lapsed permit, with the priority date advanced to the date that proof of beneficial use was received, upon submittal of evidence clearly establishing the extent of beneficial use prior to the proof due date and a showing of reasonable cause why the proof was submitted late.

5. In June of 1994, the Department spoke to a representative from Pleasant Meadow Water Co. who explained that the water has been in use for several years and that the proof was overlooked due to the fact that a new president of the water company took over around the time that proof was due.

6. The permit holder has submitted evidence to confirm that water has been put to beneficial use during the authorized development period by submitting proof on June 24, 1994.

RECEIVED

AUG 16 1994

CONCLUSIONS OF LAW

1. The permit holder has submitted proof of beneficial use along with supporting evidence which establishes that water was in fact beneficially used as identified on the permit.

2. The permit holder has shown sufficient cause why the beneficial use was not submitted in a timely manner.


3. The permit can be reinstated with the date of priority advanced to the date proof of beneficial use was received by the Department.

ORDER

IT IS HEREBY ORDERED that Permit No. 75-07559 is REINSTATED.

IT IS FURTHER ORDERED that the date of priority of this permit is advanced to June 24, 1994.

DATED this 13th day of July, 1994.



L. GLEN SAXTON
Chief, Water Allocation Bureau

AUG 16 1994

RECEIVED

JUN 24 1994

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 6-14-94

Receipt No. Co 30533

Receipt by Co 30640

RECEIVED

JUN 14 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 75-07559 Telephone No. (208) 756-4361
2. Name(s) of Permit Holder(s): PLEASANT MEADOWS WATER CO
3. Mailing Address: P.O. Box 123 CARMEN, Id 83462
4. Source of Water: GROUND WATER (WELL)

If GROUNDWATER, Well Driller's Name: UNKNOWN Date Drilled: 1974

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

3 FULL TIME
Domestic 3 (No. of households) Stockwater _____ (No. and type of stock)
SUMMER USE ONLY
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 15.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

40 PLEASANT MEADOWS WATER CO
Don C. Adams (PRESIDENT) (208) 756-4361
Name Telephone No.
P.O. Box 123 CARMEN, Id 83462
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 16 1994

6-11-94 Don C. Adams (PRESIDENT)
Date Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 75-07559

Proposed Priority: April 20, 1990 Maximum Diversion Rate: 0.20 CFS
This is to certify, that PLEASANT MEADOWS WATER CO.
P.O. BOX 126
CARMEN, ID 83462
has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.20 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NENESE Sec. 18, Township 21N, Range 22E LEMHI County

PLACE OF USE: DOMESTIC
TWN RGE SEC


21N 22E 7	NWSE	SWSE	
18	NENE	SENE	NESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 30 homes located within Pleasant Meadows Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of March, 1991.

for 
R. Keith Higginson, Director

MAR 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. _____

To appropriate the public waters of the State of Idaho

1. Name of applicant Pleasant Meadows Water Company Phone 756-3157
Post office address Box 126 CAEMEN ID 83462
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 18 Township 21N Range 22E B.M. Lemhi County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.20 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well and 1 1/2 hp pump
buried pipeline stubbed into 30 Lots.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Existing Proposed well diameter is 8 inches; proposed depth of well is 85 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MAR 21 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 30 Lots in Subdivision
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
21H	22E	18	D			D									D				
		7														D	D		


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant owns Right of way
- b. Who owns the land to be irrigated or place of use? Various individuals
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Currently 6 homes have been built.
Officers - Regan B Miller, Pres.
Don Schafer, Vice Pres.
Doreen Miller, Sec.

MAR 31 1991



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Regan B Miller
 (Applicant)
President Pleasant Meadows water c

Received by AW Date 4-20-90 Time 11:58A Preliminary check by KW
Fee \$ 30.00 Receipted by HWS # EG13456 Date 4-20-90
Publication prepared by LB Date 1-3-91 Published in Recorder-Herald
Publication approved LB Date 2-1-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

MAR 31 1991

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: E013456

Date: 04/20/90
Time: 15:42:11


Received
From: MILLER, REGAN

Type of Payment	Program Acct Class	Amount
APPLIC. FOR PERMIT	0630199 1238 6390	\$30.00
Total		\$30.00

CHECK 358

Idaho Department of Water Resources

Region: EASTERN

Signature: 

RECEIVED
MAR 21 1990

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

75-07559

PLEASANT MEADOWS WATER
COMPANY

BOX 126

CARMEN, ID 83462

Source: GROUNDWATER

Diversion Pt: NENESE Sec 18 T

21 N R 22 E

Use: DOMESTIC (200 CFS)

Total Diversion: (200 CFS)

Date Filed: 1/20/1991

In T21N R22E S07 NWSE SWSE

S18 NENE SENE NENESE

The permit(s) will be subject to all

prior water rights. Protests must be

filed with the Director, Dept. of Water

Resources, Eastern Region, 150

Shoup Avenue, Suite 15, Idaho Falls,

Idaho 83402 on or before JANU-

ARY 21, 1991.

R. KEITH HIGGINSON, Director

Published 1/3/1991 & 1/10/1991

1-3-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

JAN 1991

Department of Water Resources
Eastern District Office

RECORDED
MAR 21 1991

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application of Water Right -

75-07559

a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for two (2) consecutive issues, commencing with the issue
dated Jan 3 19 91 and ending with the issue dated Jan 10 19 91

STATE OF IDAHO

COUNTY OF LEMHI

ss.

On this 10th day of January in the year of 19 91

before me, A Notary Public, personally appeared RICKY G. HODGES

known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he

executed the same.

Shale K. Holger

Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 9/21/95

Publication Fee \$ 31.32



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 23, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

PLEASANT MEADOWS WATER CO
PO BOX 123
CARMEN ID 83462

RE: WATER RIGHT NO. 75-07559

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

DEC 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.


MICROFILMED

DEC 10 1937 2

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
DEC 10 1987

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 75-07559

PLEASANT MEADOWS WATER CO
PO BOX 123
CARMEN ID 83462


Kari Lynn Townsend
Secretary

RECORDED

DEC 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

September 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

PLEASANT MEADOWS WATER CO
PO BOX 123
CARMEN ID 83462

RE: WATER RIGHT NO. 75-07559

Dear Permit Holder(s):


The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

DEC 10 1997

MEMORANDUM

TO: File 75-07559

FROM: Sharla

DATE: September 29, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 75-07559 are based on the following:

C. SYSTEM DESCRIPTION

1. Point(s) of Diversion: T22N, R22E, S18 - SENE (Lot 6)

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.10 cfs	18.0 afa
----------	-------------	----------	----------

Gov Lot 6 in Section 18 describes the SENE.

The original application was filed for 30 homes, all lots are stubbed and the source is groundwater; therefore, the license can be issued for all 30 homes. The analysis of system capacity for subdivisions confirms sufficient flow for 30 homes. The annual volume has been calculated accordingly.

Examiner: Don Simpkins
Exam Date: March 1, 1995

MICROFILMED
DEC 10 1997

Analysis of System Capacity for Subdivisions

Operator: S. Curtis

Date: 9/19/97

Right No.: 75-07559

Existing or Proposed System

Storage capacity in gallons	0 gal	
Pump horsepower	1.5 hp	
Dynamic lift	17 ft	
Pump discharge pressure	32 psi	
Theoretical pumping capacity	0.10 cfs	44.9 gpm
Measured pumping capacity	0.10 cfs	44.9 gpm

Requirements

Number of homes	30 homes
Gallons per day per home	1000 gal
Area irrigated	0 acres
Peak demand period	60 min

Calculations

Peak instantaneous demand	0.25 cfs	111.1 gpm
Suggested pump capacity	0.07 cfs	33.3 gpm
Peak demand volume	6668 gal	
Max potential daily diversion vol.	64627 gal	
Total daily volume required	30000 gal	0.092 af
Time required to pump daily vol.	11.1 hr	668 min
Time required to refill storage	2.5 hr	149 min

Key Questions

Does existing storage capacity exceed peak demand volume?	No
Does existing pumping capacity meet or exceed the suggested pumping capacity?	Yes
Can the system produce the required daily volume in under 24 hours?	Yes

Notes:MICROFILMED
DEC 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 75.07559

DATE 8/8/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>new pres. box #</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	Change <u>✓</u>	OK <u>—</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	Change <u>✓</u>	OK <u>—</u>	Amendment required <u>yes</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.20</u> cfs
Fee limit	<u>.20</u> cfs <u>\$50.00</u>
Measured	<u>.10</u> cfs
Theoretical	<u>.08</u> cfs <u>@ 40' lift and 32 psi</u>
Recommended Total Div Rate <u>.10</u> cfs	

ANNUAL VOLUME/ NATURE OF USES

<u>✓</u>	Use <u>Dom.</u>	cfs <u>.10</u>	Volume Calc <u>30 X .10 =</u> af
			<u>.6</u> af
			<u>—</u> af
			<u>—</u> af
	SUBTOTAL	<u>.10</u>	<u>36.0</u> af
			<u>18.0</u>

Flow rate .10 cfs X 365 days X 1.98 = 72.3 af

Total volume recommended 18.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

30 homes. WBS

CONDITIONS

— Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA

Adjustment Memo # homes
volume
sent id (Lot 7) pld

1st Amend Letter P37, P38

2nd Amend Letter P47

8-27-97

RECEIVED

SEP 02 1997

DEPT. OF WATER RES.
BOISE, IDAHO

ATTN: SHARLA CURTIS

RE PERMIT NO. 75-0755-9

Department of Water Resources

THE FOLLOWING INFORMATION SHOULD ANSWER YOUR IMMEDIATE QUESTIONS AS SET FORTH IN YOUR LETTER OF AUGUST 13, 1997.

1. THE STATUS OF 3 FULLTIME & 3 PARTTIME IS NOW 3 FULLTIME & 2 PARTTIME USERS - DOWN 1 WITH REGARD TO PARTTIME USERS, YES - THE LOTS ARE BASICALLY SUBBED IN WITH NO PLANS ON ANY PROPERTY OWNER TO DEVELOP THEIR PROPERTY AT PRESENT.

2. THERE ARE NO "STORAGE" TANKS OTHER THAN THE PRESSURE TANK "ON DEMAND" NOW IN THE PUMP HOUSE SERVING THE 3 FULL-2 PARTTIME USERS IN THE SUB-DIVISION. BOTH THE PRESSURE TANK, PUMP AND ELECTRICAL ARE ALL NEW-REPLACED IN THE LAST 6 MONTHS.

3. LAWN/GARDEN IRRIGATION IS VERY MINIMAL ON ANY PROPERTY OWNERS PARTTIME/RENTED

DEC 10 1997

I TRUST THIS ANSWERS YOUR IMMEDIATE QUESTIONS. IF YOU NEED ADDITIONAL INFORMATION - PLEASE CALL (208) 756-4361

DON C. ADAMS
PLEASANT MEADOWS WATER CO.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 13, 1997

Pleasant Meadows Water Co.
c/o Don Adams, President
PO Box 123
Carmen, ID 83462

RE: Permit No. 75-07559

Dear Mr. Adams:

We are in the process of reviewing the above referenced permit for licensing. There are a couple of items that need to be clarified for us and I would appreciate your help in resolving the issues.

First, the department's field examiner noted in his report that the subdivision has a capacity of 30 homes and that at the time of the inspection only 3 full-time and 3 part-time residences were occupied. When the water diversion and delivery system was set up, were each of the 30 lots "stubbed in" (water line to the lots so that the only thing that needs to be done when a home is constructed is to run the water line from the house to the "stub" for connection to the system)?

Second, what is the capacity of any storage associated with this system (individual and/or centralized storage tanks, etc.)?

Lastly, is lawn/garden irrigation included in the domestic use for the homes?

I look forward to hearing from you. Once these questions have been resolved, we can continue with license processing. If you have any questions, be sure to give me a call.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

SHARLA CURTIS
Water Resource Agent

MICRO-FILMED

DEC 10 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 04 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 75-07559

1. Owner: PLEASANT MEADOWS WATER CO. Phone No. (208) 756-4361

Current Address: P.O. BOX 123, CARMEN, IDAHO 83462

2. Accompanied by: DON ADAMS (PRESIDENT) EXAM DATE: 3/1/95

Address: SAME AS ABOVE Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

74-07306, 75-04074, 75-04197, 75-04201, 75-04380
75-04384, 75-04464, 75-04466, 75-04477

1. Other water rights with the same place of use: 75-04484, 75-07167, 75-07170, 75-07185

2. Other water rights with the same point of diversion: DOUE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	L-6	NE	SE	NE	18	22N	22E	LEMMI	U.S.G.S. TOPO MAP


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
22N	22E	7													D			D	
22N	22E	18	D			D									L-10			L-12	
			L-6			L-7													
		17						D											

DEC 10 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable. *SEE PHOTOS + MAPS*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DOMESTIC	TEEL	1.5	1P927	SUBMERISABLE	1 1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE		U.S.G.			0-100	32 PSI

2. Measurements: STATIC WATER 7', PUMP SET AT 40', WELL 187' DEEP
SYSTEM TRANS ON AT 32 PSI.

ENCLOSURES

DEC 18 1957

E. NARRATIVE/REMARKS/COMMENTS

WATER USED IN THIS PERMIT IS FOR DOMESTIC USE
FOR A SUBDIVISION WITH A CAPACITY OF 30 HOMES. CURRENTLY
3 RESIDENCES USE WATER FULL TIME AND 3 RESIDENCES
USE WATER DURING SUMMER ONLY.

PLU aka Lots 4, 6, 12, 24, 25 & 30 Pleasant Meadows Subdivision

NOTE: NO ACTUAL USE IN SEC 17, T22N, R22E AT TIME OF EXAM.

RECOMMEND INCLUDING NWNW, Sec 17, T22N, R22E BECAUSE
SUBDIVISION BOUNDARY INCLUDES NWNW of Sec 17.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
DEC 10 1997

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{1.5HP \times 8.814 \times .7}{(7' \times 10' \text{ DRAW}) + (32PSI \times 2.308)} = \frac{9.2547}{90.856} = 0.10 \text{ CFS}$$

$$Q = 6 \text{ HOMES} \times \text{CHART} = 0.11 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$6 \text{ HOMES} \times 1.2 \text{ AFA} = 7.2$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1/1</u>	<u>12/31</u>	<u>0.10</u>	<u>7.2 AFA</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.10 CFS</u>	<u>7.2 AFA</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name SIMPKINS Date 2/6/96


Reviewer _____ Date _____ SEAL _____

MICROFILMED

DEC 18 1997

R21E R22E

SALMON QUADRANGLE
IDAHO-LEMHI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)



H


R22E

h

T
22
N

I


i



NOT REFILED

DEC 10 1997

75-07559



Sec. 8.

Sec. 9.

Sec. 17.

Sec. 16.

R22E
T
22
N

75-07559

DEC 10 1937

PLEASANT MEADOWS WATER CO.

DOMESTIC USE ⁶ 30 HOMES

10/1

POINT OF
DIVERSION
WELL HOUSE




POINT OF
DIVERSION
6" well



NOT RECORDED
DEC 10 1937

PERMIT
NUMBER

75-07559



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Regan B Miller
(Applicant)

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 75-7559

Reviewed by Jay

Date 7-5-94

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom.
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

no Drilling permit required?
 Copy in the file? Drilling Permit No.
L Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
L Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 6-24-94
Date proof due 3-1-94 -
No. of days late over 60 =
Priority Date +
New Priority Date 6-24-94

> over 60 days late

DEFICIENCIES OR ACTION ITEMS

*Proof acceptable
Reinstate + advance priority to June 24, 1994*

DATA ENTRY

New Address P.O. Box 123
Carmen Id. 83462

Proof Made 6-24-94

July 19, 1994

PLEASANT MEADOWS WATER COMPANY
P O BOX 123
CARMEN ID 83462

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 75-07559

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Enclosed is an order reinstating your permit since the Proof of Beneficial Use form was submitted after the proof due date. Please note that the priority date has been advanced to June 24, 1994.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls, at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

AUG 16 1994

June 17, 1994

Pleasant Meadows Water Co.
P.O. Box 123
Carmen, ID 83462

RE: Permit No. 75-07559

Dear Permit Holder :

Returned is the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it can not be accepted as filed.

The proof indicates the total rate of diversion of water to be 0.20 cfs from a surface water source. The license exam fee for a rate of 0.20 cfs is \$50.00. You submitted an extension of time request along with the filing fee of \$15.00. After speaking with Mrs. Adams on June 17, 1994, I was informed that water was being put to use and that proof should be submitted instead of the extension of time.

Please return the original proof along with an additional license examination fee of \$35.00 within thirty (30) days of receipt of this letter.

If you have any questions or if I can be of any further assistance, please feel free to contact me at (208)327-7953.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

RECEIVED
AUG 16 1994

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

March 7, 1994

PLEASANT MEADOWS WATER CO.
P.O. BOX 126
CARMEN ID 83462

LAPSE NOTICE

RE: PERMIT NO. 75-07559

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated December 31, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 3-7-94
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

RECEIVED

AUG 16 1994

[Signature]

December 31, 1993

PLEASANT MEADOWS WATER CO.
P.O. BOX 126
CARMEN ID 83462

PROOF DUE NOTICE

RE: PERMIT NO. 75-07559

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1994.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 13, 1991

PLEASANT MEADOWS WATER CO.
P.O. BOX 126
CARMEN, ID 83462

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 75-07559

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON, Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
MAR 21 1991

APPLICATION FOR PERMIT REVIEW

Application #: 75-7559
Date: 2-25-91

Reviewer: Pam Skaggs

- ✓ Existing:
- ✓ No - 26A-P17
 - Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
- ✓ Groundwater:
- GT. 0.7 cfs - 01G-P03, 01C-P03 (existing well)
 - ✓ LT. 0.7 cfs - N/A
- ✓ Drilling Permit:
- Approved w/permit - P99
 - ✓ Not included - 046-P23 (All GW, even existing wells)
- ✓ Location:
- Water Districts - WD No. _____
 - Surface water - 005, 005-01H-P01 (LT.7 w/pump)
005-01J-P08 (GT.7)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - _____ (1 or Blank)
 - Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr
or Irr & Dom)
 - Non Trust - 048-049
- River Basins:
- (Surface Water) Water District Control Condition &....
 - Boise (63) - 11D-P72
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D. Cond.)
- Use:
- Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
 - Power - Use Power Review
 - Mining - 06A, 006, 010, 09E-P10 & 054 (req.)
 - Storage - 18A-for multiple measuring devices (In WD),
18B-P09 (Size)
 - Rec. & Aesthetic - 027 (Non-Consumptive)
 - Domestic - 021 (restricted areas)
- ✓ Ownership:
- ✓ Non land owner - 004
- Protested:
- Agreement - 020
- Minimum Stream Flow:
- Overlapping uses - 029-P20
- ✓ Beneficial Use Due Date: - 03-01-1994
- Other Conditions Recommended _____

RECEIVED
MAR 21 1991

3-6-91

Form No. 202a
/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

KW
75 7559

INITIAL REVIEW BY _____ DATE _____ APPLICATION NUMBER _____

Pleasant Meadows Water Co.
REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☐ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☐ No Field check required
- ☐ Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
FEB 08 1991

Department of Water Resources

SEND COPIES TO _____ Idaho Dept. of Health & Welfare _____ U.S. BLM
 _____ Idaho Dept. of Fish & Game _____ U.S. Forest Service
 _____ Idaho Dept. of Lands _____ Water District
 _____ Adjudication Bureau Unit _____ Other _____

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 1-21-91
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

STATE OFFICE REVIEW

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from:

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other _____

Project impacts/implications report

COMMENTS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

DECEMBER 21, 1990

RECORDER-HERALD
P.O. BOX 310
SALMON, ID 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 21, 1991.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

MAR 21 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECEIVED

MAR 21 1991

75-07559

PLEASANT MEADOWS WATER COMPANY
BOX 126
CARMEN, ID 83462

Source: GROUNDWATER

Diversion Pt: NENESE Sec 18 T 21N R 22E

Use: DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 4/20/ 1990

In: T21N R22E S07	NWSE	SWSE	
S18	NENE	SENE	NENE

RECEIVED

MAR 21 1991

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before JANUARY 21, 1991.

R. KEITH HIGGINSON, Director

Published 1/ 3/1991 & 1/10/1991

RECEIVED

MAR 21 1991

21-Dec-1990

PLEASANT MEADOWS WATER CO
BOX 126
CARMEN ID 83462

RE: Application No. 75-07559

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in RECORDER HERALD on JANUARY 3 & 10, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

