


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lynn A. Ahle
(Applicant)
TITLE, PRESIDENT

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE PHOTO'S*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP #1	MAGNETEK	25	6-360364-02	CORNELL	4"
PRIME PUMP #2	CENTURY	10	6-323244-69	"	2"

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SYSTEM OFF						

2. Measurements: SYSTEM CURRENTLY SHUT DOWN - GENERAL OPERATION IS TEMPERATURE AND WEATHER SENSITIVE.

MAR 26 1997



4062T


31

Trailer Park

3981T

x3921T

Sewage Disposal Ponds



Creek

Gravel Pit

BM 3927

31 4146T

T22N

4039T

T21N

R21E R22E

4191T

4136AT

6

Courthouse

6

Park

93

BM 3941

Island

Lot 14 (SWSE)

PO

Hosp

Pioneer Sch

BM 3954

BM 3953

High Sch

POINT OF DIVERSION

Salmon

4085T

3929T

MC


3940

PLACE OF USE

3948T

75-07551

MICROFILMED
MAR 26 1977



75-7551

DAHLES KED-E-MIX INC.
SALMON, IDAHO
PLANT



MAIN WATER LINE
MICROFILMED
MAR 26 1997

75-7551

MAIN PUMP - USES CREEK WATER
6" OUTPUT



Pump #1
(Main Pump)

PRIMER PUMP FOR MAIN PUMP + SYSTEM



Pump #2
(Primer Pump only)

← RUBBER
DISCONNECT
HOSE
4"

↖ FLOW
DIRECTION OF
BURIED CREEK

MAIN LINE ↗
TO PLANT

RECORDED
MAR 26 1997

75-7551

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 75-07551

Priority: May 8, 1990

Maximum Diversion Rate: 0.67 CFS

Maximum Diversion Volume: 292.4 AF

This is to certify, that DAHLES RED E MIX INC
522 S RIVER ST
SALMON ID 83467

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 8, 1990; and has submitted Proof of Beneficial Use on December 13, 1991. An examination indicates that the works have a diversion capacity of 0.670 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	01/01 to 12/31	0.67 CFS	292.4 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 14(SWSE), Sec. 6, Township 21N, Range 22E
LEMHI County

PLACE OF USE: INDUSTRIAL
TWN RGE SEC
21N 22E E Lot 14(SWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right when discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Industrial use is for a gravel crushing and washing facility.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26th day of FEBRUARY, 1992.

[Signature]
Acting for KARL J. DREHER, Director

MICROFILMED
MAR 26 1997

RECEIVED
DEC 13 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 100.00
Date 12/13/91
Receipt No. 00221044
Received by KLB

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 75-07551 Telephone No. 756-2481

2. Name(s) of Permit Holder(s): Dahle's Red-E-nip

3. Post Office Address: 522 South River St

4. Source of Water: Ground water

a. If ground water, well driller's name: less than 15 Feet Date drilled: _____

b. Pump horsepower: 7 1/2 Pressure (psi): 50 Dynamic pumping level (ft.): 10

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other sand classifier

6. Total rate and/or volume for which proof is submitted 12/17/91 KRG 67 300 gpm cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 100 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Lynn Dahle 208-756-2481
Name Telephone No.

522 South River St. Salmon, Idaho
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12-11-91
Date

Lynn Dahle DEC 30 1991
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 75-07551

Proposed Priority: May 8, 1990 Maximum Diversion Rate: 0.67 CFS

This is to certify, that DAHLES RED E MIX INC.
522 S. RIVER ST.
SALMON, ID 83467

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
INDUSTRIAL	01/01 to 12/31	0.67 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWSE Sec. 6, Township 21N, Range 22E
LEMHI County

PLACE OF USE: INDUSTRIAL
TWN RGE SEC


21N 22E 6 SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Industrial use is for a gravel crushing and washing facility.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

12th day of February, 1991.

for 
R. Keith Higginson, Director

RECEIVED
MAR 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DAHLE'S READY MIX, INC. Phone 756-2481
Post office address 522 S. RIVER ST. SALMON, ID. 83467
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 6 Township 21N Range 22E B.M. LEHMI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.67 for INDUSTRIAL purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.67 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. DUG WELL, 7' DEEP, WITH 10HP
PUMP - 3000 GPM CAPACITY. PIPED TO GRAVEL WASHING FACILITY
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. INDUSTRIAL FOR GRAVEL CRUSHING/WASHING FACILITY.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
21N	22E	6															I		


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: DUG-OUT AREA 7' DEEP, NEXT TO DRY BED OF SALMON RIVER. PROPERTY IS KNOWN AS LOT 14, BLOCK 1 CITY OF SALMON

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 21 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lynne A. White
(Applicant)
TITLE, PRESIDENT

Approved 5-4-90

Received by OW Date 5-08-90 Time 10:46 Preliminary check by _____
Fee \$ 45⁰⁰ Receipted by HWT # E014280 Date 5-8-90
Publication prepared by RB Date 11-18-90 Published in Recorder-Herald
Publication approved OW Date 11-28-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
MAR 21 1991

owners of Dahle's Red-E mix, Inc.

Lynn Dahle President
Diane Dahle Treasurer

ADDRESS ON APP.

RECEIVED

MAY - 8 1990

Department of Water Resources
Eastern District Office

RECEIVED

MAR 21 1991

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

75-07541

SIMS, SANDY

P.O. BOX 41

CARMEN, ID 83462

SLAVIN, DERROLD

P.O. BOX 41

CARMEN, ID 83462

Source: DIAMOND GULCH

Tributary: DUMP CREEK

Diversion Pt: SENWNE Sec 19 T

23N R 21E

Use: MINING (3.000 CFS)

Total Diversion: (3.000 CFS)

Date Filed: 8/13/1990

In: T23N R21E S18 SWSW SESW

SWSE S19 NWNE

75-07549

HARRIS CORP. IGA

100 COURTHOUSE DR.

SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NWSE Sec 6 T 21N

R 22E

Use: COMMERCIAL (.050 CFS)

Total Diversion: (.050 CFS)

Date Filed: 5/14/1990

In: T21N R22E S06 NWSE

75-07550

NELSON, LOYD H.

RT 1, BOX 275-7

SALMON, ID 83467

Source: WASTEWATER

Tributary: SALMON RIVER

Diversion Pt: SESE Sec 8 T 21N R

22E

Use: IRRIGATION (.070 CFS)

STOCKWATER (.020 CFS)

Total Diversion: (.070 CFS)

Date Filed: 5/23/1990

In: T21N R22E S08 SESE

2.5 ACRES TOTAL

75-07551

DAHLE'S RED E MIX, INC.

522 S. RIVER ST.

SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NWSW Sec 6 T

21N R 22E

Use: INDUSTRIAL (.670 CFS)

Total Diversion: (.670 CFS)

Date Filed: 5/8/1990

In: T21N R22E S06 SWSE

The permit(s) will be subject to all

prior water rights. Protests must be

filed with the Director, Dept. of

Water Resources, Eastern Region,

150 Shoup Avenue, Suite 15,

Idaho Falls, Idaho 83402 on or

before NOVEMBER 19, 1990.

R. KEITH HIGGINSON,

Director

Published 11/1/1990

and 11/8/1990

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

NOV 15 1990

Department of Water Resources
Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights 75-07541,
75-07549, 75-07550, 75-07551

....., a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for 2 consecutive issues, commencing with the issue
dated Nov. 1, 19 90 and ending with the issue dated Nov. 8,
19 90

STATE OF IDAHO

COUNTY OF LEMHI

ss.

On this eighth day of November in the year of 19 90
before me, A Notary Public, personally appeared
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Residing At Salmon, Idaho

Shirley K. Hodges
Notary Public for Idaho

My Commission expires: 9-21-95

Publication Fee \$ 77.76

MAR 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 27, 1997

DAHLES RED E MIX INC
522 S RIVER ST
SALMON ID 83467

RE: WATER RIGHT NO. 75-07551

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or

- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have questions, please contact me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

c: Eastern Region

Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of February, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 75-07551

**DAHLES RED E MIX INC
522 S RIVER ST
SALMON ID 83467**



Sharla Curtis
Water Resource Agent

RECEIVED
MAR 26 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 75-07551

DATE 2/13/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change OK

Is change clarification of originally intended source? yes *gw is probably the correct term*

POINT OF DIV Change OK

If not, prepare Notice of Intent to Void NO

PLACE OF USE Change OK

Amendment required NO - 10 ac desc. diff, but 40 ac same for gw, no 10 ac desc shown

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .67 cfs

Fee limit 1.0 cfs \$100⁰⁰

Measured 1.05 cfs

Theoretical 1.05 cfs

Recommended Total Div Rate .67 cfs

ANNUAL VOLUME/
NATURE OF USES Use

Ind.

Volume Calculation

292.0 af

292.0 af

292.0 af

292.0 af

SUBTOTAL 292.0 af

292.4
21.9835

allow it, rather than adjust for .4 af

Flow rate .67 cfs X 365 days X 1.98 = 484.2 af

Total volume recommended 292.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

I gravel crushing & washing facility

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

Overlap

Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
Adjustment Memo N/A

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 29 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 75-07551

1. Owner: DAHLES RED-E-MIX INC Phone No. _____

Current Address: 522 S. RIVER ST., SALMON, ID 83467

2. Accompanied by: LYNN DAHLES EXAM DATE: 2/2/95

Address: SAME Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: GROUND/SUB WATER tributary to GRAVEL BEDS - SALMON RIVER
OLD SALMON RIVER CHANNEL - NO OPEN CONTACT (INLET OR OUTLET)

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	14	SW	SW	SE	6	21N	22E	LEHHI	U.S.G.S. TOPO PHOTO
									AERIAL PHOTO

2. Place(s) of Use:


Indicate Method of Determination ON SITE 1057.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	22E	6															I		
																	L-14		

MICROFILMED

MAR 26 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable. *SEE PHOTO'S*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP #1	MAGNETEK	25	6-360364-02	CORNELL	4"
PRIME PUMP #2	CENTURY	10	6-323244-69	"	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SYSTEM OFF						

2. Measurements: SYSTEM CURRENTLY SHUT DOWN - GENERAL OPERATION IS TEMPERATURE AND WEATHER SENSITIVE.

RECEIVED

MAR 26 1937

E. NARRATIVE/REMARKS/COMMENTS

CEMENT COMPANY USES WATER FROM AN OLD SALMON RIVER MEANDER (NOT CURRENTLY OPEN); BASICALLY THE WATER IS SUB WATER FLOWING THROUGH OLD RIVER GRAVELS. LOCALS CALL THE WATER WAY A CREEK THOUGH THE FLOW IS CAUSED BY PUMPING USE. CEMENT COMPANY PNT CREEK IN CONCRETE TUBE WHICH PASSES THROUGH NORTH SIDE OF PLANT PROPERTY. TWO COLLECTION BOXES WERE PLACED IN CEMENT PIPE LINE FOR PUMPING STATIONS.

PUMP #1

PRIMER PUMP #2

25HP

10 HP

4" OUTPNT TO 6" MAIN LINE

2" OUTPNT → TO 4" MAIN

6" INTAKE (11' LIFT)

3" INTAKE

COLLECTION TANK DEPTH 12'

TANK DEPTH 12'

LIFT FROM WATER IS 6'

LIFT 6'

PUMPS INTO MANIFOLD SYSTEM

* PRIMES PUMP #1 ONLY

SYSTEM PRESSURE IS APPROX. 60 PSI / OWNER.

* System generally runs 5 day/week for 10 months a year.
Huf

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAR 26 1997

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{25HP (8.814) (.70)}{6' + 2DRAW(2.308)(60PSI)} = \frac{154.245}{146.48} = 1.05 CFS = 472.59 GPM$$

* PERMIT LIMITS TO 0.67 CFS

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.67 CFS \times 365 \times 1.9835 = 485.06 AFA$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

$$0.67 CFS \times 220 \text{ days} \times 1.9835 = 292.4 AFA$$

JLW

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
INDUSTRIAL	1/1	12/31	0.67	~~485.06~~ 292.4
Totals:			0.67 AFS	~~485 AFA~~ 292.4 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name SIMPSON Date 3/14/95

Reviewer [Signature] Date 3/24/96

SEAL

ENCLOSURE

MAR 26 1997



R21E R22E

POINT OF DIVERSION

PLACE OF USE

75-07551

MICROFILMED
MAR 26 1967

DAHLES KED-E-MIX INC.
SALMON, IDAHO
PLANT

142



MAIN WATER LINE
MICROFILMED
MAR 26 1967

75-7551

MAIN PUMP - USES CREEK WATER
6" OUTPUT



PRIMER PUMP FOR MAIN PUMP + SYSTEM



↖ FLOW
DIRECTION OF
BURIED CREEK

MAIN LINE ↗
TO PLANT

MAR 26 1957

75-7551

December 20, 1991

DAHLES RED E MIX INC.
522 S. RIVER ST.
SALMON ID 83467

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 75-07551

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 30 1991

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 75-07551 Reviewed by Klg Date 12/17/91

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
less than 15' NA Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 12/13/91
12/20/91 Klg

138327

November 30, 1991

DAHLES RED E MIX INC.
522 S. RIVER ST.
SALMON ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 75-07551

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

DEC 30 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 13, 1991

DAHLES RED E MIX INC.
522 S. RIVER ST.
SALMON, ID 83467

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 75-07551

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

MAR 21 1991

APPLICATION FOR PERMIT REVIEW

Application #: 75-7551
Date: 2-1-91

Reviewer: Pam Skaggs

- ✓ Existing:
- ✓ No - 26A-P17
 - ✓ Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
 - ✓ Groundwater:
 - GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
 - ✓ LT. 0.7 cfs - N/A
 - ✓ Drilling Permit:
 - Approved w/permit - P99
 - ✓ Not included - 046-P23(All GW, even existing wells)
 - ✓ Location:
 - Water Districts - WD No. _____
 - Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - _____ (1 or Blank)
 - Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
 - Non Trust - 048-049 or Irr & Dom)
 - River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 11D-P72
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - Use:
 - Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
 - Power - Use Power Review
 - Mining - 06A, 006, 09E-P10, 010, 54
 - Storage - 18A-P09(In W.D.), 18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
 - Ownership:
 - Non land owner - 004
 - Protested:
 - Agreement - 020
 - Minimum Stream Flow:
 - Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 02-01-1992

Other Conditions Recommended _____

RECEIVED

MAR 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Disc. for starting 5-18-90
Sub. for advertising 6-5-90

APPLICATION FOR PERMIT ANALYSIS SHEET

PM

INITIAL REVIEW BY DN

DATE 8/6/90

APPLICATION NUMBER 75-7551

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
☐ Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
DEC 03 1990

Department of Water Resources

PROCESSING

☒ Yes ☒ No In form for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 11-19-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information

Date of priority recommended

5-08-90

By

HWT

Date

11-30-90

STATE OFFICE REVIEW

See below for additional information

By

Date

ADDITIONAL INFORMATION

X MAY NEED TO BE PLACED UNDER WATERMASTER CONTROL!

LOCAL PUBLIC INTEREST

Comments received from:

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other _____

Project impacts/implications report

COMMENTS

29-Oct-1990

DAHLE'S RED E MIX INC
522 S RIVER STREET
SALMON, ID 83467

RE: Application for Permit No. 75-07551

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in RECORDER-HERALD on NOVEMBER 1 & 8, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECORDED

MAR 21 1991

75-07551

DAHLE'S RED E MIX, INC.
522 S. RIVER ST.
SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NWSWSE Sec 6 T 21N R 22E

Use: INDUSTRIAL (.670 CFS)
Total Diversion: (.670 CFS)

Date Filed: 5/ 8/ 1990

In: T21N R22E S06 SWSE

MAR 21 1991

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before NOVEMBER 19, 1990.

R. KEITH HIGGINSON, Director

Published 11/ 1/1990 & 11/ 8/1990

RECEIVED
MAR 21 1991

MAR 21 1991