




FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. C033424
Receipt By: JW
Date Received: 8-23-95
50.00 - C033778
10-24-95

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

AUG 23 1995

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 75-07497 Telephone No. 208-894-2261
2. Name(s) of Permit Holder(s): ELK BEND MUTUAL WATER CO.
3. Mailing Address: HC 61 BOX 76 SALMON, ID, 83467.
4. Source of Water: WELL (Ground water) if GROUNDWATER (well), Date Drilled: mo. Nov / yr. 85
142 = 75-420-020-43 f 44
a. Well Driller: HARBOR Drilling Permit Number: unknown
b. **OPTIONAL:**
Pump Horsepower: 7.5 (3 pumps @ 7.5 HP) Pressure (psi): _____ Dynamic pumping level (ft): 62'
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 82 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.8 cfs OR 14200 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ☒ or No ☐
Has the measuring device been installed? Yes ☒ or No ☐

Flow Measurement Port: Is a flow measurement port required? Yes ☐ or No ☐
Has the measurement port been installed? Yes ☐ or No ☐

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: VINCENT J. MEINERT Telephone Number: 208-894-2261
Address: HC 61 BOX 106 A SALMON, ID 83467

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] President Date: 8/21/95
(Include your title, if on behalf of company or organization)

NOV 15 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 75-07497

Proposed Priority: January 4, 1990 Maximum Diversion Rate: 1.00 CFS

This is to certify, that ELK BEND MUTUAL WATER CO.

HC 61 BOX 76

SALMON, ID 83467

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	1.00 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 9(NWSW), Sec. 10, Township 18N, Range 21E
LEMHI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

18N 21E 10	LOT 9(SWNW)	LOT 8(NESW)	LOT 9(NWSW)
	LOT 11(SWSW)	LOT 12(SESW)	LOT 7(NWSE)
	LOT 13(SWSE)	SESE	
15	LOT 1(NWNE)		

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1995.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
6. Place of use also known as Salmon River Estates Subd.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of September, 1990.

MICROFILMED

OCT 24 1990

for


R. Keith Higginson, Director

RECEIVED

JAN 29 1990

Department of Water Resources
Eastern District Office

RECEIVED

JAN 04 1990

Department of Water Resources Ident. No. 75-07497

RECEIVED

JAN 8 1990

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ELK BEND MUTUAL WATER CO.
Address: HC 61 BOX 76
SALMON, ID 83467

208-756-2412

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: LOT 9(NWSW), Sec. 10, Township 18N, Range 21E
LEMHI County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	1.000		

5. Total quantity to be appropriated is:
1.000 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
PUMP AND PIPELINE

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is inches; proposed depth of well is
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 years.

8. Description of proposed uses:

9. Place of Use: DOMESTIC

TWN RGE SEC

18N 21E 10 LOT 9(SWNW)
LOT 11(SWSW)
LOT 13(SWSE)
15 LOT 1(NWNE)

LOT 8(NESW)
LOT 12(ESW)
SESE

LOT 9(NWSW)
LOT 7(NWSE)

MICROFILMED

OCT 24 1990

10. Describe any other water rights used for the same purposes.
75-7114

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

PLACE OF USE ALSO KNOWN AS SALMON RIVER ESTATES SUBD.

13. Map of proposed point of diversion and place of use attached? [w]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Vincent J. Meinent - Secretary
Applicant

ELK BEND MUTUAL WATER CO

HC 61 Box 76

Received by C. Wong Date 1-29-90 Time 12:00 Preliminary check by SMS
1/4/90 11:33 Salmon, Idaho, 83467

Fee \$ 45.00 Receipted by J. Dawson # 6013822 Date 1/4/90

Publication prepared by LB Dates 1-23-90 Published in Recorder-Herald

Publication approved (w) Date 9-11-90

MICROFILMED

OCT 24 1990

ELK BEND MUTUAL WATER CO.

HC 61 Box 76

Salmon, Idaho 83467

September 13, 1990

RECEIVED

SEP 14 1990

State of Idaho
Department of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Id. 83402

Department of Water Resources
Eastern District Office

Attention Mr. Harold W. Jones

Dear Mr. Jones:

Reference is made to your letter of September 11, 1990 and your request for information regarding the officers of Elk Bend Mutual Water Company and the number of homes involved.

The following officers are now in office:

E.H. Von Thien - President
Robert Byam - Director
David Carpenter - Director
Lowell Anderson - Director
Hugh Allen - Director

There are currently Eightytwo (82) water hook-ups, with about 60% using water for 6 mos. or less, and 45% using water year round. There are 324 lots with 267 title holders in our organization.

We hope this information is sufficient for your department use.


Sincerely

Vincent J. Meinert

Vincent J. Meinert
Secretary
Elk Bend Mutual
Water Company

MICROFILMED

OCT 24 1990



75-07114
KESSLER, DONALD R.

KESSLER, ZOLDA

P.O. BOX 6

ELLIS, ID 83235

Source: SPRING

Tributary: SINKS

Diversion Pt: NENWSE Sec 25 T
16N R 20E

Use: IRRIGATION (.030 CFS)

Total Diversion: (.030 CFS)

Date Filed: 4/23/1990

In: T16N R20E S25 NWSE

1.0 ACRES TOTAL

74-07305

MC FARLAND LIVESTOCK CO
INC.

BOX 50

LEMHI, ID 83465

Source: GROUNDWATER

Diversion Pt: NWNE Sec 8 T 16N
R 25E

Use: IRRIGATION (2.500 CFS)

Total Diversion: (2.500 CFS)

Date Filed: 5/25/1990

In: T16N R25E S05 NWSE SWSE
SESE S08 NENE NWNE SWNE

125.0 ACRES TOTAL

74-07306

INFANGER, RAY E.

INFANGER, VERA S.

RT. 1, BOX 174

SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NENENE Sec 18 T
21N R 22E

Use: IRRIGATION (.060 CFS)

DOMESTIC (.200 CFS)

Total Diversion: (.200 CFS)

Date Filed: 3/30/1990

In: T21N R22E S18 NENE

2.0 ACRES TOTAL

75-07497

ELK BEND MUTUAL WATER
CO.

HC 61 BOX 76

SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: LOT 9 (NWSW) Sec
10 T 18N R 21E

Use: DOMESTIC (1.000 CFS)

Total Diversion: (1.000 CFS)

Date Filed: 12/14/1989

In: T18N R21E S10 Lot 9

(SWNW) Lot 8 (NESW) Lot 9

(NWSW) Lot 11 (SWSW) Lot 12

(SESW) Lot 7 (NWSE) Lot 13

(SWSE) SESE S15 Lot 1 (NWNE)

75-07532

TACKE, ROBERT

P.O. BOX 995

HAYDEN LAKE, ID 83835

Source: SALMON HOT
SPRINGS

Tributary: SINKS

Diversion Pt: NESWNE Sec 3 T
20N R 22E

Use: IRRIGATION (.330 CFS)

COMMERCIAL (.330 CFS)

HEATING (.330 CFS)

RECREATION STORAGE:

(170.00' AF)

Total Diversion: (.330 CFS)

Date Filed: 7/19/1990

In: T20N R22E S03 NWNW

SWNW T21N R22E S34 NESW

NWSW SWSW SESW

132.5 ACRES TOTAL

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, East-
ern Region, 150 Shoup Avenue,
Suite 15, Idaho Falls, Idaho
83402 on or before SEPTEMBER
3, 1990.

R. KEITH HIGGINSON,
Director

Published 8/16/1990 and
8/23/1990

8-16-2tc

AUG 29 1990

Department of Water Resources

Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights 73-07114,

74-07305, 74-07306, 75-07497, 75-07532, a true

printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement

thereof or thereto for 2 consecutive issues, commencing with the issue

dated Aug. 16, 1990 and ending with the issue dated Aug. 23

1990.

STATE OF IDAHO

COUNTY OF LEMHI

On this twenty third day of August in the year of 1990

before me, A Notary Public, personally appeared

known or identified to me to be the person whose name subscribed to the within instrument, and being

by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he

executed the same.

Sheila K. Hodges
Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 9-21-95

Publication Fee \$ 109.08

MICROFILMED

OCT 24 1990

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 75-07497 Reviewed by [Signature] Date 9-25-95

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

no Drilling permit required?

 Copy in the file? Drilling Permit No.

 Amount paid for permit Correct?

 Well log in the file?

LICENSE EXAMINATION FEE

Yes Required?
50.00 Amount Submitted
no Correct?

MEASURING DEVICE

Yes Required?
Yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

*Request add. \$50.00 exam fee
Proof acceptable*

DATA ENTRY

New Address Proof Made 8-23-95

October 27, 1995

ELK BEND MUTUAL WATER CO.
HC 61 BOX 76
SALMON ID 83467

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 75-07497

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
NOV 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 17, 1995

Elk Bend Mutual Water Co.
HC 61 Box 76
Salmon, ID 83467

RE: Permit No. 75-07497

Dear Permit Holder:

I have returned a copy of the Proof of Beneficial Use form submitted in connection with the above referenced water right. You state on the proof that you are diverting 0.8 cfs for domestic purposes. Before the department can process the proof, it must be accompanied by the appropriate license examination fee. You submitted a license examination fee of \$50.00, however, the license exam fee for a rate of diversion of 0.8 cfs is \$100.00.

Please return the copy of the proof along with an additional \$50.00 license examination fee within thirty (30) days of receipt of this letter. Please address your correspondence to my attention.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

RECEIVED
NOV 15 1995

June 30, 1995

ELK BEND MUTUAL WATER CO.
HC 61 BOX 76
SALMON ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 75-07497

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

NOV 15 1995



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 1, 1990

ELK BEND MUTUAL WATER CO.
HC 61 BOX 76
SALMON, ID 83467

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 75-07497

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

RECORDED

OCT 2 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MICROFILMED

OCT 24 1981

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Dist. for staffing 1-31-90
Submitted for advertising 8-3-90

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Dennis Dunn DATE 26 March 90 APPLICATION NUMBER 75 7497
EIK Bend Mutual Water, Co.

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion.
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trustwater supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

RECEIVED
SEP 18 1990

Department of Water Resources

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT
① Map ② Number of homes served ③ Names, titles and addresses of the officers
Date Requested _____

PROCESSING ☒ Yes ☒ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☒ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7-3-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 1-4-90
By HWJ Date 9-14-90

STATE OFFICE REVIEW P23, P03, P14 46 26 016
By KW See below for additional information
Date 9-21-90

ADDITIONAL INFORMATION

OK to allow 5 yrs. to develop



State of Idaho
DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

September 11, 1990

Vincent Meinert, Sec.
Elk Bend Mutual Water Co.
HC 61 Box 76
Salmon, ID 83467

Dear Mr. Meinert:

I am processing application for permit 75-07497 for your organization. It lists 1.00 cfs for domestic use. Before I can send this application to Boise for final action I will need how many homes or lots are involved and who the officers are (titles included) of Elk Bend Mutual Water Co. Please send this information to my attention.

Sincerely,

Harold W. Jones
Water Resource Supervisor

HWJ:lk

MICROFILMED

OCT 24 1990

09-Aug-1990

ELK BEND MUTUAL WATER CO.
HC 61, BOX 76
SALMON, ID 83467

RE: Application for Permit No. 75-7497

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Recorder-Herald on AUGUST 16 & 23, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECORDED

OCT 24 1990

09-Aug-1990

STATE OF IDAHO
DEPT. OF HEALTH & WELFARE
DIVISION OF ENVIRONMENTAL QUALITY
224 S. ARTHUR
POCTELLO, ID 83204

RE: Application for PERMIT NO. 75-7497 & 75-7532

Dear Sir:

We are enclosing a copy of the applications that may be of interest to your department. Please review the applications and submit any comments you may have to our Department as soon as possible. The last date of protest is SEPTEMBER 3, 1990, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb
enc.

MicroFILMED

OCT 24 1990

75-07497

ELK BEND MUTUAL WATER CO.
HC 61 BOX 76
SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: LOT 9 (NWSW) Sec 10 T 18N R 21E

Use: DOMESTIC (1.000 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 12/14/ 1989

In: T18N R21E S10 Lot 9 (SNNW) Lot 8 (NESW) Lot 9 (NWSW) Lot 11 (SWSW)
Lot 12 (SESW) Lot 7 (NWSE) Lot 13 (SWSE) SESE
S15 Lot 1 (NWNE)

MICROFILMED

OCT 24 1990