


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jay D. Karsley
(Applicant)

MICROFILMED

NOTICE OF
APPLICATION FOR
WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

75-7425

KEARSLEY, JAY D. &/or
GERMAINE

P. O. BOX 138, CARMEN,
ID 83462

Source: CARMEN CREEK
trib. to SALMON RIVER

Date Filed: 06/25/1985

Diversion Pt: SWSE Sec 08
T 22N R 22E

Use: IRRIGATION (0.02
CFS)

In: SWSE Sec 08 T 22N R
22E FOR 1 ACRES

The permit(s) will be
subject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water Resources,
150 Shoup Ave., Suite 15,
Idaho Falls, Idaho 83402 on
or before AUGUST 5,
1985.

KEN DUNN, Dir.

Published 7/18 & 7/25/
85.

7-18-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

Department of Water Resources

Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein,

That the Notice of Application for Water Rt.-75-7425

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for two
consecutive issues, commencing with the issue dated July 18, 1985
and ending with the issue dated July 25, 1985

Subscribed and sworn to before me, this twenty fifth
day of July, 1985

Neil Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 22.68

MICROFILMED

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe I.D. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

MICROFILMED

DEC 16 1988

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson

Date 20 Aug 1985

Consultant's License Number _____

IDWR Director's Authorization to Conduct


Beneficial Use Examination _____

Date

CONSULTANT SEAL

NAME OF APPLICANT 75-7425

Form No. 0



MICROFILMED

DEC 16 1988

SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 75-07425

Priority: June 25, 1985 Amount: 0.02 CFS 1.5 AFA

This is to certify, that JAY D. KEARSLEY
GERMAINE KEARSLEY

P.O. BOX 138
CARMEN, ID 83462

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 25, 1985, and has submitted proof to the Department of Water Resources on October 4, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .050 cfs of water from:

CARMEN CREEK tributary to SALMON RIVER

source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 11/01	0.02 CFS	1.5 AFA

LOCATION OF POINT OF DIVERSION(S): SWSE , Sec. 8, Township 22N, Range 22E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
22N	22E	8	SWSE	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

MICROFILMED

DEC 16 1988

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 75-07425

CONDITIONS/REMARKS:

5. Use of water under this water right is subject to control by the watermaster of State Water District No. 75D

This license is issued pursuant to the provisions of Section 42-219, Idaho Code/
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of DECEMBER, 1988.


Director

MICROFILMED

DEC 16 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Jay D. Kearsley &/or Germaine Kearsley Phone 756-2791
Post office address P.O. Box 138, Carmen, ID 83462

2. Source of water supply Carmen Creek which is a tributary of Salmon River

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 8 Township 22N
Range 22E B.M. Lemhi County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 cfs for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2" pump, 1½ hp motor,
approximately 8 sprinkler heads, 2" pipe

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to 11/1 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water: _____


(5) If water is to be used for other purposes describe: _____

MICROFILMED

NOT RECORDED

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jay D. Kearsley
(Applicant)

MICROFILMED

Proposed Priority 6/25/85

MICROFILMED

Received by Rest. by GFR. CT Date 6-25-85 Time 2:00 pm.
Preliminary check by Kaw Fee \$ \$30.00 # 33361
Receipted by CT Date 6-25-85
Publication prepared by CT Date 7-10-85
Published in Reverend Herald
Publication dates 7-18 & 7-25-85
Publication approved kw Date 7-26-85
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 75-7425, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
Use of water under this permit is subject to control by the watermaster of State Water District No. 75D, Carmen Creek.

Witness my hand this 27th day of August, 1985.

J. Glen Sayton
Chief, Operations Bureau

**NOTICE OF
APPLICATION FOR
WATER RIGHT**

The following applica-
tion(s) have been filed to
appropriate the public
waters of the State of
Idaho:

75-7425

**KEARSLEY, JAY D. &/or
GERMAINE**
P. O. BOX 138, CARMEN,
ID 83462

Source: CARMEN CREEK
trib. to SALMON RIVER

Date Filed: 06/25/1985

Diversion Pt: SWSE Sec 08
T 22N R 22E

Use: IRRIGATION (0.02
CFS)

In: SWSE Sec 08 T 22N R
22E FOR 1 ACRES

The permit(s) will be
subject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water Resources,
150 Shoup Ave., Suite 15,
Idaho Falls, Idaho 83402 on
or before AUGUST 5,
1985.

KEN DUNN, Dir.
Published 7/18 & 7/25/
85.

7-18-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

JUL 20 1985

Department of Water Resources

Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein.

That the Notice of Application for Water Rt.-75-7425

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for two
consecutive issues, commencing with the issue dated July 18, 1985
and ending with the issue dated July 25, 1985.

Subscribed and sworn to before me, this twenty fifth

day of July, 1985

Neil Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 22.68

MICROFILMED

December 13, 1988

JAY D. KEARSLEY
GERMAINE KEARSLEY
P.O. BOX 138
CARMEN, ID 83462

RE: PERMIT NO. 75-07425

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

DEC 16 1988

November 17, 1988

JAY D. KEARSLEY
GERMAINE KEARSLEY
P.O. BOX 138
CARMEN, ID 83462

RE: PERMIT NO. 75-07425

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

DEC 16 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
JUN 2 1988

75-7425
Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Q measured with bucket & stopwatch

$$5 \text{ gal} / 14.36 \text{ sec} = 0.35 \text{ gal/sec} = 0.05 \text{ cfs}$$

Only $\frac{1}{2}$ acre irrigated

$$0.05 \text{ cfs} \times 0.5 \text{ ac.} = 0.025 \text{ cfs} = 0.02 \text{ cfs}$$

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.5 \text{ ac} \times 3.0 = 1.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02 \times 214 \times 1.9835 = 8.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.5 \text{ afa}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: None

b) Other water rights with same point of diversion: None

c) Analysis:

MICROFILMED
DEC 16 1988

1

[illegible]

Address:

Source: -

Period of Use

Rate of Diversion

Annual Volume

From	To
4/1	11/1

20.0

15

Allowable Maximums:

0.02 of 570

1.5 a/a

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks:

RR 29

WILSON

DEC 16 1988

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by

Date _____

Date _____

Date:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 75-7425

Phone No. 756-2791

1. Owner: Jay D. or Germaine Kearsleg Phone No. 756-2791
Current Address: P.O. Box 138 Carmen, Id 83462
2. Accompanied by: Mr Kearsleg EXAM. DATE: 20 Aug 85
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Carmen Creek tributary to Salmon River

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	1 1/2	219504	Cornell	8 1/2"

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

Intake hose pump with mainline to sprinkler system & Flood System

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Call Date
	Bucket / Stopwatch						

7. Measurements ☐ Additional data/computation sheets attached

$$5 \text{ gal in } 14.36 \text{ sec} = 0.046 \text{ cfs} = 0.05 \text{ cfs}$$

- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]


- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

[illegible]

Total Acres

RECEIVED
JUN 2 1966

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe I.D. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks

MAINTAINED

DEC 16 1983

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature

Keith C. Wilson

Date *20 Aug 1985*

Consultant's License Number

IDWR Director's Authorization to Conduct


Beneficial Use Examination

Date

CONSULTANT SEAL

NAME OF APPLICANT 75-7425

Form No. 0



MICROFILM

DEC 16 1988

SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 19, 1986

JAY D. KEARSLEY
BOX 138
CARMEN

ID 83462

RE: Permit No. 75-7425

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Asent

MICROFILMED

DEC 16 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 21, 1986

Jay and/or Germaine Kearsley
P. O. Box 138
Carmen, ID 83462

Dear Mr. and Mrs. Kearsley:

Re: Permit No. 75-7425

Returned is the proof of beneficial use form submitted to this agency on January 22, 1986. Please be advised that the department previously received proof on October 4, 1985. It is not necessary to submit proof more than once on each water right.

If you have any questions concerning your water right, please feel free to contact this office or our regional office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

DEC 16 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

OCT 4 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 15-1425

Name(s) of Permit Holder: JAY D KEARSLEY

Post Office Address: Box 138 CARMEN, IDAHO

Telephone No. 208 756 2791

Source of Water: CARMEN CREEK

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 1 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: Sept 10-85

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

MICROFILMED

Person to contact to accompany the Department representative during the field examination:

JAY D KEARSLEY
(Name)

P.O. Box 138 CARMEN ID 83462 208. 756-2791
(Address) (Telephone Number)


The above information is a true statement of the extent to which the above numbered permit has been developed.

10/3/85
Date

Jay D Kearsley
Signature of Permit Holder (and Title, if appropriate)

1-21-85

JAY KEARSLEY
P.O. B 138
CARMEN, ID 83462



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

September 10, 1985

RE: Permit No. 75-7425

Jay D. &/or Germaine Kearsley
Box 138
Carmen, ID 83462

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control of your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Kaw APPLICATION NUMBER: 75-7425

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☒ Other WD 75-D CW 7-17-85

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 75-7092
☒ Yes ☐ No* In form for advertising. Final date for protests: 8-5-85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-26-85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 75-D
6-25-85 Date of priority recommended.
Special conditions of approval or cover letter. _____

Q10

By: Ernest Carlier Date: Aug 7, 1985 MICROFILMED

STATE OFFICE REVIEW:

LOT, L16 Q10 Q5 (75-D, Carmen Creek) RECEIVED

☐ See attached sheet for more information.
By: KW Date: 8/19/85 AUG 12 1985

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

Initials	Date	Item
CT	7-10-85	Original form entered
CT	7-15-85	Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Granted
		Transfer Requested
		Reopened by State Office

July 17, 1985

RE: Application for Permit No. 75-7425 KEARSLEY

Jim McFarland, Watermaster
Water District 75-D
Box 73
Carmen, ID 83462

Dear Mr. McFarland:

We are enclosing a copy of an application that may be of interest to your water district. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is August 5, 1985, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 5, 1985.

KEN DUNN, Dir.

Published 7/18 & 7/25/85.

MICROFILMED

75-7425

KEARSLEY, JAY D. &/or GERMAINE

P.O. BOX 138, CARMEN, ID 83462

Source: CARMEN CREEK trib. to SALMON RIVER

Date Filed: 06/25/1985

Diversion Pt: SWSE Sec 08 T 22N R 22E

Use: IRRIGATION (0.02 CFS)

In: SWSE Sec 08 T 22N R 22E FOR 1 ACRES

**NOTICE OF
APPLICATION FOR
WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

75-7425

KEARSLEY, JAY D. &/or
GERMAINE

P. O. BOX 138, CARMEN,
ID 83462

Source: CARMEN CREEK
trib. to SALMON RIVER

Date Filed: 06/25/1985

Diversion Pt: SWSE Sec 08
T 22N R 22E

Use: IRRIGATION (0.02
CFS)

In: SWSE Sec 08 T 22N R
22E FOR 1 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 5, 1985.

KEN DUNN, Dir.

Published 7/18 & 7/25/
85.

7-18-2tc

MICROFILMED