


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile:

4" for mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mrs. Joyce Raxon (damp)
(Applicant)

NOTICE OF
APPLICATION
FOR WATER RIGHTS

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to appropri-
ate the public waters of
the State of Idaho:

75-7151

SMITH, ROLAND K.
BOX 145, SALMON, ID
83467

Source: SPRING tributary
to TOWER CREEK

Date Filed: 10/09/1979

Amount: 0.04 CFS

Diversion Point: SESE
Sec. 03 T 23N R 22E,
LEMHI Co.

Use: DOMESTIC (0.04
CFS) from 01/01 to 12/31
Place of Use: SESE Sec.
03 T 23N R 22E

Diversion Means: RE-
SERVOIR, PUMP AND
PIPELINE

75-7152

RANEN, JOYCE S.
810 INNSBROOK DRIVE,
DUNWOODY, GA 30043

Source: SPRINGS tribu-
tary to TOWER CREEK

Date Filed: 10/09/1979

Amount: 0.04 CFS

Diversion Point: SESE
Sec. 03 T 23N R 22E,
LEMHI Co.

Use: DOMESTIC (0.04
CFS) from 01/01 to 12/31
Place of Use: SESE Sec.
03 T 23N R 22E

Diversion Means: RE-
SERVOIR, PUMP AND
PIPELINE

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of
any permit must be filed
with the Director of the
Idaho Department of
Water Resources, 1515
Lincoln Road, Idaho Falls,
Idaho 83401 on or before
NOVEMBER 5, 1979.

C. STEPHEN ALLRED
Director

Published 10/18 &
10/25/79

10-18-2tp

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

NOV 5
Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein,

That the Notice of Application for Water Rights Nos. 75-7151
and 75-7152

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 1
consecutive issues, commencing with the issue dated Oct. 25, 1979
and ending with the issue dated 19

Subscribed and sworn to before me, this twenty fifth


day of October, 1979

Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$12.06

MICROFILMED

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe I.D. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks with system collecting water thru drainage tile and discharging
water back into ground there was no place to take measurement Recommend
0.04 cfs.

NOTE: Source may not reach Tower Creek by surface flow

15. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson Date 21 Aug 1985

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date


MICROFILMED

CONSULTANT SEAL
 MAR 09 1987

NAME OF APPLICANT

75-7152

Form No. 0




75-7152

WATER REPELLED

WAR 03 1994

Draw Plan In Ink.

Form No. 0



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

very light
copy

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7195

OCTOBER 11, 1979

The Recorder-Herald
P. O. Box 310
Elmore, Idaho 83607

Enclosure:

Enclosed you will find a local notice which we wish to have published in the State. Enclosed also is a copy of the correspondence which has been received from the newspaper. The notice has been submitted to the State and is being published for you in the State publication. If you would like the notice in the printed form, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication bill to this office before NOVEMBER 5, 1979.

Very truly,
Sincerely,

RONALD D. CARLETON
Superintendent
Eastern Region

Encl.

MICROFILMED

State of Idaho
Department of Water Resources
WATER RIGHT LICENSE

License of Water Right No. 75-7152 Priority October 9, 1979 Amount 0.04 cfs

THIS IS TO CERTIFY, that Joyce S. Ranen
of Dunwoody, Georgia, has complied with the terms and conditions of Permit
No. 75-7152 issued pursuant to Application for Permit dated October 9, 1979,
and has submitted proof to the Department of Water Resources on October 30, 1984,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.04 cfs of water from a spring,
tributary to Tower Creek, East Fork, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (1 Unit)	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the SE 1/4 Section 3,
Twp 23N, Rge 22E in the County of Idaho

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
23N	22E	3								X	

MICROFILMED

MAR 09 1987

Total number of acres irrigated _____

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of DECEMBER, 19 86.

MICROFILMED

MAR 09 1987

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JOYCE S. RANEN Phone (Idaho) 756-3891

Post office address 810 Innbrook Dr., Dunwoody, Georgia 30043

2. Source of water supply springs which is a tributary of Tower Creek

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 23 N

Range 22 E B.M. Lemhi County, additional points of diversion if any:

~~SW $\frac{1}{4}$ SE $\frac{1}{4}$ and SW $\frac{1}{4}$ SE $\frac{1}{4}$~~ DELETE Per telecon ARK w/Attorney Herndon 10/9/79

4. Water will be used for the following purposes:

Amount .04 cfs for domestic purposes from Jan 1 to Dec 31. (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cfs cubic feet per second and/or b. 2.0 A-F acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump and pipeline, reservoir,
3/4 inch pipe

b. Height of storage dam 2 feet, active reservoir capacity .50 acre-feet; total reservoir
capacity 2.0 acre-feet, materials used in storage dam: rock and earth catch-basin

Period of year when water will be diverted to storage Jan 1 to Dec 31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is ---- inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is Allow 5 years 11-7-79 J.J. Catch-basin completed 4/1/74;
5 years for total storage
(minimum 1 year - maximum 5 years)

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 23 N
Range 22 E B.M.

(2) Amount of power to be generated: n/a horsepower under feet of head.


(3) List number of each kind of livestock to be watered n/a

(4) Name of municipality to be served n/a, or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: n/a

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

4" to mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mrs. Joyce Raxon (Applicant)

Proposed Priority 10/9/79

Received by _____ dh _____ Date 10-9-79 Time 11:30 a.m.

Preliminary check by APK Fee \$ 20.00

Received by EW Date 10-10-79 #13741

Publication prepared by EW Date 10-11-79

Published in Recorder Herald

Publication dates Oct. 18 & 25-1979

Publication approved JD Date 10/26/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC gim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 75-7152, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 7th day of November, 19 79.

J. Glen Saxton
Chief, Operations Bureau

NOTICE OF
APPLICATION
FOR WATER RIGHTS

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to appropri-
ate the public waters of
the State of Idaho:

75-7151

SMITH, ROLAND K.
BOX 145, SALMON, ID
83467

Source: SPRING tributary
to TOWER CREEK

Date Filed: 10/09/1979

Amount: 0.04 CFS

Diversion Point: SESE

Sec. 03 T 23N R 22E,
LEMHI Co.

Use: DOMESTIC (0.04
CFS) from 01/01 to 12/31

Place of Use: SESE Sec.
03 T 23N R 22E

Diversion Means: RE-
SERVOIR, PUMP AND
PIPELINE

75-7152

RANEN, JOYCE S.
810 INNSBROOK DRIVE,
DUNWOODY, GA 30043

Source: SPRINGS tribu-
tary to TOWER CREEK

Date Filed: 10/09/1979

Amount: 0.04 CFS

Diversion Point: SESE

Sec. 03 T 23N R 22E,
LEMHI Co.

Use: DOMESTIC (0.04
CFS) from 01/01 to 12/31

Place of Use: SESE Sec.
03 T 23N R 22E

Diversion Means: RE-
SERVOIR, PUMP AND
PIPELINE

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of
any permit must be filed
with the Director of the
Idaho Department of
Water Resources, 1515
Lincoln Road, Idaho Falls,
Idaho 83401 on or before
NOVEMBER 5, 1979.

C. STEPHEN ALLRED
Director

Published 10/18 &
10/25/79

10-18-2tp

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

NOV 5 1979

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

, being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein,

That the Notice of Application for Water Rights Nos. 75-7151
and 75-7152

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 1
consecutive issues, commencing with the issue dated Oct. 25, 1979
and ending with the issue dated 19

Subscribed and sworn to before me, this twenty fifth

day of October, 1979

Neil Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$12.06

MICROFILMED

NOTICE OF
APPLICATION
FOR WATER RIGHTS

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:
75-7151

SMITH, ROLAND K.
BOX 145, SALMON, ID 83467

Source: SPRING tributary to TOWER CREEK
Date Filed: 10/09/1979
Amount: 0.04 CFS
Diversion Point: SESE Sec. 03 T 23N R 22E, LEMHI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SESE Sec. 03 T 23N R 22E
Diversion Means: RESERVOIR, PUMP AND PIPELINE

75-7152

RANEN, JOYCE S.
810 INNSBROOK DRIVE,
DUNWOODY, GA 30043

Source: SPRINGS tributary to TOWER CREEK
Date Filed: 10/09/1979
Amount: 0.04 CFS
Diversion Point: SESE Sec. 03 T 23N R 22E, LEMHI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SESE Sec. 03 T 23N R 22E
Diversion Means: RESERVOIR, PUMP AND PIPELINE

75-7153

KINGHORN, GEORGE
Box 14, UCON, ID 83454
Source: SALMON RIVER tributary to SNAKE RIVER

Date Filed: 10/09/1979
Amount: 0.02 CFS
Diversion Point: LOT 19 T 23N R 17E, LEMHI Co.
Use: IRRIGATION (0.02 CFS) from 04/01 to 11/01
DOMESTIC (0.02 CFS) from 01/01 to 12/31
Place of Use: LOT 19 Sec. T 23N R 17E FOR 1 ACRES
Diversion Means: PUMP AND PIPELINE

75-7154

HARDING, MARION
BOX 88, SUGAR CITY, ID 83448

Source: SALMON RIVER tributary to SNAKE RIVER
Date Filed: 10/09/1979
Amount: 0.02 CFS
Diversion Point: LOT 21 T 23N R 17E, LEMHI Co.
Use: IRRIGATION (0.02 CFS) from 04/01 to 11/01
DOMESTIC (0.02 CFS) from 01/01 to 12/31
Place of Use: LOT 21 Sec. T 23N R 17E FOR 1 ACRES
Diversion Means: PUMP AND PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

OCT 26 1979

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes and says that he is one of the printers (publisher) of the RECORDER HERALD, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights Nos. 75-7151, 75-7152, 75-7153, 75-7154

a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for 1 consecutive issues, commencing with the issue dated Oct. 18, 19 79 and ending with the issue dated 19

Subscribed and sworn to before me, this eighteenth

day of October, 19 79

Notary Public for the State of Idaho
Residing at Salmon, Idaho

Publication Fee \$ 19.26

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 31, 1986

RE: Permit No. 75-7152

Joyce S. Ranen
8110 Innsbrook Dr.
Dunwoody, GA 30043

Dear Ms. Ranen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 09 1987

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
75-7152	10-9-1979	0.04 cfs	10-9-1979	10-30-1984	0.04 cfs

4. Permit Holder: Voyce S. Ranen
Address: 8110 Innsbrook Dr., Dunwoody, Georgia 30043
5. Source: Spring ✓ tributary to (East Fork) Tower Creek ~~Stones~~

5. Source: Spring ✓ tributary to (East fork) lower Creek ~~Stones~~

6. Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Domestic ✓ (1 unit)	1/1 ✓	12/31 ✓	0.04 cfs ✓	1.2 cfa ✓

Allowable Maximums:

7. Point(s) of Diversion: ✓

[illegible]

8. Place(s) of Use ☒

[illegible]

9. Recommended Conditions/Remarks: System collects water thru drainage tile and discharges water back toward drainage with no place to make a flow measurement. Source may not reach Tower Creek by surface flow.

MICROFILMED

~~MAR 09 1987~~

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by

Date 9 APRIL 1986

Date 4-24-86

Date 12-8-86

RECEIVED
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT
APR 29 1986

75-7152
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Recommend 0.04 cfs ✓

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{i,r} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}} \\ V_{o,r} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}} \\ V &= \text{Smaller of } V_{i,r} \text{ and } V_{o,r} = \underline{\hspace{2cm}} \end{aligned}$$

- c) Volume Calculations for Other Uses: ONLY IRRIGATION IN CONJUNCTION WITH SINGLE DOMESTIC HOME

$$V_{Dom}^2 \quad 1.2 \text{ afa/unit} = 1.2 \text{ afa}$$

2. Overlap Review

- a) Other water rights with same place of use: NONE
- b) Other water rights with same point of diversion: NONE
- c) Analysis:

MICROFILMED

MAR 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 75-7152

Phone No. (404) 394-3851

1. Owner: Joyce S. Ranen Phone No. (404) 394-3851
Current Address: 810 Innsbrook Dr. Dunwoood Georgia 30043

2. Accompanied by: Rolanda K. Smith EXAM. DATE: 21 Aug 85
Address: P.O. Box 145, Salinas, Cal 94667 Phone No. 756-3891
Relationship to Permit Holder: Son-in-law

3. Source: Spring tributary to East Fork Beaver Creek / Sink

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

Drainage tile & gravel to concrete cistern w/ 2" max/m to house


- | 6. | Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|----|-----------------------|------|------|-----------|------------|------|-------------|
| | N/A | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

7. Measurements NA ☐ Additional data/computation sheets attached
allow 0.04 cfs for single domestic house

- [illegible]

- | Place(s) of Use: | | Indicate Method of Determination | | | | | | | | | | | | | | | | | |
|------------------|------|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|--------|
| Twp. | Rge. | Sec. | NE 1/4 | | | | NW 1/4 | | | | SW 1/4 | | | | SE 1/4 | | | | Totals |
| | | | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | |
| 23N | 22E | 3 | | | | | | | | | | | | | | | | | 7 |
| MICROFILMED | | | | | | | | | | | | | | | | | | | |
| MAR 10 1987 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | Total Acres | |

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks with system collecting water thru drainage tilt and discharging
water back into ground there was no place to take measurement Recommend
0.04 cfs.

NOTE: Source may not reach Tower Creek by surface flow

15. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Keith C Wilson Date 21 Aug 1985

Consultant's License Number _____

IDWR Director's Authorization to Conduct


Beneficial Use Examination _____

Date

MICROFILMED

CONSULTANT SEAL
 MAR 09 1987

Form No. 6

[illegible][illegible]

Draw Plan in Ink.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

APRIL 11, 1985

JOYCE S. RANEN
8110 INNSBRUCK DR.
DUNWOODY GA 30043

RE: Permit No. 75-7152

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

RECEIVED
MAR 09 1985

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has committed development to the extent shown below of Permit No. **75-7152**

Name(s) of Permit Holder: ~~XXXXXXXXXX~~ **Joyce S. Ranen**

Post Office Address: **8110 Innsbruck Dr.**
Dunwoody Ga. 30043 Tel. No. **404-3943851**

Source of Water:

Extent of Use: ☒ Domestic (number of households) **1**
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10/29/84
Date


MICROFILMED

Joyce S. Ranen
Signature of Permit Holder

Jayce Ranen

8110 Innsbruck Dr

Dunwoody Ga. 30338



RECEIVED

OCT 30 1984

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

WIDENING

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
138202

RANEN, JOYCE S.
810 INNSBROOK DRIVE
DUNWOODY, GA 30043

P R O O F D U E N O T I C E

AUGUST 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 75-7152 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

ENCLOSURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 7, 1979

Joyce S. Ranen
810 Innstrook Dr.
Dunwood, Georgia 30043

Dear Ms. Ranen,

RE: Permit No. 75-7152

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

75-7152

APPLICATION FOR PERMIT ANALYSIS SHEET

Joyce S. Ranen

INITIAL REVIEW BY: ARK

APPLICATION NUMBER: _____

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: ARK Map No. Topo Q 78
☐ Yes ☒ No Other rights on same place of use N/A
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: November 5-1979
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 10/09/79 Date of priority recommended.
Special conditions of approval or cover letter. _____


By: Ernst Carlson Date: 11/05/79

STATE OFFICE REVIEW:

- SHORT LETTER w/o conditions
☐ See attached sheet for more information.

By: Juni Date: 11/9/79

Maurice - Type information in item 7



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

very light
copy

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 528-7195

OCTOBER 11, 1979

The Recorder-Herald
P. O. Box 310
Palmerton, Idaho 83457

Gentlemen,

Enclosed you will find a local notice which we wish to have published in the Idaho Independent Journal, a local newspaper weekly (closed) publication. The notice is a local notice for the purpose of a local notice to this office for a local notice for a local notice. If you wish to publish the notice on the proposed date, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before NOVEMBER 5, 1979.

Very truly,

RONALD D. ORLESON
S. Officer
Eastern Region

Encl.

NOT FILMED

75-7152

RANEN, JOYCE S.
810 INNSBROOK DRIVE,
DUNWOODY, GA 30043
Source: SPRINGS tribu-
tary to TOWER CREEK
Date Filed: 10/09/1978
Amount: 0.04 CFS
Diversion Point: SESE
Sec. 03 T 23N R 22E,
LEMHI Co.
Use: DOMESTIC (0.04
CFS) from 01/01 to 12/31
Place of Use: SESE Sec.
03 T 23N R 22E
Diversion Means: RE-
SERVOIR, PUMP AND
PIPELINE

NOTICE OF APPLICATION FOR WATER RIGHT

very light
copy

Notice is hereby given that the following applications have been received for permit to divert the public waters of the State of Idaho.

--- ---

APPLICANT

PROJECT

LOCATION

ACREAGE

DATE

APPLICANT'S ADDRESS

APPLICANT'S PHONE

APPLICANT'S MAILING ADDRESS

APPLICANT'S SIGNATURE

It is the policy of the State of Idaho to encourage the development of water resources for the benefit of the people of the State. The State of Idaho is committed to the development of water resources for the benefit of the people of the State. The State of Idaho is committed to the development of water resources for the benefit of the people of the State.

D. STEPHEN HARRIS

Director

Revised 10/15/83

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

October 10, 1979

RE: Application for Permit No. 75-7151 ROLAND K. SMITH
" " " No. 75-7152 JOYCE S. RANEN

Claim to a Water Right No. 75-4139 ROLAND K. SMITH
" " " " " No. 75-7140 JOYCE S. RANEN

Mr. James C. Herndon
Attorney at Law
P.O. Box 789
Salmon, Idaho 83467

Dear Mr. Herndon:

Attached herewith is departmental receipt No. 13741 in the amount of \$80.00 for the above referenced claims and applications.

Very truly yours,

COLLEEN WRAY
Sr. Secretary

Attachment

MICROFILMED

LAW OFFICES OF
JAMES C. HERNDON
HERNDON HOTEL BLOCK
P. O. BOX 789
SALMON, IDAHO 83467

J. CHARLES HERNDON [1911-1986]

TELEPHONE 756-2412
AREA CODE 208

October 3, 1979

State of Idaho
Department of Water Resources
1515 Lincoln Road
Idaho Falls, Idaho 83401

Attention: Steve McCormick
Water Resource Analyst

Re: Roland K. Smith and Joyce Ranen


Dear Mr. McCormick:

We are enclosing herewith for filing the following:

1. Application for Permit and Claim to a Water Right, Roland K. Smith, applicant
2. Application for Permit and Claim to a Water Right, Joyce Ranen, applicant
3. Our check for \$80.00 being the filing fee.

Please advise if additional information is needed.

Very truly yours,



JAMES C. HERNDON

JCH/th

Enclosures

RECEIVED

OCT 9 1979

Department of Water Resources
Eastern District Office

MICROFILMED

IDENT. no. 75-7152

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]