


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Raymond Schaefer
(Applicant)

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. _____
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe I.D. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

MICROFILMED

SEP 12 1989

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson Date 21 Aug 1985

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____


Date

CONSULTANT SEAL

75-7142

NAME OF APPLICANT MILFORD SCHOFIELD

Form No. 0




Draw Plan In Ink.

NAME OF APPLICANT SCHOFIELD

75-7142

Form No. 0



MONITORING
SEP 12 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 75-07142

Priority: June 21, 1979

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.12 CFS
18.0 AF

This is to certify, that MILFORD SCHOFIELD
P.O. BOX 922

SALMON, ID 83467 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 21, 1979; and
has submitted Proof of Beneficial Use on June 6, 1984. An examination indicates
that the works have a diversion capacity of .690 cfs of water from:

TOWER CREEK

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.12 CFS	18.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 17, Township 23N, Range 22E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	22E	18	SENE 2	NESE 4		6

Total number of acres irrigated: 6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The right to use water confirmed by this license is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 12 1985

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 75-07142

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 20th
day of July, 1987.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 12 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Milford Schofield Phone 756-2829
Post office address Box 922, Salmon, Idaho 83467

2. Source of water supply Tower Creek which is a tributary of Salmon River

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 17 Township 23N
Range 22E B.M. Lemhi County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for Irrigation purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. headgate and ditch

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
23N	22E	18				2									4				6

Total number of acres to be irrigated 6

c. Describe any other water rights used for the same purposes as described above.

None


9. a. Who owns the property at the point of diversion Unknown

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Myllard Schafel
(Applicant)

Proposed Priority 6/21/79

Received by _____ dh _____ Date 6-21-79 Time 3:00 pm

Preliminary check by ROC Fee \$ 20.00

Receipted by _____ dh _____ Date 6-21-79 #11955

Publication prepared by _____ dh _____ Date 6-22-79

Published in Recorder-Herald

Publication dates June 28 & July 5, 1979 & July 12, 1979

Publication approved 97 Date 7/18/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 75-7142, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 9th day of August, 19 79.

J. Glen Saxton
Chief, Operations Bureau

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

32-7100

STEWART, CHARLES &/
CHUCK
P. O. BOX 306, IDAHO
FALLS, ID 83401

Source: GROUNDWATER
Date Filed: 06/22/1979

Amount: 2.40 CFS
Diversion Point: SESW Sec
26 T 11N R 29E, LEMHI
Co.

Use: IRRIGATION (2.40
CFS) from 04/01 to 11/01
Place of Use: SESW Sec 26
T 11N R 29E NENW
SESW Sec 35 T 11N R 29E
FOR 120 ACRES

Diversion Means: WELL,
PUMP & DITCHES
74-7071

DARWIN NEIBAUR
FARMS
BOX 125-C, PAUL, ID
83647

Source: UNNAMED
STREAM tributary to
LEMHI RIVER

Date Filed: 06/07/1979

Amount: 20.00 CFS

Diversion Point: NWNW
Sec 20 T 16N R 26E SWSW
Sec 17 T 16N R 26E SESE
Sec 18 T 16N R 26E,
LEMHI Co.

Use: fish prop. (20.00
CFS) from 01/01 to 12/31
AESTHETICS (20.00 CFS)
from 01/01 to 12/31

Place of Use: NWNW
SWSW SESE Sec 20 T 16N
R 26E SWSW Sec 17 T 16N
R 26E SESE Sec 18 T 16N R
26E

Diversion Means:
DIVERSION STRUC-
TURES, DITCHES,
PONDS
74-7072

DARWIN NEIBAUR
FARMS
BOX 125-C, PAUL, ID
83647

Source: UNNAMED
STREAM Tributary to
LEMHI RIVER

Date Filed: 06/07/1979

Amount: 15.00 CFS

Diversion Point: SESW
SWSW NWSW Sec 17 T
16N R 26E NESE Sec 18 T
16N R 26E NENW Sec 20 T
16N R 26E NWNW Sec 20 T
16N R 26E, LEMHI Co.

Use: FISH PROP. (15.00
CFS) from 01/01 to 12/31
AESTHETICS (15.00 CFS)
from 01/01 to 12/31

Place of Use: SESW
SWSW NWSW Sec 17 T
16N R 26E NESE Sec 18 T
16N R 26E NENW NWNW
Sec 20 T 16N R 26E

Diversion Means:
DIVERSION STRUC-
TURES, DITCHES, FISH
PONDS

74-7071

74-7072

74-7073

74-7074

74-7075

74-7076

74-7077

74-7078

74-7079

74-7080

DARWIN NEIBAUR
FARMS

BOX 125-C, PAUL, ID
83647

Source: THREE
UNNAMED STREAMS
tributary to SPRING
CREEK

Date Filed: 06/07/1979

Amount: 10.00 CFS

Diversion Point: SENE
SWNE NENW Sec 19 T
16N R 26E, LEMHI Co.

Use: fish prop. (10.00
CFS) from 01/01 to 12/31
AESTHETICS (10.00 CFS)
from 01/01 to 12/31

Place of Use: SENE SWNE
NENW Sec 19 T 16N R 26E
Diversion Means:
DIVERSION STRUC-
TURES, DITCHES,
PONDS

74-7074

DARWIN NEIBAUR
FARMS

BOX 125-C, PAUL, ID
83647

Source: BIG SPRING
CREEK tributary to LEMHI
RIVER

Date Filed: 06/07/1979

Amount: 50.00 CFS

Diversion Point: SWNW
Sec 20 T 16N R 26E SESW
SWSE Sec 18 T 16N R 26E
SENE Sec 19 T 16N R 26E
NENE NWNE Sec 19 T
16N R 26E, LEMHI Co.

Use: FISH PROP. (50.00
CFS) from 01/01 to 12/31
AESTHETICS (50.00 CFS)
from 01/01 to 12/31

Place of Use: SWNW Sec
20 T 16N R 26E SESW
SWSE Sec 18 T 16N R 26E
SENE NENE NWNE Sec 19
T 16N R 26E

Diversion Means:
DIVERSION STRUC-
TURES, CANALS, PONDS
75-7142

75-7143

75-7144

75-7145

75-7146

75-7147

75-7148

75-7149

75-7150

75-7151

75-7152

75-7153

75-7154

75-7155

75-7156

75-7157

75-7158

75-7159

75-7160

idavit of Publication

JUL 16 1979

Department of Water Resources
Eastern District Office

ROSLIN, being first duly sworn, deposes
is one of the printers (publisher) of the RECORDER HERALD,
published weekly at Salmon, Lemhi County, Idaho, and of general

of Application for Water Rights Nos. 32-7100,

7072, 74-7073, 74-7074 and 75-7142 a true

which is attached to the margin hereof, has been and was correct-

published in the regular and entire issue of every number of said

in any supplement thereof or thereto for 2

commencing with the issue dated July 5, 1979

issue dated July 12, 1979

orn to before me, this twelfth

day of July, 1979

Notary Public for the State of Idaho,
Residing at Salmon, Idaho

57.42

87-A

MICROFILMED

July 25, 1989

MILFORD SCHOFIELD
P.O. BOX 922
SALMON, ID 83467

RE: PERMIT NO. 75-07142

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
Sep 12 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
7507142	23N	22E	17	SW NW		TOWER CREEK	SCHOFIELD, MIL
7504067						TOWER CREEK	HOLMES, MICHAEL
7504141						TOWER CREEK	ENOCH, O.A. &/
7504143						TOWER CREEK	FERRARO, FRANK
7504168						SPRINGS	MINER, RICHARD
7504314						SPRINGS	MINER, RICHARD
7504497						TOWER CREEK	COUCH, DAVID J

MICROFILMED

SEP 12 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 75-7142
Phone No. 756-2829

1. Owner: Milford Schofield Phone No. 756-2829
Current Address: P.O. Box 922 Salmon Id 83467
2. Accompanied by: Mr Schofield EXAM. DATE: 21 Aug 85
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: Tower Creek tributary to Salmon River

[illegible]

Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

Rock diversion to ditch for flood irrigation

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	Current Meter	Pigmy					

7. Measurements ☒ Additional data/computation sheets attached


- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

9. **Place(s) of Use:** Irrigation - give acres served by system at time of exam.
Indicate Method of Determination

[illegible]

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. _____
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction, both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

MICROFILMED

SEP 12 1989

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson Date 21 Aug 1985

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

APR 29 1988

75-7142

Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

FROM ATTACHED DISCHARGE MEASUREMENT NOTES

$$Q = 0.679 \text{ cfs} = 0.68 \text{ cfs}$$

$$Q \text{ at } 0.02 \text{ cfs/acre} = 0.02 \text{ cfs/acre} \times 600 = 0.12$$

$$Q \text{ LIMITED TO} = 0.12 \text{ cfs}$$

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{ir} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 600 \text{ ac} \times 3.0 \text{ cfs} = 1800 \text{ ac-ft} \\ V_{dr} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 12 \times 1.9835 \times 244 = 59.9 \\ V &= \text{Smaller of } V_{ir} \text{ and } V_{dr} = 1800 \text{ ac-ft} \end{aligned}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: NONE

b) Other water rights with same point of diversion: 75-4141/443/4314/4497/4067

c) Analysis: ISSUANCE OF THIS RIGHT IN NO WAY GRANTS ANY RIGHT-OF-WAY OR EASEMENT ACROSS THE LAND OF ANOTHER

MICROFILMED

SEP 12 1989

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	75-7142					0.69 cF

4. Permit Holder: _____

Address: _____

5. Source: TOWER CREEK tributary to SALMON RIVER

6. Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	4/1	0.12 cfs	18.0 afa

Allowable Maximums: _____

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks: _____

SEP 12 1989

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Scott C. Wilson Date 9 APRIL 1986
Checked in Regional Office by Gary Spickman Date 4-18-1986
Approved in State Office by [Signature] Date 3/16/89

Checked in Regional Office by _____
Approved in State Office by _____

.4	.50	.20	.20	.40	.50	.60	.70	.75
----	-----	-----	-----	-----	-----	-----	-----	-----

Date 21 Aug, 1985 DISCHARGE MEASUREMENT NOTES

Date 21 Aug, 1985

DISCHARGE MEASUREMENT NOTES

River at

No. 1 of 1 Sheets Comp. by Ruth C. Wilson Chk. by


NOT CONFIRMED

SEP 12 1989

75-7142

NAME OF APPLICANT MILFORD SCHOFIELD

Form No. 8



R226
T
23
N


(BADGER SPRING GULCH)
3274 IN SE

Draw Plan in Ink.

NAME OF APPLICANT SCHOFIELD

75-7142

Form No. 0



INTERVIEWED

SEP 12 1984

Draw Plan in Ink.

75-7142

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 2, 1984

POOR QUALITY

MILFORD SCHOFIELD
BOX 922
SALMON

ID 83487

RE: Permit No. 75-7142

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
STUAROLD W. JONES
Sr. Resource Agent

MICROFILMED

SEP 12 1984

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 75-742

Name(s) of Permit Holder: NILFORD SCHOFIELD

Post Office Address: Box 922

SALMON, IDAHO Tel. No. 756-2829

Source of Water: TOWER CREEK

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 6 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-4-84
Date

MICROFILMED

Nilford Schofield
Signature of Permit Holder

MILFORD O'LOFFEN

Box 922

SALMON, IDA.



RECEIVED

JUN 6 1984



IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138820

SCHOFIELD, MILFORD
BOX 922
SALMON, ID 83467

P R O O F D U E N O T I C E

M A Y 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 75-7142 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

REPRODUCED FROM
ORIGINAL FILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 10, 1979

Milford Schofield
Box 922
Salmon, Idaho 83467

Dear Mr. Schofield

RE: Permit No. 75-7142

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

100-111111-1111

DEPARTMENT OF WATER RESOURCES
Eastern Region

JUNE 29, 1979

The Recorder-Herald
P. O. Box 310
Salmon, Idaho 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JULY 23, 1979.

Yours truly,

RONALD D. CARLSON
Supervisor

Encl.

SECRET

WILLIAM D. MILFORD
BOX 922, SALMON, ID
83467

Source: TOWER CREEK
tributary to SALMON
RIVER

Date Filed: 06/21/1979

Amount: 0.12 CFS

Diversion Point: SWNW
Sec 17 T 23N R 22E.

LEMHI Co.

Use: IRRIGATION (0.12
CFS) from 04/01 to 11/01

Place of Use: SENE-NESE
Sec 18 T 23N R 22E FOR 6
ACRES

Diversion Means:
HEADGATE & DITCH

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of any
permit must be filed with
the Director of the Idaho
Department of Water
Resources, 1515 Lincoln
Rd., Idaho Falls, Idaho
83401 on or before JULY
23, 1979.

C. STEPHEN ALLRED

Director

Published 7/5 7/12.

7-5-20

JOA

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

~~25-2142~~

SCHOFIELD, MILFORD

BOX 922, SALMON, ID 83467

Source: TOWER CREEK tributary to SALMON RIVER

Date Filed: 06/21/1979

Amount: 0.12 CFS

Diversion Point: SWNW Sec 17 T 23N R 22E, LEMHI Co.

Use: IRRIGATION (0.12 CFS) from 04/01 to 11/01

Place of Use: SENE NESE Sec 18 T 23N R 22E FOR 6 ACRES

Diversion Means: HEADGATE & DITCH

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Rd., Idaho Falls, Idaho 83401 on or before JULY 23, 1979.

C. STEPHEN ALLRED

Director

Published 7/5 & 7/12/79.

MICROFILMED

MEMO TO FILE

DATE: June 25, 1979

RE: Advertising

This application (claim) was scheduled to be advertised on June 28 and July 5. However, because of a power outage on June 22, this advertising could not be entered into the regional computer, causing it to be delayed one week.

100-100000

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Ernst

APPLICATION NUMBER: Schofield

CHECK:

- ☒ Source. Surface
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☒ Yes ☐ No Platted by: Ernst Map No. Basin 75 Q-77
☐ Yes ☒ No Other rights on same place of use. NONE
☒ Yes ☐ No* In form for advertising.
Final date for protests: JULY 23, 1979
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received. Date: 7-16-79
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☐ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6-21-79 Date of priority recommended.
Special conditions of approval or cover letter. _____

Permit does not grant access. The issuance of this permit in no way grants any right of way or easement across land of another.

By: Ernst **RECEIVED** Date: 7/25/79

STATE OFFICE REVIEW:

04- JUL 23 1979

SHORT LETTER w/o Conditions

- ☐ See attached sheet for more information.

By: Jm Date: 8/7/79

MICROFILMED