


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

+ Milton A. Slavin
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
3 PGM METER				?		

2. Measurements: NOTE INDICATED FLOW IN DITCH AS 1.16 CFS



613.0

6 5
7 8

815.0

921.0

499
T38
19.7

119.6

28.7

410.8

213.0

47.5

124.0

390

New Rds
See 95 Photo 2-17

erson's
T36?
A70

513.5

T22N
R22E

922.4

65
PLACE OF USE

83.1

L10

498
T-701

12.6

218.0

312.6

POND

L12

79
T37

POINT OF DIVERSION

21
T41

7 8

18 17

20 16.9
140

75-07136

CARMEN

225.2

326.1

17.1

75-7136



POINT OF DIVERSION

THESE PHOTOS TAKEN MID-80'S DURING DROUGHT

M. A. SLAVIN

1513

POINT OF
DIVERSION



PLACE OF USE



PERMIT
NUMBER

75-07136

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant M. A. Slavin Phone 756-3578

Post office address Box 1103 Salmon, Idaho

2. Source of water supply Carmen Creek which is a tributary of Salmon R.

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 8 Township 22N

Range 22E B.M. Lemhi County, additional points of diversion if any: _____

SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sect. 8 T. 22N R. 22E.

4. Water will be used for the following purposes:

- Amount 0.58^{cfs.} for Irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.58 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. pump, main line & sprinkler system.
Existing head gate & ditch system.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
22N	22E	7													9			2	11
"	"	8											18						18

Total number of acres to be irrigated 29


c. Describe any other water rights used for the same purposes as described above. NONE.

9. a. Who owns the property at the point of diversion Applicant - Albert Schultz.
b. Who owns the land to be irrigated or place of use Applicant.
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Albert Schultz lives on Carmen Cr. north of Applicant.
Applicant would be diverting water through existing ditch or by pump.
Also see attached computation sheet by R. Kene.

Even though there are two decreed rights on the lands described on this application, the applicant wishes to apply for water via this application as he feels the decreed rights have not been used. 6/1/79 J.J.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

+ Melton A. Slavin
(Applicant)

Proposed Priority 4-24-79 dh 4-18-79 noon
Received by dh Date 3-23-79 Time 11:00 a.m.
Preliminary check by EMC Fee \$ 45.00 ~~45.00~~ 92-289 35.00 per
Receipted by dh Date 4-24-79 #11834 correspondance
Publication prepared by dh Date 4-27-79 in file 3.5
Published in Recorder-Herald
Publication dates May 3 & 10, 1979
Publication approved JS Date 5/16/79
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RDC J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 75-7136, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Use of water under this permit is supplemental to all existing
water rights with the same purpose and place of use. (2) Use of water under
this permit is subject to control by the watermaster of State Water District
No. 75-D, Carmen Creek: (3) A measuring device of a type approved by the
Department shall be permanently installed and maintained as part of the
diverting works.

Witness my hand this 29th day of June, 19 79.

J. Glen Sayton
Chief, Operations Bureau

R Kane 2-23-79

J. Slavin
Place

Given:

Silt loam Soil 20"
Water holding Cap. 2.4"/ft.
Crop is pasture
Irrig Method - Flooding
60 acres on Farm

Needed: Amount of water for irrigation

0.02 cfs/ac. allotted

0.02 Ac. ft./Ac. for 12 hrs.

0.24 Ac. in./Ac. for 12 hrs.

0.48 Ac. in./Ac. for 24 hrs

Extraction $\gamma = 4.0 \times 0.50 = 2.0$

Consumption use = 0.20" Peak daily

Irrig. freq. = $\frac{2.0}{0.20} = 10$ days

$\frac{2.0}{0.48} = 4.16$ day/set

$\frac{60 \text{ Ac.}}{10 \text{ day freq.}} = 6 \text{ Ac./set Theoretic}$

Actual

?? $\rightarrow 10 \text{ days} \times 4.7 \text{ days/set} = 47 \text{ day interval}$
= too long

Solution

WRONG! $\rightarrow$

$0.02 \text{ cfs/Ac.} \times 4.7 = .094 \text{ cfs/Ac. needed}$

$= .094 \times 5 = 4.7 \text{ in./Ac.}$

For Flooding

MICROFILMED

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been sub-
mitted for permit to ap-
propriate the public wat-
ers of the State of Idaho:
75-7135

CALLEN, DAVID &/or
JEAN
ROUTE 1, BOX 143, SAL-
MON, ID 83467
Source: UNNAMED
SLOUGH & SEEPAGE
tributary to SALMON
RIVER
Date Filed: 04/24/1979
Amount: 0.04 CFS
Diversion Point: NESW
Sec 18 T 21N R 22E,
LEMHI Co.
Use: IRRIGATION (0.04
CFS) from 04/01 to 10/15
Place of Use: NESW Sec
18 T 21N R 22E FOR 2
ACRES
Diversion Means: PUMP,
PIPELINE & SPRINKLER
SYSTEM

75-7136

SLAVIN, M. A.
BOX 1103, SALMON, ID
83467
Source: CARMEN
CREEK tributary to SAL-
MON RIVER
Date Filed: 04/18/1979
Amount: 0.58 CFS
Diversion Point: SWSW
SWSE Sec 08 T 22N R
22E, LEMHI Co.
Use: IRRIGATION (0.58
CFS) from 04/01 to 11/01
Place of Use: NESE SESE
Sec 07 T 22N R 22E
SWSW Sec 08 T 22N R
22E FOR 29 ACRES
Diversion Means: PUMP
& SPRINKLER SYSTEM
AND HEADGATE & DIT-
CH

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 1515 Lincoln Rd.,
Idaho Falls, Idaho 83401
on or before MAY 21,
1979.

C. STEPHEN ALLRED
Director
Published 5/3 & 5/10/
79.

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

MAY 14 1979

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

, being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein,

That the Notice of Application for Water Rights # 75-7135
75-7136

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 2
consecutive issues, commencing with the issue dated May 3, 1979
and ending with the issue dated May 10, 1979

Jerry G. Rosin

Subscribed and sworn to before me, this tenth

day of May, 1979

Beryl Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 23.76

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 12 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 75-07136

1. Owner: MILTON E. SLOVIN Phone No. (208) 756-2687

Current Address: P.O. Box 1103, Salmon ID 83467

2. Accompanied by: Mr. Slovin EXAM DATE: 6-13-1996

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: CARMEN CREEK tributary to SALMON RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 75-00059, A75-00059A

2. Other water rights with the same point of diversion: 75-00059, 75-02118, A75-00059A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	SE	8	22N	22E	LEMMING	DUSTY DIVER

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
22N	22E	7				1									8			2	11
															L10			L12	
		8											18						18
															TOTAL = 7				29

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PIGMY METER				?		

2. Measurements: NOTE INDICATES FLOW IN DITCH AS 1.16 CFS



STANDARDS
 RESTON, VIRGINIA 22C
 AVAILABLE ON REQUEST

75-07136

Q-NOTE FROM EXAM TAKEN 6-13-1996 BY DON SIMPKINS

.0 .10 .20 .30 .40 .50 .60 .70 .75

State of Idaho 75-07136

Department of Water Resources

Date 6/13/96 DISCHARGE MEASUREMENT NOTES

River at

Angle coefficient ent	Dist. from initial point	Width	Depth	Observa- tion depth	Revo- lutions	Time in sec- onds	VELOCITY		Adjust- ed for hor. angle or -----	Area	Discharge
							At point	Mean in ver- tical			
R		1.0	.6		20	42	1.08				0.648
L		1.0	.5		20	44	1.03				0.515
											<u>1.163</u>

2.0
.6
1.1
.26
1.163

TR .6 45 40
1.1
.6
20 64
.26
.8

No. _____ of _____ Sheets. Comp. by _____ Chk. by _____

.0 .10 .20 .30 .40 .50 .60 .70 .75

75-07136

613.0

815.0

28.7

499
T38
19.7

10.8

390

erson's
T36?
A70

35

T22N
R22E

FACE OF USE

L10

1498
T-701

2490

POND

L12

1498
T37

POINT OF DIVERSION

21
T41

0

7

8

18


17

20 16.9
140

75-07136

CARMEN

75-7136



POINT OF DIVERSION

THESE PHOTOS TAKEN MID-80's DURING DEBATE

M. A. SLAVIN

1513

POINT OF
DIVERSION

PLACE OF USE

PERMIT
NUMBER

75-07136

E. NARRATIVE/REMARKS/COMMENTS

DIVERSION STRUCTURE IN CARMEN CREEK TO DITCH (AUSTIN DITCH #1) TO SMALL POND AND DITCH SYSTEM FOR FLOOD IRRIGATION. POND CAN BE FILLED AND EMPTIED WITHIN 24 HR PERIOD.

POINT OF DIVERSION OVERLAP WITH 75-00059 & 75-02118 (SEE ALSO SRBA NOTICE A75-00059A).

PLACE OF USE OVERLAP WITH 75-00059 (A75-00059A). APPLICANT FELT THAT 75-00059 HAD NOT BEEN USED ON HIS LAND FOR SEVERAL YEARS AND THUS, FILED THIS PERMIT. THIS IS DEE NOTATION ON ORIGINAL APPLICATION. APPLICANT HAS FILED A75-00059A FOR WHAT HE FEELS HIS HISTORIC PORTION OF THIS RIGHT

AMENDS TO MOVE 1 ACRE TO SENE 8-22N-22E.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Flow measured at 1.16 cfs at time of exam. Q-NOTES ATTACHED.

29 acres @ 0.02 cfs/acre = 0.58 cfs

RECOMMEND 0.58 cfs as determined**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 29.0 \times 3.5 = 101.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.58 \times 19835 \times 184 = 211.7$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = 101.5 \text{ A+A}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-15</u>	<u>10-15</u>	<u>0.58</u>	<u>101.5</u>
Totals:			<u>0.58</u>	<u>101.5</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Don P. Meyer for Don Simpkins Date 4-16-1998

Reviewer _____ Date _____

SEAL

4/86

RECEIVED
MAR 30 1987

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

APR 13 1987

For Office Use Only
Fee Received 100.00
Date 3-30-87
Receipt # 41139
Receipt by mm
S.O. _____

1. Permit No. 75-7136 Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: M. A. SLAVIN

3. Post Office Address: PO. B. 1103

SALMON, IDAHO 83467 Telephone No. 208-756-3578

4. Source of Water: CARMEN CR

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 29 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 0.58 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

JUNE 1979

8. Person to contact to accompany the department representative during the field examination:

MILT SLAVIN
(Name)

Box 331 Salmon, Idaho 756-2687
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

March 16, 1987
Date

M. A. Slavin
Signature of Permit Holder (and title, if appropriate)

copy retained.

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION


John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

February 10, 1987

75-7136
SLAVIN, M. A.
P.O. BOX 1103
SALMON, ID 83467



EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures

PLACE
STAMP
HERE



RECEIVED
NOV 30 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 75-7136
Name(s) of Permit Holder(s): MILT SLAVIN
Post Office Address: BOX 1103
SALMON, IDAHO Tel. No. 756-3578

☒ I hereby certify that construction of diversion works for the above referenced permit began on EXISTING AS OF 1979 DEC (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

Please refer to attached
letter - NDI 2.3 1982
11/23/82 Milt Slavin
Date Signature of Permit Holder

*Note: A financing difficulty is not an acceptable reason.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 2, 1984

M. A. ELWIN
BOX 1103
PAIDON

ID 83467

RE: Permit No. 75-7136

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

/s/ HAROLD W. JONES
Sr. Resource Agent

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of permit No. 75-7136.

Name(s) of Permit Holder: M. A. SLAVIN

Post Office Address: Box 1103
Salmon, Idaho Tel. No. 756-2030

Source of Water: CARMEN CREEK
Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation 39 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 15 1984
Date


M. A. Slavin
Signature of Permit Holder

M. A. Slach

Box 1103

Salmon, Idaho 83467

MICROFILMED



RECEIVED

MAY 17 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138621

SLAVIN, M. A.
BOX 1103
SALMON, ID 83467

PROOF DUE NOTICE

MARCH 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 75-7136 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

REPROFILMED

RECEIVED

NOV 30 1982

Department of Water Resources
Salmon, Idaho
November 23, 1982

David R. Tuthill, Jr. P. E.
Supervisor, Water Allocation Section
Dept. of Water Resources
State Office
450 W. State St.
Boise, Id. 83720

Re: Permit No. 75-7136
Permit Holder: Milton Slavin

Dear Mr. Tuthill:

In order to maintain the validity of my permit, I am hereby returning a Commencement of Works postcard for the above water right permit.

This water right permit is for water delivered/conveyed through a common ditch shared with Stephen J. Nafus and Sheila Nafus (prior owners were Albert L. Schultz and Wilma Schultz).

I would request the requirement for the diversion works either be waived or jointly required by the users of the common ditch and diversion. Additionally, I would add that the diversion is not located on my property but rather on the Nafus property.


Furthermore, I would certify that I have been able to use water delivered through the common ditch for the purpose of irrigation on approximately the following dates:

- 1979
 - at various times from
April 15 through October 1.
- 1980
 - at various times from
April 15 through October 1.
- 1981
 - at various times from
April 15 through October 1.
- 1982
 - at various times from
April 15 through October 1.

MICROFILMED

In support of this common ditch diversion matter, I am also including a copy of a Deed Granting Ditch Rights signed by Mr. and Mrs. Stephen Nafus.

Very truly yours,


Milton Slavin

MAS/lm

enclosure

100

DEED GRANTING DITCH RIGHT

WE, STEPHEN J. NAFUS and SHEILA NAFUS of Carmen, Idaho, owners of land in Lemhi County, State of Idaho described as follows:

That parcel of land more particularly described in Exhibit "1" attached hereto and by this reference made a part hereof.

FOR GOOD AND SUFFICIENT CONSIDERATION, receipt of which is hereby acknowledged, hereby grant, bargain, sell and convey to MILTON E. SLAVIN and HELEN SLAVIN of Carmen, Idaho, Grantees, a ditch right for the purpose of conveying water over the aforementioned property in the presently-existing ditch, commonly known as the East-West Ditch, which arises in Carmen Creek.

This ditch right is for the benefit of and appurtenant to that land, or any portion thereof, in the County of Lemhi, State of Idaho, as owned by Grantees, and more particularly described in Exhibit "2" attached hereto and by this reference made a part hereof.

This grant is made on the condition that Grantees' use of water conveyed through said ditch shall always remain, and be exercised, subject and subordinate to Grantors' use of water conveyed through said ditch.

DATED: December 4, 1981.

Stephen J. Nafus
Stephen J. Nafus

Sheila Nafus
Sheila Nafus

STATE OF IDAHO)
) SS
County of Lemhi)

On this 4th day of December, 1981, before me, the undersigned, a Notary Public in and for said State, personally appeared STEPHEN J. NAFUS and SHEILA NAFUS, known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.



Jordan P. Smith
Notary Public for the State of Idaho
Residing at Salmon, ID
Commission: Life

161758

Jordan P. Smith
10:57 AM Feb. 23 82

Deed

Eleanor Aldous

Paid \$6.00 pd
P.O. Box 1517
Salmon, Idaho 83467

DEED GRANTING DITCH RIGHT

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 2, 1982

Milton Slavin
P.O. Box 1103
Salmon, ID 83467

Dear Mr. Slavin:

Your letter dated November 23, 1982, is an acceptable statement of Commencement of Works.

If we can be of further assistance to you in any way, please feel free to contact us.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc

RECEIVED

ACT
IONN OWNER LAST NAME - SLAVIN
N ADDRESS LINE 1 - BOX 1103

FIRST NAME - M. A.

N CITY - SALMON STATE - ID ZIP CODE - 83467

N SOURCE - CARMEN CREEK TRIBUTARY OF - SALMON RIVER

N STAGE - APPLICATION PRIORITY - 04-18-1977 COUNTY - LEMHI TOTAL DIV. RATE - .5800CFS

N DIVERSION POINT - SWSW 08 22N 22E SWSE 08 22N 22E

N FROM - 04-01 TO - 11-01 USE - IRRIGATION USE DIV. RATE - .5800CFS

N USE - IRRIGATION PLACE OF USE - TWN 22N RNG 22E SEC 07 TRACT NESE AC 09 TRACT SESE AC 02

N USE - IRRIGATION PLACE OF USE - TWN 22N RNG 22E SEC 08 TRACT SWSW AC 18

N DIVERSION MEANS - PUMP & SPRINKLER SYSTEM AND HEADGATE & DITCH

27

WATER RIGHT NUMBER 75-7136

WATER RIGHTS EDIT REPORT

07/03/79

PAGE 25

ACT
ION

L STAGE - PERMIT
L

PROOF DUE - 06-01-1984 PERMIT/DENIED - 06-29-1979 WATER DIST. - 75D
COND. OF APPRVL - 03 05 01



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 384-2215

July 2, 1979

M. A. Slavin
Box 1103
Salmon, ID 83467

Dear Mr. Slavin:

RE: Permit No. 75-7136

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, ID 83401
(208) 523-7186

APRIL 27, 1979

The Recorder-Herald
P. O. Box 310
Salmon, Idaho 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 21, 1979.

Yours truly, \

RONALD D. CARLSON
Supervisor

Encl.

MICROFILMED

75-7136

SLAVIN, M. A.
BOX 1103, SALMON, ID
83467

Source: CARMEN
CREEK tributary to SAL-
MON RIVER

Date Filed: 04/18/1979

Amount: 0.58 CFS

Diversion Point: SWSW
SWSE Sec 08 T 22N R
22E, LEMHI Co.

Use: IRRIGATION (0.58
CFS) from 04/01 to 11/01

Place of Use: NESE SESE
Sec 07 T 22N R 22E
SWSW Sec 08 T 22N R
22E FOR 29 ACRES

Diversion Means: PUMP
& SPRINKLER SYSTEM
AND HEADGATE & DIT-
CH

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 1515 Lincoln Rd.,
Idaho Falls, Idaho 83401
on or before MAY 21,
1979.

C. STEPHEN ALLRED
Director

Published 5/3 & 5/10/

79.

5-3-2tc

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

25-2136-

SLAVIN, M. A.

BOX 1103, SALMON, ID 83467

Source: CARMEN CREEK tributary to SALMON RIVER

Date Filed: 04/18/1979

Amount: 0.58 CFS

Diversion Point: SWSW SWSE Sec 08 T 22N R 22E, LEMHI Co.

Use: IRRIGATION (0.58 CFS) from 04/01 to 11/01

Place of Use: NESE SESE Sec 07 T 22N R 22E SWSW Sec 08 T 22N R 22E
FOR 29 ACRES

Diversion Means: PUMP & SPRINKLER SYSTEM AND HEADGATE & DITCH

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Rd., Idaho Falls, Idaho 83401 on or before MAY 21, 1979.

C. STEPHEN ALLRED

Director

Published 5/3 & 5/10/79.

RECEIVED
MAY 21 1979
IDAHO DEPARTMENT OF WATER RESOURCES

INTER-DEPARTMENT MEMO — 1

FROM STEVE McCOMICK

DATE 4-25-79

TO FILE

SUBJECT APPL BY MA. CLAVIN

THERE IS AN EXISTING DECREE ON THE LANDS DESCRIBED IN THE
APPLICATION: 75-D CARMEN CR.

75-058, 30", 5-1-1869 } W² NW⁴ SEC 17, 22N 22E

75-059, 15", 5-1-1896 } SWSW LOTS 10, 12, SEC 8, 22N 22E

MR. CLAVIN FEELS THAT THE DECREE IS NO LONGER VALID. (Non-use)
∴ HE WISHES TO GO AHEAD WITH THE APPLICATION.

MICROFILMED

S.M.

SIGNATURE

April 24, 1979

Milton A. Slavin
Box 1102
Salmon, Idaho 83467

Dear Mr. Slavin:

Re: Application for Permit

Attached herewith is Departmental receipt No. 11834 in the amount of \$35.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:dh

Attachment





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

April 9, 1979

Mr. M. A. Slavin
Box 1102
Salmon, Idaho 83467

Dear Mr. Slavin:

The Department has reviewed your application for permit for water from Carmen Creek and finds it necessary to return the application along with your personal check for \$45.00 since we feel the quantity of water requested for appropriation is in excess of the amount actually needed.

It should be realized that when irrigating you will be entitled to divert an inch per acre for the number of acres being irrigated. This is equivalent to 0.02 c.f.s. times 29 acres or 0.58 c.f.s. Using this quantity with the water holding capacity of the soil determined to be 2.4 inches per foot and following the steps as outlined on the attachment to your application, calculations indicate you should be able to irrigate the entire 29 acres in less than five (5) days (see attachment). Unless there is some other soil characteristics which would greatly effect the quantity of water required, this is well within the ten (10) day irrigation frequency. Furthermore, the application indicated you may convert from flood to sprinkler irrigation which should increase your irrigation efficiency, thereby requiring that you divert even less water for adequate irrigation.

Based on these considerations, we suggest that you limit your total appropriation to 0.58 c.f.s. which would reduce the statutory filing fee to \$35.00. If you have any questions concerning the items discussed above, please feel free to contact our Eastern Region Office.

Respectfully submitted,

Ernest M. Carlsen

ERNEST M. CARLSEN
Water Resource Analyst

EMC:cw

Enclosure
Attachment: Check No. 92-289/\$45.00

*Enclosed - find a check for \$35. -
and my amended application
as per above recommendation.*

MA

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

April 9, 1979

Mr. M. A. Slavin
Box 1102
Salmon, Idaho 83467

Dear Mr. Slavin:

The Department has reviewed your application for permit for water from Carmen Creek and finds it necessary to return the application along with your personal check for \$45.00 since we feel the quantity of water requested for appropriation is in excess of the amount actually needed.

It should be realized that when irrigating you will be entitled to divert an inch per acre for the number of acres being irrigated. This is equivalent to 0.02 c.f.s. times 29 acres or 0.58 c.f.s. Using this quantity with the water holding capacity of the soil determined to be 2.4 inches per foot and following the steps as outlined on the attachment to your application, calculations indicate you should be able to irrigate the entire 29 acres in less than five (5) days (see attachment). Unless there is some other soil characteristics which would greatly effect the quantity of water required, this is well within the ten (10) day irrigation frequency. Furthermore, the application indicated you may convert from flood to sprinkler irrigation which should increase your irrigation efficiency, thereby requiring that you divert even less water for adequate irrigation.

Based on these considerations, we suggest that you limit your total appropriation to 0.58 c.f.s. which would reduce the statutory filing fee to \$35.00. If you have any questions concerning the items discussed above, please feel free to contact our Eastern Region Office.

Respectfully submitted,

ERNEST M. CARLSEN
Water Resource Analyst

EMC:cw

Enclosure
Attachment: Check No. 92-289/\$45.00

1515 LINCOLN ROAD
IDAHO FALLS, IDAHO 83401
(208) 523-7186

Amount of Water for Irrigation.

$$.02 \text{ cfs/acre} \times 29 \text{ ac.} = 0.58 \text{ cfs total allotted.}$$

0.58 acft. for 12 hours.

6.96 ac inches for 12 hours.

13.92 ac. inches for 24 hours.

$$\text{Extraction } \gamma = 4.0 \times 0.50 = 2.0 \frac{\text{acre inches}}{\text{acre.}}$$

Consumptive use = 0.20 ^{inches} per day

$$\text{Irrigation frequency} = \frac{2.0 \frac{\text{ac. inch}}{\text{acre}}}{0.2 \frac{\text{inches}}{\text{day}}} = \underline{\underline{10 \text{ days}}}$$

$$\frac{13.92 \frac{\text{ac. inches}}{\text{day}}}{2 \frac{\text{acre inches}}{\text{acre}}} = 6.96 \frac{\text{acres}}{\text{day}} \text{ can be irrigated}$$

$$\frac{29 \text{ acres}}{6.96 \frac{\text{acres}}{\text{day}}} = \underline{\underline{4.17 \text{ days}}} \text{ to irrigate 29 acres.}$$

March 21, 1979

Milton A. Slavin
P.O. Box 1103
Salmon, Idaho 83467

Dept. of Water Resources
1515 Lincoln Road
Idaho Falls, Idaho 83401


Re: Application for Permit

Dear Sir:

Enclosed is a check for \$45.00, and my application for permit supported by a computation sheet prepared by Mr. Robert Kane of the U.S. Soil Conservation Service. Taking the soil conditions and the irrigation method Mr. Kane has computed that it will take .094 cfs per acre which I multiplied times the 29 acres which I plan to irrigate. As a result I am seeking to appropriate a total quantity of 2.73 cubic feet per second.

Thank you for your attention in this matter.

Milton A. Slavin



MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Steve

APPLICATION NUMBER: _____

CHECK:

- 3.3. ☒ Source.
☒ Point of diversion.
☒ County ant
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: S.M Map No. R-27
☒ Yes ☐ No Other rights on same place of use. SEE ATT Memo - overlapping stream rights
☒ Yes ☐ No* In form for advertising.
Final date for protests: MAY 21, 1979
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5-14-79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 75-D
4/24/79 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature]

Date: 5/21/79

STATE OFFICE REVIEW:

Lois type comments on item 10.
Add condition codes # 03

MAY 31 1979

Department of Water Resources

- ☐ See attached sheet for more information.

By: [Signature]

Date: 5/1/79

