


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bob Schneider
(Applicant)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

NOTICE is hereby given that Bert Schneider, Salmon, Idaho has on 3-07-77 submitted Application No. 75-7033 for a permit to appropriate 0.12 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 20N, R. 21E, B. M., Lemhi County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family and from Apr. 1 to Nov. 1 for the irrigation of 4 acres, all uses within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 20N, R. 21E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 4, 1977.

R. KEITH HIGGINSON
Director

Published in The Recorder-Herald, Salmon, Idaho on March 17 and March 24, 1977.

3-17-2tc

MICROFILMED

Affidavit of Publication

RECEIVED

MAR 28 1977

STATE OF IDAHO

County of Lemhi

ss.

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

, being first duly sworn, deposes and says that he is one of the printers (publisher) of the RECORDER HERALD, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein,

That the Notice of Application for Water Permit No. 75-7083

..... a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for 2 consecutive issues, commencing with the issue dated March 17, 1977 and ending with the issue dated March 24, 1977.

Jerry G. Rosin

Subscribed and sworn to before me, this twenty fourth

day of March, 1977

Neil Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 13.32





Diagram of System



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 75-7083 Priority March 7, 1977 Amount 0.02 cfs

THIS IS TO CERTIFY, that BERT SCHNIEDER
of Salmon, Idaho, has complied with the terms and conditions of Permit
No. 75-7083 issued pursuant to Application for Permit dated March 7, 1977,
and has submitted proof to the Department of Water Resources on September 26, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.02 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>0.02</u> cfs and	<u>8.53 acre feet</u>
Domestic	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>1.2 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.02 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
9.73 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, Twp. 20N,
Rge. 21E, B.M. in the County of Lemhi

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals			
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$
20N	21E	12								X (domestic) 4								4

Total number of acres irrigated 4

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28 day of
September, 19 79.

Director

MICROFILMED

5/10/82

Identification No. 75 7083
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Bert Schneider Phone: 756-2305
post office address RT 1 Box 228AAA Salmon Id.
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is SE 1/4 of NW 1/4 of Section 12 Township 20N
Range 21E B.M. Lemhi County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.4 for Domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.8 for Irrigation purpose from April to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.12 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well & Pump
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 6 inches; proposed depth of well is 76 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 35,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE 1/4 of NW 1/4 of Section 12 Township 20N
Range 21E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
26N	21E	12							4										4


Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above.
Deeded rights in Williams Cr.

9. a. Who owns the property at the point of diversion Applicant
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bert Schneider
(Applicant)

Proposed Priority 3-7-77

Received by CU Date 5-07-77 Time 10:30 A

Preliminary check by EMC Fee \$ 10.00

Received by CU Date 5-07-77 # 6412

Publication prepared by CU Date 5-10-77

Published in Boise Star

Publication dates March 17 + 24, 1977

Publication approved me Date 3-28-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ROC JB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 75-7083, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1978.

c. Other: The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 26 day of April, 19 77.



Director

Affidavit of Publication

RECEIVED

MAR 28 1977

STATE OF IDAHO

County of Lemhi

ss.

Department of Water Resources
Eastern District Office

JERRY G. ROSIN, being first duly sworn, deposes and says that he is one of the printers (publisher) of the RECORDER HERALD, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein,

That the Notice of Application for Water Permit No. 75-7083

a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for 2 consecutive issues, commencing with the issue dated March 17, 1977 and ending with the issue dated March 24, 1977.

Jerry G. Rosin

Subscribed and sworn to before me, this twenty fourth

day of March, 1977

Neil Armstrong
Notary Public for the State of Idaho
Residing at Salmon, Idaho

Publication Fee \$ 13.32

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

October 4, 1979

Mr. J. Schneider
P.O. Box 822
Salmon, Idaho 83467

Dear Mr. Schneider,

RE: Permit No. 75-7083

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Jan Grover
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

RECEIVED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

September 11, 1979

Re: Permit No. 75-7083

Bert Schneider
Route #1, Box 228AAA
Salmon, ID 83467

Dear Mr. Schneider:

A representative of this Department made an examination of the works covered by your Permit No. 75-7083 on May 3, 1978, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.02 cfs Source: groundwater

The maximum quantity diverted shall not exceed 9.73 acre feet per year.

Point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, Twp. 20N, Rge. 21E, B.M.

Beneficial use: Domestic use and irrigation of 4 acres within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, Twp. 20N, Rge. 21E, B.M.

Priority date established: March 7, 1977

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

MICROFILMED

RECEIVED

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

Other uses: _____

Max Rate of Diversion 0.12 cubic feet per second and annual volume _____ AF/Annum.

Other Points of Diversions: _____ County

Measuring device required: yes ☐ no ☒

[illegible]**TOTAL ACREAGE**





Diagram of System



DATE OF EXAM 5/3/78

ACREAGE
Found 3.75
Recommended 4.0

Irrigation Requirement 3.0 Ac Ft/Ac

USE
Irrigation Q = .02 c.f.s. V = 8.53 AF/Ann. from April 1 to Nov. 1
Domestic Q = .02 c.f.s. V = 1.20 AF/Ann. from Jan 1 to Dec 31
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Pitot - .02 cfs Hot 9.73

Is water co-mingled? yes _____ no X

Name source: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured .02 cfs Method of measurement pitot tube

Total Q recommended .02 cfs Meter No. n/a Type n/a Condition n/a

Total V recommended 9.73 Af/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

measured 8.0 gpm (see reverse side for pitot tube measurement) ÷ 48.8 gpm/cfs = .02 cfs
Domestic Q = .02 cfs V = 1.20 Af by assignment
Vc 3.7500 × 3.0 Ac ft/ac = 11.25 Af/yr

SYSTEM DESCRIPTION:

1.9835 × .02 × 215 = 8.53 Af/yr
Groundwater is diverted from a 76' deep well having a 6" diam casing, #25 3/4" by means of a 5 HP submersed pump & motor (Mylers Centurion SG model). Groundwater is piped to a trailer home and to a series of 2 hydrants where it is used for the irrigation of 3.75 ac. Pressure in the system is maintained between 30-50 psi by one air pressure cylinder.


REMARKS:
System shown & described by Mr & Mrs Schneider
No conflicting rights

Examiner's Signature Anthony R. Kozlowski Date 9/20/78

Checked by Rodney Parker Date 1/10/79

Approved by _____ Date _____

Pitot Tube Measurement



Q total 8.01 gpm
 $\approx .02$ cfs.

October 4, 1977

Re: Permit No. 75-7083

Bert Schneider
Rt. 1, Box 228AAA
Salmon, Idaho 83467

Dear Mr. Schneider:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Idaho Falls.

Sincerely,

JANICE RENK
Water Rights Bureau

/jr

SEP 26 1977

Department of Water Resources
Eastern District Office

Identification No. _____

Permit No. 75-7083

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Bert Schneider
b) Post Office Address Rt 1 Box 228AAA, Salmon Idaho.
2. Permit Number 75-7083
3. Date of Priority that you are prepared to establish 3/7/77
4. a) Source from which water was appropriated groundwater
b) Location of the point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 12
Township 20N, Range 21E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount .04 cfs for Domestic purposes from Jan 1 to Dec 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount .08 cfs for Irrigation purposes from April 1 to Nov. 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .12 cfs. cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: n/a.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: n/a
b) Describe the agreement or understanding by which you take water from the works: n/a

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) .5HP submersed pump jacuzzi, 6" diam casing, 76 deep well, SWL 25', Pressure system for house 30-50 psi. When sprinkler system of 4 kids + household usage pressure gauge reads a steady 50psi.
b) Describe the type and size of measuring device which you have installed at your point of diversion: n/a
c) Give well driller's name and address and the date the well was completed: Dick Dahle
Salmon, Idaho.

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: groundwater is used for service single family domestic unit.
Examined 10/4/77

April 29, 1977

Re: Permit No. 75-7083

Bert Schneider
Route #1, Box 228AAA
Salmon, ID 83467

Dear Mr. Schneider:

Enclosed is a copy of your approved Application for Permit No. 75-7033. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosure

MICROFILMED

March 11, 1977

RE: Application for Permit No. 74-7055 ALDOUS
75-7082 MAC DONALD
75-7083 SCHNEIDER
75-7084 BROWN
75-7085 ENGLAND
Claim to a Water Right No. 75-4063 JENKINS
75-4064 HICINBOTHEN
75-4065 ENGLAND

Recorder-Herald
P.O. Box 310
Salmon, Idaho 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted RD 28-77 by CLW

RDC:CW

Enc: Legal Notice (8)

MICROFILMED

March 15, 1977

RE: Application for Permit No. 75-7083

Mr. Bert Schneider
Rt. #1, Box 228AAA
Salmon, Idaho 83467

Dear Mr. Schneider:

Attached herewith is departmental receipt No. 6412 in the amount of \$10.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

Attachment

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

NOTICE is hereby given that Bert Schneider, Salmon, Idaho has on 3-07-77 submitted Application No. 75-7033 for a permit to appropriate 0.12 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 20N, R. 21E, B. M., Lemhi County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family and from Apr. 1 to Nov. 1 for the irrigation of 4 acres, all uses within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 20N, R. 21E, B. M.

If issued, the permit will be subject to the prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Bldg., Idaho Falls, Idaho, 83401, on or before April 4, 1977.

R. KEITH HIGGINSON
Director

Published in The Recorder-Herald, Salmon, Idaho on March 17 and March 24, 1977.

3-17-2tc

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bert Schneider,
Salmon, Idaho

has on 3-07-77 submitted Application No. 75-7083
for a permit to appropriate 0.12 cubic feet per second ~~XXXXXX~~ acre feet per annum
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 20N, R. 21E, B.M., Lemhi County;

to be used from Jan. 1 to Dec. 31 for domestic purposes for one family and
~~XXX~~ for from Apr. 1 to Nov. 1 for the irrigation of 4 acres, all uses

within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 20N, R. 21E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
April 4, 1977.

R. KEITH HIGGINSON

Director

Published in the Recorder Herald, Salmon, Idaho
on March 17 and March 24, 1977

Handwritten notes:
The - G.
The - J.
The - K.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

- ☒ Source G.W.
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) EMC 3/7/77

In form to receipt YES.

(2) EMC 3/7/77

Send Copies to:

- ☒ Idaho State Health Department
☒ Idaho Fish and Game Department
☒ Bureau of Land Management

(3) EMC 3/7/77

- ☒ Request Special Use Permit from U.S.F.S.
☒ Request Easement from B.L.M.
☒ Request Information from Applicant

(4) EMC 3/7/77

In form for advertising YES

(5) EMC 3/7/77

Platted on Map No. 20N 21E BASIN 75

(6) EMC 3/7/77

Located within Water District No. 75

(7) EMC 3/7/77

Critical groundwater area: yes _____ no X

(8) EMC 3/7/77

Groundwater levels:

_____ Declining, X Stable, _____ Increasing

(comment) OB WELL 21W 22E 8 CBC.

(9) EMC 3/7/77

Other rights on the same place of use DECREED RIGHTS ON WILLIAMS CREEK, none platted

(10) EMC 3/7/77

Comments: NONE.

(11) AW 3-28-77

Affidavit of Publication received (date) Mar 28-1977

(12) AW 4-04-77

Final date for protests April 4, 1977

Protests received: yes _____ no X

(13) RDC 4/4/77

All requested information received from agencies or applicant: yes _____ no _____

(14) 11 11

Action recommended:

X Approve _____ Deny

3/7/77 Proposed Priority

Reason for Reduction _____

Measuring device required _____

See attached sheet for other conditions of approval _____

X No special conditions for approval

(15) District E By RDC Date 4/4/77

MICROFILMED

[Signature]