



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lavinia Stroud
 (Applicant)
 Title - Mayor



T16N, R26E

POINT OF DIVERSION

PLACE OF USE

74-07361

APR 14 1953



PERMIT
NUMBER
MICROFILMED
APR 14 1999

74-02361



MICROFILM PERMIT
NUMBER
APR 14 1977

74-07361

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

75-07625
HANSEN, HARRY V
HC 10 BOX 1090
GIBBONSVILLE, ID 83463
Source: SPRINK
Tributary: SINKS
Diversion Pt: SESW Sec 34 T 27N
R 21E in LEMHI County.
Use: RECREATION (7.38 AF)
FIRE PROTECTION (7.38 AF)
Total Diversion: (7.38 AF)
Date Filed: 5/23/1995
In: LEMHI County
T27N R21E S34 SESW

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and the Director, Dept. of Water Resources, along with a \$25.00 filing fee, Eastern Region, 900 N Skyline, Idaho Falls, Idaho 83402 on or before JULY 3, 1995

STATE OF IDAHO } ss.
County of Lemhi }

Ricky G. Hodges, being first duly sworn, deposes and says he is one of the publishers (printers) of The Recorder Herald, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein. That the Application for Water 74-07361

printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for Two (2) consecutive issues, commencing with the issue dated June 15, 19 95 and ending with the issue dated June 22, 19 95

STATE OF IDAHO } ss.
County of Lemhi }

On this 22nd day of June in this year of 19 95

before me, A Notary Public, personally appeared Ricky G. Hodges, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

SEP 15 1995

Shirley K. Hodge

Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 09/21/95

Publication Fee \$ 66.96

Account No. 630

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 74-07361

Priority: March 14, 1995

Maximum Diversion Rate:

0.04 CFS

This is to certify, that CITY OF LEADORE

PO BOX 157

LEADORE ID 83464-0157

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 14, 1995; and has submitted Proof of Beneficial Use on September 18, 1995. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	
DOMESTIC	01/01 to 12/31	0.02 CFS	
	Totals	0.04 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 28, Township 16N, Range 26E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16N	26E	28	NESW 4.5	NWSW 0.5		5

Total number of acres irrigated: 5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
2. This right when combined with all other rights shall provide no more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor exceed a combined annual maximum diversion volume of 17.5 af at the field headgate for the lands above.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
5. Domestic use is for drinking fountains and restrooms at a city park.


MICROFILMED
APR 14 1999

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 74-07361

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 12th day of FEBRUARY, 1999.


KARL J. DREHER, Director

MICROFILMED

APR 14 1999

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

SEP 18 1995

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 74-07361 Telephone No. _____

2. Name(s) of Permit Holder(s): City of Leadore

3. Mailing Address: P O Box 157 Leadore ID 83464-0157

4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. 7 / yr. 1972

a. Well Driller: Briggs Drilling Drilling Permit Number: _____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 5.0 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No X

Has the measurement port been installed?

Yes _____ or No _____

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Bedford Stroud Telephone Number: 768-2281

Address: Box 162 Leadore ID 83464-0162

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Lavinna Stroud, Mayor NOV 1 5 1995 Date: 09/14/95
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 74-07361

Proposed Priority: March 14, 1995 Maximum Diversion Rate: 0.04 CFS

This is to certify, that CITY OF LEADORE

PO BOX 157

LEADORE ID 83464-0157

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.04 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 28, Township 16N, Range 26E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16N	26E	28	NESW 4.5	NWSW 0.5		5.0

Total number of acres irrigated: 5.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1996.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Domestic use is for drinking fountain and restrooms at City Park.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6th day of September, 1995

SEP 15 1995

Karl J. Dreher
Karl J. Dreher, Director

50 fee

RECEIVED
AUG 21 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 74-7361

Department of Water Resources appropriate the public waters of the State of Idaho

1. Name of applicant CITY OF LEADORE Phone _____
Post office address BOX 157 LEADORE ID 83464-0157

2. Source of water supply GROUNDWATER which is a tributary of NA

3. Location of point of diversion is NW 1/4 of NE NW 1/4 of SW 1/4, Govt. Lot _____
Sec. 28 Township 16N Range 26E B.M. LEMHI County; additional

points of diversion if any: ~~SE 1/4, SE 1/4, of S28, T16N, R26E, Lemhi River~~

4. Water will be used for the following purposes:

Amount 0.04 for IRRIGATION purposes from 4-15 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1/2 HP SUBMERSIBLE PUMP IN 6" CAGED WELL TO BE USED AS SECOND POINT OF DIVERSION AND DOMESTIC USE FOR DRINKING FOUNTAINS AND RESTROOMS

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 50' feet.

d. Is ground water with a temperature of greater than 85°F being sought? no

e. If well is already drilled, when? 7-1972; Drilling firm BRIGGS DRILLING; Well was drilled for (well owner) CITY OF LEADORE

SEP 15 1995

7. Time required for the completion of the works and application of the water to be proposed beneficial use is ONE YEAR years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. LEADORE
- d. Domestic; show number of households. CITY PARK DRINKING FOUNTAIN & RESTROOMS
- e. Other; describe fully. 1/2 HP SUBMERSIBLE PUMP IN 6" CASED WELL TO BE USED AS SECOND POINT OF DIVERSION AND DOMESTIC USED FOR DRINKING FOUNTAINS AND RESTROOMS

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
16N	26E	28									4.5	0.5							5
											D								

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. 74-07179

POINT OF DIVERSION IS FROM IRRIGATION DITCH

11. a. Who owns the property at the point of diversion? CITY OF LEADORE

b. Who owns the land to be irrigated or place of use? CITY OF LEADORE


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. NA

SECOND POINT OF DIVERSION FOR BACKUP PURPOSES

12. Remarks:

SEP 15 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 15 1995

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lavinna Stroud
(Applicant)
Title - Mayor

Received by W M Date 3/14/95 Time 11:23 Preliminary check by ck #2492 \$50.00
Fee \$ 50 ⁸¹/₁₀₀ Received by HwJ # E020787 Date 3-16-95
Publication prepared by RB Date 4-6-95 Published in Secunder Herald
6-15-95
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

SEP 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866 www.idwr.state.id.us/idwr/idwrhome.htm

February 12, 1999

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

CITY OF LEADORE
PO BOX 157
LEADORE ID 83464-0157

RE: WATER RIGHT NO. 74-07361

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 14 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 11-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


APR 14 1999

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of February, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 74-07361

CITY OF LEADORE
PO BOX 157
LEADORE ID 83464-0157


Kari Lynn Townsend
Secretary

MICROFILMED

APR 14 1999

RECEIVED

FEB 08 1999

MEMO

Department of Water Resources

FROM: H W JONES
TO: SHELLY KEEN — *Boise Office*
RE: PERMIT 74-07361

WE AT EASTERN HAVE ALWAYS BEEN SOMEWHAT CONFUSED BY THE MORATORIUM STATUS IN THE SALMON RIVER DRAINAGE. THAT RESTRICTION ONLY APPLIES TO SURFACE WATER. YET IF YOU LOOK AT MANY OF THE LOCATIONS OF WELLS IN THE LEMHI, PAHSIMEROI AND SALMON DRAINAGES YOU WILL SEE THEY ARE IN CLOSE PROXIMITY TO THE STREAMS THEMSELVES.

A FURTHER CHECK OF MANY WELL LOGS, AS WE DID IN THIS CASE, SHOWS THAT THE WATER BEARING ZONES APPEAR TO BE SATURATED GRAVEL AND SANDS ASSOCIATED WITH THE ADJACENT STREAM BED. THIS IS A LOGICAL PLACE FOR A PROSPECTIVE WELL OWNER TO PLACE HIS WELL AS THIS IS WHERE THE WATER IS!

ITS OUR CONTENTION THAT THE WELL UNDER PERMIT 74-07361 IS IN ESSENCE USING A SURFACE WATER SOURCE AND THE ADDAGE "USE YOUR SURFACE WATER FIRST" HAS NO BEARING IN THIS CASE.

HWJ

Shelly 2-2-1999

I also called, Lila Noble - City Clerk for Leadore, and she states that the City still uses the surface water from the ditch utilizing a pump in the ditch to water the area of the rodeo grounds. *Shelly*

MICROFILMED

APR 14 1999

RECEIVED

FEB 08 1999

Department of Water Resources

MEMO

To: Harold Jones
From Dennis M. Dunn

re: 74-07361

(TIGER RZGE)

A review of the well logs in sections 27, 28, 29, 33, and 34 indicates that all of the wells are completed in a shallow aquifer with a static water table that varies between 7 feet and fifteen feet. The majority of these wells are less than 60 feet deep. The well logs indicate the aquifer is comprised of sands, gravels, and cobbles with an occasional stringer of clay, and is saturated from the static water level to the bottom of each well reviewed.

The well developed for permit 74-07361 is located between Big Timber Creek to the west, an irrigation canal and the Lemhi River to the east. There are numerous sloughs both upgradient and down gradient of the well and two natural ponds located along the highway to the northwest of Big Timber Creek.

I believe that a pump test, of the well developed for permit 74-07361, and an analysis of the data would show that the well is hydrologically connected to Big Timber Creek and the Lemhi River.

MICROFILMED

APR 14 1999

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat	:	Long	:

1. WELL TAG NO. D D0000312
DRILLING PERMIT NO. 74-98-E-2006-000
Other IDWR No. _____

2. OWNER:
Name Mr. Carl Leveroni
Address 3042 Esplanade
City Chico State CA Zip 95973

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N		Twp. <u>16</u>		North ☒ or South ☐	
W		Rge. <u>26</u> <td colspan="2">East ☒ or West ☐</td>		East ☒ or West ☐	
E		Sec. <u>28</u> <td colspan="2">1/4 <u>SW</u> 1/4 <u>SW</u> 1/4</td>		1/4 <u>SW</u> 1/4 <u>SW</u> 1/4	
S		Gov't Lot _____ <td colspan="2">County <u>Lemhi</u></td>		County <u>Lemhi</u>	
		Lat: _____		Long: _____	
Address of Well Site <u>Leadore Townsite</u>					
<u>R. R. CANYON ROAD</u> City <u>Leadore</u>					
(Give at least name of road + Distance to Road or Landmark)					

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
Bentonite Slurry	0	18	680#		Poured

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 60 Ft.
Was drive shoe seal tested? ☐ Y ☒ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+1	60	.1250	Steel	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS NONE

Perforations _____ Method _____
Screens _____ Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

5 ft. below ground Artesian pressure — lb.
Depth flow encountered — ft. Describe access port or control devices: Removable well cap

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time

Water Temp. Cold Bottom hole temp. Cold
Water Quality test or comments: Good, clean, no smell
Depth first Water Encounter 14 Ft.

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
10"	0	1	Top soil, small Gravel		X
	1	6	med to small Gravel and sand mix		X
	6	12	med to small Gravel & fine to CRS sand mix		X
	12	13	Hard Brown clay		X
	13	18	med Gravel, coarse sand mix	X	
6"	18	28	small Gravel, coarse sand mix	X	
	28	42	small Gravel, med sand mix	X	
	42	43	sand, Gravel, clay mix	X	
	43	58	small Gravel, fine sand mix	X	
	58	62	Pea Gravel, med to coarse sand mix	X	

RECEIVED
FEB 02 1999
JUN 16 1998
Department of Water Resources
Eastern Region

Completed _____ Depth 62 Ft. (Measurable)
Date: Started 5-24-98 Completed 5-24-98

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Doschades-Foster, Inc. Firm No. 504
Firm Official [Signature] Date 6-15-98
and [Signature]
Driller or Operator _____ Date _____
MICROFILMED

(Sign once if Firm Official & Operator)
APR 14 1999

State of Idaho
Department of Reclamation

RECEIVED

OCT 13 1972

Department of Water Administration
Eastern District Office

[illegible]

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

NOV 1 1976
Department of Water Resources
Eastern District Office

1. WELL OWNER

Name Frank Hayes
Address Leadore, Idaho
Owner's Permit No. _____

7. WATER LEVEL

Static water level 3 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>30</u>	<u>to 23'</u>	

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 33 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>33</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 19 Material used in seal ☐ Cement grout
☐ Pudding clay ☒ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. MICRONCounty Lemhi

NE 1/4 NE 1/4 Sec 38 T 16 N R 26 E

10.

Work started 8-18-76 finished 8-21-76

11. DRILLERS CERTIFICATION

Firm Name Dahle Well Drilling Firm No. 21Address Box 652-Salmon, Idaho Date 8-21-76Signed by (Firm Official) Richard Dahleand
(Operator) Richard Dahle

RECEIVED

FEB 08 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED

AUG 12 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 74-073611. Owner: CITY OF LEADOREPhone No. (208) 768-2281 ^{2612 City}
_(Lila Noble)Current Address: P.O. BOX 157, LEADORE, IDAHO 83464-01572. Accompanied by: JAMES STROUDEXAM DATE: 2/14/96Address: SAME AS ABOVEPhone No. N/ARelationship to Permit Holder: CITY POLICE OFFICER3. Source: GROUNDWATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 74-071792. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	SW	28	16N	26E	LEMHI	U.S.G.S. TOPO MAP

2. Place(s) of Use:

Indicate Method of Determination ON SITE INSPECTION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16N	26E	28									4.5	0.5							5
											D								

MICROFILMED

APR 14 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears/Franklin	1	S 24200		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Static H₂O at 18' . Operating PSI = 35

ESTIMATED HEADDOWN TO 18'

MICROFILMED

APR 14 1991



FIELD EXAM NOTES

EXAM # 74-0736 1

James Stroud
768-2281

DATE OF EXAM 2/14/96

PERMITEE NAME CITY OF LEADORE - *James*

OTHER WATER RIGHTS SAME POD *Other Permit for Fresh Water.*

OTHER WATER RIGHTS SAME POU

well - No flow to that valve. X No Check Valve.

PUMP #1 HP *1* MAKE *Seam / Harder* SERIAL # *SC 24200*
COLOR AND DESCRIPTION *Pen - Red / Blue*
OUTPUT DIAMETER *1 1/4* SYSTEM PRESSURE *40* PSI WELL DEPTH *7*
STATIC H2O *18'* WELL DEPTH *60* DYNAMIC PUMP
PSI GAGE TYPE *NONE* CHECK VALVE [Y] *(N)* GATE VALVE [Y] *(N)*

PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____
OUTPUT DIAMETER _____ SYSTEM PRESSURE _____ PSI WELL DEPTH _____
STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

BOOSTER PUMP #1 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

BOOSTER PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

CIRCLE PIVOT [Y] [N] NUMBER OF TOWERS _____ PIVOT LENGTH _____
PRESSURE [H] [L]

HAND LINES *(Y)* [N] *2" Pipe dia* NUMBER OF LINES *1* LENGTH OF LINES *20'*
RAIN BIRDS PER LINE *(7) No birds used* NOZZEL DIAMETER *11/64*

SURFACE WATER TYPE OF MEASUREING DEVICE _____

AA METER PIGMY METER WEIR OR FLUME BUCKET/WATCH *1*

DOMESTIC - DRINKING -
Mr. - *3 Acres. of Park*
2 Acres of Rodeo Ground

USE BACK OF PAGE FOR SKETCH AND MEASUREMENTS OF SYSTEM

MICROFILMED

APR 14 1996



PERMIT
NUMBER
MICROFILM

APR 14 1999

74-07361



MICROFILMED PERMIT
NUMBER
APR 14 1969

74-07361

E. NARRATIVE/REMARKS/COMMENTS

well + pump to sprinkler lines on park + rodeo grounds.
Also drinking water.

Have conditions of permit approval been met? ☐ yes ☐ no

RECEIVED
APR 14 1999

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Theoretical;
$$\frac{1 \text{ hp} \times 8.814 \times .7 (\text{eff})}{18' (\text{static}) + (2.308 \times 35 \text{ ft})} = \frac{6.1698}{98.78} = 0.06 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \text{ acres} \times 3.5 \text{ af} = 17.5 \text{ af}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.04 \text{ cfs} \times 183 \text{ d} \times 1.9835 = 14.5$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14.5 \text{ af}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-15	0.04 cfs	
Domestic	1-1	12-31	0.02 cfs	
Totals:			0.04	

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Don Simpkins Date _____Reviewer H.W. Jones Date 2-2-1999

SEAL

MICROFILMED

APR 14 1999

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 74-01361 Reviewed by [Signature] Date 9-25-95

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

urb

Correct Uses? yes

SOURCE OF WATER

Surface water source
✓
Ground water source
no Drilling permit required?

Copy in the file? Drilling Permit No. _____

Amount paid for permit _____ Correct?

Well log in the file?

LICENSE EXAMINATION FEE

no Required?

Amount Submitted

Correct?

MEASURING DEVICE

no Required?

Installed?

Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	<u>X</u>	_____	
Date proof due	_____		_____	
No. of days late	_____		=	_____
Priority Date	_____		+	_____
New Priority Date	_____			_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 9-18-95

September 25, 1995

CITY OF LEADORE
PO BOX 157
LEADORE ID 834640157

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 74-07361

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED


NOV 15 1995

City of Leadore

RECEIVED

SEP 18 1995

Department of Water Resources



September 14, 1995

Water Rights Supervisor
State of Idaho
Department of Water Administration
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Dear Mr. Keen:

Enclosed is the Proof of Beneficial Use form, Permit No. 74-07361, which we have filled out to the best of our knowledge. The \$50.00 fee was paid, March 15, 1995 check no. 2492, for this application.

We were informed that we should send for a revised Lemhi River Adjudication Book. Would it be possible for you to send us one.

Thank you,

LaVinna Stroud, Mayor

NOV 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 6, 1995

CITY OF LEADORE
PO BOX 157
LEADORE ID 83464-0157

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 74-07361

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

SEP 15 1995

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 74-1361 Name: City of Leadore Date: 8/31/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: E020787 Priority: 3/16/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes S/C Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink in WD):
Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:
Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP:Non-land owner - 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

① woi/city park

9-1-1996

Dist. for staffing 3-17-95
Submitted for advertising 3-20-95

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HWT DATE 3-20-95 APPLICATION NO. 74-7361

City of Seabrook
REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

RECEIVED
AUG 21 1995
Department of Water Resources

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
 - ☐ Yes ☐ No Field check required
 - ☐ Yes ☐ No Field check by _____
 - ☐ Yes ☐ No Field report attached
 - ☐ Yes ☐ No Critical groundwater area
 - ☐ Yes ☐ No Groundwater management area
 - ☐ Yes ☐ No Send dam safety information
 - ☐ Yes ☐ No Send power requirement letter
 - ☐ Yes ☐ No Send fish farm requirement letter
 - ☐ Yes ☐ No Power residency affidavit
 - ☐ Yes ☐ No Power efficiency form
 - ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
 - ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

_____ Date Requested _____

PROCESSING

☒ Yes ☒ No In form for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO*NONE*

☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit

☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received
Final date for protest 4-24-95 7-3-95
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations, attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information

Date of priority recommended

3-14-95

By

HWT

Date

8-14-95**STATE OFFICE REVIEW**

See below for additional information

By

Date

ADDITIONAL INFORMATION

* P.O.U. overlap with 74-07179

LOCAL PUBLIC INTEREST

Comments received from

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other

Project impacts/implications report

COMMENTS

[illegible]

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

74-07361

LEADORE, CITY of
PO BOX 157

LEADORE, ID 834640157

Source: GROUNDWATER

Diversion Pt: NWNESW Sec 28 T

16N R 26E in LEMHI County.

Use: IRRIGATION (0.040 CFS)

DOMESTIC (0.020 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 3/14/1995

In: LEMHI County

T16N R26E S28 NESW NWSW

5.0 ACRES TOTAL

75-07623

LIPOVAC, PETER A

RT 3 BOX 282

BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: SWNE Sec 22 T 24N

R 19E in LEMHI County.

Use: IRRIGATION (0.060 CFS)

STOCKWATER (0.020 CFS)

DOMESTIC (0.050 CFS)

Total Diversion(0.100 CFS)

Date Filed: 3/14/1995

In: LEMHI County

T24N R19E S22 SWNE

4.5 ACRES TOTAL

75-07625

HANSEN, HARRY V

HC 10 BOX 1090

GIBBONSVILLE, ID 83463

Source: SPRING

Tributary: SINKS

Diversion Pt: SESW Sec 34 T 27N

R 21E in LEMHI County.

Use: RECREATION (7.38 AF)

FIRE PROTECTION (7.38 AF)

Total Diversion: (7.38 AF)

Date Filed: 5/23/1995

In: LEMHI County

T27N R21E S34 SESW

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and the Director, Dept. of Water Resources, along with a \$25.00 filing fee, Eastern Region, 900 N Skyline, Idaho Falls, Idaho 83402 on or before JULY 3 1995.

KARL J. DREHER, Director.

Published: 6/15/1995 & 6/22/1995

6-15-2tc

Affidavit of Publication

STATE OF IDAHO } ss.
County of Lemhi }

Ricky G. Hodges, being first duly sworn, deposes and says he is one of the publishers (printers) of The Recorder Herald, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein. That the Application for Water 74-07361

_____ a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for Two (2) consecutive issues, commencing with the issue dated June 15, 19 95 and ending with the issue dated June 22, 19 95.

STATE OF IDAHO } ss.
County of Lemhi }

On this 22nd day of June in this year of 19 95.

before me, A Notary Public, personally appeared Ricky G. Hodges, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

SEP 15 1995

Residing At Salmon, Idaho

Shirley K. Hodges
Notary Public for Idaho

My Commission expires: 09/21/95

Publication Fee \$ 66.96

Account No. 630

July 25, 1995

RECORDER HERALD
PO BOX 310
SALMON ID 83467

RE: Notice for Permit No: 74-07361 - City of Leadore

Dear Publisher:

Could you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on April 6 & 13, 1995, it was not. It was resubmitted and was to have been published on June 15 & 22, 1995.

If the application was never published, I need to know as soon as possible.

Your cooperation in this matter is greatly appreciated.

Very truly yours,


Rita Bodell
Secretary

RECEIVED
SEP 15 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JUNE 9, 1995

RECORDER-HERALD
P.O. BOX 310
SALMON, ID 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 3, 1995.

Yours truly,

Rita Bodell
Secretary

Encl.

Filed 6-9-95

MICROFILMED

SEP 15 1995

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECEIVED

SEP 15 1995

74-07361

LEADORE, CITY OF
PO BOX 157
LEADORE, ID 834640157

Source: GROUNDWATER

Diversion Pt: NWNESW Sec 28 T 16N R 26E in LEMHI County.

Use: IRRIGATION	(	0.040 CFS)
DOMESTIC	(	0.020 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 3/14/1995

In: LEMHI County
T16N R26E S28 NESW NWSW

5.0 ACRES TOTAL

MICROFILMED

SEP 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNORKARL J. DREHER
DIRECTOR

May 22, 1995

RECORDER HERALD
PO BOX 310
SALMON ID 83467RE: Application for Permit No. : 74-07361 in the name
of CITY OF LEADORE

Dear Publisher:

Could you please submit an affidavit of publication and
certified bill in connection with the above referenced
application. The legal notice was to have been
published in your paper on April 6 & 13, 1995.

If the application was never published, I need to know
as soon as possible.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

Rita Bodell
Rita Bodell
Secretary

*Not
Published*

MICROFILMED

SEP 15 1995

74-07361

LEADORE, CITY OF
PO BOX 157
LEADORE, ID 834640157

Source: GROUNDWATER

Diversion Pt: NWNESW Sec 28 T 16N R 26E in LEMHI County.

Use: IRRIGATION	(	0.040 CFS)
DOMESTIC	(	0.020 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 3/14/1995

In: LEMHI County
T16N R26E S28 NESW NWSW

5.0 ACRES TOTAL

SEP 15 1995

May 22, 1995

RECORDER HERALD
PO BOX 310
SALMON ID 83467

RE: Application for Permit No. : 74-07361 in the name
of CITY OF LEADORE

Dear Publisher:

Could you please submit an affidavit of publication and
certified bill in connection with the above referenced
application. The legal notice was to have been
published in your paper on April 6 & 13, 1995.

If the application was never published, I need to know
as soon as possible.

Your cooperation in this matter is greatly appreciated.

Very truly yours,


Rita Bodell
Secretary

RECEIVED

SEP 15 1995

March 28, 1995

CITY OF LEADORE
PO BOX 157
LEADORE ID 83464-0157

RE: Application for Permit No. 74-07361

Dear Madam Mayor:


The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Recorder Herald on April 6 & 13, 1995. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State Office Personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,


Harold W. Jones
Water Right Supervisor

HWJ/rb

MICROFILMED

SEP 15 1995