

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edwin W. Schlehuber
(Applicant)

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

74-07300

SCHLEHUBER TRUST, EDWIN
W.

SCHLEHUBER TRUST, DE-
LORES R.

P.O. BOX 20

LEMHI, IDAHO 83465

Source: SPRINGS

Tributary: SINKS

Diversion Pt: SWNE Sec 30 T
18N R 24E

Use: IRRIGATION (.200 CFS)

Total Diversion: (.200 CFS)

Date Filed: 5/8/1990

In: T18N R24E S20 SESE S29
NENE NWNE SWNE SWNW
SENE

13.5 ACRES TOTAL

74-07301

JENSON, WELLS KEVIN

P.O. BOX 51

TENDON, IDAHO 83468

Source: SPRING

Tributary: SINKS

Diversion Pt: SENENW SEC 7 T
19N R 24E

Use: DOMESTIC (.060 CFS)

Total Diversion: (.060 CFS)

Date Filed: 5/8/1990

In: T19N R24E S07 SWNE SENE
NWSE

74-07302

CONNAGHY, PATRICK D.

RT. 1, BOX 37

SALMON, IDAHO 83467

Source: SPRING

Tributary: SANDY CREEK

Diversion Pt: SESWNW Sec 10 T
20N R 24E

Use: STOCKWATER (.050 CFS)

Total Diversion: (.050 CFS)

Date Filed: 4/30/1990

In: T20N R24E S10 SWNW

75-07504

ST. CHARLES CATHOLIC
CHURCH

505 HOPE AVE.

SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: SESE Sec 6 T 21N
R 22E

Use: HEATING (.080 CFS)

DOMESTIC (.080 CFS)

Total Diversion: (.080 CFS)

Date Filed: 4/26/1990

In: T21N R22E S06 SESE

75-07524

BROWN, ALBERT W.

BROWN, DIANE E.

1207 PEMBROKE LANE

NEWPORT BEACH, CA 92660

Source: SPRING

Tributary: LAKE CREEK

Diversion Pt: SWNE Sec 2 T
19N R 21E

Use: IRRIGATION (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 5/2/1990

In: T19N R21E S02 SWNE SENE

6.0 ACRES TOTAL

75-07525

MIHALKA, MARIANNE L.

P.O. BOX 138

CARMEN, ID 83462

Source: SPRING

Tributary: CARMEN CREEK

Diversion Pt: SESWSE Sec 8 T
22N R 22E

Use: IRRIGATION (.060 CFS)

(.37 AF)

Total Diversion: (.060 CFS)

Date Filed: 5/11/1990

In: T22N R22E S08 SWSE

3.0 ACRES TOTAL

75-07527

BANTA, RUSSELL J.

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

JUL 2 1990

Department of Water Resources
Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights 74-07300 thru
74-07301, 74-07504, 75-07524, 75-07525, 75-07527, thru 75-07530
a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for 2 consecutive issues, commencing with the issue
dated July 19, 1990 and ending with the issue dated July 26,
1990.

STATE OF IDAHO

COUNTY OF LEMHI

ss.

On this twenty sixth day of July, 1990, in the year of 1990,

before me, A Notary Public, personally appeared
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Residing At Salmon, Idaho

Shirley K. Hodges
Notary Public for Idaho

My Commission expires: 9-21-95

Publication Fee \$ 178.20

MICROFILMED

CARMEN, ID 83462
Source: SPRING
Tributary: CARMEN CREEK
Diversion Pt: SESWSE Sec 8 T
22N R 22E
Use: IRRIGATION (.060 CFS)
(.37 AF)
Total Diversion: (.060 CFS)
Date Filed: 5/11/1990
In: T22N R22E S08 SWSE
3.0 ACRES TOTAL

75-07527

BANTA, RUSSELL L.
BOX 11 BANTA DRIVE
SALMON, ID 83467
Source: SALMON RIVER
Tributary: SNAKE RIVER
Diversion Pt: NESWSW Sec 32 T
22N R 22E
Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5/17/1990
In: T22N R22E S32 SWSW
10.0 ACRES TOTAL

75-07528

COOPER, ARVIN
COOPER, FRANCES
741 HWY 93 NORTH
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: NENE Sec 6 T 21N
R 22E
Use: COMMERCIAL (.040 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.100 CFS)
Date Filed: 4/26/1990
In: T21N R22E S06 NENE

75-07529

NEAL, JOHN A.
NEAL, JANICE G.
P.O. BOX 135
CARMEN, ID 83462
Source: SPRING
Tributary: CARMEN CREEK
Diversion Pt: SENWSW Sec 9 T
22N R 22E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/26/1990
In: T22N R22E S09 NWSW

75-07530

MCDANIEL, HELEN
MCDANIEL, RICHARD
P.O. BOX 13
ELLIS, ID 83235
Source: SALMON RIVER
Tributary: SNAKE RIVER
Diversion Pt: NWNWSE Sec 24 T
16N R 20E
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 6/14/1990
In: T16N R20E S24 SWNE
SENV
20.0 ACRES TOTAL


The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, East-
ern Region, 150 Shoup Avenue,
Suite 15, Idaho Falls, Idaho
83402 on or before AUGUST 26,
1990.

R. KEITH HIGGINSON,
Director

Published 7/19/1990 and
7/26/1990

7-19-2tc

HAYDEN CREEK QUADRANGLE
IDAHO-LEMHI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)



T18N, R24E

19 20
30 29

20 28
29 28

SPRING
HKT

2" PVC
MAIN

2" PVC
MAIN

HAY
STACK

POU

PLACE OF
USE


↑
N

74-07300

29 28

SECRET

74-07300



BAR 20 RANCH

IRRIGATION

1 of 5

Point of
DIVERSION
INSIDE
SHED.



VIEW INSIDE
SHED
SPRING
SOURCE
ENTERS
PIPELINE
AT THIS POINT.



MEASURED
10' 10" 1997

PERMIT
NUMBER

74-07300



MEASURED
10' 10" 1997

PERMIT
NUMBER

74-07300

BAR 20 RANCH

IRRIGATION

3 of 5

POW
LOWEST
HAY FIELD
PASTURE



POW
2nd. PASTURE
HAY FIELD
ABOVE
HAY STACK



NOT COPIED
DEC 10 1997

PERMIT
NUMBER

74-07300

BAK 20 RANCH

IRRIGATION

4 of 5

2nd PASTURE
ABOVE HAY
STACK

POU



OVERALL OF
PASTURES
BELOW HOUSE

POU



PERMIT
NUMBER

74-07300

DEC 10 1997

BAR 20 RANCH

IRRIGATION

5 of 5

DUPLICATE
POU



DUPLICATE
POU



RECORDED
JUN 19 1997

PERMIT
NUMBER

74-07300

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07300

Priority: May 8, 1990

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

47.3 AF

This is to certify, that BAR 20 RANCH GENERAL PARTNERSHIP
PO BOX 7

LEMHI ID 83465-0007

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 8, 1990; and has submitted Proof of Beneficial Use on August 17, 1992. An examination indicates that the works have a diversion capacity of 0.130 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.13 CFS	47.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 30, Township 18N, Range 24E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	24E	29	NWNE 1.5	SWNE 1	SWNW 3	
			SENE 6			11.5
		30	SENE 2			2

Total number of acres irrigated: 13.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for irrigation of the lands above.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07300

CONDITIONS OF APPROVAL AND REMARKS

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of OCTOBER, 1997.


Acting for KARL J. DREHER, Director

State of Idaho
Department of Water Resources

RECEIVED

SEP 23 1997

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 74-07300

Department of Water Resources

Date of Priority: May 8, 1990

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

47.3 AF

Comes now

BAR 20 RANCH GENERAL PARTNERSHIP

PO BOX ~~2~~ #7
LEMHI ID 83465

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 74-07300, and requests that the permit be changed as follows:

Source: **SPRING**

tributary to **SINKS**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.13 CFS	47.3 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE, Sec. 30, Township 18N, Range 24E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	24E	29	NWNE 1.5	SWNE 1	SWNW 3	
			SENE 6			11.5
		30	SENE 2			2

Total number of acres irrigated: 13.5

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Lemhi, Idaho, this 17 day of Sept., 1997.

Rachel Hollenbeck
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 74-07300

FOR DEPARTMENT USE ONLY

Preliminary check by SM Fee = 50.00 Received by LS # COUNCIL Date 9/23/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 74-07300 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness my hand this 22ND day of OCTOBER, 1997.


Acting for KARL J. DREHER, Director

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	74-07300	Edwin W & Dolores R Schlehuber Trust	0.20
Full Assignment	74-07300	Bar 20 Ranch General Partnership	0.20

FEB 05 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 4 1993

Department of Water Resources

ASSIGNMENT OF APPLICATION FOR PERMIT

I, Edwin W. and Dolores R. Schlehuber Trust, hereby assign to Bar 20 Ranch General Partnership, an Idaho General Partnership
of, P.O. Box 20, Lemhi, ID 83465
(Full Address)

All my right, title, and interest in and to Application for Permit No. _____ to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to Application for Application for Permit No. 74-07300 to appropriate the public waters of the State of Idaho.

Describe portion of the application assigned listing the number of acres in each 40 acre subdivision, point of diversion location, and the amount of water in cubic feet per second.

the entire application

Made this 1 19th day of DEC, 1992

x Edwin W. Schlehuber Dolores R. Schlehuber
Edwin W. Schlehuber Applicant Dolores R. Schlehuber, Trustees
Edwin W. and Dolores R. Schlehuber Trust

State of Idaho)
County of Lemhi) ss

On this 19th day of December, 92, personally appeared before me the signer of the above instrument, duly acknowledged to me that ~~he~~ (they) executed the same.

Susan E. Ziegler
Notary Public
Residing at Salmon, Idaho

seal

My commission expires: 9-4-93

FEB 05 1993

RECEIVED

AUG 17 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 74-07300 Telephone No. (208) 756-2959
2. Name(s) of Permit Holder(s): Edwin H. + Delores E. Schlehuber Trust
3. Mailing Address: 2430 Calle De Pescadores, Alpine, Ca 91901 or
8160 Center St., La Mesa, Ca 91942
4. Source of Water: Spring water + water from Hayden Creek

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic NA (No. of households) 8/18/92 Klg Stockwater NA 100 Cattle, 4 Horses (No. and type of stock)
Irrigation 13.5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Edwin Schlehuber (619) 445-5148
Name Telephone No.

2430 Calle De Pescadores, Alpine, Ca 91901
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/12/92 Edwin W Schlehuber
Date Signature (and title, if on behalf of a company or organization)

SEP 17 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 74-07300

Proposed Priority: May 8, 1990 Maximum Diversion Rate: 0.20 CFS

This is to certify, that EDWIN W. SCHLEHUBER TRUST
DELORES R. SCHLEHUBER TRUST
P.O. BOX 20
LEMHI, ID 83465

has applied for a permit to appropriate water from:

SPRINGS

tributary of SINKS

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	0.20 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWNE Sec. 30, Township 18N, Range 24E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	24E	20	SESE 3			3
		29	NENE 2	NWNE 4	SWNE 0.5	10.5
			SWNW 1	SENW 3		

Total number of acres irrigated: 13.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.20 cfs.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of September, 1990

MicroFILMED

SEP 27 1990

for *[Signature]*
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Edwin W. and Delores R. Schlehuber Trust Phone 756-3634

Post office address P.O. Box 20 Lemhi ID 83465

2. Source of water supply Spring which is a tributary of Sinks

3. Location of point of diversion is SW 1/4 of NE 1/4 of NE 1/4, Govt. Lot _____

Sec. 30 Township 18N Range 24E B.M. Lemhi County; additional

points of diversion if any: * Change as per tele-con 5-7-90 with applicant HWT

4. Water will be used for the following purposes:

* 0.20
Amount 0.20 for IRRIGATION purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) * 0.20 ~~0.20~~ ~~0.00~~ and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. spring box holding tank
pipeline, sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

SEP 27 1990

~~SEP 27 1990~~

applicant to make this filing.

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion? Public Trust

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 27 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edwin W. Schlehuber
(Applicant)

Received by QW Date 5-8-90 Time 10:15A Preliminary check by DND
Fee \$ 30.00 Receipted by HWT # E014279 Date 5-8-90
Publication prepared by RB Date 2-19-26-90 Published in Recorder-Herald
Publication approved QW Date 8-01-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before.

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

SEP 21 1990

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

74-07300

SCHLEHUBER TRUST, EDWIN
W.
SCHLEHUBER TRUST, DE-
LORES R.
P.O. BOX 20
LEMHI, IDAHO 83465
Source: SPRINGS
Tributary: SINKS
Diversion Pt: SWNENE Sec 30 T
18N R 24E
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5/8/1990
In: T18N R24E S20 SESE S29
NENE NWNE SWNE SWNW
SENE
13.5 ACRES TOTAL

74-07301

JENSON, WELLS KEVIN
P.O. BOX 51
TENDON, IDAHO 83468
Source: SPRING
Tributary: SINKS
Diversion Pt: SENENW SEC 7 T
19N R 24E
Use: DOMESTIC (.060 CFS)
Total Diversion: (.060 CFS)
Date Filed: 5/8/1990
In: T19N R24E S07 SWNE SENE
NWSE

74-07302

CONNAGHY, PATRICK D.
RT. 1, BOX 37
SALMON, IDAHO 83467
Source: SPRING
Tributary: SANDY CREEK
Diversion Pt: SESWNW Sec 10 T
20N R 24E
Use: STOCKWATER (.050 CFS)
Total Diversion: (.050 CFS)
Date Filed: 4/30/1990
In: T20N R24E S10 SWNW

75-07504

ST. CHARLES CATHOLIC
CHURCH
505 HOPE AVE.
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: SESE Sec 6 T 21N
R 22E
Use: HEATING (.080 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.080 CFS)
Date Filed: 4/26/1990
In: T21N R22E S06 SESE

75-07524

BROWN, ALBERT W.
BROWN, DIANE E.
1207 PEMBROKE LANE
NEWPORT BEACH, CA 92660
Source: SPRING
Tributary: LAKE CREEK
Diversion Pt: SWNENE Sec 2 T
19N R 21E
Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)
Date Filed: 5/2/1990

In: T19N R21E S02 SWNE SENE
6.0 ACRES TOTAL

75-07525

MIHALKA, MARIANNE L.
P.O. BOX 138
CARMEN, ID 83462
Source: SPRING
Tributary: CARMEN CREEK
Diversion Pt: SESWSE Sec 8 T
22N R 22E
Use: IRRIGATION (.060 CFS)
(.37 AF)
Total Diversion: (.060 CFS)
Date Filed: 5/11/1990
In: T22N R22E S08 SWSE
3.0 ACRES TOTAL

75-07527

BANTA, RUSSELL L.
BOX 11 BANTA DRIVE
SALMON, ID 83467
Source: SALMON RIVER
Tributary: SNAKE RIVER
Diversion Pt: NESWSW Sec 32 T
22N R 22E
Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5/17/1990
In: T22N R22E S32 SWSW
10.0 ACRES TOTAL

75-07528

COOPER, ARVIN
COOPER, FRANCES
741 HWY 93 NORTH
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: NENE Sec 6 T 21N
R 22E
Use: COMMERCIAL (.040 CFS)
DOMESTIC (.060 CFS)

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

JUL 21 1990

Department of Water Resources
Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights 74-07300 thru
74-07301, 74-07302, 74-07504, 75-07524, 75-07525, 75-07527 thru 75-07530
a true

printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for 2 consecutive issues, commencing with the issue
dated July 19, 1990 and ending with the issue dated July 26,
1990.

STATE OF IDAHO

COUNTY OF LEMHI

ss.

MICROFILMED

On this twenty sixth day of July, 1990, before me, A Notary Public, personally appeared
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Sharon K. Hodges
Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 9-21-95

Publication Fee \$ 178.20

R 22E
Use: HEATING (.080 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.080 CFS)
Date Filed: 4/26/1990
In: T21N R22E S06 SESE

75-07524

BROWN, ALBERT W.
BROWN, DIANE E.
1207 PEMBROKE LANE
NEWPORT BEACH, CA 92660

Source: SPRING

Tributary: LAKE CREEK

Diversion Pt: SWNENE Sec 2 T
19N R 21E

Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)
Date Filed: 5/2/1990

In: T19N R21E S02 SWNE SENE
6.0 ACRES TOTAL

75-07525

MIHALKA, MARIANNE L.
P.O. BOX 138

CARMEN, ID 83462

Source: SPRING

Tributary: CARMEN CREEK

Diversion Pt: SESWSE Sec 8 T
22N R 22E

Use: IRRIGATION (.060 CFS)
(.37 AF)

Total Diversion: (.060 CFS)

Date Filed: 5/11/1990

In: T22N R22E S08 SWSE
3.0 ACRES TOTAL

75-07527

BANTA, RUSSELL L.
BOX 11 BANTA DRIVE
SALMON, ID 83467

Source: SALMON RIVER

Tributary: SNAKE RIVER

Diversion Pt: NESWSW Sec 32 T
22N R 22E

Use: IRRIGATION (.200 CFS)

STOCKWATER (.020 CFS)

Total Diversion: (.200 CFS)

Date Filed: 5/17/1990

In: T22N R22E S32 SWSW
10.0 ACRES TOTAL

75-07528

COOPER, ARVIN
COOPER, FRANCES
741 HWY 93 NORTH
SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NENE Sec 6 T 21N
R 22E

Use: COMMERCIAL (.040 CFS)
DOMESTIC (.060 CFS)

Total Diversion: (.100 CFS)

Date Filed: 4/26/1990

In: T21N R22E S06 NENE

75-07529

NEAL, JOHN A.
NEAL, JANICE G.
P.O. BOX 135
CARMEN, ID 83462

Source: SPRING

Tributary: CARMEN CREEK

Diversion Pt: SENWSW Sec 9 T
22N R 22E

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 4/26/1990

In: T22N R22E S09 NWSW

75-07530

MCDANIEL, HELEN
MCDANIEL, RICHARD

P.O. BOX 13

ELLIS, ID 83235

Source: SALMON RIVER

Tributary: SNAKE RIVER

Diversion Pt: NWNWSE Sec 24 T
16N R 20E

Use: IRRIGATION (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 6/14/1990

In: T16N R20E S24 SWNE
SENW

20.0 ACRES TOTAL

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, East-
ern Region, 150 Shoup Avenue,
Suite 15, Idaho Falls, Idaho
83402 on or before AUGUST 26,
1990.

R. KEITH HIGGINSON

Director

Published 7/19/1990 and
7/26/1990

7-19-2tc



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 23, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BAR 20 RANCH GENERAL PARTNERSHIP
PO BOX 7
LEMHI ID 83465-0007

RE: WATER RIGHT NO. 74-07300

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

DEC 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


RECORDED
DEC 10 1937

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 74-07300

BAR 20 RANCH GENERAL PARTNERSHIP
PO BOX 7
LEMHI ID 83465-0007


Kari Lynn Townsend
Secretary

MICROFILMED
DEC 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 26, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CECIL HOLLENBECK

PO BOX 7

LEMHI ID 83465

RE: Water Right No. 74-07300

Dear Mr. Hollenbeck:

Thank you for responding so quickly to my request for an amendment for water right no. 74-07300. I received the amendment form two days ago. I am writing today to address a couple of the issues we discussed when you called on September 17.

First, as I suggested, you have requested that your license be issued with some consideration for irrigation outside the standard 4/15 to 10/15 irrigation season for your area. After exploring the issue further, I can provide you the following information.

Under Idaho law, water cannot be diverted, even under a valid water right, unless it can be applied to a beneficial use. The standard irrigation season developed by IDWR describes a time of year during which the diversion and application of water to crop or pasture land will generally be considered a beneficial use of water. The standard irrigation seasons are based on the dates when there is a 75% chance of a 24° frost.

The dates defining standard irrigation season are averages, and from year to year there might be times when unusually warm weather results in crop growth earlier or later than the standard season. During these unusually warm periods, irrigation to foster crop growth could be considered beneficial use of water, and I believe that IDWR would have no problem with irrigation during those warm periods. In addition, early and late diversion of water for the purposes of applying agricultural chemicals (chemigation) would probably be viewed as a beneficial use of water. However, early application of water to warm the soil is generally not considered beneficial use because other factors, such as air temperature, also affect plant germination and growth. Similarly, late application of water to fill the soil profile has not generally been viewed as beneficial use of water because filling the soil profile in the late fall would most likely just inhibit the soil's ability to absorb melting snow and precipitation in the spring, resulting in increased spring runoff.

MICROFILMED

DEC 10 1997

Cecil Hollenbeck
September 26, 1997
Page 2


With these considerations in mind, I intend to forward your permit for licensing with the standard irrigation season. I will, however, hold your file for one week in case you wish to discuss this matter further.

Second, you told me that during the winter months you divert the flow of the spring into a storage facility rather than allowing it to flow in its natural channel toward Hayden Creek. I have searched our records but have not found a water right for storing water diverted from the spring. As a rule of thumb, if it takes more than 24 hours to fill a storage facility, a water right is needed. I am not sure exactly how large your reservoir is, but I suspect the spring flow is not able to fill it in 24 hours. If I am correct, your diversion and storage of water should be covered by a water right filing.

Obtaining a new water right is complicated by the fact that there is currently a moratorium on processing applications for new consumptive uses of surface water in the Salmon River drainage. Your reservoir would be considered consumptive because it exposes water to evaporation. I recall, however, that you told me that diversion of the spring flow to the reservoir has occurred for a number of years. If you can show that it was occurring prior to November of 1987, we could process an application. I have enclosed an application form and instructions for you.

If you have any questions, please contact me at 208-327-7946.

Respectfully,



Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED
DEC 10 1997

17-97

To Dept. of Water Resources,

There are times that
we would start using the
water before 4-15 - depending
on the weather or other
circumstance & we have
watered longer than
10-15 putting water in
the ground for a freeze
and have it thaw in the
spring.

Thank You,
Cecil Holbeck

P.O. Box 7

Lemhi Id.

Box 20 Ranch

General Partnership

RECEIVED

SEP 23 1997

MICROFILMED

DEC 10 1997

Department of Water Resources

MEMORANDUM

DATE: September 18, 1997

TO: Water Right File 74-07300

FROM: Shelley W. Keen *SWK*

RE: Phone call from Cecil Hollenbeck

(208) 756-2959

Yesterday afternoon Cecil Hollenbeck of Bar 20 Ranch General Partnership called to discuss a number of items related to my request for a licensing amendment for permit 74-07300.

Mr. Hollenbeck indicated that the new address is P. O. Box 7 in Lemhi. I asked him to make the correction on the licensing amendment when he returns it.

Mr. Hollenbeck wanted to know why the domestic and stockwater uses were not included on this appropriation. I told him that the domestic and stockwater uses are apparently covered by decreed right 74-00967.

Mr. Hollenbeck is concerned that the recommended irrigation season is too short. He said that he has used water prior to April 15 and after October 15 in the past. I suggested to him that he send with his amendment an explanation and a request that we review the recommended season of use. I know that Jeff Peppersack has been working on a new computer model to assist in season of use recommendations in the SRBA. Perhaps that model can be used for this right.

Mr. Hollenbeck also indicated that for many years the water from the spring, which he says is tributary to Hayden Creek, is diverted to and stored in a small reservoir during the winter. He wanted to know if the storage use is covered by a water right. I told Mr. Hollenbeck that I would have to review the water right files and get back to him with an answer.

MICROFILMED

DEC 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 11, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BAR 20 RANCH GENERAL PARTNERSHIP
PO BOX 20
LEMHI ID 83465

RE: WATER RIGHT NO. 74-07300.


Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

DEC 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

August 20, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BAR 20 RANCH GENERAL PARTNERSHIP
PO BOX 20
LEMHI ID 83465

RE: WATER RIGHT NO. 74-07300

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

NON-FILED

DEC 10 1997

MEMORANDUM

TO: File 74-07300

FROM: Sharla Curtis

DATE: August 8, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 74-07300 are based on the following:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

T18N, R24E, S30 - SWNE

H. RECOMMENDATIONS

Irrigation	4/15 - 10/15	0.13 cfs	47.3 afa
------------	--------------	----------	----------

The location of the spring shown on the aerial photo matches the description listed on the application. The license will show the p/d as permitted.

Volume is rounded to one place past the decimal, thus 47.25 becomes 47.3 af.

Examiner: Don Simpkins
Exam Date: June 12, 1996

MICROFILMED

DEC 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 74-07300

DATE 8-8-97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>No</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>✓</u>	<u>—</u>	Amendment required <u>yes</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.20</u> cfs
Fee limit	<u>.20</u> cfs \$50 ⁰⁰
Measured	<u>.13</u> cfs
Theoretical	<u>.13</u> cfs

Recommended Total Div Rate .13 cfs

ANNUAL VOLUME/ NATURE OF USES

<u>✓</u>	Use <u>ir.</u>	cfs <u>.13</u>	Volume Calc <u>14 X 3.5 =</u>	af
			<u>13 1/2</u>	af
				af
				af
	SUBTOTAL		<u>49.0</u>	af
			<u>47.3</u>	

Flow rate .13 cfs X 184 days X 1.98 = (47.4) af
 Total volume recommended 47.4 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

1300 GW Measurement/Measuring Device
Overlap


— Use-specific conditions
 Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
 Adjustment Memo rounded acres
volume ↑
pld

1st Amend Letter P38
 2nd Amend Letter P42

TOTAL

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable. *SEE PHOTOS + NARRATIVE*



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>N/A</i>					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>PRESSURE GAUGE</i>		<i>U.S.G.</i>			<i>0-60</i>	

2. Measurements: *TAKEN AT HAINBIRD HEADS.*

MICROFILMED

DEC 10 1997

E. NARRATIVE/REMARKS/COMMENTS

WATER IS PICKED UP BY A 2" PVC PIPE AT ^{THE} SPRING HOUSE BUILDING AND IS TRANSPORTED DOWN GRADIENT ABOUT ONE (1) MILE, TO VARIOUS POINTS OF USE INDICATED BY VALVES APPROXIMATELY 200' APART. SYSTEM IS FOR IRRIGATION OF PASTURE AND AG. LAND.

AT THE TIME OF INSPECTION THERE WERE (9) 9/64 ORifice SPRINKLER BIRDS IN OPERATION WITH AN AVERAGE PRESSURE OF 35 PSI ON THE SYSTEM. OWNER TOLD ME HE COULD RUN AT LEAST 15 ON SYSTEM WHEN NEEDED.

(15 BIRDS) AT 9/64 ORifice AT 35 PSI = $3.56 \text{ GPM} \times 15 = 52.56 \text{ GPM} / 448.8 = 0.1169 \text{ CFS}$.

NO OTHER WATER RIGHTS COME FROM THIS SPRING AND NO OTHER WATER IS USED ON THIS LAND PER THE OWNER.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
DEC 10 1977

F. FLOW CALCULATIONS

✓ Additional Computation Sheets Attached

Measured Method:

HAZEN/WILLIAMS CLOSED PIPE FLOW - $Q = 0.127 \text{ CFS}$ * PIPE CAPACITY
 MAX. GPM OF SPRINKLERS (VARIABLE) - $Q = 0.1169 \text{ CFS}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 13.5 \text{ AC} \times 3.5 = 47.25 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.13 \text{ CFS} \times 83 \times 1.9835 = 47.18 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 47.2 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/15	10/15	0.13	47.2
Totals:			0.13 CFS	47.2 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name SIMPKINS Date 1/10/97

Reviewer _____ Date _____

SEAL

MICROFILMED

DEC 10 1997

Hazen-Williams Equation for Closed Pipe Flow

Assumptions: Head Loss due to bends, couplings, & valves is negligible

$$Q_{cfs} = 1.318 C_h (\pi D^2/4) \times (D/4)^{0.63} \times (H/L)^{0.54}$$

Q = Discharge (cfs)

D = Pipe Diameter (ft) = 0.1666 ft

L = Pipe Length (ft) = 4,125 ft

H = Elevation Drop (ft) = 280 ft

C_h = Values for Types of Pipe = 140

- | | | | |
|-----|----------------------------------|-----|---------------------------|
| 150 | -Plastic (PVC) > 6" | 110 | -Riveted Steel |
| 140 | -Very Smooth, PVC < 6" | 100 | -Old Cast Iron |
| 130 | -Cast Iron | 80 | -Badly Corroded Cast Iron |
| 120 | -Wood, Concrete,
Welded Steel | | |


$$Q_{cfs} = 1.318 \left(\frac{C_h}{184.52} \right) \left[\pi \left(\frac{D}{0.1666} \right)^2 / 4 \right] \times \left(\frac{D}{0.1666} / 4 \right)^{0.63} \times \left(\frac{H}{280} / \frac{L}{4,125} \right)^{0.54}$$

$$Q_{cfs} = \underline{0.127} \text{ cfs}$$

RECORDED
 DEC 10 1977

Permit # 74-07300

T18N, R24E



T18N, R24E

19 20
30 29

20 21
29 28

SPR 106
HRT

2" PVC
MAIN

2" PVC
MAIN

HAY
STACK

POU

PLACE OF
USE

A
N


74-07300

29 28

FILED
18 1997

1

74-07300



BAR 20 RANCH

IRRIGATION

10/5

Point of
DIVERSION
INSIDE
SHED.



VIEW INSIDE
SHED
SPRING
SOURCE
ENTERS
PIPELINE
AT THIS POINT.



APPROVED
FOR THE
BUREAU

PERMIT
NUMBER

74-07300


BAR 20 RANCH

IRRIGATION

2 of 5

UPPER
IRRIGATED
PASTURE.

FOU



MIDDLE
PASTURE
ABOVE HOUSE

FOU



PERMIT
NUMBER

74-07300

10 1997

BAR 20 KAOCH

IRRIGATION

3/5

POK
LOWEST
HAY FIELD
PASTURE



6 12 '96

POK
2nd. PASTURE
HAY FIELD
ABOVE
HAY STACK



6 12 '96

NO. REFILED
DEC 10 1997

PERMIT
NUMBER

74-07300


BAR 20 RANCH

IRRIGATION

45/5

2nd PASTURE
ABOVE HAY
STACK

POU



OVERALL OF
PASTURES
BELOW HOUSE

POU



6 12 '86

DEC 10 1937

PERMIT
NUMBER


74-07300

BAL 20 RANCH


IRRIGATION

5/5

DUPLICATE
POL



DUPLICATE
POL



6 12 '96

MICROFILMED
JUL 10 1997

PERMIT
NUMBER

74-07300



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 11, 1993

BAR 20 RANCH GENERAL PARTNERSHIP
PO BOX 20
LEMHI ID 83456-0020

Re: Permit No. 74-07300

Dear Permit Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Miller".

BRENDA L. MILLER
Water Resource Agent

BLM:cz

RECEIVED
FEB 05 1993

JORDAN P. SMITH
ATTORNEY AT LAW
807 MAIN STREET
SALMON, IDAHO 83467
208-756-2257
TELEFAX (208) 756-4626

RECEIVED
JAN 4 1993
Department of Water Resources

December 28, 1992

Department of Water Resources
1301 N. Orchard St.
Boise, ID 83702-2237

Enclosed please find original ASSIGNMENT OF APPLICATION FOR PERMIT whereby Edwin W. and Dolores R. Schlehuber Trust assigns Permit No. 74-07300 to the Bar 20 Ranch General Partnership for filing.

Thank you for your assistance.

Sincerely,


Jordan P. Smith
JPS:sez

Enclosure

cc: Edwin W. Schlehuber

RECEIVED
FEB 05 1993

August 21, 1992

WANDA HOLLENBECK
CECIL HOLLENBECK
EDWIN W. SCHLEHUBER TRUST
DELORES R. SCHLEHUBER TRUST
2430 CALLE DE PESEADOREO
ALPINE CA 91901

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 74-07300

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
SEP 17 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 74-07300

Reviewed by Klg

Date 8/18/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate -13.5
yes Correct Uses?

SOURCE OF WATER

☒ Surface water source
☐ Ground water source

NA Drilling permit required?
NA Copy in the file? Drilling Permit No. _____
NA Amount paid for permit _____ Correct?
NA Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
NA Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 2430 Calle De Reseadores
Alpine, CA 91901 + other

Proof Made 8/17/92
8/21/92 Klg

July 31, 1992

EDWIN W. SCHLEHUBER TRUST
DELORES R. SCHLEHUBER TRUST
P.O. BOX 20
LEMHI ID 83465

PROOF DUE NOTICE

RE: PERMIT NO. 74-07300

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

SEP 17 1992



S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 24, 1990

EDWIN W. SCHLEHUBER TRUST
DELORES R. SCHLEHUBER TRUST
P.O. BOX 20
LEMHI, ID 83465

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 74-07300

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MANUFACTURED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Deanna M. Quinn DATE 25 June 1990 APPLICATION NUMBER 74-7300
Schleuber Trust

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No * In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
SEP 07 1990
Department of Water Resources

PROCESSING ☒ Yes ☐ No Inform for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 8-6-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

Date of priority recommended 5-08-90 See below for additional information
By HWS Date 8-31-90

STATE OFFICE REVIEW

P17 26 28 (irrig. 0.20 cfs)
By KW See below for additional information
Date 9-19-90

ADDITIONAL INFORMATION

OK to allow 2 yrs. to develop

11-Jul-1990

EDWIN W. AND DELORES R. SCHLEHUBER, TRUST
P.O. BOX 20
LEMHI, ID 83465

RE: Application for Permit No. 74-07300

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Recorder-Herald on JULY 19 & 26, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

SEP 27 1990

74-07300

SCHLEHUBER TRUST, EDWIN W.
SCHLEHUBER TRUST, DELORES R.
P.O. BOX 20
LEMHI, ID 83465

Source: SPRINGS

Tributary: SINKS

Diversion Pt: SWNE NE Sec 30 T 18N R 24E

Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 5/ 8/ 1990

In: T18N R24E S20	SESE			
S29	NENE	NWNE	SWNE	SWNW
	SENE			

13.5 ACRES TOTAL

MICROFILMED

SEP 24 1990

FROM H.W. JONES-IDWR

TO Edwin Schlhuber

SUBJECT Filings Fee

DATE 5-8

RECEIVED

MAY - 8 1990

Department of Water Resources
Eastern District Office

Attached is your application for permit & money order for \$30.
The fee for any amount up to 0.20 cfs is \$30. From 0.21 cfs
to 1.00 cfs is \$45. You either need to send \$45 in with your
apphc. or reduce the amount to 0.20 cfs.

MICROFILMED

SEP 27 1990

H.W. Jones

SIGNATURE

Mr. H W Jones

SEP 24 1950
I will reduce the amount
to 0.20 SS. You may contact
me by calling 756 2959
or writing to me at Lumbi
Box 20 Lumbi IO 83465
Edwin W. Schickel