


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 21 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C. R. Wilson

(Applicant)

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

74-07284

WILSON, C.R.
RT.1, BOX 25A
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: LOT 2 (NWNE) Sec
3 T 20N R 23E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.080 CFS)
Date Filed: 5/4/1990
In: T20N R23E SO3 NWNE
74-07285

GATTUNG, BILL
RT. 1, BOX 243-A
SALMON, ID 83467
Source: SPRINGS
Tributary: WILLIAM CREEK
Diversion Pt: LOT 2 (SESWNW)
Sec 7 T 20N R 22E, LOT 9
(NWSNW) Sec 7 T 20N R 22E,
LOT 3 (NWNWSW) Sec 7 T 20N
R 22E
Use: IRRIGATION (.570 CFS)
Total Diversion: (.570 CFS)
Date Filed: 3/21/1990
In: T20N R21E S12 SENE NESE
28.5 ACRES TOTAL
74-07286

CITY OF SALMON
200 MAIN STREET
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: NENWSW Sec 9
T 21N R 22E
Use: COMMERCIAL (.110 CFS)
Total Diversion: (.110 CFS)
Date Filed: 4/18/1990
In: T21N R22E SO9 NWSW
75-07507

RAMSHEAD LODGE
C/O B.D. RINEHART
BOX 55
SHOUP, ID 83469
Source: GROUNDWATER
Diversion Pt: SENW Sec 21 T
23N R 17E
Use: COMMERCIAL (.160 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.200 CFS)
Date Filed: 4/24/1990
In: T23N R17E S21 SENW

The permit(s) will be subject to

all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, East-
ern Region, 150 Shoup Avenue,
Suite 15, Idaho Falls, Idaho
83402 on or before JUNE 25,
1990.

R. KEITH HIGGINSON,
Director
Published 6/7/1990 and
6/14/1990

6-7-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

JUN 15 1990

Department of Water Resources
Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights 74-07284
thru 74-07286, 75-07507

....., a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for 2..... consecutive issues, commencing with the issue
dated June 7, 1990, and ending with the issue dated June 14,
1990.

STATE OF IDAHO

COUNTY OF LEMHI

ss.

MICROFILMED

SEP 21 1990

On this fourteenth day of June in the year of 1990
before me, A Notary Public, personally appeared
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.


Residing At Salmon, Idaho

Notary Public for Idaho

Publication Fee \$ 79.92

My Commission expires: 9-21-95

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Unknown	3/4			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: PER APPLICANT, PSI ~ 50

MICROFILMED

DEC 10 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07284

Priority: May 4, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that C R WILSON
RT 1 BOX 25A
SALMON ID 83467

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 4, 1990; and has submitted Proof of Beneficial Use on July 5, 1991. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF


LOCATION OF POINT(S) OF DIVERSION: Lot 2(NWNE), Sec. 3, Township 20N, Range 23E
LEMHI County

PLACE OF USE: DOMESTIC
TWN RGE SEC
20N 23E 3 Lot 2(NWNE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of NOVEMBER, 1997.


Acting for **KARL J. DREHER, Director**
DEC 10 1997

RECEIVED
JUL 05 1991
Not recorded
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 14-07284 Telephone No. (208) 756-4516
2. Name(s) of Permit Holder(s): C.R. Wilson
3. Post Office Address: RT1 Box 25A Salmon Id 83467
4. Source of Water: ground
- a. If ground water, well driller's name: Dahle Well Drilling Date drilled: 1974
- b. Pump horsepower: 3/4 Pressure (psi): 50 Dynamic pumping level (ft.): _____
5. Extent of Use: 1 house Four gal. Per. min.
- Domestic only (No. of households) _____ Irrigation _____ (No. of acres) _____
- Stockwater _____ (No. and type of stock) _____ Other _____

6. Total rate and/or volume for which proof is submitted _____ cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 30 1991

7-3-1991
Date

C.R. Wilson
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 74-07284

Proposed Priority: May 4, 1990 Maximum Diversion Rate: 0.08 CFS
This is to certify, that C.R. WILSON

RT. 1 BOX 25A
SALMON, ID 83467

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 2(NWNE), Sec. 3, Township 20N, Range 23E
LEMHI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

20N 23E 3 NWNE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Stockwater use is for 1 horse; domestic use is for two homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of August, 1990

[Signature]
for R. Keith Higginson, Director

MICROFILMED

SEP 21 1990

22

75-7284

Form 202
6/85

Ident. No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant C.R. Wilson Phone 756-4516

Post office address Route 1 Box 25A Salmon Idaho 83467

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt. Lot 2

Sec. 03 Township 20N Range 23E B.M. Lambi County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for Domestic purposes from 1 Jan to 31 Dec (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Stockwater purposes from 1 Jan to 31 Dec (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .08 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump to a distribution system for 2 households

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

Exists
c. ~~Proposed~~ well diameter is 6" inches; Exists ~~proposed~~ depth of well is 80' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

2 years (minimum 1 year).

MICROFILMED

SEP 21 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 1 Horse
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 2
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>20N</u>	<u>23E</u>	<u>3</u>	<u>D/S</u>																
			<u>6.22</u>																

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE


11. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: The well was drilled in 1974. There have been 2 homes on the well since october of 1974.

MICROFILMED

SEP 21 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 21 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

E. R. Wilson

(Applicant)

Received by DUD Date 5/4/90 Time 1522 hrs Preliminary check by PM
Fee \$ 30⁰⁰ Receipted by DUD # EC14194 Date 5/4/90
Publication prepared by RB Date 6-7-90 Published in Recorder-Herald
Publication approved RB Date 6-26-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

SEP 21 1990

Affidavit of Publication

RECEIVED

STATE OF IDAHO

County of Lemhi

ss.

JUN 15 1990

Department of Water Resources
Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights 74-07284 thru 74-07286, 75-07507

a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for 2 consecutive issues, commencing with the issue dated June 7, 1990 and ending with the issue dated June 14, 1990

MICROFILMED

STATE OF IDAHO

COUNTY OF LEMHI

ss.

SEP 21 1990

On this fourteenth day of June in the year of 1990 before me, A Notary Public, personally appeared known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 9-21-95

Publication Fee \$ 79.92

NOTICE OF APPLICATION
74-07284
WILSON, R. L.
RT. 1, BOX 245-A
SALMON, ID 83407
Source: GROUNDWATER
Discharge Pt. LOT 2 (S. 20N 30E Sec 3 T 20N R 22E)
Use: DOMESTIC (100 CFS)
Total Discharge: (100 CFS)
Date Filed: 5/15/1990
In: 20N 30E S03 NWNE
74-07285
GATLING, BILL
RT. 1, BOX 245-A
SALMON, ID 83407
Source: SPRINGS
Discharge Pt. WILLIAM CREEK
Discharge Pt. LOT 2 (S. 20N 30E Sec 3 T 20N R 22E)
Sec 7 T 20N R 22E LOT 9
(NW 1/4) Sec 7 T 20N R 22E
LOT 1 (S. 20N 30E Sec 7 T 20N R 22E)
Use: IRRIGATION (170 CFS)
Total Discharge: (170 CFS)
Date Filed: 5/15/1990
In: 20N 30E S03 NWNE
74-07286
CITY OF SALMON
200 MAIN STREET
SALMON, ID 83407
Source: GROUNDWATER
Discharge Pt. NE 1/4 Sec 9
T 20N R 22E
Use: COMMERCIAL (110 CFS)
Total Discharge: (110 CFS)
Date Filed: 6/15/1990
In: 20N 30E S03 NWNE
75-07507
BANKHEAD LONGER
C/O E. E. BANKHEAD
BOX 11
SALMON, ID 83407
Source: GROUNDWATER
Discharge Pt. SE 1/4 Sec 21 T
23N R 17E
Use: COMMERCIAL (160 CFS)
Domestic (100 CFS)
Total Discharge: (260 CFS)
Date Filed: 6/14/1990
In: 23N 17E S21 NWNE
The property will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 159 Ship Avenue, Suite 15, Idaho Falls, Idaho 83401 on or before JUNE 25, 1990.

R. KEITH MCGONIGAN,

Director

Published 6/15/1990 and
6/16/1990

6-7-2tc



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 28, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

C R WILSON
RT 1 BOX 25A
SALMON ID 83467

RE: WATER RIGHT NO. 74-07284

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of November, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 74-07284

C R WILSON
RT 1 BOX 25A
SALMON ID 83467


Kari Lynn Townsend
Secretary

LICENSE REVIEW CHECKLIST

PERMIT NO. 74-07284

DATE 11/26/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	✓	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no NO MAP ATTACHED

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.08</u> cfs
Fee limit	<u>.04</u> cfs NO FEE
Measured	<u>—</u> cfs
Theoretical	<u>.03</u> cfs $\frac{3}{4}$ hp, 50 psi, 50' lift
Recommended Total Div Rate <u>.04</u> cfs	

ANNUAL VOLUME/ NATURE OF USES

✓	Use	cfs	Volume Calc	
	<u>Stock</u>	<u>.01</u>	<u>1</u>	af none indicated
	<u>Dom.</u>	<u>.04</u>	<u>1.2</u>	af on blu form
				af either
				af
	SUBTOTAL	<u>.04</u>	<u>1.2</u>	af OK to include

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af
 Total volume recommended — af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I home.

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
 Adjustment Memo —

1st Amend Letter NA
 2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 23 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 74-07284

1. Owner: C.R. WILSON Phone No. (208) 756-4516

Current Address: Rt 1, Box 25A, Salmon ID 83467

2. Accompanied by: — EXAM DATE: 9-9-92

Address: — Phone No. —

Relationship to Permit Holder: —

3. Source: SPRING WATER tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: —

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		NW	NE	3	20N	23E	LEMMING	USGS

2. Place(s) of Use:


Indicate Method of Determination USGS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
20N	23E	3		D															
				L2															

APPROVED

000 10 15 17

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 1 mile

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Unknown	3/4			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: PER APPLICANT, PSI ~ 50

DEC 10 1997

E. NARRATIVE/REMARKS/COMMENTS

WELL, PUMP AND PIPELINES TO SINGLE HOME.

SEWAGE FACILITIES EVIDENT, BUT CAN BE HANDLED
EASILY UNDER SMALL DOMESTIC USE

NOTE SECOND HOME APPEARS TO BE LOCKED UP, BUT
APPLICANT ONLY SUBMITTED PROOF ON HIS OWN HOME,
REDUCING PERMIT TO SINGLE FAMILY DOMESTIC

Have conditions of permit approval been met? ☐ yes ☐ no

APPROVED
DEC 10 1991

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

IDWR STD FOR SINGLE FAMILY DOMESTIC IS 0.04 CFS**G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:**IDWR STD FOR SINGLE HOME WITH LAWN IS 1.2 AFA**H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1-1</u>	<u>12-31</u>	<u>0.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.04</u>	<u>1.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name [Signature] Date 9-15-97

Reviewer _____ Date _____

SEAL

 RECEIVED
 DEC 10 1997

July 12, 1991

C.R. WILSON
RT. 1 BOX 25A
SALMON, ID 83467

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 74-07284

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
DEC 30 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 74-7284

Date 7-11-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
1974 NA Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- NO Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	☒	-
No. of days late	☒	=
Priority date	☒	+
NEW PRIORITY DATE	☒	=

138842
June 30, 1991

C.R. WILSON
RT. 1 BOX 25A
SALMON, ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 74-07284

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

DEC 30 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 13, 1990

C.R. WILSON
RT. 1 BOX 25A
SALMON, ID 83467

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 74-07284

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the

MICROFILMED

SEP 21 1990

permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 21 1990

✓ 5-8-90

Submitted for advertising _____

ord No. 202a
/37

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY C.R. Wilson
REQUIRED INFORMATION

DATE 5-14-90 APPLICATION NUMBER 74-7284 ^{PM}

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

_____ Date Requested _____

RECEIVED
JUL 12 1990
Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☐ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 6-25-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 74-
☐ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 5-4-90
By HWS Date 7-6-90

STATE OFFICE REVIEW P05, P23 P17 46 26

See below for additional information
By KW Date 8-1-90

ADDITIONAL INFORMATION

Allow 1 yr. to complete development

23-May-1990

C.R. Wilson
Rt. 1, Box 25A
Salmon, ID 83467

RE: Application for Permit No. 74-7284

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Recorder-Herald on June 7 & 14, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

SEP 21 1990

74-07284

WILSON, C.R.
RT. 1, BOX 25A
SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: LOT 2 (NWNE) Sec 3 T 20N R 23E

Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.080 CFS)

Date Filed: 5/ 4/ 1990

In: T20N R23E S03 NWNE

MICROFILMED

SEP 21 1990