


74-7281

T
20
R23E

(318-4 1)
(SALMON SE)



T 21 N
T 20 N

Baker

BAKER
4356

4340

4349T

4997

Creek

4394AT 4

4380

4381

4563T

T20N R23E

4996

4476AT

4414T

5'

4600

4406T

POINT OF DIVERSION
PLACE OF USE

Creek

↑
N

4420AT

4420

4995

9

10

4642T

199

4600

4668T

4994

5021T

Wilmington

4581

4452T

74-07281

4808T

4585T

16

15

5017T

4600

4615AT

4647T

5261T

Creek

5120T

MICROFILMED
ANG 2 N 1957

T21N
T20N

R23E
T
20
N

T. 21 N.
T. 20 N.

(318.4 I)
(SALMON SE)

POINT OF DIVERSION
AND
PLACE OF USE

Baker

BM 4358

4940

MICROFILMED
AUG 20 1997

74-07281

5248

Cheney Creek

Creek

T20N, R23E

POINT OF DIVERSION
PLACE OF USE




MICROFILMED
AUG 20 1997

74-07281

Township N^o 20 North. Range N^o 23 East. Bor

74-07281
 264 760



74-07281

CLYDE SMITH

IRRIGATION

10/2

PLACE OF
USE

IRRIGATION



PLACE OF
USE -

IRRIGATION

MICROFILM PERMIT
NUMBER
AUG 20 1937

74-07281

CLYDE SMITH

IRRIGATION

2 of 2

PLACE OF
USE

IRRIGATION



POINT OF
DIVERSION

SUMP/WELL
BELOW LID

PUMP IN
FOREGROUND

MICROFILMED
AUG 20 1997

PERMIT
NUMBER

74-07281

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07281

Priority: May 3, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

7.0 AF

This is to certify, that JENNIFER SMITH
CLYDE C SMITH

PO BOX 244

SALMON ID 83467

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 3, 1990; and has submitted Proof of Beneficial Use on January 24, 1992. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	7.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 9, Township 20N, Range 23E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
20N	23E	9	NWNE	2		2

Total number of acres irrigated: 2

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07281

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of JUNE, 1972.


Acting for KARL J. DREHER, Director

Form 217
RECEIVED
JAN 24 1992

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 7.00
Date 1-29-92
Receipt No. CO23031
Received by WLB

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 74-07281 Telephone No. (208) 756-2357

2. Name(s) of Permit Holder(s): Jennifer Smith Clyde C. Smith

3. Post Office Address: Box 244 Salmon, Id 83467

4. Source of Water: Groundwater /

a. If ground water, well driller's name: Harber Drilling Date drilled: 11/4/88

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic X NA (No. of households)

Irrigation 3 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .09 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Rick Sager 756-2825
Name Telephone No.

RT 1 Box 52A Salmon Id 83467
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Jan 11, 1991
Date

Rick Sager Water Master Dist 7
Signature (and title if on behalf of a company or organization)

RECEIVED
MAR 09 1992


Adjaction permit

+

The extent of use was ~~related~~
purpose reversed

- irrigation

- domestic



SECTION 10-1000000

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 74-07281

Proposed Priority: May 3, 1990 Maximum Diversion Rate: 0.09 CFS

This is to certify, that JENNIFER SMITH
CLYDE C. SMITH
P.O. BOX 244
SALMON, ID 83467

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE Sec. 9, Township 20N, Range 23E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
20N	23E	9	NWNE	3		3


Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

12th day of February, 1991.

for 
R. Keith Higginson, Director

RECEIVED

MAR 21 1991

Ident. No. 74-07281

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CLYDE C. SMITH 208-756-2357
Address: P.O. BOX 244
SALMON, ID 83467
OR
Name: JENNIFER SMITH 208-756-2357
Address: P.O. BOX 244
SALMON, ID 83467

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWNE Sec. 9, Township 20N, Range 23E
LEMHI County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	0.090		

5. Total quantity to be appropriated is:
0.090 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
INFILTRATION CHAMBER/WELL TO IRRIGATION SYSTEM
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 24 inches; proposed depth of well is 50
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION OF YARD AND GARDEN

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
20N	23E	9	NWNE 3			3
Total number of acres irrigated						3

RECEIVED

MAR 21 1991

10. Describe any other water rights used for the same purposes.
75-00645

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
NA

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Jennifer Smith
Applicant

Received by B.A.S. Date 5/3/90 Time 11:35 Preliminary check by B.A.S. Kew 10-17-90
Fee \$ 30⁰⁰ Receipted by B.A.S. # 11006884 Date 5/3/90
Publication prepared by RB Date 11-15-92 Published in Recorder-Herald
Publication approved aw Date 11-28-90


RECORDED


MAR 21 1991

74-7281

T
20
R23E

(318-4 I)
(SALMON SE)





Corrected Kcw
10-17-90

Ident. No. 74-07281

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name: CLYDE C. SMITH 208-756-2357
Address: P.O. BOX 244
SALMON, ID 83467

OR
Name: JENNIFER SMITH 208-756-2357
Address: P.O. BOX 244
SALMON, ID 83467

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: * SEWNNE Sec. 9, Township 20N, Range 23E
LEMHI County

4. Water will be used for the following purposes:

Purpose	*	From	To	CFS	(or)	AF
IRRIGATION	*	03/15	11/15	0.090		

5. Total quantity appropriated is:
0.090 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

* INFILTRATION CHAMBER/WELL

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 24 inches; proposed depth of well is 50 feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION OF YARD AND GARDEN

9. Place of Use: IRRIGATION

TWN RGE SEC
20N 23E 9

NWNE

Total number of acres irrigated: 0

* Changes made as per telecon w/ Mr Smith 10-17-90 / Kcw

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

73-07117

U.S. DEPT. OF AGRICULTURE
FOREST SERVICE

TARGHEE NATIONAL FOREST

P.O. BOX 208

ST. ANTHONY, ID 83445

Source: SPRING

Tributary: SINKS

Diversion Pt: SWNWNE Sec 28 T

11N R 28E

Use: STOCKWATER (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 5/23/1990

In: T11N R28E S28 NENE

74-07281

SMITH, JENNIFER

P.O. BOX 244

SALMON, ID 83467

SMITH, CLYDE C.

P.O. BOX 244

SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NWNE Sec 9 T 20N R

23E

Use: IRRIGATION (.090 CFS)

Total Diversion: (.090 CFS)

Date Filed: 5/3/1990

In: T20N R23E S09 NWNE

3.0 ACRES TOTAL

74-07312

POWERS, JACK

RT. 1

LEADORE, ID 83464

POWERS, ELIZABETH M.

RT. 1

LEADORE, ID 83464

Source: MOLLIES GULCH

Tributary: SINKS

Diversion Pt: SWNW Sec 1 T 16N R

25E

Use: IRRIGATION (1.660 CFS)

Total Diversion: (1.660 CFS)

Date Filed: 6/11/1990

In: T16N R25E S02 SENE NESE

NWSE SWSE

83.0 ACRES TOTAL

74-07313

POWERS, JACK

RT. 1

LEADORE, ID 83464

POWERS, ELIZABETH M.

RT. 1

LEADORE, ID 83464

Source: CRUIKSHANK CREEK

Tributary: CANYON CREEK

Diversion Pt: SWSE Sec 34 T 17N R

27E

Use: IRRIGATION (2.300 CFS)

Total Diversion: (2.300 CFS)

Date Filed: 6/11/1990

In: T17N R27E S33 NESW SESE

NWSE SWSE SESE S34 SWSW

SESW

116.0 ACRES TOTAL

74-07315

LOGAN, RALPH

RT. 1 BOX 67A

SALMON, ID 83467

LOGAN, MILDRED

RT. 1 BOX 67A

SALMON, ID 83467

Source: LEMHI RIVER

Tributary: SALMON RIVER

Diversion Pt: SWNE Sec 10 T 20N

R 23E

Use: IRRIGATION (.060 CFS)

Total Diversion: (.060 CFS)

Date Filed: 4/30/1990

In: T20N R23E S03 NWSW

2.0 ACRES TOTAL

74-07315

BURCH, JAMES L.

RT. 1 BOX 10 A-2

SALMON, ID 83467

Source: SPRINGS

Tributary: LEMHI RIVER

Diversion Pt: SWNWSW Sec 11 T

21N R 22E SENWSW Sec 11 T 21N

R 22E

Use: IRRIGATION (.150 CFS)

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

NOV 21 1990

Department of Water Resources

Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Rights 73-07117,
74-07281, 74-07312 thru 74-07316, 75-07552 thru 75-07556

printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for 2 consecutive issues, commencing with the issue
dated Nov. 15, 1990 and ending with the issue dated Nov. 22,
1990

STATE OF IDAHO

COUNTY OF LEMHI

On this twenty second day of November in the year of 1990,
before me, A Notary Public, personally appeared
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Sheila K. Hodges

Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: 9-21-95

Publication Fee \$ 247.32

MAR 31 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

June 10, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JENNIFER SMITH
CLYDE C SMITH
PO BOX 244
SALMON ID 83467

RE: WATER RIGHT NO. 74-07281

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 6/-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 10th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 74-07281

JENNIFER SMITH
CLYDE C SMITH
PO BOX 244
SALMON ID 83467


Kari Lynn Townsend
Secretary

LICENSE REVIEW CHECKLIST

PERMIT NO. 74-07281

DATE 6/4/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.09</u> cfs
Fee limit	<u>.20</u> cfs \$ <u>50⁰⁰</u>
Measured	<u>.02</u> cfs
Theoretical	<u>.04</u> cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

<u>Div.</u>	Volume Calculation
<u>2 X 3.5 = 7.0</u>	<u>af</u>
<u>—</u>	<u>af</u>
<u>—</u>	<u>af</u>
<u>—</u>	<u>af</u>
SUBTOTAL	<u>7.0</u> af

Flow rate .04 cfs X 183 days X 1.98 ~~af~~ = 14.5 af
 Total volume recommended 7.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

✓ GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter N/A
 2nd Amend Letter —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 23 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 74-07281

1. Owner: JENNIFER SMITH, CLYDE C. SMITH Phone No. (209) 757-2357

Current Address: P.O. Box 244, SALMON, IDAHO 83467

2. Accompanied by: OWNER (CLYDE) EXAM DATE: 3/14/96

Address: N/A Phone No. N/A

Relationship to Permit Holder: SELF

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NW	NE	9	20N	23E	LEMHI	U.S.G.S. 7070 MAP / ^{DATA} AERIAL PHOTOS

2. Place(s) of Use:

Indicate Method of Determination


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
20N	23E	9		2														2	
																		2	

TOTAL

FILED

MAY 20 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE PHOTO + NARRATIVE*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>PORTABLE PUMP</i>	<i>CENTURY</i>	<i>1/2</i>	<i>(BLUE)</i>	<i>PORTABLE</i>	<i>1"</i>

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>PRESSURE GAGE</i>		<i>U.S.G.</i>			<i>1-100</i>	<i>30/40 PSI</i>

2. Measurements: *STATIC AT 2', PUMP 1' HIGHER. = 3' LIFT, WELL DEPTH 18'.*

MICROFILM

AL 20 1957

E. NARRATIVE/REMARKS/COMMENTS

PORTABLE PUMP LIFTS WATER FROM SUMP TO
VARIOUS WATERING HOSES WHICH DISTRIBUTE WATER TO
VARIOUS SPRINKLER HEADS ON 2 ACRES (OUT OF 3 ACRES
LISTED ON PERMIT) THAT ARE IRRIGATABLE.

CURRENT SYSTEM USES 2 LINES WITH 2 MAIN BIRDS
HAVING 5/32 ORIFICES AT 30 TO 40 PSI.^(VARIES)

2 BIRDS WITH 5/32 AT 35 PSI (AVERAGE = $8.62 \text{ GPM} / 448.8 = 0.02 \text{ CFS}$).

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 20 1987

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$Q = \text{THEORETICAL} = 0.04 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3.5 = 7 \text{ AFA.}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 = 0.04 \text{ CFS} \times 183 \times 1.9835 = 14.5 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/15	10/15	0.04	7.0
Totals:			0.04 CFS	7.0 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPSON Date 1/15/97

Reviewer _____ Date _____

SEAL

RECORDED

AUG 20 1997

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{.5}$$

$$Eff = \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%)$$

$$\text{Lift: (Static Level + Assumed Draw down)}$$

$$\text{Static Water Level} = \underline{2} \text{ ft.}$$

$$\text{Assumed Draw down} = + \underline{1} \text{ ft. LIFT ABOVE GROUND}$$

$$\text{Lift} = \underline{3}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{30} \text{ psi}$$

$$Q_{cfs} = \left[\frac{.5}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{3}{Lift} + \left(\frac{30}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{3.0849} \right] \div \left[\underline{72.24} \right]$$

$$Q_{cfs} = \underline{0.042} \text{ cfs}$$

PERMIT NO. 74-07281

T 21 N
T 20 N

Baker

BAKER
4356

T20N R23E

POINT OF DIVERSION
PLACE OF USE


74-07281

74-07281

T21N
T20N

R23E
T
20
N

T. 21 N.
T. 20 N.



3 4
8 9

T20N, R23E

POINT OF DIVISION
PLACE OF USE



8


16

9 10
16 15

74-1200

Township N^o 20 North. Range N^o 23 East. B^o 1

264 750



CLYDE SMITH

IRRIGATION

1 of 2

PLACE OF
USE

IRRIGATION



PLACE OF
USE -

IRRIGATION



PERMIT
NUMBER

74-07281

CLYDE SMITH

IRRIGATION

252

PLACE OF
USE

IRRIGATION

POINT OF
DIVERSION

SUMP/WELL
BELOW LID

PUMP IN
FOREGROUND

PERMIT
NUMBER

74-07281



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 18, 1992

Jennifer and Clyde Smith
Box 244
Salmon, ID 83467

PROOF ACKNOWLEDGEMENT LETTER

Re: Permit No. 74-07281

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The department will accept the proof as is it were filed for irrigation use as shown on permit 74-07281. The department checked the information on adjudication claim no. A74-00645 and determined that the use decreed in connection with that right was domestic with a 1946 priority. It appears that water for the domestic use has been obtained from the hand dug well since about 1946. After the second well was drilled, it appears you changed your domestic use to the drilled well and then used the hand dug well for irrigation.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Regional Office

MAR 06 1992

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 74-07281

Reviewed by Klg

Date 1/27/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irrigation - 3 acres
domestic - 2
Correct Uses? no

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 74-88-2-014
no Amount paid for permit no Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
✓ Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

adj. claim covers domestic
need well drilling info

proof acceptable

DATA ENTRY

New Address

Proof Made 1/24/92
2/18/92

RECEIVED

SEP 14 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Clyde C. Smith
2. Address Box 244, Salmon, Idaho 83467
Telephone 756-2357

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location _____ 1/4 _____ 1/4, or Gov't lot No. _____,
Sec. 9, Twp. 20N, Rge. 23E, County Lemhi,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)
☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____

5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter _____ Maximum depth _____
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

6. Anticipated construction start date 10-1-88

7. Well Driller (if known) Harbor Drilling Company
Address Post Office Box 17
Carmen Idaho 83409 430

8. Applicant's signature Clyde C. Smith
Title _____

Date 10-11-88

RECEIVED

MAR 06 1992

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

() Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 15th day of September, 1988.

MICROFILMED

Signed

Joh E. Beal

Title

SECTION MANAGER

MAR 06 1992

GROUNDWATER PROTECTION

Received by CP Fee \$10.00 Date 9/14/88

Receipt No. 0002574 Construction start extension to _____

Extension approved by _____

MEMORANDUM

To: Karen
From: Glen *WJ*
RE: PROOF FOR 74-7281 - SMITH
Date: February 14, 1992

I suggest we accept the proof as if it were filed for irrigation use authorized by the permit. We should also show irrigation on the proof and line out the domestic.

In the transmittal letter, I suggest including language something like the following in addition to the usual language which you show.

The department will accept the proof as if it were filed for irrigation use as shown on permit 74-7281. The department checked the information on adjudication claim no. A74-00645 and determined that the use decreed in connection with that right was domestic with a 1946 priority. It appears that water for the domestic use has been obtained from the hand dug well since about 1946. After the second well was drilled it appears you changed your domestic use to the drilled well and then used the hand dug well for irrigation.

As a practical matter, it really doesn't matter which well is used for domestic and which is used for irrigation since both wells are in the same 40 acre tract and use the same source of water which is ground water. Most people associate each well with one water right. In reality, one water right may have several wells associated with it or one well may be the source of ground water for more than one water right.

MICROFILMED

MAR 06 1992

RECEIVED
FEB 13 1992

Department of Water Resources

February 10, 1992

Karen L. Gustafson
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

RE: Permit No.s A74-00645 and 74-07281


Dear Karen:

Regarding our phone conversation earlier today, I am writing to request that the extent of use on our permits be reversed. When the paperwork was done on 5/3/90 the purpose/extent of use was reversed. A74-00645 should be listed as irrigation and 74-07281 should be listed as domestic. Here is a copy of the Well driller's report.

I hope this is everything you need if you have any questions please feel free to call anytime.

Sincerely,

Jennifer Smith
Box 244
Salmon, Idaho 83467
(208) 756-2357



Enclosed: Proof of Beneficial Use form, Well Drillers Report

RECEIVED

MAR 06 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 27, 1992

Clyde and Jennifer Smith
P.O. Box 244
Salmon, ID 83467

RE: Permit No. 74-07281

Dear Permit Holder:

Returned is your Proof of Beneficial Use Form. Before we can complete processing, additional information is required.

A drilling permit is required for all wells drilled, deepened or enlarged after July 1, 1987 (Section 42-235, Idaho Code). You have indicated neither the well driller or the date drilled. If your well was drilled after July 1, 1987, please submit a copy of the drilling permit. The well log should have been submitted by the driller within 30 days of the completion of the well. If you have a copy of the well log, that would be helpful also.

I have also noted that this permit was issued for irrigation purposes only, and have amended the permit to read as such. You do have an adjudication claim that covers your domestic use. Since the completed proof of beneficial use is due on February 1, 1992, it is imperative that you return the completed document to me within 15 days of the date of this mailing. At that time, I will continue to process your proof of beneficial use. Please address all correspondence directly to me.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

MAR 06 1992

-b-

138320

November 30, 1991

JENNIFER SMITH
CLYDE C. SMITH
P.O. BOX 244
SALMON ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 74-07281

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

NOV 30 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 12, 1991

JENNIFER SMITH
CLYDE C. SMITH
P.O. BOX 244
SALMON, ID 83467

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 74-07281

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

MAR 21 1991

APPLICATION FOR PERMIT REVIEW

Application #: 74-7281
Date: 2-4-91

Reviewer: Pam Skaggs ²⁸

✓ Existing:

✓ No - 26A-P17
✓ Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

✓ Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
✓ LT. 0.7 cfs - N/A

✓ Drilling Permit:

Approved w/permit - P99
✓ Not included - 046-P23(All GW, even existing wells)

✓ Location:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
✓ Swan Falls Flag - _____ (1 or Blank)
Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....
Boise (63) - 11D-P72
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - Use Power Review
Mining - 06A, 006, 09E-P10, 010, 054(req.)
Storage - 18A-P for multiple measuring devices(In
W.D.), 18B-P09(Size)
Rec. & Aesthetic - 027(Non-Consumptive)
Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 02-01-1992

Other Conditions Recommended _____

RECEIVED

MAR 21 1991

5-8-90

Submitted for advertising 10-18-90Form No. 202a
/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

Hd

INITIAL REVIEW BY KCW DATE 5/25/90 APPLICATION NUMBER 74-7281
Clyde C. or Jennifer Smith

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No * In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) 75-00645 GW - Domestic use
- ☒ Overlapping point of diversion 75-00645 G.W. - Domestic Use.
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
DEC 07 1990

Department of Water Resources

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from:

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other _____

Project impacts/implications report

COMMENTS

12-Nov-1990 14:31

CLYDE C OR JENNIFER SMITH
PO BOX 244
SALMON ID 83467

RE: Application No. 74-7281

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Recorder-Herald on NOVEMBER 15 & 22, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED
MAR 21 1991

74-07281

SMITH, JENNIFER
P.O. BOX 244
SALMON, ID 83467

SMITH, CLYDE C.
P.O. BOX 244
SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NWNE Sec 9 T 20N R 23E

Use: IRRIGATION (.090 CFS)
 Total Diversion: (.090 CFS)

Date Filed: 5/ 3/ 1990

In: T20N R23E S09 NWNE

3.0 ACRES TOTAL