




Lemhi

Creek

Timber

Big

Canyon

Creek

Leadore

P.D.
4 P.U.

R 26 E
R 24 E

74-07273

RECEIVED

MAR 14 1890

Mc Rea Cem

Landing Strip

6071AT

Eighteenmile

Texas

Old Railroad Grade

6057T Well

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

74-07273

CHURCH OF JESUS CHRIST OF
LATTER DAY SAINTS
REAL ESTATE DIVISION
12th FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NWNE Sec 33 T 16N
R 26E

Use: IRRIGATION (.090 CFS)
HEATING (.180 CFS)
COOLING (.180 CFS)
Date Filed: 9/19/1989
In: T16N R26E S33 NWNE
3.0 ACRES TOTAL

75-07495

SMITH, AUBREY E.
SMITH, MARSHA A.
49 SALMON RIVER RD.
SHOUP, ID 83469
Source: MAIN SALMON RIVER
Tributary: SNAKE RIVER
Diversion Pt: SWNW Sec 21 T
23N R 17E

Use: IRRIGATION (.100 CFS)
Date Filed: 8/03/1989
In: T23N R17E S20 SENE S21
SWNW

3.3 ACRES TOTAL
75-07496

MCDONALD, M. L.
MCDONALD, ILLA
HC 61, BOX 17
SALMON, ID 83467
Source: UNNAMED CREEK
Tributary: SINKS
Diversion Pt: LOT 2 (SWNWNE)
Sec 1 T 19N R 21E
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
Date Filed: 9/18/1989
In: T19N R21E S01 Lot 2 (NWNE)
3.0 ACRES TOTAL

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Eastern Region,
150 Shoup Avenue, Suite 15,
Idaho Falls, Idaho 83402 on or
before DECEMBER 26, 1989.

R. KEITH HIGGINSON,
Director

Published 12/07/1989 & 12/
14/1989.

12-7-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

Department of Water Resources
Eastern District Office

RICKY G. HODGES

being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the **Notice of Application for Water Rights 74-07273,**
75-07495, 75-07496

, a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for **2** consecutive issues, commencing with the issue
dated **Dec. 7**, 19 **89** and ending with the issue dated **Dec. 14**,
19 **89**.

STATE OF IDAHO

COUNTY OF LEMHI

)
) ss.
)

On this **fourteenth** day of **December** in the year of 19 **89**,
before me, A Notary Public, personally appeared
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Residing At Salmon, Idaho


Sheila K. Hodges
Notary Public for Idaho

My Commission expires: **9-21-95**

Publication Fee \$ **68.04**

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

HEATING COOLING SYSTEM TOO COMPLICATED TO DRAW - SEE PHOTOS



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
6"	FRANKLIN	1	2801084915	1BS 41810-52	1"
8"	FRANKLIN	5			4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE TROL	N/A	U.S. GAGE		0-100	42 PSI	

2. Measurements: NO MEASUREMENTS - ALL INTERIOR PIPING INSULATED;
EXTERIOR IRRIGATION PIPING PORTABLE, OR BURIED.

MICROFILMED

AUG 20 1997



T16N, R26E

**74-07273
HEAT-COOL**

**74-01118
DOM.**

**74-07273
IRR**

74-07273

AUG 20 1997

8" Well X 24" H X

Well
18' static

6" Well

Parking

House

Church

8" Well
PP

Pop up
sprinkler

1/2 acre all around

Parking

99,225 sq ft
Approx.

133 yds.

109 yds.

②

74-07273

MICROFILMED

AUG 20 1997

74-7273

Bishop Kurt Bird
768-2425

7 total 0.18 cfs.

3 acres

8" Runer Throat
Heat Pipe.

Pump Type = Franklin

HP = 5 HP Pump depth

Pressure = 42 PSI

Surcharge = 4"

Static = 18'

7 birds x 1/64

* All Piping
Insulated

Thermometer
46

4" Ball Valve.

UP

1 1/2" Slope

5.69 GPM x 7
39.83 GPM / 448.8
0.088 cfs.
0.09 cfs

Pressure 7 ft.
NS 6 1/2" 100 PSI
42 PSI

3" Ball Valve

4 ft. up

MICROFILMED
AUG 20 1997

529-9983
Maintenance

Don Resenmay
Church PM Group
1-800-641-6901
Heat Pipe says
1 large well

6" Well

Franklin
Jacuzzi Pumps

280 1084915

1 HP

Model 1BS41810-52
925-8716

74-02273

LDS CHURCH

IRRIGATION / HEATING / COOLING

1515



VIEW OF
LDS CHURCH
1/2 ACRE OF
IRRIGATED
GROUND
AROUND BLDG
74-01118 UNDER
DOMESTIC,
ALL ELSE
THIS PERMIT.



VIEW OF
WELL
LOCATIONS.

NOT FILMED
AUG 20 1997

PERMIT
NUMBER

74-07273

LDS CHURCH

IRRIGATION

275



VIEW LEFT
TO RIGHT
OF 3 ACRES
OF IRRIGATED
GROUND.



SAME AS
ABOVE

MICROFILMED
AUG 20 1997

PERMIT
NUMBER

74-07273

LDS CHURCH

WELLS

315



VIEW OF
8" WELL
USED FOR
IRRIGATION
HEATING/COOLING



VIEW OF
OLDER 6"
WELL
74-01118
DOMESTIC

MICROFILMED
AUG 20 1997

PERMIT
NUMBER

74-07273


LDS CHURCH

HEATING + COOLING

4/5



VIEW OF
HEATING
+ COOLING
SYSTEM +
PRESSURE
TANKS



HEATING
+ COOLING
SYSTEM

PERMIT
MICROFILMED NUMBER

AUG 20 1997

74-07273

LDS CHURCH
HEATING + COOLING

655



PRESSURE
TANKS +
HEATING +
COOLING
SYSTEM



HEATING +
COOLING
SYSTEM

MICROFILMED

AUG 20 1997

PERMIT
NUMBER

74-07273

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

Received 7-11-74

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name L. D. S. Church
Address Leadore, Idaho
Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 97 feet
Casing schedule Steel ☐ Concrete
Thickness 3.50 inches Diameter 6 inches From 1 feet To 16.5 feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
inches inches feet feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
perforations feet feet
perforations feet feet
perforations feet feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 19 Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Well cuttings

Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____

County LEMHI

N4 1/4 NE 1/4 Sec 33 T. 16 N. R. 26 E.

7. WATER LEVEL

Static water level 30 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☒ Arter ☐ Other
Discharge G.P.M. 30 Draw Down to 37 Hours Pumped _____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
4	1	16.5	Coarse gravel		
4	16.5	36	Gravel		
4	36	97	Coarse gravel		

MICROFILMED

SEP 21 1990

10.

Work started 6-8-74 Finished 6-11-74

11. DRILLER'S CERTIFICATION

Firm Name Daniel H. Drilling Firm No. 21
Address 66162 Salmon Date 6-30-74
Signed by (Firm Official) Richard Pohle
(and)
(Operator) _____

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07273

Priority: October 3, 1989

Maximum Diversion Rate:

0.18 CFS

Maximum Diversion Volume:

17.1 AF

This is to certify, that CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 3, 1989; and has submitted Proof of Beneficial Use on May 25, 1990. An examination indicates that the works have a diversion capacity of 0.180 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.09 CFS	10.5 AF
HEATING	01/01 to 12/31	0.18 CFS	6.6 AF
COOLING	01/01 to 12/31	0.18 CFS	6.6 AF
	Totals	0.18 CFS	17.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 33, Township 16N, Range 26E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16N	26E	33	NWNE	3		3

Total number of acres irrigated: 3

PLACE OF USE:

HEATING, same as IRRIGATION use

PLACE OF USE:

COOLING, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 74-07273

CONDITIONS OF APPROVAL AND REMARKS

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit.
6. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
8. Place of use also known as Leadore Ward.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of JUNE, 1977.

Acting for


KARL J. DREHER, Director

Form 21
03/86

RECEIVED
MAY 25 1990

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 50.00
Date 5-25-90
Receipt # 0016999
Receipt by [Signature]
Reviewed by [Signature]
Sent to region [Signature]

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P74-07273

Name(s) of Permit Holder: Church of Jesus Christ of Latter-Day Saints

Post Office Address: Real Estate Division, 12th Floor, 50 E N Temple, Salt Lake City, UT 84150

Telephone No. 801-240-4074

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)
Irrigation 3 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.18 cfs _____ acre-foot

Show the date water was first diverted and beneficially used under this permit: 1987

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Lynn Dahle
(Name)

208-756-2481
(Telephone Number)

522 South River Street, Salmon, Idaho 83467
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Corporation of the Presiding Bishop of the Church of
Jesus Christ of Latter-day Saints, a Utah Corporation sole

MICROFILMED

SEP 21 1990

5-21-90

Date

[Signature]
Signature of Permit Holder (and title, if appropriate)

AUTHORIZED AGENT

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 74-07273

Proposed Priority: October 3, 1989

Maximum Diversion Rate:

0.18 CFS

This is to certify, that **CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS**
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.09 CFS
HEATING	01/01 to 12/31	0.18 CFS
COOLING	01/01 to 12/31	0.18 CFS
	Totals	0.18 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNE Sec. 33, Township 16N, Range 26E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16N	26E	33	NWNE	3		3

Total number of acres irrigated: 3

PLACE OF USE: HEATING, same as IRRIGATION use

PLACE OF USE: COOLING, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1991.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
5. Place of use also known as Leadore Ward.

RECORDED

MAR 14 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 74-07273

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of January, 19 90.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 14 1990

RECEIVED

OCT 5 1989

RECEIVED

OCT 02 1989

Ident. No. 74-07273

Department of Water Resources
Eastern District Office

Department of Water Resources
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CHURCH OF JESUS CHRIST LATTER DAY SAINTS 801-240-2929
Address: REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: NWNE Sec. 33, Township 16N, Range 26E
LEMI County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	0.090		
HEATING	01/01	12/31	0.180		
COOLING	01/01	12/31	0.180		

5. Total quantity to be appropriated is:
0.180 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, 8" CASING, 50' DEEP, 5 HP SUBMERSIBLE PUMP, DRILLED IN 1988
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 8 inches; proposed depth of well is 50
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

LAWN IRRIGATION AND WATER TO AIR HEAT PUMP FOR HEATING AND COOLING

9. Place of Use: IRRIGATION

MICROFILMED

TWN RGE SEC
16N 26E 33

ACRES
NWNE 3

ACRES

MAR 14 1990

ACRES

TOTAL
3

Ident. No. 74-0727³
Page 2

Place of Use: HEATING

TWN RGE SEC
16N 26E 33 NWNE

Place of Use: COOLING

TWN RGE SEC
16N 26E 33 NWNE

Total number of acres irrigated: 3

10. Describe any other water rights used for the same purposes.
74-01118

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

LEADORE WARD

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Frederic A. Behr
AUTHORIZED AGENT

Frederic A. Behr
Applicant
Corporation of the Presiding Bishop of the Church of
Jesus Christ of Latter-day Saints, a Utah Corporation 8018


Received by O.K. Date 10-3-89 Time 9:48 Preliminary check by KCW

Fee \$ 30.00 Received by O.K. # C0119418 Date 10-3-89

Publication prepared by RB Date 12-7-89 Published in Recorder Herald

Publication approved OW RECORDED 2-20-89

MAR 14 1990



**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

74-07273

**CHURCH OF JESUS CHRIST OF
LATTER DAY SAINTS
REAL ESTATE DIVISION
12th FLOOR**

**50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150**

Source: GROUNDWATER

**Diversion Pt: NWNE Sec 33 T 16N
R 26E**

Use: IRRIGATION (.090 CFS)

HEATING (.180 CFS)

COOLING (.180 CFS)

Date Filed: 9/19/1989

In: T16N R26E S33 NWNE

3.0 ACRES TOTAL

75-07495

SMITH, AUBREY E.

SMITH, MARSHA A.

49 SALMON RIVER RD.

SHOUP, ID 83469

Source: MAIN SALMON RIVER

Tributary: SNAKE RIVER

**Diversion Pt: SWNW Sec 21 T
23N R 17E**

Use: IRRIGATION (.100 CFS)

Date Filed: 8/03/1989

**In: T23N R17E S20 SESE S21
SWNW**

3.3 ACRES TOTAL

75-07496

MCDONALD, M. L.

MCDONALD, ILLA

HC 61, BOX 17

SALMON, ID 83467

Source: UNNAMED CREEK

Tributary: SINKS

**Diversion Pt: LOT 2 (SWNWNE)
Sec 1 T 19N R 21E**

Use: IRRIGATION (.060 CFS)

STOCKWATER (.020 CFS)

Date Filed: 9/18/1989

In: T19N R21E S01 Lot 2 (NWNE)

3.0 ACRES TOTAL

The term(s) will be for

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

Dep.

Resources

Eastern District Office

RICKY G. HODGES

....., being first duly sworn, deposes
and says he is one of the printers (publishers) of the RECORDER-HERALD, a newspaper published
weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the **Notice of Application for Water Rights 74-07273,**

75-07495, 75-07496

....., a true
printed copy of which is attached to the margin hereof, has been and was correctly printed and pub-
lished in the regular and entire issue of every number of said newspaper and not in any supplement
thereof or thereto for ²..... consecutive issues, commencing with the issue

dated **Dec. 7**....., 19 **89**..... and ending with the issue dated **Dec. 14**.....
19 **89**.....

STATE OF IDAHO

COUNTY OF LEMHI

ss.

.....**fourteenth**..... day of **December**..... in the year of 19 **89**.....
before me, A Notary Public, personally appeared
known or identified to me to be the person whose name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he
executed the same.

Shirley K. Hodges

Notary Public for Idaho

Residing At Salmon, Idaho

My Commission expires: **9-21-95**

Publication Fee \$ **68.04**

MAR 14 1990

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150

RE: WATER RIGHT NO. 74-07273

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

AUG 20 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 74-07273

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150


Kari Lynn Townsend
Secretary

MEMORANDUM

TO: File 74-07273

FROM: Sharla Curtis

DATE: June 25, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 74-07273 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/15 - 10/15	0.09 cfs	10.5 afa
Heating	1/1 - 12/31	0.18 cfs	6.6 afa
Cooling	1/1 - 12/31	0.18 cfs	6.6 afa
	TOTALS	0.18 cfs	17.1 afa

Based on the information collected per telecon on 6/13, the volume for heating and cooling has been calculated to 6.6 af and this figure will be shown for both uses, with the total annual volume for the two not additive.

Sundays - 108 hours (36 weeks (9months) X 3 hrs/week))

Mon-Sat - 216 hrs (36 weeks X 6 hrs/week)

2 nights/week - 84 hrs (28 weeks (7months) X 3 hrs/week)

3x/month - 42 hrs (7 months X 6 hrs/month)

TOTAL = 450 hours

80 gpm X 450 hrs/325,850 = 6.6 af

Examiner: Don Simpkins

Exam Date: March 15, 1995

MEMORANDUM

DATE: June 13, 1997

TO: ~~Sharla Curtis~~ *file*

FROM: Cindy Bird

RE: Water Right 74-7273

~~Sharla~~ I spoke with Bishop Merrill Beyler at (208) 768-2651 from the Church of Jesus Christ of Latter-Day Saints in regards to the heating and cooling system of the church. He outlined for me the approximate hours of the church usage, which I have listed below.

Sunday 3 hrs @ day

Mon-Sat 1 hr @ day Approx. Aug 20 to May 25

Miscellaneous Use

2 nights a week @ 1.5 hours

3 times a month for 2 hrs; from Mid-October to Mid-May.

The Church has an automatic thermostat that is set at approximately 60 degrees when the Church is not in use and at approximately 72 degrees when the Church is in use as listed above.

LICENSE REVIEW CHECKLIST

PERMIT NO. 74-07273

DATE 6/11/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	✓	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.18</u> cfs
Fee limit	<u>.20</u> cfs <u>\$50⁰⁰</u>
Measured	<u>.18</u> cfs <u>eng. specs for heat/cool system</u>
Theoretical	<u>—</u> cfs

Recommended Total Div Rate .18 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation	
<u>3.0 x 3.5 = 10.5</u>	
<u>Heat</u>	<u>7.7</u> af
<u>Cool</u>	<u>2.8</u> af
SUBTOTAL	<u>10.5</u> af

Flow rate .09 cfs X 183 days X 1.9835 = 32.6 af
 Total volume recommended 32.6 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

GW Measurement/Measuring Device

RSO Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo heat/cool volume

1st Amend Letter —

2nd Amend Letter —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 21 1997
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 74-07273

1. Owner: CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS Phone No. (801) 240-2929
12TH FLOOR
Current Address: 50 E. N. TEMPLE ST., SLC, UT. 84150

2. Accompanied by: BISHOP KURT BIRD EXAM DATE: 3/15/95

Address: LEADORE, IDAHO Phone No. (208) 768-2425

Relationship to Permit Holder: BISHOP OF CHURCH (WARD)

3. Source: GROUNDWATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 74-01118 DOMESTIC USE + 1/2 ACRE
AROUND BUILDING

2. Other water rights with the same point of diversion: 74-01118 SEPARATE WELL SAME
LOCATION (LEGAL)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	NE	33	16N	26E	LEMHI	U.S. G.S. TOPO MAP

2. Place(s) of Use:


Indicate Method of Determination ON SITE INSPECTION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16N	26E	33		3														3	

MICROFILMED

AUG 20 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *HEATING COOLING SYSTEM TOO COMPLICATED TO DRAW - SEE PHOTOS*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
6"	FRANKLIN	1	2801084915	1BS 41810-SZ	1"
8"	FRANKLIN	5			4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE TROL	N/A	U.S. GAGE		0-100	42PS1	

2. Measurements: NO MEASUREMENTS - ALL INTERIOR PIPING INSULATED;
EXTERIOR IRRIGATION PIPING PORTABLE, OR BURIED.

MICROFILMED

AUG 20 1997

E. NARRATIVE/REMARKS/COMMENTS

WATER USED FOR THE IRRIGATION, HEATING & COOLING SYSTEM
IS SUPPLIED BY A 5HP FRANKLIN SUBMERSIBLE PUMP.
HEATING & COOLING CONSUMPTION BASED ON ENGINEERING SPECS. = 0.18 CFS
HEATING AND COOLING CONSUMPTION NOT ABLE TO BE
MEASURED. IRRIGATION: 7 RAINBIRDS WITH 1/4" ORifice
AT 42 PSI SYSTEM PRESSURE = 5.69 GPM X 7 BIRDS = 39.83 GPM/
448.8 = 0.088 CFS = 0.09 CFS

* HEATING & COOLING IS NON-CONSUMPTIVE

CHURCH GROUNDS: INFO. PROVIDED BY GLADE PINCOCK 1-801-240-2929

74-01118 1st = 2.51 ACRES 1/2 ACRE IS IRRIGATED AROUND BLDG.

74-07823 2nd = 3.26 ACRES 3.0 ACRES IS IRRIGATED - BALL FIELD.

BALANCE IS PARKING & MISC.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROSOFT
AUG 20 1997

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

W/64 OFFICE

$$5.69 \text{ GPM} \times 7 \text{ BIRDS} = 39.83 \text{ GPM} / 448.8 = 0.088 \text{ CFS}$$

$$Q = \text{IRRIGATION} = \underline{0.09 \text{ CFS}}$$

$$Q = \text{HEATING} + \text{COOLING} = \underline{0.18 \text{ CFS}} \quad \text{BASED ON ENGINEERING SPECIFICATIONS DEMANDS OF HEATING/COOLING SYSTEM}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \text{ AC} \times 3.5 = \underline{10.5 \text{ AF}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.09 \text{ CFS} \times 183 \times 1.9835 = \underline{32.668 \text{ AF}}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = \underline{10.5 \text{ AF}}$$

2. Volume Calculations for Other Uses:

HEATING + COOLING IS NON-CONSUMPTIVE USE

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>4/15</u>	<u>10/15</u>	<u>0.09</u>	<u>10.5 AFA</u>
<u>HEATING</u>	<u>1/1</u>	<u>12/31</u>	<u>0.18</u>	<u>NC</u>
<u>COOLING</u>	<u>1/1</u>	<u>12/31</u>	<u>0.18</u>	<u>NC</u>
Totals:			<u>0.18</u>	<u>10.5</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name DON SIMPKINS Date 11/27/96

Reviewer _____ Date _____

SEAL

MICROFILMED

AUG 20 1997



8" Well X 24" 1/2

Well
18' static

6" Well

Parking

House

Church

8" Well
8' IF
PP

1/2 acre all around

Parking

99,225 sq ft
Approx.

133 yds

109 yds

②

74-07273

74-7273

Bishop Kurt Bird
768-2425

Total 0.18 cfs.

3 Acres

8" Run. Most
Heat Pipe.

Pipe Type = Flexible

HP = 5 ft. Pipe depth

Pressure = 42 PSI

Surcharge = 4"

Static = 18'

7 birds x 1/64

* All Piping
Insulated

Thermometer
46

Ins. Trap

4" Ball Valve.

UP

1/2" slope

5.69 GPM x 7
39.83 GPM / 448.8
0.088 cfs.
0.09 cfs.

Pressure 7 ft.
US G 1/2" HP
0-100 PSI
42 PSI

3" Ball Valve

4 ft. slope

MP
MICROFILMED
AUG 20 1997

6" Well

Franklin
Jacuzzi Piping

280 1084915

1 HP

Model 1BS41810-52
925-8716

74-02273

529-9983


Montana

Ron Resenmay
Church PM Group.

1-800-641-6901

Heat Pipe sys.
1 Large Well

13-782 500 SHEETS, FILLER 5 SQUARE
42-381 50 SHEETS EYE EASY 5 SQUARE
42-382 100 SHEETS EYE EASY 5 SQUARE
42-383 200 SHEETS EYE EASY 5 SQUARE
42-384 300 SHEETS EYE EASY 5 SQUARE
42-385 400 SHEETS EYE EASY 5 SQUARE
42-386 500 SHEETS EYE EASY 5 SQUARE
42-387 600 SHEETS EYE EASY 5 SQUARE
42-388 700 SHEETS EYE EASY 5 SQUARE
42-389 800 SHEETS EYE EASY 5 SQUARE
42-390 900 SHEETS EYE EASY 5 SQUARE
42-391 1000 SHEETS EYE EASY 5 SQUARE
42-392 100 RECYCLED WHITE 5 SQUARE
42-393 200 RECYCLED WHITE 5 SQUARE
MADE IN U.S.A.



LDS CHURCH

IRRIGATION / HEATING / COOLING

1515

VIEW OF
LDS CHURCH

1/2 ACRE OF
IRRIGATED
GROUND
AROUND BLDG
74-0118 UNDER
DOMESTIC.

ALL ELSE
THIS PERMIT.

VIEW OF
WELL
LOCATIONS.

MAY 20 1997
MED

PERMIT
NUMBER

74-07273

LDS CHURCH

IRRIGATION

255

VIEW LEFT
TO RIGHT
OF 3 ACRES
OF IRRIGATED
GROUND.



SAME AS
ABOVE



MICROFILMED
AUG 20 1987


PERMIT
NUMBER

74-07273

LDS CHURCH

WELLS

315



VIEW OF
8" WELL
USED FOR
IRRIGATION
HEATING/COOLING



VIEW OF
OLDER 6"
WELL
74-01118
DOMESTIC

MICROFILMED
AUG 20 1987

PERMIT
NUMBER

74-07273

LDS CHURCH

HEATING + COOLING

4/5

VIEW OF
HEATING
+ COOLING
SYSTEM +
PRESSURE
TANKS

HEATING
+ COOLING
SYSTEM

PERMIT
NUMBER

74-07273

11000FILMED

AUG 20 1977

LDS CHURCH

HEATING + COOLING

655

PRESSURE
TANKS +
HEATING +
COOLING
SYSTEM



HEATING +
COOLING
SYSTEM



PERMIT
NUMBER

74-07273

RECEIVED

APR 1974

August 1, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 74-07273

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the STATE Regional Office in Boise at (208)327-7900.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

SEP 21 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 74-7273

Date: 7-23-90

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
0 Address change _____ If yes, prepare a data entry
9 Proof received timely _____
_____ Reinstated

Source of Water:

5 Surface water
5 Groundwater
 ✓ 1. well log in file
 NA 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

4 Rate of diversion appropriate for uses
4 Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

 Is a measuring device or access port required?
 Has one been installed?
 Waiver or modification of measuring device requested

Remarks:

Proof accepted

<u> </u>	<u>Priority Calculation:</u>		
	Date proof received	<u>NA</u>	
	Date proof due		-
	No. of days late		=
	Priority date		+
	NEW PRIORITY DATE		=

9
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM


USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

Received 7-11-74

WELL DRILLER'S REPORT

State well driller must submit report to the Director, Department of Water Administration within 10 days after the completion or abandonment of the well.

1. WELL OWNER <i>L. D. S. Smith</i> <i>Leah Valley</i>		7. WATER LEVEL Water level <i>30</i> feet below surface Flowing? ☒ Yes ☐ No G.P.M. flow Temperature <i>F</i> Quality <i>Good</i> Is well closed in pressure <i>No</i> Casing type <i>Valve</i> <i>Cap</i> <i>Plug</i>	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Reamed out At and used (if new) the method of abandonment		8. WELL TEST DATA Discharge G.P.M. <i>30</i> Draw Down <i>16-37'</i> Hours Pumped <i>2</i>	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG Hole Depth Material Water From To Yes No <i>0-30' Sand & gravel</i> <i>30-36' gravel & sand</i> <i>36-37' sand & gravel</i>	
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dig ☐ Other			
5. WELL CONSTRUCTION Casing hole <i>6</i> inches Total depth <i>17</i> feet Casing schedule ☒ Steel ☐ Concrete Thickness <i>1.56</i> inches Diameter <i>6</i> inches From <i>1</i> feet To <i>16-5</i> feet inches inches feet feet inches inches feet feet inches inches feet feet inches inches feet feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation inches by inches Number From To perforations feet feet perforations feet feet perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter Slot size Set from feet to feet Diameter Slot size Set from feet to feet Gravel packed? ☐ Yes ☒ No Size of gravel Placed from feet to feet Surface seal depth <i>19</i> Material used in seal ☐ Cement grout ☒ Filling clay ☐ Wall casing Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Others to seal depth			
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. <i>154</i> County <i>LEA</i> <i>N. 1/4 Sec. 33 T. 16 N. R. 24 E.</i>		10. DRILLER'S CERTIFICATION Work started <i>6-8-74</i> Finished <i>6-11-74</i> Firm Name <i>Daniel Hoff Drilling Firm</i> Address <i>606 1/2 S. 1st St. Pocatello, ID 83421</i> Signed by (Firm Official) <i>Richard Hoff</i> and (Operator)	

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION
Twelfth Floor
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-2929

Reference reply to:

State of Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Attention: Gary Spackman

Dear Mr. Spackman:

Attached is a check for \$250 and the signed documents requesting field examination for four water permits in Idaho. The list below shows the permit number, our property number and name, the amount of water requested in the permit and the fee. The document indicates a person to call to assist the state with the examination.

If you have any questions or comments, please let me know.

<u>Permit #</u>	<u>Property #</u>	<u>Property Name</u>	<u>Quantity Requested</u>	<u>Fee</u>
~~P74~~ -7273	504-7218	Leadore	0.18 C.F.S.	\$ 50
22-07436	516-8317	Rexburg 13, 19 wards and stake Rec Property, Hwy 91	0.18 C.F.S	\$ 50
P25-07543	501-3607	Grays Lake	0.10 C.F.S.	\$ 50
71-07121	535-8914	Cabin Creek Rec Property	0.36 C.F.S.	<u>\$100</u>
			Total	\$250

Thanks for your help.

Sincerely,



Ronald C. Johnson

cc: Terry F. Roylance
M. Glade Pincock

MICROFILMED

SEP 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 24, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P74-07273

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAR 14 1990

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY KCW DATE 17 Oct 89 APPLICATION NUMBER 74-7273
L.D.S. Church #1

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion 74-1118 Decree Groundwater for Domestic
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

Department of Water Resources

ADDITIONAL INFORMATION

29-Nov-1989

Church of Jesus Christ
of Latter Day Saints
Twelfth Floor
50 East North Temple Street
Salt Lake City, UT 84150

RE: Application for Permit No. 74-7273

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right Permit. This office is currently in the process of advertising the application in the Recorder-Herald. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

MAR 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 28, 1989

RECORDER-HERALD
P.O. BOX 310
SALMON, ID 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 26, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

MAR 14 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

RECEIVED

MAR 14 1990

74-07273

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

Source: GROUNDWATER

Diversion Pt: NWNE Sec 33 T 16N R 26E

Use: IRRIGATION	(.090 CFS)
HEATING	(.180 CFS)
COOLING	(.180 CFS)

Date Filed: 9/19/1989

In: T16N R26E S33 NWNE

3.0 ACRES TOTAL

MICROFILMED

MAR 14 1990

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 26, 1989.

R. KEITH HIGGINSON, Director

Published 12/07/1989 & 12/14/1989

NOTIFIED

MAR 14 1990

ADJUDICATION FILING FEES FOR IDAHO

PROPERTY IDENTIFICATION

Application
Idaho State Water Right Permit # 74-07272
LDS Church Property # 5042218

FEE CALCULATIONS

Domestic, stockwatering, fire protection, etc. \$ _____
Flat fee for irrigation. \$ _____

VARIABLE FEE SCHEDULE

Irrigation (\$1.00 per acre). \$ _____
Power Generation (\$3.00 per kilowatt) \$ _____
Aquaculture (\$10.00 per cfs) \$ _____
All other uses (\$100.00 per cfs) \$ _____

Other charges. \$ 30.00

New application

TOTAL

\$ 30.00

DATE 9-19-89

Carter Fritschle
Carter Fritschle
Idaho Dept. of Water Resources

Glen L. Nielson
Glen Nielson
Field Representative
Church of Jesus Christ
of Latter-day Saints

RECEIVED

OCT 5 1989

Department of Water Resources
Eastern District Office

RECORDED

MAR 14 1990