


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael Holenaa
(Applicant)

MICROFILMED



QUOTATION OFFER FOR SALE OR RENTAL

231A2

COMPANY LOCATION

Idaho Falls

NO. 98

23738



SALE



RENTAL

FROM

TO

DATE April 3, 1981

CUSTOMER

Harry Coleman

CUST. NO.

P.O.#

ADDRESS

Box 7 A

COUNTY

Lemhi

SALESMAN

Dale Petersen

CITY

STATE ZIP

Leadore, Idaho 83464

21A TERMS IF

OTHER THAN
ON REVERSE

25% down payment on order

DELIVERY DIRECTIONS

1-768-2434

THIS IS NOT AN INVOICE

QUANTITY	WOSCO PART NUMBER	DESCRIPTION	NEW USED	PRICE	UNIT	TOTAL
1		100 H.P. Aurora Turbine Pump	N			
1		100 H.P. Hollowshaft Turbine Motor	N			
1		100 H.P. Panel with softstart, lightning arrester, surge capacitor, time delay relay, interlock, pressure switch	N			
1		17 AC 10 Discharge Head	N			
120		ft. 10" x 2 1/2" x 1 1/2" Column, tube and shaft	N			
1		3-Stage 14 RL Bowl Assembly	N			
1		10" Cone Strainer	N			11,822 71
1		Labor to set 120' x 10" x 2 1/2" x 1 1/2" column CTS				360 00
1		Travel Time for Pump				120 00
1		Electrician to wire pump				500 00
1		75 H.P. Aurora Split Case Motor	N			
1		8 x 8 x 11 B 3/4" Bif. 750-223-123				5,430 00
1		75 H.P. Panel with softstart, SC	N			400 00
1		Electrician to wire motor pump				
		INSTALLATION AND REMOVAL CHARGE				
		DELIVERY CHARGE				

ABOVE LISTED MATERIAL SUBJECT TO THE TERMS AND CONDITIONS ON THE REVERSE SIDE OF THIS FORM.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

THE UNDERSIGNED CUSTOMER AGREES THAT HE HAS READ THE TERMS AND CONDITIONS ON BOTH SIDES OF THIS FORM AND THAT THEY CONSTITUTE THE ENTIRE AGREEMENT BETWEEN THE PARTIES HERETO.

SUB TOTAL

SALES OR USE TAX

EXEMPT

TOTAL

18,632 71

X

CUSTOMER SIGNATURE

DATE

AUTHORIZED SIGNATURE

DATE

FIRST YEAR RENTAL
ALLOWANCE IS _____ %
OF RENTAL PAID

SECTION 1110 PAGE 596

DATED FEBRUARY 1973

SUPERSEDES PAGE 596
DATED JULY 1972


12 X 14 INCH SERIES 140

Vert. Line Pump

14RL


1770
R.P.M.

TOTAL DYNAMIC HEAD-FEET



1170
R.P.M.

TOTAL DYNAMIC HEAD-FEET



NUMBER OF
STAGES REQUIRED
FOR APPLICATION.
STANDARD CURVE
ILLUSTRATED
SINGLE STAGE




AURORA PUMP
A UNIT OF GENERAL SIGN

1000 AIRPORT ROAD - NORTH AURORA, ILLINOIS

SEP 16 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable. SEE ATTACHMENT OF DIAGRAM PERMIT #747070



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	H.S MOTOR	100			10"
	" "	75	R-9426-03-09%	ANCOA	8" 80-07159

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: STATIC ON 9/9/94 WAS 45'
STATIC ON 3/15/95 WAS 38'

MICROFILMED

SEP 16 1997



6017 T

6043 T

6123 T

BM 6013

6036 T

2-209

Ditch

T 15 N

R 26 E

6084 AT

60577 Well

6061

Ditch

6122 T

PLACE OF USE

POINT OF DIVERSION

6083 T

11

12

BM 6100

6094 T

6102 AT

Gravel Pit

6138 T

6123 T

6138

R 26 E

R 27 E

74-07234

BM 6120

Gravel Pit

6139 T

Gravel Pit

2-208

28

6152 T

6158

AWD

13

6153 T

R 26 E

R 27 E

AWD

6186 T

MICROFILMED

SEP 16 1997

SCALE 1:24 000

318 17' 30"

20'

316

317

SHIRLEY R. COLEMAN
MICHAEL J. COLEMAN
DESERT LAND ENTRY
I-18950

PLACE OF USE

T
15
N

R26E

2 1



B. L. M.

T
15
N

R26E

POINT OF
DIVERSION WELL

<74-07303>

MAIN
LINE

4800

B. L. M.


6000

74-07234


SEP 16 1950

11 12

14 13



PUMP + BOOSTER SYSTEM USED FOR 747070/7234/7303



MICROFILMED
SEP 16 1997

SYSTEM IN SPRING OF 1994
VIEW LOOKING SOUTH WEST



CIRCLE PIVOT IN FALL OF 1994
VIEW LOOKING SOUTH + EAST



MICROFILMED
SEP 16 1997

74-7070

2-209

Ditch

Creek

6084AT

T
15
N

R26E

60577
Well

Creek

Ditch

60837

74-7070



Ditch

MAINLINE

6102AT

6094T

74-7303

6123T

74-7234

MICROFILMED
SEP 16 1997

Gravel
Pit

M
O
G33

14

13

6153T

6122

6111T

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07234

Priority: May 10, 1984

Maximum Diversion Rate: 0.80 CFS

Maximum Diversion Volume: 140.0 AF

This is to certify, that SHIRLEY R COLEMAN
HARRY COLEMAN

PO BOX 70

LEADORE ID 83464

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 10, 1984; and has submitted Proof of Beneficial Use on July 24, 1989. An examination indicates that the works have a diversion capacity of 3.670 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.80 CFS	140.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 11, Township 15N, Range 26E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15N	26E	11	NENE 24	SENE 40	NESE 29	
			SESE 1			94
		12	NENW 22	NWNW 36	SWNW 40	
			SENW 39	NESW 29	NWSW 40	
			SWSW 3	SESW 2		211

Total number of acres irrigated: 305

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

MICROFILMED

SEP 16 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07234

CONDITIONS OF APPROVAL AND REMARKS

6. Rights 74-07070, 74-07234, and 74-07303 when combined shall not exceed a total diversion rate of 3.67 cfs and a total annual diversion volume of 1337.0 af.
7. Rights 74-07070 and 74-07234 when combined are limited to the irrigation of 305 acres.
8. This right is limited to the irrigation of 40 acres within the place of use described above in a single irrigation season. Rights 74-07234 and 74-07303 are also diverted through the point(s) of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18TH day of AUGUST, 1997.


Acting for KARL J. BREHER, Director

MICROFILMED

SEP 16 1997

RECEIVED

AUG 14 1997

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 74-07234

Date of Priority: May 10, 1984

Maximum Diversion Rate:

0.80 CFS

Maximum Diversion Volume:

140.0 AF

Comes now

SHIRLEY R COLEMAN
HARRY COLEMAN

PO BOX 70

LEADORE ID 83464

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 74-07234, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.80 CFS	140.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE, Sec. 11, Township 15N, Range 26E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15N	26E	11	NENE 24	SENE 40	NESE 29	94
			SESE 1			
		12	NENW 22	NWNW 36	SWNW 40	211
			SESW 39	NESW 29	NWSW 40	
			SWSW 3	SESW 2		

Total number of acres irrigated: 305
~~330~~

We added 1 more tract so we now irrigate 330 acres.

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Coleman Ranch, this 10th day of Aug, 1997.

Shirley R. Coleman
(Signature)
Shirley R. Coleman
SEP 16 1997

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 74-07234

FOR DEPARTMENT USE ONLY

Preliminary check by LWL Fee = 50.00 Received by LG #CD38835 Date 8/14/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 74-07234 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Rights 74-07070, 74-07234, and 74-07303 when combined shall not exceed a total diversion rate of 3.67 cfs and a total annual diversion volume of 1337.0 af.
7. Rights 74-07070 and 74-07234 when combined are limited to the irrigation of 305 acres.
8. This right is limited to the irrigation of 40 acres within the place of use described above in a single irrigation season. Rights 74-07234 and 74-07303 are also diverted through the point(s) of diversion described above.

Witness my hand this 18TH day of August, 1997.


Acting for **KARL J. DREHER** Director

SEP 10 1997

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	74-7234	Coleman, Shirley R. Michael J.	0.80
Full Assignment	74-7234	Coleman, Shirley R. Harry	0.80

MICROFILMED

APR 04 1989

RECEIVED

JUL 31 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 100

Date 7-24

Receipt # E909523

Receipt by 80

Reviewed by 7/24/89

Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 74 07234

Name(s) of Permit Holder: Harry L. Cleman & Shirley R. Cleman

Post Office Address: Box 21 Leadore Idaho 83404

Telephone No. 208 768 2434

Source of Water: Ground Water

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 76 acres (acres) Other/Remark

Total rate and/or volume for which proof is submitted .50 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1985

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 167.62
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

See above

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

NOV 22 1989

7/24/89
Date

Shirley R. Cleman
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

FEB 5 1988

ASSIGNMENT OF PERMIT

Department of Water Resources
Eastern District Office

We--I, Shirley R. or Michael J. Coleman, hereby assign to Shirley R. Coleman or Harry Coleman
of Box 70 Leadore, ID 83464
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 74-7234
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 5th day of February, 19 88.

Shirley R. Coleman
Permit Holder

Shirley R. Coleman

Michael J. Coleman
Permit Holder

Michael J. Coleman

State of Idaho)
County of Bonneville) ss.

On this 5th day of February, 19 88, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

MICROFILMED
APR 04 1988

My commission expires:
5/29/1991

William Gray
Notary Public residing at
Idaho Falls, ID

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Shirley R. or Michael J. Coleman Phone 768-2434

Post office address Box 70, Leadore, ID 83464

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 12 Township 15N

Range 26EB.M. Lemhi County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.80 cfs Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.80 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

UNRECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15N	26E	12					40												40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use BLM

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing This is a Desert Land Entry - I-18950

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael J. Colman
(Applicant)

MICROFILMED

MICROFILMED

Proposed priority 5/10/84

Received by HWT Date 5-10-84 Time 3:35

Preliminary check by Am Fee \$ 45.00

Receipted by CW Date 5-10-84 # 33538

Publication prepared by CW Date 5-16-84

Published in Recorder Times

Publication dates 5/24 + 5/31/84

Publication approved CW Date 6-01-84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC CW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 74-7234, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 9th day of August, 1984.

J. Glen Saxton
Chief, Operations Bureau

**NOTICE OF
APPLICATION FOR
WATER RIGHT**

The following applica-
tion(s) have been filed to
appropriate the public
waters of the State of Ida-
ho:

74-7233

McDANIEL, RICHARD M.
&/or HELEN B.

P. O. BOX 13, ELLIS, ID
83235

Source: SALMON RIVER
trib. to SNAKE RIVER

Date Filed: 04/30/1984

Diversion Pt: LOT 05
(NWSE) Sec 24 T 16N R
20E

Use: IRRIGATION (0.71
CFS)

In: LOT 03 (SWNW) Sec
19 T 16N R 21E FOR 36
ACRES

74-7234

COLEMAN, SHIRLEY R.
&/or MICHAEL J.

BOX 70, LEADORE, ID
83464

Source: GROUNDWATER

Date Filed: 05/10/1984

Diversion Pt: SWNW Sec
12 T 15N R 26E

Use: IRRIGATION (0.80
CFS)

In: NENW Sec 12 T 15N R
26E FOR 40 ACRES

The permit(s) will be
subject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water Resources,
150 Shoup Ave., Suite 15,
Idaho Falls, Idaho 83402 on
or before JUNE 11, 1984.

KEN DUNN, Dir.

Published 5/24 &
5/31/84.

5-24-2tc

Affidavit of Publication

RECEIVED

JUN 1 1984

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein.

That the Notice of Application for Water Rights 74-7233,

74-7234

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 2
consecutive issues, commencing with the issue dated May 24, 1984
and ending with the issue dated May 31, 1984

Jerry G. Rosin

Subscribed and sworn to before me, this thirty first

day of May, 1984

Verl Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 22.50

RECORDED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 21, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HARRY COLEMAN
PO BOX 70
LEADORE ID 83464

RE: Water Right Nos. 74-07070, 74-07234, and 74-07303

Dear Mr. Coleman:

I have enclosed copies of Water Right Licenses 74-07070, 74-07234, and 74-07303, which were issued on August 18, 1997. I have also enclosed copies of your Applications for Amendment of Permit, which were approved. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

On your amendment applications for rights 74-07070 and 74-07234 you wrote that you have added another tower to your center pivot so that you now irrigate 330 acres, or 25 more than the 305 acres described on your licenses. The licenses were issued for the 305 acres reported by our field examiner because licenses cannot reflect changes that occurred after the authorized development period of the permits on which they are based.

However, I have received your new application, no. 74-07374, on which you list a total place of use of 460 acres, which totals 15 more acres than the total of 445 described on all three of your licenses. Before I process your new application, I would like to know if 460 acres is an accurate total, or if the total should be 470 acres (330 + 140). If 460 is accurate, please let me know right away so that your new permit can be issued as soon as possible. If 470 is what you intended, then you should amend your new application and have it re-advertised. I will hold your application for 14 days. If I have not heard from you within that time, I will forward it for approval with the 460-acre place of use.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

MICROFILMED

SEP 16 1997

CERTIFICATE OF MAILING

I hereby certify that on the 21st day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDERS (Water Right Licenses)** to the person(s) listed below:

Water Right Nos. 74-07070/74-07234/74-0730374

HARRY COLEMAN
PO BOX 70
LEADORE ID 83464-0070



Kari Lynn Townsend
Secretary

MICROFILMED
SEP 16 1997

Leadville, Id
Aug 10, 1997

Department of Water Resources
P.O. Box 83720
Brisé, Id 83720

Attn: Shelley W Keen.

I am returning Permits 74-07070, 74-07234
& 74-07303. along with \$150.00.

I was not sure of the 2 permits to the
same ground, however I also included
it, or the need for both.

What more do we need to do to finalise
these permits?

Sincerely,
Shirley L. Coleman

MICROFILMED

SEP 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 29, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HARRY COLEMAN
PO BOX 70
LEADORE ID 83464

Notice of Intent to Void Permits

RE: Water Right Nos. 74-07070, **74-07234**, and 74-07303

Dear Mr. Coleman:

As you and I have discussed on several occasions, before water right permits 74-07070, 74-07234, and 74-07303 can be licensed, they must be amended to depict your point of diversion location as it was actually developed. I have already sent the amendment forms to you twice. If I do not receive the amendments from you within fourteen days, I will assume you no longer have any interest in these permits, and I will initiate the proceedings to void them. Please note that the required amendment fee is \$50 apiece (\$150 total).

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

MICROFILMED

SEP 15 1997

MEMORANDUM

DATE: July 9, 1997

TO: Water Right Files 74-07070, 74-07243, and 74-07303

FROM: Shelley W. Keen *SNK*

RE: Phone call from Harry Coleman

Harry Coleman called this morning in response to the letter I sent him on July 2, 1997. He said that he still feels that he is entitled to licenses that reflect a diversion capacity greater than the 3.67 cfs measured by IDWR in 1995. He told me that he would like me to talk to Ray Rigby about these water rights. He will have Ray Rigby call me soon.

74-07070-137

SEE 16 137



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 2, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HARRY COLEMAN
PO BOX 70
LEADORE ID 83464

RE: Water Right Nos. 74-07070, 74-07234, and 74-07303

Dear Mr. Coleman:

In March I sent you amendment forms that must be completed before water right licenses can be issued for water rights 74-07070, 74-07234, and 74-07303. When you received the amendment forms, you contacted me to discuss the diversion rates indicated them. This morning Harold Jones of IDWR's Idaho Falls office informed me that you filed a new application for permit to resolve your concern about the diversion rates. The new application will be advertised and processed in due course by the Idaho Falls office.

Meanwhile, the amendment applications still must be completed. In case you misplaced the ones I sent earlier, I have enclosed new copies. Please review them carefully, sign each one, and return them to me with the required fee, which is \$50 apiece (\$150 total).

If I have not received a response from you within fourteen days, I will assume you no longer have any interest in these permits, and I will move to void them.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosure

RECEIVED

SEP 16 1997

MEMORANDUM

DATE: April 23, 1997

TO: Files 74-07070, 74-07234, and 74-07303

FROM: Shelley W. Keen *SWK*

RE: Phone call from Harry Coleman

This morning Harry Coleman and I spoke about the information from Golden West Irrigation that was faxed to me. I explained that it certainly demonstrates intent to to develop a 2250 gpm diversion but that it is not evidence that the system produced 2250 gpm. I suggested filing a new application for permit, but Mr. Coleman feels strongly that he developed a 2250 gpm water right under these permits. To support his position, Mr. Coleman is going to provide some affidavits from people familiar with the historic operation of his system.

*Attn: Shelley W Leew**Fax 208 227-7866***GOLDEN WEST IRRIGATION**

4755 HAROLDSSEN DRIVE

524-3203

IDAHO FALLS, ID 83402

April 4, 1997

MR. HARRY COLEMAN
Box 7A
LEADORE, IDAHO 83464

DEAR HARRY,

ENCLOSED IS THE ORIGINAL SALES ORDER FOR YOUR IRRIGATION SYSTEM SOLD TO YOU IN 1981. AS YOU CAN SEE THE ORIGINAL SYSTEM REQUIREMENT WAS 2250 GALLONS PER MINUTE. I KNOW YOU HAVE HAD SOME PROBLEMS WITH YOUR WELL SINCE THEN, HOWEVER, THE ORIGINAL OPERATION WAS SET TO BE 2250 GALLONS PER MINUTE.

I HAVE ENCLOSED THE DEEPWELL BOUL PUMP CURVE. IT SHOWS THE DESIGN POINT AT 2250 GPM.

I HOPE THIS INFORMATION IS HELPFUL TO YOU. LET ME KNOW IF YOU NEED ANYTHING FURTHER.

Dale L. Petersen

FILMED

APR 15 1997



QUOTATION SHEET FOR SALE OR RENTAL

231A2

COMPANY LOCATION

Lewiston, Idaho

NO. 98

23738



SALE



RENTAL

FROM

TO

DATE April 3, 1981

CUSTOMER

Harry Coleman

NO.

P.O.#

ADDRESS

Box 7 A

COUNTY Lemhi

SALESMAN Dale Petersen

CITY

STATE ZIP

Lewiston, Idaho 83464

OTHER THAN
ON REVERSE

25% down payment on order

DELIVERY DIRECTIONS

1-768-2434

THIS IS NOT AN INVOICE

QUANTITY	WOSCO PART NUMBER	DESCRIPTION	NEW USED	PRICE	UNIT	TOTAL
1		100 H.P. Europa Turbine Pump	N			
1		100 H.P. Hollowshaft Turbine Motor	N			
1		100 H.P. Panel with switches, lightening arrestor, surge separator, time delay relay, interlock, pressure switch	N			
1		17 AC 10 Discharge Head	N			
120		ft. 10" x 2 1/2" x 1 1/2" Column Tube and Shaft	N			
1		3-Stage 14 KL Bowl Assembly	N			
1		10" Cone Strainer	N			11,822 71
1		Labor to set and test pump and motor				
		CTS				360 00
1		Travel Time for Pump				120 00
1		Electrician to wire pump and motor				500 00
1		75 H.P. Aurora Split Case Pump	N			
		8 x 8 x 11 B 3/4" x 1/2" x 1/2" x 1/2"				EXTRA
1		75 H.P. Panel with switches, lightening arrestor, surge separator, time delay relay, interlock, pressure switch	N			5,430 00
1		Electrician to wire pump and motor				400 00
		INSTALLATION AND REMOVAL CHARGE				
		DELIVERY CHARGE				

ABOVE LISTED MATERIAL SUBJECT TO THE TERMS AND CONDITIONS ON THE REVERSE SIDE OF THIS FORM.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

THE UNDERSIGNED CUSTOMER AGREES THAT HE HAS READ THE TERMS AND CONDITIONS ON BOTH SIDES OF THIS FORM AND THAT THEY CONSTITUTE THE ENTIRE AGREEMENT BETWEEN THE PARTIES HERETO.

TOTAL

12,632 71

X

CUSTOMER SIGNATURE

DATE

AUTHORIZED SIGNATURE

DATE

FIRST YEAR RENTAL
ALLOWANCE IS
OF RENTAL PAID


SECTION 1110 PAGE 596

DATED FEBRUARY 1973

SUPERSEDES PAGE 596
DATED JULY 1972


1770
R.P.M.

TOTAL DYNAMIC HEAD-FEET



1170
R.P.M.

TOTAL DYNAMIC HEAD-FEET



NUMBER OF STAGES REQUIRED FOR APPLICATION
STANDARD CURVE ILLUSTRATES SINGLE STAGE



AURORA PUMP
DIVISION OF GENERAL SIGNAL
ATTENTION: PUMP DIVISION
1800 AIRPORT ROAD - NORTH AURORA, ILLINOIS

MEMORANDUM

DATE: March 28, 1997

TO: Files 74-07070, 74-07234, and 74-07303

FROM: Shelley W. Keen *SWK*

RE: Phone call from Harry Coleman

Harry Coleman called today to discuss the diversion rate being recommended for licensing on the permits listed above. Mr. Coleman said that the yield from his well began to diminish before the 1995 and 1996 measurements of his system and has continued since then. He wants a couple of weeks to gather supporting documentation that he will send to me. He said he believes he was diverting at 2000 gpm before the problem started.

ENCLOSURE

SEP 16 1997



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

March 25, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SHIRLEY R COLEMAN
HARRY COLEMAN
PO BOX 70
LEADORE ID 834640000

RE: WATER RIGHT NOS. 74-07070, 74-07234 and 74-07303

Dear Permit Holders:

The above referenced water rights are in the process of being licensed. However, before licenses can be issued, your permits must be amended to depict your water rights as they have actually been developed.

The enclosed Applications for Amendment contain information that will be included on the licenses when they are issued. The amendment reflects changes in the location of the point(s) of diversion and the place(s) of use descriptions. Please review carefully and if you concur, sign the amendments and return them with the \$50.00 filing fee for each amendment within 14 days.

The last page of the Application for Amendment forms contain a list of Conditions of Approval and Remarks proposed for the licenses when they are issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECORDED

SEP 16 1997

MEMORANDUM

TO: Files 74-07303, 74-07070, and 74-07234

FROM: Sharla

DATE: February 26, 1997/March 5, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Rights 74-07070/07234/07303 are based on the following:

H. RECOMMENDATIONS

74-07070:	Irrigation	4/15 - 10/15	2.87 cfs	927.5 afa
74-07234:	Irrigation	4/15 - 10/15	0.80 cfs	140.0 afa
74-07303:	Irrigation	4/15 - 10/15	2.41 cfs	490.0 afa

In a memo dated 10/4/96 from Ernie Carlson to Don Simpkins concerning the licensing of 74-07070, Ernie stated that the permit holder had work done on his well in the spring of 1996 and the driller or pump company lost a screen in the well column. After failing to recover the screen, the well's output dropped by about 50%. He further stated that in speaking with Skip Jones, Skip's suggestion was to issue the license based on a theoretical calculation. Then the right holder could file a transfer application or new permit, depending on how much water he could get from a theoretical.

This well serves all three rights being reviewed for licensing. There is a copy of a polysonic reading tape in each file dated 1995 and another for 1996. The measurement from 1995 (which was prior to the screen accident) yielded a rate of 3.67 cfs. The field reports were dated 3/95.

Further information supplied by the examiner confirms that only one pivot is in operation at any one time, but both are used alternately during a single irrigation season. When both pivots were in operation simultaneously along with the booster pump, the system cavitated.

Because the measurements were taken prior to problems with the well and in light of the fact that each pivot is used separately, the measurements are being used for licensing rather than the theoretical calculation.

ENCLOSURE

MAR 16 1997

000000

Page 2

In response to questions raised by Shelley Keen, I spoke with Skip Jones on March 5. Each pivot is operated at different times during the same irrigation season. They have always been operated this way; this method is not the result of the damage to the well in 1996. Since rights 74-07070 and 74-07234 are under the same pivot, they can be licensed as a permissible place of use.

There are three acres not covered by 74-07303. These lands cannot be picked up under 74-07234 (this right having capability of picking up the three extra acres without going beyond permitted number of acres) because this pivot wasn't in operation at the time proof of beneficial use was filed for 74-07234.

Finally, Skip had no problems with issuing the licenses using the measurements rather than theoretical calculations. After further thought on the matter, he feels that is the appropriate path to take.

Examiner: Lyn Bushaw/Keith Wilson
Exam Date: September 22, 1991

SEP 16 1991

LICENSE REVIEW CHECKLIST

PERMIT NO. 74-07234

DATE 2/25/97

REVIEWER: SHARLA

NAME ☒ Change ☐ OK

Address Change NO Shirley & Harry
per assignment

SOURCE ☐ ☒

Is change clarification of originally intended source? ☐

POINT OF DIV ☒ ☐

If not, prepare Notice of Intent to Void ☐

PLACE OF USE ☐ ☒

Amendment required yes

Amendment required NO

Does map agree with written description? ☒ yes ☐ no

OVERLAPS ☒ P/D ☐ P/U

RATE OF DIV

Permitted Rate .80 cfs

Fee limit 1.0 cfs

Measured 3.02 cfs

Theoretical 5.79 cfs

3.67 / 305 ac. = .012 cfs/ac

22 x .012 = .284 cfs

Recommended Total Div Rate .284 cfs

ANNUAL VOLUME/
NATURE OF USES ☐

Use ☒

Mr.

Volume Calculation

22 x 3.5 = 77.0 af

 af

 af

 af

SUBTOTAL 77.0 af

Flow rate .26 cfs X 184 days X 1.98 = 94.7 af

Total volume recommended 77.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W36(74-07303, 74-07070)
W35
DLE #1-18950. (W37)
W37(22)

CONDITIONS ☐ Watermaster Control WD#

☐ GW Measurement/Measuring Device

R30 Overlap

☐ Use-specific conditions

Advancement of Priority Date Required ☐ yes ☒ no

SRBA Claim Filed ☒

Adjustment Memo

1st Amend Letter P37 P38

2nd Amend Letter P47

To: Don S.

4 Oct 86

From: ERNIE

RE: Licensing of Permit 74-07070

Harry Coleman called yesterday about what he can do to get a greater diversion rate for licensing purposes. You may recall he did some work on his well this spring and the driller or pump company ~~dropped~~ ^{lost} a screen in the well column. After failing to recover the screen the well's output dropped by about 50%.

I spoke with Harold (Skip) and his suggestion was to issue the license based on a theoretical diversion rate. Then Harry can either file a transfer application or new permit application, depending on how much water he gets with a theoretical.

Please put this permit at the top of your stack of "write ups pending". If we expedite licensing Harry may have enough time to get something done by next spring.

Thanks.

Ernie.

RECORDED

OCT 16 1986



MODE ☐ INPUT
 OUTER DIAMETER
 8.0098 IN
 PIPE MATERIAL
 ? CS,SS
 WALL THICKNESS
 0.1988 IN
 INNER LINING
 ? NO LING.
 KIND OF FLUID
 ? ANOTHER
 SOUND VELOCITY
 1430 M/S-
 SENSOR MOUNTING
 ? U
 TYPE OF SENSOR
 ? SMALL
 DATA CHANGE
 ? NO
 SPACING
 5.691 IN U
 06-13 09:2800 *R
 +002.80 % AI2
 ZERO MODE
 CLEAR
 ZERO MODE
 AUT ZERO
 06-13 09:3100 *H
 +002.90 % AI2
 MODE SELECT
 T0 CHECK
 0293.0 MMSEC
 100.13 % T0
 06-13 09:3700 *R
 + 1.359E 3GPM
 3.02 CFS

74-07070
 1466E T100T ONLY + BOOSTER

96

Harry Coleman
 0301.1 MMSEC
 100.36 % T0

06-26 11:5000 *H
 +002.90 % AI2

PRINTER USE *74-7070*
 ? YES

MODE SELECT
 INPUT

OUTER DIAMETER
 8.0000 IN

PIPE MATERIAL
 ? CS,SS

WALL THICKNESS
 0.0969 IN

INNER LINING
 ? NO LING.

KIND OF FLUID
 ? ANOTHER

SOUND VELOCITY
 1430 M/S-

SENSOR MOUNTING
 ? U

TYPE OF SENSOR
 ? SMALL

DATA CHANGE
 ? NO

SPACING
 5.513 IN U

ZERO MODE
 CLEAR

ZERO MODE
 AUT ZERO

06-26 11:5400 *H
 +002.70 % AI2

MODE SELECT
 T0 CHECK

0301.1 MMSEC
 100.35 % T0

DAMPING SET
 25 SEC

06-26 12:0800 *R
 + 1.650E 3GPM

95

3.676 CFS

ENCLOSURE

SEP 16 1966

~~74-7070~~

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 06 1997
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 74-7234

1. Owner: SHIRLEY A. OF MICHAEL J. COLEMAN Phone No. 768-2434

Current Address: P.O. BOX 70, LEADORE, ID 83464

2. Accompanied by: SHIRLEY COLEMAN EXAM DATE: 3/15/95

Address: SAME Phone No. SAME

Relationship to Permit Holder: PERMITHOLDER

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: 74-7070, 74-7303

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NE	11	15N	26E	LEMMI	COUNTY NAPP PHOTO

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15N	26E	12					1												22
																			22

MICROFILMED

SEP 16 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ~~SEE ATTACHMENT OF DITCH PERMIT #747030~~



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	H.S. MOTOR	100			10"
	" "	75	R-9426-03-09L	ANCOA	8" 80-07159

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: STATIC ON 9/9/94 WAS 45'

STATIC ON 3/15/95 WAS 38'

FILED

SEP 16 1997

E. NARRATIVE/REMARKS/COMMENTS

SEE ATTACHMENT

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 16 1997

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{22 \times 3.5}{0.27} = 77 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{0.46 \text{ cfs} \times 183 \times 1.9835}{1} = 145.19 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 77 \text{ AFA}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
IRRIGATION	4/15	10/15	0.40 cfs	77 AFA
			0.27 cfs	
			0.27 cfs	
			0.40 cfs	77 AFA

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

Field Examiner's Name SIMPKINS Date 3/21/95

Reviewer L. Green Date 1-6-97

SEAL

MACROFILMS

SEP 16 1957



SCALE 1:24 000

T
15
N

SHIRLEY R. COLEMAN
MICHAEL J. COLEMAN
DESERT LAND ENTRY
I-18950

PLACE OF USE

R26E

2

1

11

12

DESERT LAND
ENTRY
I-18950 74-7234

3001

B. L. M.

T
15
N

R26E

POINT OF
DIVERSION WELL

<74-07303>

MAV
USE

4800

B. L. M.

6000

74-07234

11

12

14

13

Memo

From: H.W. Jones

To: Files 74-07234, 74-07303 + 74-07070

The flow calculations show 3.676 cfs done on the large pivot which takes in 74-07070 and 74-07234. There is a total of 305 acres licensed under these 2 permits.

$$\frac{3.676 \text{ cfs}}{305 \text{ acres}} = 0.0120 \text{ cfs/acre}$$

74-07070 has 283 acres $\times 0.0120 = 3.41 \text{ cfs}$

74-07234 has 22 acres $\times 0.0120 = 0.26 \text{ cfs}$

A second flow reading was taken for 74-07303 (small pivot)

This was 2.41 cfs

The theoretical flow for this common well is 5.79 cfs!

The 3 permits above used in combination should be then conditioned not to exceed 5.79 cfs.



MPRC-11121

SEP 16 1997

E.

ON 3/15/95 A FOLLOWUP FIELD EXAM WAS CONDUCTED FOR PERMIT # 74-7234. THE SYSTEM IS A 22 ACRE DESERT LAND ENTRY PORTION OF A 297 ACRE, 360 DEGREE CIRCLE PIVOT.

THE IRRIGATION SYSTEM CONSISTS OF A PRIMARY 100 HP PUMP WHICH HAS ITS BOWLS PLACED AT 165 FEET DEEP IN A 250 FOOT DEEP WELL. ON 3/15/95 THE STATIC WATER ON THE WELL WAS 38 FEET; LAST FALL THE WATER DEPTH WAS AT 45 FEET. THE SYSTEM INCLUDES A 75 HP BOOSTER PUMP WHICH PUMPS INTO A 10 INCH MAIN LINE. THE MAIN LINE GOES OUT TO THE LARGE CIRCLE PIVOT, HEIGHT IS 12 FEET [74-7070]; THE MAIN LINE THEN BRANCHES (VALVE CONTROLLED) OFF TO THE SMALLER PIVOT (74-7303). **NOTE:** ONLY ONE CIRCLE PIVOT IS IN OPERATION AT ANY ONE TIME.

PERMIT # 74-7234 LIMITED TO 0.40 cfs.

PERMIT # 74-7070 LIMITED TO ^{5.79}~~5.04~~ cfs.

NOTE: THIS RIGHT (74-7234) IN COMBINATION WITH PERMITS # 74-7070 AND 74-7303

SHALL NOT EXCEED ~~5.44~~cfs.

5.79 cfs

RECORDED
SEP 16 1995

FLOW CALCULATIONS:

$$Q = \frac{(100 \text{ HP} + 75 \text{ HP BOOSTER})(8.814)(.70)}{(38' \text{ STATIC} + 10' \text{ DRAW}) + (2.308 \times 60 \text{ PSI})} = \frac{1,079.7}{186.48} =$$

$$Q = 5.79 \text{ CFS THEORETICAL}$$

SONIC METER PUMP FLOW = 3.03 CFS ON LARGE PILOT ONLY. WHEN BOTH LARGE AND SMALL PILOTS WERE IN OPERATIONS, IN CONNECTION WITH BOOSTER PUMP, THE SYSTEM CAVITATED AND READINGS WERE NOT ABLE TO BE TAKEN.

RECOMMEND USE THEORETICAL PUMP FLOW OF 5.79 CFS.

RECEIVED
OCT 16 1977

74-07070

74-07234

74-07303

MODE INPUT

OUTER DIAMETER
8.0098 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1988 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1430 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.691 IN U

06-13 09:2800 *R
+002.80 % AI2

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO


06-13 09:3100 *H
+002.90 % AI2

MODE SELECT-
TO CHECK
0293.0 MMSED 6 1057
100.13 % TO


06-13 09:3700 *R
+ 1.359E 3GPM

3.02 CFS

74-07070
LH6E F100T ONLY + BOOSTER



PUMP + BOOSTER SYSTEM USED FOR 747070/7234/7303



SEP 16 1977

SYSTEM IN SPRING OF 1994
VIEW LOOKING SOUTH WEST




CIRCLE PIVOT IN FALL OF 1994
VIEW LOOKING SOUTH+EAST



10000-1111
SEP 10 1994

74-7070



2-209

Ditch

T 15 N

R 26 E

60577 Well

6084 AT

Creek

74-7070

6094 T

6100

61048

Ditch

Gravel Pit

633

74-7234

61230

13

6153 T

14

October 17, 1989

SHIRLEY R. COLEMAN
HARRY COLEMAN
P.O. BOX 70
LEADORE, ID 834640000

RE: PERMIT NO. 74-07234

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED

NOV 22 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 74-7234

Date: 9/22/89

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
_____ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
_____ 1. well log in file
☒ 2. drilling permit 1985
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

yes Is a measuring device or access port required?
? Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

PROOF ACCEPTABLE

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Possible well log
(not confirmed by
groundwater protection
section)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Harry Coleman</u> Address <u>Leadore Idaho</u> Owner's Permit No. <u>742020</u>	7. WATER LEVEL Static water level <u>16'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>52</u> °F. Quality <u>good</u>																																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>1600</u></td> <td><u>120'</u></td> <td><u>4</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1600</u>	<u>120'</u>	<u>4</u>																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																															
<u>1600</u>	<u>120'</u>	<u>4</u>																																																															
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>P.O.</th> </tr> </thead> <tbody> <tr> <td><u>20"</u></td> <td><u>0</u></td> <td><u>12</u></td> <td><u>Gravel</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>12</u></td> <td><u>35</u></td> <td><u>Gravel + clay</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>35</u></td> <td><u>75</u></td> <td><u>Gravel + clay</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>75</u></td> <td><u>105</u></td> <td><u>Gravel some clay</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>105</u></td> <td><u>125</u></td> <td><u>Gravel + clay</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>125</u></td> <td><u>160</u></td> <td><u>Gravel + clay</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>160</u></td> <td><u>170</u></td> <td><u>Washed gravel</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>170</u></td> <td><u>172</u></td> <td><u>climbing clay</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>172</u></td> <td><u>200</u></td> <td><u>gravel clay + sand</u></td> <td><u>X</u></td> <td><u>X</u></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	P.O.	<u>20"</u>	<u>0</u>	<u>12</u>	<u>Gravel</u>	<u>X</u>	<u>X</u>		<u>12</u>	<u>35</u>	<u>Gravel + clay</u>	<u>X</u>	<u>X</u>		<u>35</u>	<u>75</u>	<u>Gravel + clay</u>	<u>X</u>	<u>X</u>		<u>75</u>	<u>105</u>	<u>Gravel some clay</u>	<u>X</u>	<u>X</u>		<u>105</u>	<u>125</u>	<u>Gravel + clay</u>	<u>X</u>	<u>X</u>		<u>125</u>	<u>160</u>	<u>Gravel + clay</u>	<u>X</u>	<u>X</u>		<u>160</u>	<u>170</u>	<u>Washed gravel</u>	<u>X</u>	<u>X</u>		<u>170</u>	<u>172</u>	<u>climbing clay</u>	<u>X</u>	<u>X</u>		<u>172</u>	<u>200</u>	<u>gravel clay + sand</u>	<u>X</u>	<u>X</u>
Hole Diam.	Depth		Material	Water																																																													
	From	To		Yes	P.O.																																																												
<u>20"</u>	<u>0</u>	<u>12</u>	<u>Gravel</u>	<u>X</u>	<u>X</u>																																																												
	<u>12</u>	<u>35</u>	<u>Gravel + clay</u>	<u>X</u>	<u>X</u>																																																												
	<u>35</u>	<u>75</u>	<u>Gravel + clay</u>	<u>X</u>	<u>X</u>																																																												
	<u>75</u>	<u>105</u>	<u>Gravel some clay</u>	<u>X</u>	<u>X</u>																																																												
	<u>105</u>	<u>125</u>	<u>Gravel + clay</u>	<u>X</u>	<u>X</u>																																																												
	<u>125</u>	<u>160</u>	<u>Gravel + clay</u>	<u>X</u>	<u>X</u>																																																												
	<u>160</u>	<u>170</u>	<u>Washed gravel</u>	<u>X</u>	<u>X</u>																																																												
	<u>170</u>	<u>172</u>	<u>climbing clay</u>	<u>X</u>	<u>X</u>																																																												
	<u>172</u>	<u>200</u>	<u>gravel clay + sand</u>	<u>X</u>	<u>X</u>																																																												
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	10. RECEIVED JUN 8 1981 JUN 11 1981 Department of Water Resources Eastern District Office																																																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ inches Diameter _____ inches + _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☒ Torch Size of perforation <u>1/4</u> inches by <u>4</u> inches Number _____ From _____ feet To _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name <u>None</u> Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20'</u> Material used in seal: ☐ Cement grout ☒ Well cuttings ☐ Puddling clay ☒ Temp. surface casing Sealing procedure used: ☐ Slurry pit ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>1 1/2" Threaded pipe + cap</u>	11. DRILLERS CERTIFICATION <u>cb dl</u> I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Aaron Franden Drilling</u> Firm No. <u>394</u> Address <u>RT 3 box 452 Reubens</u> Date <u>May 1981</u> Signed by (Firm Official) <u>Aaron Franden</u> and <u>Gus Franden</u> (Operator)																																																																
6. LOCATION OF WELL Sketch map location must agree with written location. <u>E 74</u> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Lemhi</u> <u>NW 1/4 SW 1/4 Sec. 12 T. 15 S. R. 26 E.W.</u>	12. MICROFILMED NOV 22 1989																																																																

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

138304
May 31, 1989

SHIRLEY R. COLEMAN
HARRY COLEMAN
P.O. BOX 70
LEADORE, ID 834640000

PROOF DUE NOTICE

RE: PERMIT NO. 74-07234

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 22 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 21, 1988

RE: Permit No. 74-7234

Shirley R or Harry Coleman
Box 70
Leadore, ID 83464

Dear Permit Holders:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

APR 04 1988

Permit No. 74-7234

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? ✓
2. Notary? ✓
3. a. Full Assignment? ✓
b. Partial Assignment?
4. "No assignment" condition on permit? NO
5. Commencement of Works received?
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required? NO
7. Extension granted due to litigation?
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓
2. Coding sheet. ✓
3. Acknowledgement letter type. — #1
4. Copy to region.

Date 3/21/8

Employee S Curtis

RECEIVED

DEC 7 1984

October 10, 1984

Department of Water Resources

Shirley R. Coleman
Box 70
Leadore, ID 83464

RE: Permit #74-7234

Dear Mrs. Coleman:

On August 9, 1984 application #74-7234 was approved by this department for irrigation of land under desert land application I-18950. A copy of the permit is enclosed for your records along with an assignment form and a blank application for permit.

The blank application is being provided should you decide to file for a water right on those lands classified as suitable for entry but are not covered by permit #74-7234. The permit allows a appropriation of water to irrigate only 40 acres in the NE1/4 NW1/4, Sec. 12, Twp. 15N, Rge. 26E. This means there is no water right application covering the 120 acres in the SE1/4 NE1/4 and the E1/2 of the SE1/4 of Sec. 1, Twp. 15N, Rge. 26E.

The assignment form has been prepared to convey Michael Coleman's interest in permit #74-7234 to Harry Coleman. Department records will be changed when the assignment is received bearing the notarized signature of both Michael and yourself.

As always feel free to contact this office if you have questions regarding the above information.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:jk

Enclosures

cc: William E. Ireland - BLM

bc: IDWR - State Office

MICROFILMED

ACTION CODE	FROM	TO	USE CODE	CFS	AFA
-------------	------	----	----------	-----	-----

ACTION CODE

[illegible]

L A. P/O & P/u incomplete

B.

C.

D.

E.

<u>CODES</u>	<u>ACTION CODE</u>
--------------	--------------------

DECREE DATE (3 ch

L	Rehburg Irrigation Co. et al vs	12-16-1910
	Teton Irrigation Canal Co. et al	

August 20, 1984

RE: Permit Nos. 74-7234

Shirley R. or Michael J. Coleman
Box 70
Leadore, ID 83464

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: **G. F. RAMSEY**
CHECK: **MAY 10 1984**

APPLICATION NUMBER: **74-7234**

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____
Date: _____
Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No In form for advertising.
☐ Yes ☒ No Final date for protests: June 11-1984
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6-01-84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 74-W
5-10-84 Date of priority recommended.
Special conditions of approval or cover letter. _____

Code #26.

By: Ernest Carlson.
STATE OFFICE REVIEW.

Date: June 11, 1984

103, 105, 117
~~103, 105, 117~~
26 04 01C

☐ See attached sheet for more information.

By: EW

Date: 8-7-84

RECEIVED
JUN 21 1984

Department of Water Resources

MICROFILMED

INTER-DEPARTMENT MEMO — 1

DATE 8-7-84

FROM Kay Walker

TO File 74-7234

SUBJECT WLE -

Per telecon with Stephanie Snook (BLM) this day, we should proceed with action on this water right application. They are aware that the water right app. is for only 40 acres and will disallow the other lands found suitable, ~~which~~ at the time of final decision on WLE.

MICROFILMED
SIGNATURE

Form 1541-1
(May 1967)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SHORT NOTE TRANSMITTAL

74-7234

JUL 27 1984

7/25/84
Department of Water Resource
(Date) Eastern District Office

TO : Ernie Carlsen, IDWR
FROM : Stephanie Snook, BLM
SUBJECT: 74-7234

The subject land was classified
as suitable for desert entry. See
attached decision.

Stephanie

MICROFILMED

Note: Return this form when action is completed or attach it to data requested

RECEIVED

AUG 3 1984

Department of Water Resources

RECEIVED

JUL 27 1984

Department of Water Resources
Eastern District Office

222.
J.Hall
3/30/84
3.8.154
Woodson

2520

I-18950 (943)

APR 5 1984

CERTIFIED—RETURN RECEIPT REQUESTED

712 064553

Shirley R. Coleman
Box 70
Leadore, Idaho 83464

Dear Mrs. Coleman:

Pursuant to 43 CFR 2450.4(b), attached is a copy of the initial decision classifying 160 acres of public land in Lemhi County as suitable for entry and 160 acres as unsuitable for entry under the Desert Land Act. The initial decision is designated as "Attachment A."

On November 23, 1983, this office issued a proposed decision to classify 150 acres as suitable and 170 as unsuitable. One protest letter, in addition to yours, was received during the 30-day comment period.

These are summarized and analyzed as follows:

Protest #1

James Kruckeberg, the grazing permittee on the subject land, is protesting for the following reasons:

1. Removal of land from his grazing permit would have an adverse impact on him.
2. The BLM should not allow one rancher to enhance and enlarge his ranch at the expense of another rancher. The grazing permittee should have the first right of refusal to make the desert entry.
3. The land would be unprofitable and should be rejected on this issue alone.
4. If Colemans want a desert entry they should apply for one in their grazing allotment.

Analysis

1. The subject land classification would not, on its own, cause Mr. Kruckeberg to lose his grazing use. It could, however, result in allowance of a desert entry that would affect approximately 8 AUMs of use out of 605 AUMs in the Hawley Creek Allotment. If these lands are converted to agricultural use, they would be more productive than they are now. Agricultural production would then be considered the highest and best use, over and above grazing.

MICROFILMED

POST LAND OFFICE RECORDS		
Land Classified on	5/30/84	J.H.H.
	Date	Initial
Proposed Classif.		Initial
Records Posted		Initial
	Date	Initial

When the lands are transferred out of public ownership the grazing permittee would be issued a grazing decision. That decision gives the permittee an opportunity to protest or appeal the grazing decision that results in a loss of either AUMs, acreage, or both.

The classification decision also serves as a notice to the permittee that the grazing use may be adjusted or terminated if the lands are disposed of. This gives the permittee an opportunity to make other arrangements or adjustments in his livestock operation to minimize any adverse impacts resulting from this land action.

2. Under the present laws and regulations every individual may file a desert land application and receive up to 320 acres during their lifetime. Mrs. Coleman filed on 320 acres with the intent to convert it from "desert land" to irrigated agricultural land. Such was the intent of the Desert Land Act of 1877, as amended. There are no provisions for giving the grazing permittee the first right of refusal.

3. Our first responsibility, in response to a petition for classification and application for desert land entry, is to properly classify the land. This is done based on the land's physical capability and suitability to produce an agricultural crop. The subject classification decisions were a result of our examination of the land and a determination that a portion of the land is suitable for this use.

This protest point deals with an administrative step in the process that has nothing to do with the subject land classification process. The economic feasibility of Mrs. Coleman's proposal will be reviewed after the classification is completed. A separate decision will be made regarding this issue.

4. As stated previously, each individual may file a desert land application. There is no authority to restrict it by grazing allotment or area.

Protest #2

Shirley Coleman protested the proposed decision for the following reasons:

1. She wanted an additional 10 acres included in the suitable classification so that a full 40-acre parcel could be farmed.
2. She felt the riparian habitat on the 10-acre parcel was minimal to non-existent.
3. Adding the 10 acres (NE 1/4, Section 12, T. 15 N., R. 26 E., B.M.) would straighten the boundary lines and allow the land to be irrigated more easily.

Analysis

The Salmon District Manager re-examined the 10-acre parcel Mrs. Coleman discussed and found that it contained very minimal wildlife value due to the existing erosion and channelization of Eighteenmile Creek. He agreed that it would straighten the boundary lines and afford a more manageable parcel if it is converted to agricultural use. Therefore, he accommodated her protest and issued an amended proposed

MICROFILMED

decision to reflect the addition of the 10-acre parcel. This resulted in 160 acres proposed as suitable and 160 acres proposed as nonsuitable.

There were no protests received on the amended proposed decision and, in view of the above discussion and protest, there have been no issues raised that show the amended proposed decision to be in error. The attached decision will remain the same as the amended proposed decision.

For a period of 30 days after receipt of this decision by the parties on the enclosed list, and in accordance with 43 CFR 2450.5(a), this initial decision shall be subject to the exercise of the supervisory authority by the Secretary of the Interior for the purposes of administrative review. If the Secretary exercises his supervisory authority, you will be so notified. If he does not exercise his authority, this decision will become the final order of the Secretary.

All comments, objections or protests to this decision should be sent to the Secretary of the Interior, LLM, 320, Washington, D.C., 20240. They must be sent within 30 days of receipt of this decision. However, they should be sent as early as possible to insure enough time for their full review.

Sincerely yours,

CLAIR M. WHITLOCK
STATE DIRECTOR

Enclosures
Initial Classification Decision
Mailing List

RETYPE:ww:3/28/84:x1825

UNRECORDED

"Attachment A"
(Initial)
CLASSIFICATION DECISION

The following-described public land has been examined and found suitable for Desert Land Entry.

The following lands are hereby classified as suitable for entry under the provisions of the Desert Land Act of March 3, 1877, as amended:

T. 15 N., R. 26 E., B.M.
sec. 1, SE¹/₄, E¹/₄SE¹/₄;
sec. 12, NE¹/₄.
Containing 160 acres.

This classification is based on the following reasons:

1. The lands are physically suitable or adaptable to agricultural development (43 CFR 2410.1(a)).
2. The lands meet the disposition criteria as stated in 43 CFR 2520.0-3.
3. The Soil Conservation Service has classified these lands as Class IIIs and IVs which are suitable classifications for agricultural production.

Pursuant to Section 402(g) of the Federal Land Policy and Management Act of October 21, 1976, the grazing permittee(s) involved are hereby modified that grazing use of the lands described in this decision will be terminated in the event these lands are transferred out of Federal ownership.

As required in 43 CFR 2521.2(d), the applicant must submit a showing of a right to the permanent use of sufficient water to irrigate and reclaim all of the irrigable portion of the land sought. This showing must be made prior to the allowance of a notice of entry.

The following-described lands have been examined and found unsuitable for Desert Land Entry. These lands are hereby classified as unsuitable for entry under the Desert Land Act of March 3, 1877, as amended:

T. 15 N., R. 26 E., B.M.
sec. 12, NE¹/₄.
Containing 160 acres

This classification is based on the following reasons:

1. These lands are considered to contain valuable wildlife habitat for antelope, sage grouse and Hungarian partridge.
2. The wildlife habitat located on this parcel is associated with the wetland-riparian areas of Eighteenmile Creek.
3. Executive Order 11990 (Protection of Wetlands) dated May 24, 1977, ordered each agency "to minimize the destruction, loss or degradation of wetlands, and to preserve and enhance the natural and beneficial values of wetlands, in... acquiring, managing and disposing of Federal lands and facilities.
4. It is Bureau policy to avoid the long- and short-term adverse impacts associated with the destruction, loss, or degradation of wetland-riparian areas.

MICROFILMED

5. The highest and best use of these lands is in public ownership as natural wildlife habitat.

The following petition for classification is hereby partially approved. The following person, by reason of having filed a petition-application for Desert Land Entry will have a preference right to make entry under this classification as provided by 43 CFR 2450.

Name of Petitioner: Shirley R. Coleman

Type of Petition: Desert Land Act of March 3, 1877, as amended.

This decision relates only to the proper classification or disposition of the described public land administered by the Bureau of Land Management. Adjudicative action by the appropriate office, at a later date, will determine the merits of the application, as well as the qualifications of the applicant.

Date

RETYPE:ww:3/30/84:x1825

MICROFILMED

"ATTACHMENT B"

Copies of the decision have been sent to the following interested parties:

By Certified Mail: Return Receipt
Requested

(3 copies)
Steve Woodall #712 064 554
Idaho State Clearinghouse
Division of Financial Management
Room 230
Statehouse Mail
Boise, ID 83720

State of Idaho #712 064 555
Fish & Game Department
600 Walnut Street
P.O. Box 25
Boise, ID 83702

Norm Young #712 064 556
Idaho Dept. of Water Resources
450 W. State Street
Boise, ID 83702

Mr. Lou Demick, Chairman #712 064 557
Lemhi County Commissioners
206 Courthouse Drive
Salmon, ID 83467

Eugene Edwards, Chairman #712 064 558
Lemhi Co. Planning & Zoning Com.
Box 1145
Salmon, ID 83467

Charles Isom #712 064 559
P.O. Box 65
Leadore, ID 83464

James Kruckeberg #712 064 560
Leadore, ID 83464

By Regular Mail:

Idaho Dept. of Fish & Game
Attn: Tom Parker
Box 1336
Salmon, ID 83467

Idaho Dept. of Water Resources
Eastern Region
150 Shoup
Suite 15
Idaho Falls, ID 83401

State Director (943)

MICROFILMED

June 18, 1984

RE: Application for Permit No. 74-7234

Shirley R. or Michael J. Coleman
Box 70
Leadore, Idaho 83464

Dear Applicants:

Please be advised that your application for permit has been processed. However, since your application is filed in connection with a desert land entry with the Bureau of Land Management, this office will take no further action until such time as evidence is submitted, in writing, to the Department of Water Resources that your desert entry has been classified as suitable for entry.

If we may be of further assistance, please contact us.


Very truly yours,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

cc: Bureau of Land Managment
3380 Americana Terrace
Boise, ID 83706

*Desert Entry No. I-18950



CONVERSATION MEMORANDUM

DATE June 11, 1984

FILE 74-7233 & 74-7234

NAME OF PARTY Don Simpson

EMPLOYEE Ernest Carlsen *EC*

RE: Don Simpson is one of the realty specialists for the
Bureau of Land Managment, Salmon, Idaho; and he regularly works
Desert Land Entry applications. Mr. Simpson advised me by
telephone today that proposed decisions had been issued by the
BLM to both the applicants for the above captioned applications.

In each case, the land listed as the place of use was
identified as suitable for entry.

MICROFILMED

May 17, 1984

RE: Application for Permit No. 74-7234 COLEMAN

Bureau of Land Management
P.O. Box 430
Salmon, Idaho 83467

Gentlemen:

Please be advised that Shirley R. or Michael J. Coleman have filed the above referenced application with this office. They have indicated they have filed Desert Land Entry Application No. I-18950 with your office. The legal description of the application is as follows:

POINT OF DIVERSION: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 15N, R. 26E, B.M.,
Lemhi County.


PLACE OF USE: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 15N, R. 26E, B.M.

If you have any questions regarding this matter, please contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw



74-7234

COLEMAN, SHIRLEY R. &/or MICHAEL J.

BOX 70, LEADORE, ID 83464

Source: GROUNDWATER

Date Filed: 05/10/1984

Diversion Pt: SWNW Sec 12 T 15N R 26E

Use: IRRIGATION (0.80 CFS)

In: NENW Sec 12 T 15N R 26E FOR 40 ACRES

74-7234

COLEMAN, SHIRLEY R.
&/or MICHAEL J.
BOX 70, LEADORE, ID
83464
Source: GROUNDWATER
Date Filed: 05/10/1984
Diversion Pt: SWNW Sec
12 T 15N R 26E
Use: IRRIGATION (0.80
CFS)
In: NENW Sec 12 T 15N R
26E FOR 40 ACRES

MICROFILMED