



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

RECEIVED
JUL 10 1968

28 40
35
12 19
24 25 40 40
36 16
23
8 12 5 14
23 40 26
2 11 9 38 40
2 39 30
2

OVERLAP

74-7006 (License) $32/160 = 0.02 \text{ cfs/acre}$
74-2329 (decree) $4.52/226 = 0.02 \text{ cfs/acre}$
74-7148 (Permit) 215 new acres

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 74-7148
1. Owner: James & or Maybelle Ellsworth Phone No. 768 2668
Current Address: Box 60 Leadore ID 83464
2. Accompanied by: James Ellsworth EXAM. DATE: 6-24-87
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 74-2329 74-011 74-0067 74-0042 74-7006 74-2329 ☐ Copies Attached
2. Other water rights with same point of diversion: 74-7006 74-2329 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
MAR 26 1990

Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).




74-7148



MICROFILMED
MAR 26 1990

15N 26E

C. B. A.



74-2329

Mr. James Ellsworth
P.O. Box 27
Leadore, Idaho 83464

Dear Mr. Ellsworth:

A representative of this Department has made an examination of the works covered by your Permit No. 32296/74-2329 and has found the following:

Quantity of water diverted: 5.72 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 4.52 cfs

The maximum quantity diverted shall not exceed 679 acre feet per year.

Beneficial use: Irrigation of 226.2 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 1; NE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2; Twp. 15N, Rge. 26E, B.M. and S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 35, Twp. 16N, Rge. 26E, B.M.

Point of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, Twp. 15N, Rge. 26E, B.M.

The priority date established: April 7, 1965 (late proof)

If you do not concur with these findings, please advise us within 10 days; otherwise a water license will be issued as set forth above.

Enclosed please find a copy of the approved application for amendment in connection with this permit. Also enclosed is an Order which advances the priority.

If you have any questions regarding the above matters, please contact us within the 10- day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

Enc: Copy of amendment

MICROFILMED

MAR 26 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07148

Priority: December 3, 1981

Maximum Diversion Rate: 4.30 CFS
Maximum Diversion Volume:¹ 645.0 AF

This is to certify, that JAMES ELLSWORTH
MAYBELLE ELLSWORTH

P.O. BOX 60
LEADORE, ID 83464

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 3, 1981; and has submitted Proof of Beneficial Use on June 22, 1984. An examination indicates that the works have a diversion capacity of 4.990 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	4.30 CFS	645.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESE, Sec. 2, Township 15N, Range 26E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15N	26E	2	NENE 23	SWNE 5	SENE 8	36	
16N	26E	35	SWNE 28	SENE 40	NESW 12		
			NESE 19	SWSE 40	SESE 40	179	

Total number of acres irrigated: 215

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. The maximum combined rate of diversion under this right is 4.990 cfs.

MICROFILMED

MAR 26 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07148

CONDITIONS/REMARKS:

74-2329 & 74-7006 shall not exceed 4.99 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 20TH
day of MARCH, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant James ~~and~~ ^{&/or} Maybelle Ellsworth Phone 768-2664
Post office address Box 60, Leadore, ID 83464

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 2 Township 15 North
Range 26 E B.M. Lemhi County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

4.30 cfs *
Amount 4.30 cfs for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: *All changes made per telecon w/James Ellsworth KCW 12/3/81

a. _____ cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well, pump, boosters,
mainline to laterals with sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15N	26E	2	23 24		5					8							2		39- 38
16N	26E	35			28	40					15				14		40	40	177

Total number of acres to be irrigated -216 215

c. Describe any other water rights used for the same purposes as described above. No other
groundwater rights. There are some surface water rights for some of this
land.

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing

10. Remarks This application is to include certain small parcels of
irrigated land not included in License 74-2329 as shown in the Lemhi
River Proposed Findings of Water Rights and not included under amended
permit No. 74-7006 as well as to include the irrigation of land not
previously irrigated.

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. Edwards
(Applicant)

Proposed Priority 12/03/1981

Received by CW Date 12-03-81 Time 10:20 A

Preliminary check by KCW Fee \$ 125.00

Receipted by CW Date 12-04-81 # 19186

Publication prepared by JS Date 12-9-81

Published in Recorder Herald

Publication dates 12-17th 12-24-81

Publication approved CW Date 1-04-82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 74-7148, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 25th day of January, 1982.

A. Glen Sayton
Chief, Operations Bureau

RECORDED
12-17-81

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to appropri-
ate the public waters of
the State of Idaho:
74-7148

ELLSWORTH, JAMES
&/or MAYBELLE
P. O. BOX 60, LEADORE,
ID 83464

Source: GROUND-
WATER

Date Filed: 12/03/1981

Amount: 4.30 CFS

Diversion Point: SESE Sec
02 T 15N R 26E, LEMHI
Co.

Use: IRRIGATION (4.30
CFS) from 03/15 to 11/15
Place of Use: NENE
SWNE SENW SWSE Sec
02 T 15N R 26E SWNE
SENE NESW NESE
SWSE SESE Sec 35 T 16N
R 26E FOR 215 ACRES

Diversion Means: WELL,
PUMP & SPRINKLERS.
75-7275

HANNON, GARY C.
DEMMONS, WILLIAM
H.

7981 WADE RD., TUS-
CON, AZ 85743

Source: TWO CABIN
CREEK tributary, to CAR-
MEN CREEK

Date Filed: 11/23/1981

Amount: 0.48 CFS

Diversion Point: SWSW
NWSW Sec 09 T 23N R
23E, LEMHI Co.

Use: MINING (0.48 CFS)
from 05/01 to 11/30

Place of Use: NESW
NWSW SWSW SESW
NWSE SWSE Sec 09 T
23N R 23E NENW
NWNW Sec 16 T 23N R
23E

Diversion Means: HEAD-
GATES AND DITCHES

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 150 Shoup Ave.,
Idaho Falls, Idaho 83402
on or before JANUARY 4,
1982.

A. KENNETH DUNN
Director
Published 12/17 & 12/
24/81.

12-17-2tc

Affidavit of Publication

RECEIVED
DEC 28 1981

STATE OF IDAHO

County of Lemhi

ss.

Department of Water Resources
Eastern District Office

JERRY G. ROBIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein.

That the Notice of Application for Water Rights Nos. 74-7148,
75-7275

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 2
consecutive issues, commencing with the issue dated Dec. 17, 1981
and ending with the issue dated Dec. 24, 1981

Subscribed and sworn to before me, this twenty fourth
day of December, 1981

Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 32.40

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to appropri-
ate the public waters of
the State of Idaho:

74-7148

ELLSWORTH, JAMES
&/or MAYBELLE
P. O. BOX 60, LEADORE,
ID 83464

Source: GROUND-
WATER

Date Filed: 12/03/1981

Amount: 4.30 CFS

Diversion Point: SESE Sec
02 T 15N R 26E, LEMHI
Co.

Use: IRRIGATION (4.30
CFS) from 03/15 to 11/15
Place of Use: NENE
SWNE SENW SWSE Sec
02 T 15N R 26E SWNE
SENE NESW NESE
SWSE SESE Sec 35 T 16N
R 26E FOR 215 ACRES

Diversion Means: WELL,
PUMP & SPRINKLERS.

RECEIVED
DEC 10 1981

March 20, 1990

JAMES ELLSWORTH
MAYBELLE ELLSWORTH
P.O. BOX 60
LEADORE, ID 83464

RE: PERMIT NO. 74-07148

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 26 1990

February 23, 1990

JAMES ELLSWORTH
MAYBELLE ELLSWORTH
P.O. BOX 60
LEADORE, ID 83464

RE: PERMIT NO. 74-07148

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

MEMORANDUM

TO: FILE

FROM: ROXANNE MCCARTHY

RE: OVERLAP ANALYSIS


DATE: 28-NOV-1989

This right covers new lands only, 215 acres. The point of diversion is the same as that used by Licensed right 74-7006 and Decreed right 74-2329. Those rights irrigate different lands at a rate of 1" per acre.

The new acres found under 74-7148 should be licensed for 1" per acre from the source. The new license should be conditioned not to exceed a diversion rate of 4.99 cfs when combined with the other rights. The volume capacity is not exceeded by these rights in combination and does not need to be conditioned.

MICROFILMED

1990



WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7400042	ELLSWORTH	D	BIG TIMBER CREEK	15N	26E	2		14	40	:				:				:					54
7400067	ELLSWORTH	D	TEXAS CREEK	15N	26E	2		14	40	:				:				:	23				77
7400092	ELLSWORTH	D	TEXAS CREEK	15N	26E	2				:		10		:				:					10
7400093	ELLSWORTH	D	TEXAS CREEK	15N	26E	2				:				:	15		8	:					23
7400111	ELLSWORTH	D	TEXAS CREEK	15N	26E	2		14	40	:				:				:	23				77
7400135	ELLSWORTH	D	TEXAS CREEK	15N	26E	2				:				:	15		8	:					23
7402329	ELLSWORTH	D	GROUNDWATER	15N	26E	2		23	40	:				:				:	38	9		1	111
7407148	ELLSWORTH	P	GROUNDWATER	15N	26E	2	23	5		:			8	:				:			2		38
L7407148	ELLSWORTH	L	GROUNDWATER	15N	26E	2	23	5		:			8	:				:			2		38
NO MAPPING INFO AVAILABLE																							

7400023	SIMS	D	HAWLEY CREEK	16N	26E	35				:	22			:				:					22
7400026	SIMS	D	HAWLEY CREEK	16N	26E	35				:	22			:				:					22
7400042	ELLSWORTH	D	BIG TIMBER CREEK	16N	26E	35				:		18		:	25	10	24	25	:				102
7400066	ELLSWORTH	D	TEXAS CREEK	16N	26E	35				:		13	6	:		10	24	:					53
7400067	ELLSWORTH	D	TEXAS CREEK	16N	26E	35				:				:			24	25	:				49
7400110	ELLSWORTH	D	TEXAS CREEK	16N	26E	35				:		18	6	:		10	24	:					58
7400111	ELLSWORTH	D	TEXAS CREEK	16N	26E	35		12		:				:		28	35	25	:				100
7402320	ELLSWORTH	D	EIGHTEENMILE CREEK	16N	26E	35		12		:			37	:				:	26	40			115
7402329	ELLSWORTH	D	GROUNDWATER	16N	26E	35				:				:		24	25	:					49
7407006	ELLSWORTH	D	GROUNDWATER	16N	26E	35				:				:				:	40				40
7407064	ISOM	P	GROUNDWATER	16N	26E	35				:	40	40		:				:					80
7407148	ELLSWORTH	P	GROUNDWATER	16N	26E	35		28	40	:				:	15			:	14		40	40	177
L7407064	ISOM	L	GROUNDWATER	16N	26E	35				:	39	39		:				:					78
L7407148	ELLSWORTH	L	GROUNDWATER	16N	26E	35		28	40	:				:	15			:	14		40	40	177
NO MAPPING INFO AVAILABLE																							

MICROFILMED
MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

74-7148
Permit No. ELLISWORTH

RECEIVED
JAN 06 1988

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Sam Felt (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SM 12-22-87 (Initial and date)

Exam Reviewed by Manager of Regional Office SM 12-27-87 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original

Refiled in White File _____ (Initial and date)

*
HOLD +
DO OVERLAP
Review as
per new
Directions
HWT

Ben Sackston

Sam Filletti

11:00

4 mile turn

CATTLE GARD

$\frac{3}{4}$ mile

Red GATES

TURN RIGHT

High STACKS

to south

Rail road car bridge

Link truck

05/10/1964

1000 / 1000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 74-7148
1. Owner: James & or Maybelle Ellsworth Phone No. 768 2669
Current Address: Box 60 Leadore ID 83464
2. Accompanied by: James Ellsworth EXAM. DATE: 6-24-87
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: 74-2329 74-011 74-0067 74-0042

☐ Copies Attached
2. Other water rights with same point of diversion: 74-7006 74-2329

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

WATER IS PUMPED FROM 16" (well 109) STATIC WATER RISE BY A 150 HP DIESEL ENGINE w/ main line to an open discharge commingled with TEXAS LR WATER and then using 2-100 HP Rediversion pumps to mainline and the laterals:
 5 1/3 mile lines w/ 45 birds
 9 1/4 mile lines w/ 33 birds ASSOCIATED NO. 2 1/2" SIZE

☐ See Remarks on page 4 for continuation

PETERSON TRACTOR COMP QMD04468P3750

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	CATERPILLAR	150	2U17143 SP	LAYNE+BOWLER	DZ4332
Rt. Anole pump drive		70		AMALIAO	ZBC70856
AT DITCH #2	GE	100	DTJ401351	AURORA	
#3 NORTHERN MOST	GE	100	DTJ401350	AURORA	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SE	2	15N	26E	Lemhi	ASCS AERIAL PHOTO

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15N	26E	2	23		5					8									36
		35			28	40					12				19		40	40	179
																			TOTAL
																			215

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
MANOMETER					48"	
ANNUBAR				191158	18"	

2. Measurements:

Manometer Reading = 19.2 High 2.7 Low = 16.5 inch
 ID = 14" - 2 1/4" = 11.75 inch
 Flow measurement = 4.99 cfs ~~4.87 cfs~~

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

Theoretical Capacity

* see sheet with application note

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

V_{I.R.} = (Acres Irrigated) x (Irrigation Requirement) = 215 ^{acres} x 3 = 645 afa

V_{D.R.} = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = 203 ²⁰³ x 214 x 1.9835 = 1925.861

V = Smaller of V_{I.R.} and V_{D.R.} = 645 afa

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

L R17 >> The maximum combined RATE OF DIVERSION UNDER THIS RIGHT AND RIGHT NO 74-7006 74-2329 shall NOT exceed ~~5.69~~ cfs. This amt (~~5.72 cfs~~) was ~~5.69 cfs~~ 5.69 cfs
the capacity of the system when the Licensing exam was done for 74-~~2329~~ ²⁰⁰⁶. Decree book for Lemhi River says max amt. used between 74-7006 + 74-2329 would be 5.69 cfs. Most recent exam for 74-7148 shows capacity of well to be 4.99 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4-1	11-1	~~4.30~~ 2.03	645
Totals:			~~4.30~~ cfs 2.03	645 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name SAMUEL D FILETTI
Signature Samuel D Filetti
Certification Date 29.12.87
Field Report Preparation Date _____


CONSULTANT SEAL

Steve McCormick

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MicroFILMED

MAR 2 1988



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

74-7148

Permit No.

Measurement Calculations

Field Measurement Calculations (Include theoretical capacities and system capacity)

Halls Meter: $Q = (A)(V_h)$ $A = \text{Area} = \frac{\pi d^2}{4}$ $V_h = \text{Halls Manometer Reading}$

$$Q_{\text{gpm}} = (A)(V_h) = \left[\frac{\pi d^2}{4} \right] (V_h) = \text{GPM} \div 448.8 \text{ gpm/cfs} = \text{CFS}$$

$$Q_{\text{cfs}} = \left[\frac{(3.1416)(\quad)^2}{4} \right] \times (\quad) \div 448.8 = \quad \text{cfs}$$

TABLE 1

CHART TO CONVERT LINEAR INCHES DIFFERENTIAL
IN THE MANOMETER TO MANOMETER READING

$V_h = \text{HALLS}$ Manometer Reading	DIF. Inches of Water	$V_h = \text{HALLS}$ Manometer Reading	DIF. Inches of Water	$V_h = \text{HALLS}$ Manometer Reading	DIF. Inches of Water
1	.140	17	12.435	33	43.950
1.5	.240	17.5	12.132	33.5	45.200
2	.350	18	13.848	34	46.500
2.5	.470	18.5	14.582	34.5	47.850
3	.600	19	15.336	35	49.200
3.5	.750	19.5	16.108	35.5	50.550
4	.900	20	16.898	36	51.900
4.5	1.080	20.5	17.707	36.5	53.250
5	1.283	21	18.534	37	54.600
5.5	1.540	21.5	19.380	37.5	56.000
6	1.853	22	20.246	38	57.35
6.5	2.094	22.5	21.129	38.5	58.7
7	2.397	23	22.031	39	60.05
7.5	2.722	23.5	22.951	39.5	61.4
8	3.066	24	23.891	40	62.75
8.5	3.428	24.5	24.849	40.5	64.1
9	3.810	25	25.825	41	65.45
9.5	4.210	25.5	26.820	41.5	66.8
10	4.627	26	27.834	42	68.15
10.5	5.063	26.5	28.866	42.5	69.5
11	5.520	27	29.917	43	70.85
11.5	5.994	27.5	30.987	43.5	72.2
12	6.486	28	32.075	44	73.55
12.5	6.997	28.5	33.181	44.5	74.9
13	7.526	29	34.307	45	76.25
13.5	8.074	29.5	35.451	45.5	77.6
14	8.642	30	36.620	46	78.95
14.5	9.228	30.5	37.750	46.5	80.3
15	9.832	31	38.960	47	81.65
15.5	10.454	31.5	40.200	47.5	83.00
16	11.096	32	41.450	48	84.35
16.5	11.756	32.5	42.800		

~~Amount of water
is limited by the
.02 cfs/sec limit.
215 ac x .02 = 4.30 cfs~~

Annubar:

B = Difference in inches of water

K = Flow Correction Factor

C = Annubar Factor: Model 75 = -3.85

= 1 for Manometer

Model 73 = 4.14

= # From Calibration Chart

Correction Factor

$$Q_{\text{cfs}} = \left[\frac{(C)(id)^2 \sqrt{B}}{448.8} \right] K = \text{CFS}$$

$$Q_{\text{cfs}} = \left[\frac{(3.99)(11.75)^2 \sqrt{16.5}}{448.8} \right] (1) =$$

$$Q_{\text{cfs}} = 4.99 \text{ cfs}$$

MAR 26 1990

7.98"	3.75
10"	3.87
12"	3.94
14"	3.99
16"	4.01
18"	4.02
24"	4.03
30"	

74-7148




MICROFILMED

MAR 26 1990

15N 26E

East of the Boise Meridian.



74-2329

Mr. James Ellsworth
P. O. Box 27
Leadore, Idaho 83464

Dear Mr. Ellsworth:

A representative of this Department has made an examination of the works covered by your Permit No. 32296/74-2329 and has found the following:

Quantity of water diverted: 5.72 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 4.52 cfs

The maximum quantity diverted shall not exceed 679 acre feet per year.

Beneficial uses: Irrigation of 212.2 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 1; NE $\frac{1}{4}$, NW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 2; Twp. 15N, Rge. 26E, B.M. and S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 35, Twp. 16N, Rge. 26E, B.M.

Point of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, Twp. 15N, Rge. 26E, B.M.

The priority date established: April 7, 1965 (late proof)

You are requested to advise us within 10 days; otherwise a final determination will be made.

For more information regarding this permit, please contact the Bureau of Reclamation, Boise, Idaho.

Very truly yours,
Bureau of Reclamation

MICROFILMED

MAR 26 1990

Overlap review - 74-7148

License 74-7006 + 74-2329 are conditioned that when used together (common pd) the rate of diversion want exceed 5.69 cfs.

New exam for 74-7148 at the same pd as for 74-7006 + 74-2329. Capacity measured (open discharge) was 4.99 cfs.

Total acres under all three rights is 601.2 acres. Using 5.69 cfs as a capacity implied by qualifier on license 74-7006 for 601.2 acres I set 0.00946 cfs/acre. Using 215 acres x 0.00946 I set 2.05 cfs for an application rate on 74-7148.

I am tempted to use the 5.69 cfs as a capacity because it has been acknowledged on License 74-7006. One could make the argument that the most recent capacity of 4.99 must be used but this then would use a reduced amt to construct a qualifier for License 74-7148 (i.e. when its 74-2329, 74-7006 + 74-7148 are used in conjunction they cannot exceed 4.99 cfs). This would then exist while License 74-7006 says when it is used with 74-2329 it can utilize 5.69 cfs.

I lean toward using 5.69 cfs as an ~~established~~ capacity & licensing using this amt.

MICROFILMED

MAR 26 1990

4/86

RECEIVED

MAR 27 1987

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 200.00
Date 4-2-87
Receipt # 41138
Receipt by mm
Sent to S.O. mm

APR 13 1987

1. Permit No. 74-7148

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: JAMES ENSWORTH

3. Post Office Address: Box 60 LEADORE ID 83464

Telephone No. 768-2664

4. Source of Water: GROUND WATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 215 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 4.3 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

12/3/81

8. Person to contact to accompany the department representative during the field examination:

JAMES ENSWORTH

(Name)

MICROFILMED

Box 60

LEADORE

(Address)

MAR 26 1990

768-2664

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Mar 25, 1987
Date

James Ensworth
Signature of Permit Holder (and title, if appropriate)

copy retained

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

February 10, 1987

74-7148
ELLSWORTH, JAMES
ELLSWORTH, MAYBELLE
P.O. BOX 60
LEADORE, ID 83464



EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and then submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

MAR 26 1990

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures

MICROFILMED

MAR 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 2, 1984

JAMES ELLSWORTH

BDC 60

LEADORE

ID 83464

RE: Permit No. 74-7148

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

/s/ HAROLD W. JONES

So. Resource Agent

MICROFILMED

MAR 26 1990

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 74-7148.

Name(s) of Permit Holder: JAMES ELLSWORTH

Post Office Address: BOX 60 LEANORE ID 83464

Tel. No. 768-2664

RECEIVED
JUN 22 1984

Source of Water: GROUND WATER

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation	<u>215</u> (acres)
☐ Other	

Department of Water Resources
Measuring Devices Required? ☐ Yes ☒ No
Access Port Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No
Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/22/84
Date

James Ellsworth
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE



Exp. 12/1/77

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

NOT FILMED

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ELLSWORTH, JAMES & MAYBELLE
P.O. BOX 60
LEADURE, ID 83464

FEBRUARY 02, 1982

RE: PERMIT NO. 74-7148

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
FEB 11 1982

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

74-7148

INITIAL REVIEW BY: K.C. Wilson

APPLICATION NUMBER: 74-7148

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. 74-2329, 74-7006
☒ Yes ☐ No* In form for advertising. Jan 4 1982
☐ Yes ☒ No Final date for protests: _____
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12-28-81
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
12-03-81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Ernest Carlson Date: Jan. 5, 1982

STATE OFFICE REVIEW:

return receipt w/cover letter
SLW/LO3 OK

- ☐ See attached sheet for more information.

By: [Signature] Date: 1/18/82

RECEIVED
JAN 08 1982

Department of Water Resources

Please, reenter entire file -
for some reason its not on the
computer.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave.
Idaho Falls, Idaho 83402
(208) 525-7161

DECEMBER 10, 1981

The Recorder-Herald
P. O. Box 310
Salmon, Idaho 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 4, 1982.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

RECORDED
INDEXED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before JANUARY 4, 1982.

A. KENNETH DUNN

Director

Published 12/17 & 12/24/81.

Z4-Z148

ELLSWORTH, JAMES &/or MAYBELLE

P.O. BOX 60, LEADORE, ID 83464

Source: GROUNDWATER

Date Filed: 12/03/1981

Amount: 4.30 CFS

Diversion Point: SESE Sec 02 T 15N R 26E, LEMHI Co.

Use: IRRIGATION (4.30 CFS) from 03/15 to 11/15

Place of Use: NENE SWNE SENW SWSE Sec 02 T 15N R 26E SWNE SENE NESW NESE SWSE
SESE Sec 35 T 16N R 26E FOR 215 ACRES

Diversion Means: WELL, PUMP & SPRINKLERS

RECEIVED
DEC 10 1981
FBI - BUTTE