


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Max F. Beyeler
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Scott Margrethe & Eunice Tyler Permit No. 74-7068
Current Address: STAR Route LEADORE IDAHO 83464 Phone No. 768-2404
2. Accompanied by: Scott Tyler EXAM. DATE: 6-24-87
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: UN named SPRING tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = mi. Scale

MICROFILMED

MAR 17 1989

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

44° 45' 11" 37' 30" 42° 30'


FOREST SERVICE
INTERMOUNTAIN REGION


24E

74-7068


35' LEMHI 9 MI.

(301.4 1)
(LEMHI SE)





T-9 N



MICROFILMED


MAR 17 1989

74-7068

DEPARTMENT
DIVISION

DRAWN
THURSDAY

74 - 70 68



MICROFILMED

MAR 17 1989

191B

20E

PLACE OF USE

BUILDINGS

MEASUREMENT
TAKEN
HERE

Headbox

Point of
DIVERSION

SPRING

Headbox

SPRING

Point of
DIVERSION

9 10
16 15

16N

1088

out of frame

MICROFILMED

MAR 17 1989

406

NOT TO SCALE


13° 37' 30"
45'

35


9 Mi.

42° 30'

MICROFILMED




273



MICROFILMED

74 - 70 68



MICROFILMED
MAR 17 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07068

Priority: March 5, 1979 Amount: 0.10 CFS 42.3 AFA

This is to certify, that SCOTT TYLER
MARGARETE E. TYLER
EUNICE TYLER

LEADORE, ID 83464 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated March 5, 1979, and has submitted proof to the Department of Water Resources on July 9, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .100 cfs of water from:

SPRINGS tributary to SINKS

source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 11/01	0.10 CFS	42.0 AFA
STOCKWATER	07/01 to 09/30	0.02 CFS	0.3 AFA
Totals		0.10 CFS	42.3 AFA

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 16, Township 16N, Range 24E
SWSE , Sec. 9, Township 16N, Range 24E
LEMHI County

15

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16N	24E	9	NWSE 11	SWSE 3		14

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	
16N	24E	9	SWSE

Total number of acres irrigated: 14

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MAR 17 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 74-07068

CONDITIONS/REMARKS:

3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13TH day of MARCH, 19 89.

Acting for the Director



MAR 17 1989

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	74-7068	Max F. Beyeler	1.68 cfs
Full Assignment	74-7068	Dick Tyler	1.68 cfs
Full Assignment	74-7068	Scott Tyler, Eunice Tyler & Margarete E. Tyler	1.68 cfs

MICROFILMED

State of Idaho
Department of Water Resources

RECEIVED

FEB 21 1985

ASSIGNMENT OF PERMIT

Department of Water Resources

I, DICK TYLER, hereby assign to Scott Tyler, Eunice Tyler and
of Leadore, Idaho 83464 Address Maionie Tyler
Margaret E. Tyler

CHECK ONE

- ☒ All my right, title, and interest in and to Permit No. 74-7068
to appropriate the public waters of the State of Idaho.
- ☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.
(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 17th day of February, 1985.

Dick Tyler
Permit Holder

Margaret E. Tyler
Spouse of Permit Holder

State of Idaho)
County of Lemhi) ss.

On this 17th day of February, 1985, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Marie Strupp
Notary Public residing at
Leadore, Lemhi Co., Idaho 83464

My commission expires:
Aug. 10, 1986

MICROFILMED

RECEIVED

OCT 17 1984

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED

OCT 12 1984

Department of Water Resources

Department of Water Resources
Eastern District Office

I, MAX F. BEYELER, hereby assign to Dick Tyler
of Leadore, ID 83464
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 74-7068
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this _____ day of _____, 19____.


Max F. Beyeler
Permit Holder

Gwen M. Beyeler
Spouse of Permit Holder

State of Idaho)
County of Jefferson) ss.

On this 10th day of October, 1984, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal



Ann Strupp
Notary Public residing at

My commission expires:

September

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Max F. Beyeler Phone 768-2654

Post office address PO Box 73 Leadore Id. 83464

2. Source of water supply Unnamed Springs which is a tributary of Sinks

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 9 Township 16 N

Range 24E B.M. Liemhi County, additional points of diversion if any: _____

NW NE Sec 16, T16N, R24E.

4. Water will be used for the following purposes:

Amount 1.68 for Irrigation purposes from April to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Stock water purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.68 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Headboxes and pipe lines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 9 Township 16 N

Range 24E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 100 cows

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	SW¼	
16N	24E	9													24	20	22	10	84


Total number of acres to be irrigated 84

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant & USFS
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant has a Special Use Permit with the USFS for Spring in the NWNE Sec 16, T16N, R24E

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Max F. Beyeler
(Applicant)

Proposed Priority 3/5/79

Received by _____ dh _____ Date 3-5-79 Time 11:00 a.m.

Preliminary check by Jag ^{2/21/79} Fee \$ 45.00 92-289

Received by ca Date 3-06-79 # 12932

Publication prepared by _____ dh _____ Date 3-9-79

Published in Recorder-Herald

Publication dates March 15 & 22, 1979

Publication approved 87 Date 3/27/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC ss.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 74-7068, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department. (2) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 20th day of August, 1979.

A. Glen Saxton
Chief, Operations Bureau

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been sub-
mitted for permit to ap-
propriate the public wat-
ers of the State of Idaho:

74-7066

VANDERSCHAAF,
TED &/or MARY
Box 424, SALMON, ID
83467

Source: UNNAMED
STREAM tributary to
HOT SPRINGS CREEK

Date Filed: 03/08/1979

Amount: 0.10 CFS

Diversion Point: SW-
NW Sec 03 T 20N R 22E,
LEMHI Co.

Use: IRRIGATION
(0.10 CFS) from 04/01 to
11/01

Place of Use: SWNW
Sec 03 T 20N R 22E FOR 5
ACRES

Diversion Means:
HEADGATE & DITCHES

74-7067

HARTLEY, STACY M.
P. O. BOX 1143, SAL-
MON, ID 83467

Source: GROUND-
WATER

Date Filed: 03/07/1979

Amount: 0.08 CFS

Diversion Point: SESE
Sec 24 T 21N R 22E,
LEMHI Co.

Use: IRRIGATION
(0.08 CFS) from 04/01 to
11/01

Place of Use: SESE Sec
24 T 21N R 22E FOR 4
ACRES

Diversion Means:
WELL, PUMP &
SPRINKLER SYSTEM

74-7068

BEYELER, MAX F.
P. O. BOX 73, LEAD-
ORE, ID 83464

Source: UNNAMED
SPRINGS tributary to
SINKS

Date Filed: 03/05/1979

Amount: 1.68 CFS

Diversion Point: SWSE
Sec 09 T 16N R 24E
NWNE Sec 16 T 16N R
24E, LEMHO Co.

Use: STOCKWATER
(0.02 CFS) from 01/01 to
12/31

IRRIGATION (1.68 CFS)
from 04/01 to 11/01

Place of Use: NESE

NWSE SESE SWSE Sec
09 T 16N R 24E FOR 84
ACRES

Diversion Means:
HEADGATE & PIPELIN-
ES

73-7126

COUCH, DAVID J.
RURAL ROUTE, CAR-
MEN, ID 83462

Source: TOWER
CREEK tributary to SAL-
MON RIVER

Date Filed: 03/05/1979

Amount: 0.06 CFS

Diversion Point: SW-
NW Sec 17 T 23N R 22E,
LEMHI Co.

Use: STOCKWATER
(0.02 CFS) from 01/01 to
12/31

IRRIGATION (0.06 CFS)
from 04/01 to 11/01

Place of Use: SWNE
LOT 04 (SENW) Sec 18 T
23N R 22E FOR 3 ACRES

Diversion Means:
HEADGATE & DITCH

75-7127

KEARSLEY, EVERETT
L. &/or MERLE
BOX 836, NORTH
FORK, ID 83466

Source: GROUND-
WATER

Date Filed: 03/06/1979

Amount: 0.08 CFS

Diversion Point: SENE
Sec 34 T 24N R 21E,
LEMHI Co.

Use: DOMESTIC (0.06
CFS) from 01/01 to 12/31

IRRIGATION (0.02 CFS)
from 04/01 to 11/01

Place of Use: SENE Sec
34 T 24N R 21E FOR 1
ACRES

Diversion Means:
WELLS, PUMPS, STOR-
AGE TANKS & SPRINK-
LER SYSTEM

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 1515 Lincoln
Road, Idaho Falls, Idaho
83401 on or before APRIL
2, 1979.

C. STEPHEN ALLRED
Director
Published 3/15 & 3/22/
1979.

3-15-2tc

idavit of Publication

MAR 26 1979

Department of Water Resources
Eastern District Office

ss.

being first duly sworn, deposes
is one of the printers (publisher) of the RECORDER HERALD,
published weekly at Salmon, Lemhi County, Idaho, and of general

Use of Application for Water Rights #74-7066,
-7068, 75-7126, 75-7127

a true

which is attached to the margin hereof, has been and was correct-

published in the regular and entire issue of every number of said

not in any supplement thereof or thereto for 2

s, commencing with the issue dated March 15, 1979

the issue dated March 22, 1979

sworn to before me, this twenty second

day of March, 1979

Notary Public for the State of Idaho
Residing at Salmon, Idaho

\$ 48.18

87-A

MICROFILM

February 7, 1989

SCOTT TYLER
MARGARETE E. TYLER
EUNICE TYLER
LEADORE, ID 83464

RE: PERMIT NO. 74-07068

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 17 1989

March 15, 1989

SCOTT TYLER
MARGARETE E. TYLER
EUNICE TYLER
LEADORE, ID 83464

RE: PERMIT NO. 74-07068

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 17 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

74-7068
Permit No.
Tyler

RECEIVED
NOV 30 1987

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat
- Check of P/D index GSJ 4/2/87 (Initial and date)
 - Overlap? ☒ yes ☒ no If yes: ☐ copy of exam(s) attached?
 - Type of Overlap? ☐ Add acres or uses to existing system
 - ☐ Increase rate of flow or volume
 - ☐ Other: 74-0873
- Check of P/U index GSJ 4/2/87 (Initial and date)
 - Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
 - Type of Overlap? ☐ Increase rate of flow or volume
 - ☐ Add P/D's
 - ☐ Increase number of acres within tracts
 - ☐ Other: 74-0873
- Aerial Photo
 - Required? ☒ yes ☐ no If yes: ☒ copy attached?
- Scheduling Letter sent? _____ (Initial and date)
- ☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed SR 6-24-87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent HLJ 11-23-87 (Initial and date)
Exam Reviewed by Manager of Regional Office SM 11-23-87 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Scott Margarette & Eunice Tyler Permit No. 74-7068
Current Address: STAR ROUTE LEADORE IDAHO 83464 Phone No. 768-2404
2. Accompanied by: Scott Tyler EXAM. DATE: 6-24-87
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: UN named SPRING tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 1/4 mile

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Scott Tyler has 16 lengths of pipe
with 16 bips 7/64 nozzle

About 100 head of range cattle ^{USE} WATER
2-3 months out of the year

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	NE	16	16N	24E	Lemhi	USGS Map
		NW	SW	SE	9	16N	24E	Lemhi	USGS Map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
16N	24E	9														11	3		14
																	S		
																			14

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gal in 7 sec
end mid end
Pressure 65, 56, 50 psi Ave 55 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{5 \text{ gal} \times 60}{7 \text{ sec}} = 448.8 \frac{\text{gal}}{\text{min}} = .095 \text{ fs} = .10 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$2.63 \text{ GPM @ } 55 \text{ psi} \times 16 \text{ nozzles} = .094 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 14 \times 3 = 42.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .10 \times 214 \times 1.9835 = 42.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 42.0 \text{ ac-ft}$$

2. Volume Calculations for Other Uses:

$$100 \text{ head} \times 12 \text{ gpd} \times 92 \text{ days} = \frac{110400 \text{ gal}}{325 \text{ gal/acre-ft}} = 0.34 \text{ ac-ft}$$

Volume 100 head Range Cattle = 1.4 ac-ft

4-7-75 Ad Memorandum

[illegible]

1723

FOREST SERVICE
INTERMOUNTAIN REGION


24E

74-7068


44° 45'
113° 37' 30"

35'
LEMH: 9 MI.


(301.4 1)
(LEMH SE)



42° 30'



T 16 N



DEPARTMENT
DIVISION

DRAWN
BY

MICROFILMED

MAR 17 1989

74 - 70 68



MICROFILM

MAK 1/1/74

74-7068

1918

2. E

PLACE OF USE

BUILDINGS

MEASUREMENT
TAKEN
HERE

ROADWAY

RIDGE

DITCH

RAILROAD



16N

406

17 1983

NOT TO SCALE

4/86

For Office Use Only
Fee Received 50.00
Date 3-24-87
Receipt # 41124
Receipt by ms
Sent to S.O. 4-3-87

RECEIVED

STATE OF IDAHO

MAR 27 1987

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Eastern District Office

EXAMINATION FEE INFORMATION

RECEIVED

APR 06 1987

1. Permit No. 74 7068

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: MAX SCOTT, Margrette And Eunice Tyler

3. Post Office Address: STAR Route Leadore Idaho 83464

Telephone No. (208) 768-2404

4. Source of Water: SPRING (unnamed)

5. Extent of Use:

Domestic _____ (No. of households) Stockwater 100 (No. and type of stock) Range Cows

Irrigation 20 (acres) Other/Remark will know

Better when you measure water

6. Total rate &/or volume for which proof is submitted .20 cfs 20 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

AUG 23 1979

8. Person to contact to accompany the department representative during the field examination:

Scott Tyler (Name) Max Scott

STAR Route (Address) Leadore (Telephone Number) 768-2404

MAR 17 1989

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

3/21/87
Date

Max Scott (Max Beyeler)
Signature of Permit Holder (and title, if appropriate)
(sold to US)

copy returned

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

[illegible]

SCOTT TYLER
~~DICK TYLER & SONS~~
Star Route
Leadore, Idaho 83464



STATE OF IDAHO
Department of Water Resources
150 Shoup Suite 15
IDAHO Falls, Idaho
83402

ATT. ERNEST
CARLSON



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

February 10, 1987

74-7068
TYLER, DICK
LEADORE, ID 83464



EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and then submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

MAR 17 1989

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures

Permit No. 74-7068

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? ✓
2. Notary? ✓
3. a. Full Assign? ✓
b/ Partial Assign?
4. "No assignment" condition on permit? NO
5. Commencement of works received? proof filed-
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of Residency required? NO

1. Type Permit Summary Sheet ✓
2. Coding Sheet ✓
3. Acknowledgement letter type #1a
4. Copy to region ✓

Date: 3-8-85

Employee: R. Walker

MICROFILMED

March 26, 1985

RE: Permit No. 74-7068

Scott, Eunice & Margarete E. Tyler
Leadore,
Idaho 83464

Dear Permit Holders:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

In reviewing the permit, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permit will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc
Enclosures

MICROFILMED

October 25, 1984

RE: Permit No. 74-7068

Dick Tyler
Leadore,
Idaho 83646

Dear Mr. Tyler:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

In reviewing the permit, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permit will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc
Enclosures

RECEIVED
OCT 27 1984
WATER RESOURCES DIVISION
BOISE, IDAHO

Permit No. 74-7068

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? ☒
2. Notary? ☒
3. (a.) Full Assign?
b/ Partial Assign?
4. "No assignment" condition on permit? NO
5. Commencement of works received? proof filed
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of Residency required? NO

1. Type Permit Summary Sheet ☒
2. Coding Sheet ☒
3. Acknowledgement letter type #1a
4. Copy to region ☒

Date: 10-23-84
Employee: R. Walker

RECEIVED

May 7 1983

Box 73

Leadore Idaho 83464



IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit 574-7068.

Name(s) of Permit Holder: Max F Beyeler

Post Office Address: PO Box 73 Leadore Idaho 83464

Source of Water: Mineral Springs

Extent of Use: *Supplemental*

☐ Domestic	(number of households)
☒ Stockwater <u>100 cattle</u>	(number and type of stock)
☒ Irrigation <u>30</u>	(acres)
☐ Other	

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☒ No
Access Port:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 16 1983
Date

Max F Beyeler
Signature of Permit Holder



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

RE:

Dear

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

_____ A field examiner will contact you to arrange to examine your system.


If you have any questions regarding the field examination, please contact this office.

Sincerely,

MAX Meyer

Box 73

Leadore Id 83464



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 74-7068

Name(s) of Permit Holder: Max Beyeler

Post Office Address: Box 73 Leadore, ID 83464

Tel. No. _____

Source of Water: _____

Extent of Use:

☐ Domestic

(number of households)

☒ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port:

Required?

☐ Yes ☐ No

Installed?

☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 6 1982
Date

Max F. Beyeler
Signature of Permit Holder

FILE NO. _____

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

DATA ENTRY LOG

[illegible]





mas	Dist.	res of 1	10' of 1	stiff	width	area	Peri	time	vel.	Discharge
(1)	.25	.30	.25	.095	35	50	.7	.05	cfs	
(2)	.25	.50	.50	.25	40	50	.811	.20	cfs	
(3)	.25	.30	.75	.22	15	50	.333	.073	cfs	
										<u>.323</u>

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 21, 1979

Max F. Beyeler
P.O. Box 73
Leadore, Idaho 83464

Dear Mr. Beyeler,

RE: Permit No. 74-7068

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. The Department will provide specifications for the installation to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

RECORDED

74.7068

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. ✓ Source
3. 2 ✓ Point of Diversion
4. 168 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. ✓ Place of Use for irrigation (add acres)
9. other Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 45 Fee & Rec't. No. ✓

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>✓</u> Idaho Fish & Game Dept.	<u>✓</u> Dept. of Lands
<u>✓</u> Bureau of Land Management	<u>✓</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land none stated

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO
ID Power Co. Letter - G.W. & Tribs. NO
Snake River Condition NO
Payette River Letter NO
Priority Date 3/5/79

Water Quality #16 NO
Water Quality #10 NO
intrastate NO interstate NO

Short letter w/ access point

Meas. Dev. or Sc. Meas. YES OIC
Totalizing meter NO
Supplemental NO
Right-of-Way Cond. YES 04
Watermaster Cond. NO
Wtr. Dist No. NO
Meas. Dev. Cond. for apps within a Water Dist. NO

Jim
NOT RECORDED
8/20/79
Date

M E M O R A N D U M

TO: The File
FROM: Rod Parker
RE: Pre-Permit Exam No. 74-7068
DATE: August 9, 1979

This Pre-Permit Exam was conducted on July 18, 1979, to determine the feasibility of granting a permit for stockwater and irrigation to Mr. Max Beyler. On the above date, I met with Mr. Beyler and viewed the springs and his improvements to them.

A Pigmy Meter measurement was done on the flow from the spring in the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16, the spring which has been improved and ditched. Mr. Beyler reports that the other undeveloped spring will produce nearly 50% more than the one that was measured. The water is conveyed by ditch from the springs in Sec. 16 to the springbox in Sec. 9, where the total flow will be taken by gravity flow to the stock tank and lands to be irrigated. The measurement totaled .323 CFS from the spring in Sec. 16 that has been improved.

On the basis of the field exam I would recommend approval of this permit.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, ID 83401
(208) 523-7186

MARCH 9, 1979

The Recorder-Herald
P. O. Box 310
Salmon, Idaho 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 2, 1979.

Yours truly,

RONALD D. CARLSON
Supervisor

Encl.

MICROFILMED

AMERICAN
WATER

74-7068

BEYELER, MAX F.
P. O. BOX 73, LEAD-
ORE. ID 83464
Source: UNNAMED
SPRINGS tributary to

SINKS

Sinks
Date Filed: 03/05/1979
Amount: 1.68 CFS
Diversion Point: SWSE
Sec 09 T 16N R 24E
NWNE Sec 16 T 16N R
24E. LEMHO Co.

LEMHO

Use: STOCKWATER
(0.02 CFS) from 01/01 to

12/31
IRRIGATION (1.68 CFS)
from 04/01 to 11/01
Place of Use: NESE
NWSE SESE SWSE Sec
09 T 16N R 24E FOR 84
ACRES

Diversion Means:
HEADGATE & PIPELIN-
ES

STATE OF IDAHO, DIVISION OF WATER RESOURCES

Notice is hereby given that the following application for water right has been filed for record to appropriate the public waters of the State of Idaho.

24-2068.

BEYELER, MAX F.

P. O. BOX 73, LEADORE, ID 83464

Source: UNNAMED SPRINGS tributary to SINKS

Date Filed: 03/05/1979

Amount: 1.68 CFS

**Diversion Point: SWSE Sec 09 T 16N R 24E NWSE Sec 16 T 16N R 24E,
LEMMI Co.**

**Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31
IRRIGATION (1.68 CFS) from 04/01 to 11/01**

Place of Use: NESE NWSE SESE SWSE Sec 09 T 16N R 24E FOR 84 ACRES

Diversion Means: HEADBOX & PIPELINES

Emc

It is hereby declared that the permittee will be subject to all water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1215 Lincoln Blvd., Idaho Falls, Idaho 83401 on or before APRIL 2, 1979.

D. STEPHEN ALLRED

Director

PUBLISHED THIS 5 DAY OF MARCH.

RECORDER HERALD

MICROFILMED

March 7, 1979

Mr. Max Beyeler
P. O. Box 73
Leadore, Idaho 83464

Dear Mr. Beyeler:

Re: Application for Permit

Attached herewith is Departmental receipt No. 12932 in the amount of \$45.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:dh

Attachment

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Register

jc Source
X Point of Diversion
✓ County
✓ Quantity of Water and Period of Use
✓ Description of Diverting Works
✓ Time required for B/U of water
✓ Place of Use or Acres Irrigated
✓ Map
✓ Signature
✓ Fee

(1) jc. 3/4/79

In form to receipt

(2) " "

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) " "

✓ Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant
Request Dam Safety Information

(4) " "

In form for advertising

(5) " "

Platted on Map No. T-29

(6) " "

Located within Water District No. Basin 74

(7) " "

Critical groundwater area: yes no X

(8) " "

Groundwater levels:

Declining, X Stable, Increasing

(comment) _____

(9) " "

Other rights on the same place of use NO

(10) _____

Comments: _____

(11) DA 3-27

Affidavit of Publication received(date) 3-26-79

(12) DA 4-2-79

Final date for protests APRIL 2, 1979

Protests received: yes no ✓

(13) EMC 8/13/79

All requested information received from agencies or applicant: yes ✓ no no

(14) EMC 4/13/79

Action recommended:

✓ Approve Deny

3/15/79 Proposed Priority

Reason for Reduction

✓ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

RECEIVED
AUG 15 1979

Department of Water Resources

(15) District Eastern

By Ernest Culver Date 4/3/79

MICROFILMED