


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

+ Roger K. Lyden
(Applicant)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Roger K. Ogden, Salmon, Idaho has on 3-14-75 submitted Application No. 74-7047 for a permit to appropriate 2.34 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28, T. 16N, R. 26E, B. M., Lemhi County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family and for stockwatering purposes for 75 head of cattle within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28, T. 16N, R. 26E; and from Apr. 1 to Nov. 1 for the irrigation of 113 acres within the SW $\frac{1}{4}$, Sec. 28, T. 16N, R. 26E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 14, 1975.

R. KEITH HIGGINSON
Director

Published in The Recorder-Herald, Salmon, Idaho on March 27 and April 3, 1975.

3-27-2tc

Affidavit of Publication

STATE OF IDAHO }
County of Lemhi } ss.

RECEIVED
APR 7 1975
Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes and says that he is one of the printers (publisher) of the RECORDER HERALD, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein,

That the Notice of Application for Water Permit # 74-7047

a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for 2 consecutive issues, commencing with the issue dated March 27, 1975 and ending with the issue dated April 3, 1975

Jerry G. Rosin
third

Subscribed and sworn to before me, this _____ day of April, 1975

Dee Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 15.17

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


- Permit No. 747047
1. Owner: Roger K Ogden or Penny Ogden Phone No. 768-2625
Current Address: Box 132 Leadore ID 83464
2. Accompanied by: Clemente Zook EXAM. DATE: 6-23-87
Address: Box 183 Leadore ID 83464 Phone No. 768-2625
Relationship to Permit Holder: FATHER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).


MICROFILMED

MAR 17 1988

74-7047

MICROFILMED
MAR 17 1989





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 74-07047

Priority: April 22, 1980 Amount: 0.88 CFS 135.0 AFA

This is to certify, that ROGER K. OGDEN
P.O. BOX 132
LEADORE, ID 83464

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated March 14, 1975, and has submitted proof to the Department of Water Resources on April 24, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .880 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 11/01	0.88 CFS	135.0 AFA

LOCATION OF POINT OF DIVERSION(S): SESW , Sec. 28, Township 16N, Range 26E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16N	26E	28	NWSW 22	SWSW 23		45

Total number of acres irrigated: 45

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of MARCH, 1989.

Acting for the Director

MICROFILMED

MAR 17 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 74-7047 IN THE NAME)
OF ROGER K. OGDEN)

ORDER ADVANCING
DATE OF PRIORITY

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 74-7047 for the issuance of a license, the Department makes the following Findings of Fact, Conclusions of Law, and Order pursuant to the provisions of Idaho Code.

FINDINGS OF FACT

1. The Department approved Application for Permit No. 74-7047 to appropriate the public waters of the State of Idaho with a proposed priority of APRIL 06, 1980.
2. On FEBRUARY 10, 1987 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit.
3. The license examination fee was received on APRIL 27, 1987, 16 day(s) late.

MICROFILMED

MAR 17 1989

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 74-7047 should be advanced 16 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 74-7047 is advanced to APRIL 22, 1980.

Dated this 7th day of February, 1989.

L. Glen Sayton
Chief, Water Allocation Bureau

RECEIVED
FEB 17 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 74-7047 IN THE)
NAME OF ROGER K. OGDEN) ORDER OF REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1980; and,

WHEREAS, the permit holder was granted a request for extension of time to April 1, 1985; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on April 24, 1985;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 74-7047 be REINSTATED and the priority advanced to April 6, 1980.

Dated this 19th day of November, 1985.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

RECEIVED

FEB 22 1980

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources

ROGER K. OGDEN of Box 132 LEADORE
(Name) (Address)

State of IDAHO, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 74-7047.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before April 1, 1980.

That he has heretofore performed the following work described under said permit: _____

PLACE DRAW WORKS ~~IN~~ IN WELL
4 BOWNS & ~~MAINT~~ REST OF DRAW WORKS

Costing \$ Approx 6000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: _____

EXCESSIVE COSTS ABOVE THOSE ANTICIPATED
AS A RESULT TIME OF PERMIT HAS EXPIRED,
I AM PAYING FOR WORK DONE WITH CASH FROM
MY YEARLY EARNINGS AND NEED MORE TIME.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to April 1, 1985.

Roger K. Ogden
(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit proof of beneficial use of water is extended to April 1, 1985.

Signed this 25th day of February, 1980.

MICROFILMED

RECEIVED

FEB 15 1980

J. Glen Sayton
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **74-7047**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. 74 7047
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Roger K. Ogden Phone: _____
post office address Box 597, Salmon, Idaho 83467
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 28 Township 16 N
Range 26 E B.M. Lemhi County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.26 for Irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.34 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. existing well w/approx. 16" casing
(surface irrigation thru ditches will be used)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; ~~proposed~~ Existing depth of well is 160 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 2,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 28 Township 16 N
Range 26 E B.M. for domestic; place of use for stock is the same as item 8(b)
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered approx. 75 head

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.
(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
16 N	26 E	28									15	38	40	20					113

Total number of acres to be irrigated 113

c. Describe any other water rights used for the same purposes as described above.
None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert K. Lyden
(Applicant)

Proposed Priority 3-14-1975

Received by MB Date 3-17-75 Time 12:00 hours
Preliminary check by JYS Fee \$ 45.00
Receipted by JYS Date 3-14-75 Receipt # 1870
Publication prepared by MB Date 3-21-75
Published in The Recorder-Herald
Publication dates 3/27 + 4/3/75
Publication approved aw Date 4-07-75
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by DEF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 74-7047, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 80.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 17 day of April, 19 75.


Director

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) LA 3-17-75

In form to receipt Yes

(2) " "

Send Copies to:

NA Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) " "

NA Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) " "

In form for advertising Yes

(5) " "

Platted on Map No. _____

(6) " "

NA Located within Water District No. _____

(7) " "

Critical groundwater area: yes _____ no ☒

(8) " "

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) NO obs. wells

(9) " "

Other rights on the same place of use NO

(10) " "

Comments: Cancelled Permit 74-7001 status
Same well location

(11) MB 4-7-75

Affidavit of Publication received (date) April 7

(12) MB 4-14-75

Final date for protests April 14, 1975
Protests received: yes _____ no X

(13) LA 4-14-75

All requested information received from agencies or applicant: yes NA no _____

(14) " "

Action recommended:

☒ Approve _____ Deny

3-14-75 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required **REC'D**
See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Eastern By Loren O. Hansen Date APR 17, 1975

Affidavit of Publication

RECEIVED

STATE OF IDAHO }
County of Lemhi } ss.

APR 7 1975

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

....., being first duly sworn, deposes and says that he is one of the printers (publisher) of the RECORDER HERALD, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein.

That the Notice of Application for Water Permit # 74-7047

..... a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for 2 consecutive issues, commencing with the issue dated March 27, 1975 and ending with the issue dated April 3, 1975

Jerry G. Rosin
third

Subscribed and sworn to before me, this day of April, 19 75

Dee Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 15.17

March 13, 1989

ROGER K. OGDEN
P.O. BOX 132
LEADORE, ID 83464

RE: PERMIT NO. 74-07047

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 17 1989

February 10, 1989

ROGER K. OGDEN
P.O. BOX 132
LEADORE, ID 83464

RE: PERMIT NO. 74-07047

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

FILED

MAR 17 1989

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 74-7047

FROM: JOHN MCLEOD

RE: PRIORITY ADVANCE REVIEW

DATE: 23-JAN-1989

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	APRIL 06 1980	96
EXAM FEE NOTICE		
Exam Fee Notice Date:	FEBRUARY 10 1987	41
Exam Fee/Info Sheet Received Date:	APRIL 27 1987	117
Exam Fee or Info Due Date:	APRIL 11 1987	101
Days Late:		16 DAY(S)
NEW PRIORITY DATE		
Total Days Late:		16 DAY(S)
New Priority Date:	APRIL 22 1980	112

MICROFILMED
MAR 17 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

74-7047
Permit No.
Ogden
RECEIVED
OCT 23 1987
Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SN 5/1/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: See several Deeds Pto

Check of P/U index SN 5/1/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: See above

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Samuel P. Filotti 8-10-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SL 8-21-87 (Initial and date)

Exam Reviewed by Manager of Regional Office SN 10-1-87 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office 10/21/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Roger K Ogden or Penny Ogden Permit No. 747047
Current Address: Box 132 Leadore IDAHO 83464 Phone No. 768-2625
2. Accompanied by: Clemente Zook EXAM. DATE: 6-23-87
Address: Box 183 Leadore ID 83464 Phone No. 768-2625
Relationship to Permit Holder: FATHER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

JUN 17 1988

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

From the well the 10" mainline AL goes to the creek then switches to 8" mainline 60 b.i.d.s 4" pipe is used with a 9/64 nozzle. approx 40ac

9/64

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Detroit	290	548708	Right Angle	
	Diesel			Pump Drive	
	Allison			AMARILLO	2BL36557
				Western	18178

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SW	28	16N	26E	Lemhi	USGS MAP

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
16N	26E	28									22	25							45
																			45

Do not use this space

RECORDED

MAR 17 1989

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANUBAR 10"					10	
Rainbird Pressure Gauge						

2. Measurements:

manometer Reading = ^{4.194} 21.0 - 19.9"
 $\pm D = 9.75"$

Pressure Reading = 58psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

ANUBAR measurement .88 cfs

2. Alternate Method for Checking Purposes:

.62 cfs $\times$ 1.5 ac = .90 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times$ 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 $\times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times$ 1.34 = _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times$.001732 = _____ (6)

Panel Input HP: (6) $\times$ 1.34 = _____ (7) Efficiency: (5)/(7) $\times$ 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 45 \times 3 = 135$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 214 \times .88 \times 1.9835 = 374$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 135 \text{ ac-ft}$

2. Volume Calculations for Other Uses:

MICROFILMED

MAR 17 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No domestic or stock use.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4-1	11-1	.88	135
Totals:			.88 cfs	135 a/a

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name SAMUEL D. FLETTI
Signature Samuel D. Fletti
Certification Date OCT 1 1987
Field Report Preparation Date _____

Steve McCormick

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


JOM 11/23/89

MICROFILMED

MAR 17 1989

74-7047

RECORDED
MAR 17 1989



74-70517

26E


16N

Point of Diversion

LINE OF USE

MAINTAINED

17 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT74-7047
Permit No.

Measurement Calculations

Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\text{Halls Meter: } Q = (A)(V_h) \quad A = \text{Area} = \frac{\pi d^2}{4} \quad V_h = \text{Halls Manometer Reading}$$

$$Q_{\text{gpm}} = (A)(V_h) = \left[\frac{\pi d^2}{4} \right] (V_h) = \text{GPM} \div 448.8 \text{ gpm/cfs} = \text{CFS}$$

$$Q_{\text{cfs}} = \left[\frac{(3.1416) \left(\frac{\quad}{4} \right)^2}{\quad} \right] \times \left(\frac{\quad}{\quad} \right) \div 448.8 = \quad \text{cfs}$$

TABLE 1

CHART TO CONVERT LINEAR INCHES DIFFERENTIAL
IN THE MANOMETER TO MANOMETER READING

V_h = HALLS Manometer Reading	Diff. Inches of Water	V_h = HALLS Manometer Reading	Diff. Inches of Water	V_h = HALLS Manometer Reading	Diff. Inches of Water
1	.140	17	12.435	33	43.950
1.5	.240	17.5	13.132	33.5	45.200
2	.350	18	13.848	34	46.500
2.5	.470	18.5	14.582	34.5	47.850
3	.600	19	15.334	35	49.200
3.5	.750	19.5	16.108	35.5	50.550
4	.903	20	16.898	36	51.900
4.5	1.080	20.5	17.707	36.5	53.250
5	1.283	21	18.534	37	54.600
5.5	1.540	21.5	19.380	37.5	56.000
6	1.803	22	20.246	38	57.35
6.5	2.094	22.5	21.129	38.5	58.7
7	2.397	23	22.031	39	60.05
7.5	2.722	23.5	22.951	39.5	61.4
8	3.066	24	23.891	40	62.75
8.5	3.428	24.5	24.849	40.5	64.1
9	3.810	25	25.825	41	65.45
9.5	4.210	25.5	26.820	41.5	66.8
10	4.627	26	27.834	42	68.15
10.5	5.063	26.5	28.866	42.5	69.5
11	5.520	27	29.917	43	70.85
11.5	5.994	27.5	30.987	43.5	72.2
12	6.486	28	32.075	44	73.55
12.5	6.997	28.5	33.181	44.5	74.9
13	7.526	29	34.307	45	76.25
13.5	8.074	29.5	35.451	45.5	77.6
14	8.642	30	36.580	46	78.95
14.5	9.228	30.5	37.750	46.5	80.3
15	9.832	31	38.960	47	81.65
15.5	10.454	31.5	40.200	47.5	83.00
16	11.096	32	41.450	48	84.35
16.5	11.754	32.5	42.800		

Annubar:

B = Difference in inches of water

C = Annubar Factor: Model 75 = 3.85
Model 73 = 4.14K = Flow Correction Factor
= 1 for Manometer
= # From Calibration Chart

C=Correction Factor

$$Q_{\text{cfs}} = \left[\frac{(C)(id)^2 \sqrt{B}}{448.8} \right] K = \text{CFS}$$

$$Q_{\text{cfs}} = \left[\frac{(3.94)(9.75)^2 \sqrt{1.1}}{448.8} \right] \left(\frac{1}{\quad} \right) = \quad$$

$$Q_{\text{cfs}} = .875 \text{ cfs}$$

6"	3.75
7.98"	3.87
10"	3.94
12"	3.99
14"/16"	4.01
18"/24"	4.02
30"	4.03

INTER-DEPARTMENT MEMO — 1

DATE 5/1/87

FROM ERIC VERNER

TO FILES

SUBJECT LATE EXAM FEE PAYMENT FOR PERMIT No. 74-7047

FEE DUE DATE: 4-13-87

FEE RECIVED: 4-27-87

Permit should therefore loose 14 days priority.



SIGNATURE

MICROFILMED

MAR 17 1988

4/86

RECEIVED

APR 27 1987

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
 Fee Received 125.00
 Date 4-27-87
 Receipt # 41181
 Receipt by M.D.
 Sent to S.O. 5-12-87

RECEIVED

MAY 20 1987

1. Permit No. 74-7047

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Roger K Ogden - Penny J. Ogden3. Post Office Address: Box 132 Leadon, Delon - or 1193 E. 3150 N Layton Utah 84041Telephone No. 801-825-71234. Source of Water: Well

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 113 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted Allow 2.0 cfs @ 5/1/87 101-2.0 cfs 113 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

May 1984

8. Person to contact to accompany the department representative during the field examination:

Clement F Cook

(Name)

Box 183 Leadon Del 83464

(Address)

MAILED

208-768-2625

(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 22 Apr 87Signature of Permit Holder (and title, if appropriate) Penny Jane Ogden (Wife of Roger Ogden)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

INTER-DEPARTMENT MEMO — 1

FROM ERIC VERNER

DATE 5/1/87

TO FILES

RECEIVED
MAY 20 1987

SUBJECT LATE EXAM FEE PAYMENT FOR PERMIT No. 74-7047

FEE DUE DATE: 4-13-87

Department of Water Resources

FEE RECIVED: 4-27-87

Permit should therefore loose 14 days priority.



SIGNATURE

MICROFILMED

MAR 17 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION


John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

February 10, 1987

74-7047
OGDEN, ROGER K.
P.O. BOX 132
LEADORE, ID 83464



EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and you cannot submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

MAR 17 1989

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures

RECEIVED

7 889

ROGER OGDEN
Box 132
LEADORE ID.
83464

PLACE
13 CENT
STAMP
HERE



APR 24 1985
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has complied with the development to the extent shown below of Permit No. 74-7047.

Name(s) of Permit Holder:

ROGER OGDEN

Post Office Address:

BOX 132

LEADORE ID.

83464

Tel. No. 801-544-4478

Source of Water:

Extent of Use:

☒ Domestic

(number of households)

☒ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port:

Required?

☒ Yes ☐ No

Installed?

☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Feb 5 1985

Date

Roger K. Ogden
Signature of Permit Holder

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 74-7047

DATE: 11-19-85

Date proof received

114

April 24

Proof due

- 91

Apr 1

Number of day proof late

23

Priority date

+ 73

March 14, 1975

New priority date

96

April 6, 1975

Remarks:

MICROFILMED

November 19, 1985

Roger Ogden
1160 N. 150 E.
Layton, UT 84041

Dear Mr. Ogden:

Re: Permit No. 74-7047

This office received the request for extension of time and proof of beneficial use forms. After reviewing the extension request and water right file, I found that you have already received an extension request based on due diligence and that the department cannot grant another request based on that reason. Therefore, I'm returning the extension request and filing fee (under separate cover) and accepting the proof of beneficial use.

Before a license can be issued, the department must conduct a filed inspection to determine the extent of beneficial use. I cannot tell just when this examination will be scheduled, except to say that it will be during the irrigation season. The field examiner will try to contact you to do the examination. I note that you show several different addresses in your file, if it is inconvenient for the department to contact you, can you advise us of someone else who would be able to accompany the field inspector?

If you have any questions concerning the field examination, please feel free to contact our Idaho Falls Office at 208-525-7161.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Fiscal Section

NOV 21 1985
MIDWEST

INTER-DEPARTMENT MEMO — 1

FROM

DATE 2-7-85

TO

SUBJECT

for info.

Wife in service. Service address:

Roger K. Ogden

1160 N. 150E.

Layton, Ut 84041

MICROFILMED

SIGNATURE

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138699

CODEN, ROGER K.
P.O. BOX 132
LEADORE, ID 83464

P R O O F D U E N O T I C E

J A N U A R Y 3 1 , 1 9 8 5

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 74-7047 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

February 26, 1980

Roger K. Ogden
Box 132
Leadore, ID 83464

Dear Mr. Ogden:

Re: Permit No. 74-7047

Enclosed is a copy of the approved request for an extension of ~~time~~. The time within which to submit proof of beneficial use of water is extended to April 1, 1985.

Sincerely,

JAM GROVER
Water Rights Supervisor

JG:rf

Enclosure

NOT FILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

January 31, 1980¹

101750

Roger K. Ogden
Box 597
Salmon, ID 83467

Dear Mr. Ogden:

One of the conditions of approval of your water Permit No. 74-7047 was that evidence of the extent of development must be submitted to this office on or before April 1, 1980. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 17, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

MICROFILMED

April 18, 1975

Re: Permit Nos. 74-7047

Mr. Roger K. Ogden
Box 597
Salmon, Idaho 83467

Dear Mr. Ogden:

Enclosed is a copy of your approved Application for Permit No. 74-7047 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

March 21, 1975

RE: Application for Permit No. 74-7047 OGDEN

The Recorder-Herald
P.O. Box 310
Salmon, ID 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

Bill submitted 4-7-75 by MB

RDC:MB

Enc: Legal Notice (1)

70

Idaho has on 3-14-75 submitted Application No. 74-7047 for a permit to appropriate 2.34 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28, T. 16N, R. 26E, B. M., Lemhi County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family and for stockwatering purposes for 75 head of cattle within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28, T. 16N, R. 26E; and from Apr. 1 to Nov. 1 for the irrigation of 113 acres within the SW $\frac{1}{4}$, Sec. 28, T. 16N, R. 26E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 14, 1975.

R. KETH HIGGINSON

Director

Published in The Recorder-Herald, Salmon, Idaho on March 27 and April 3, 1975.

3-27-2tc

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Roger K. Ogden,

Salmon, Idaho

has on 3-14-75 submitted Application No. 74-7047

for a permit to appropriate 2.34 cubic feet per second ~~acres feet per annum~~
of water from a ground-water source

by means of well and pump

within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28, T. 16N, R. 26E, B.M., Lemhi County;

to be used from Jan. 1 to Dec. 31 for domestic purposes for one family and
for stockwatering purposes for 75 head of cattle within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28,
T. 16N, R. 26E; and from Apr. 1 to Nov. 1 for the irrigation of 113 acres
within the SW $\frac{1}{4}$, Sec. 28, T. 16N, R. 26E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
April 14, 1975

R. KEITH HIGGINSON

Director

Published in the Recorder-Herald, Salmon, Idaho

on March 27 and April 3, 1975

Handwritten:
3-14-75
CW
CW-A

March 18, 1975

RE: Application for Permit No. 74-7047

Mr. Roger K. Ogden
Box 597
Salmon, Idaho 83467

Dear Mr. Ogden:

Attached herewith is departmental receipt No. 1870 in the amount of \$45.00 for the above referenced application.

Very truly yours,

LOREN O. HOLMES
Assistant to the
District Engineer

LOH:MB

Attachment

MICROFILMED