


~~SALMON~~ To



13

x Robert L. Thomas
(Applicant)

74-7020

RECEIVED

APR 10 1972

Department of Water Administration
Eastern District Office

NOTICE OF APPLICATION FOR
WATER PERMIT

Notice is hereby given that Robert L. Thomas, Rt. No. 1, Salmon, Idaho has on 3-20-72 submitted Application No. 74-7020 for a permit to appropriate 1.0 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16, T. 21N, R. 22E, B. M., Lemhi County; to be used from Jan. 1 to Dec. 31 for domestic purposes for thirty families within the NE $\frac{1}{4}$, Sec. 16, T. 21N, R. 22E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of his permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before April 17, 1972.

R. Keith Higginson
Director

Published in the The Recorder-Herald, Salmon, Idaho on March 30 and April 6, 1972.

3-30-2tc

Affidavit of Publication

STATE OF IDAHO }
County of Lemhi } ss.

JERRY G. ROSIN

_____, being first duly sworn, deposes and says that he is one of the printers (publisher) of the RECORDER HERALD, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein,

That the Notice of Application for Water Permit-#74-7020

_____ a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for 2 consecutive issues, commencing with the issue dated March 30, 1972 and ending with the issue dated April 6, 1972

Jerry G. Rosin

Subscribed and sworn to before me, this sixth day of April, 1972

Verle Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 11.84

74-7020

R22E




Diagram of System

See attached Blue Prints

PLEASE NOTE

This water right is currently involved in an adjudication procedure. Insure that the regional office is notified of any changes or correspondence.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 74-7020 Priority April 1, 1972 Amount .28 cfs

THIS IS TO CERTIFY, that VALLEY VIEW HEIGHTS WATER COMPANY
of Salmon, Idaho, has complied with the terms and conditions of Permit
No. 74-7020 issued pursuant to Application for Permit dated March 20, 1972,
and has submitted proof to the Department of Water Resources on August 23, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .28 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (20 units)	from January 1 to December 31	at .28 cfs and	24.0 acre feet
	from _____	at _____ cfs and	_____
	from _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than .28 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
24.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16, Twp. 21N,
Rge. 22E, B.M. in the County of Lemhi

Description and location of place of use:


Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	
21N	22E	16			X										

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
August, 19 80.


Director

MICROFILMED

515
750

MAY 10 1979

OK JG

State of Idaho

Department of Water Resources

Department of Water Resources
Eastern District Office

ASSIGNMENT OF PERMIT

I, Robert L. Thomas, hereby assign to Valley View Heights
of Route #1, Box 112, Salmon, Idaho 83467
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 74-7020
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 8th day of May, 19 79.

Robert L. Thomas
Permit Holder

Reta Thomas
Spouse of Permit Holder

State of Idaho)
County of Lemhi) ss.

On this 8th day of May, 19 79, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Louis Patterson
Notary Public residing at
Salmon, Idaho

My commission expires:

Spiturne

MACROPHOT

[Handwritten mark]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APPLICATION FOR EXTENSION OF TIME

JUN 17 1977

Department of Water Resources

State of Idaho)

County of Lemhi)

Permit No. 74-7020

Robert L. Thomas
(name)

of Route #1, Box 112
Salmon, Idaho 83467
(address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 74-7020.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before _____, 19____.

That he has heretofore performed the following work described under said permit:

Drilled well, filed and recorded plat, road work, staked lots,
obtained permission for power

Costing \$ 3224.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Water design is in the process of being made but is not completed, therefore we are waiting for it so we can order the pump and pipe to conform with the water design. Also the power company has told us that they will start on the power line this coming week. If you wish us to furnish you with a copy of the plat, water design(when completed) or further information, kindly advise.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to November 1, 19 77.

Robert L. Thomas
(signature) *

Subscribed and sworn before me this 14 day of JUNE, 19 77.

seal

Due to the
Notary Public residing at
SALMON IDAHO

My commission expires 10/77

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit proof of beneficial use be extended to May 1, 1982.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority be advanced to April 1, 1972, pursuant to Section 42-218a of the Idaho Code.

Witness my hand this 6 day of July, 19 77.

Billy D. Thomas
Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

Assigned to:
VALLEY VIEW HEIGHTS WATER COMPANY

Identification No.

74 7020

Application No.

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriation the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Robert L. THOMAS
post office address Rte 1 Salmon, IDA 83447
2. Source of water supply WELL which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 16 Township 21N
Range 22E B.M. LEMHI County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Pressure Tank at a point in NE $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 16 Township 21N Range 22E B.M. LEMHI County
4. Water will be used for the following purposes:
Amount 1.0 for DOM. purpose from JAN 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated: (allow 0.90 cfs)
a. 1.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE
15 HP MOTOR ON PUMP PIPELINE WILL BE
6" DIAM. 3,960 FT LONG

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16" inches; proposed depth of well is 51' feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 2000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 16 Township 21N
Range 22E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 30 Homes
(5) If water is to be used for other purposes describe: _____

74-7020

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion Robert Thomas

b. Who owns the land to be irrigated or place of use Robert Thomas

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: $\frac{1}{2}$ inches equal 1 mile

NCY 3/23/72

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Thomas
(Applicant)

74-7020

74-7020

Received by lj Date 3-20-72 Time 7:00
Preliminary check by LF Fee \$ 25.00
Receipted by lj Date 3-20-72
Publication prepared by bj Date 3-24-72
Published in Recorder-Herald, Salmon, ID
Publication dates 3-30-72 & 4-6-72
Publication approved LF Date 4-12-72
Priority reduced to 5 Reason _____

6/1/72 3/23/72

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by D JF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 74-7020, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 77.
- Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 17 day of May, 19 72.

R. Keith Higin
Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 74-7020 Name Robert L. Thomas

Source Ground Water

Point of Diversion NE¹/₄NE¹/₄, Sec. 16, T. 21N, R. 22E, B.M., Lemhi County

Quantity 1.0 cfs Use domestic Period Jan. 1 to Dec. 31

Quantity Use Period

Quantity Use Period

Well Size Diameter 16" Proposed Depth 51' Feet

Use Domestic usage for 30 homes.

Date Forwarded Date Returned Received by

COMMENTS: U.S.G.S. observation wells are not maintained in this basin. Based upon two logs for recently drilled wells in the same section, it is unlikely that the well will produce 0.9 c.f.s. An 85' well was essentially dry. A 320' well had a 220' static water level and could be bailed dry. It does appear from the application that the well has been drilled and may have encountered a perched table associated with the Lemhi River.

RECOMMENDED:

Applied: Qty. 0.9 c.f.s. Use mult. dom. Period 1/1-12/31 AF/A --- AF 30

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. 0.9 cfs Use mult. dom. Period 1/1-12/31 AF/A --- AF 30

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved X Denied

Conditions of approval or reason for denial: Request that applicant accept reduced rate or justify large rate requested (letter has been written.) Control of watermaster.

By NCF Title District Engineer
NORMAN C. YOUNG Date 3-24-72

74-7020

State of Idaho
Department of Water Administration

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT.

74-7020

RECEIVED

APR 10 1972

Department of Water Administration
Eastern District Office



Affidavit of Publication

STATE OF IDAHO }
County of Lemhi } ss.

JERRY G. ROSIN

....., being first duly sworn, deposes and says that he is one of the printers (publisher) of the RECORDER HERALD, a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general circulation therein,

That the Notice of Application for Water Permit-#74-7020

..... a true printed copy of which is attached to the margin hereof, has been and was correctly printed and published in the regular and entire issue of every number of said newspaper and not in any supplement thereof or thereto for 2 consecutive issues, commencing with the issue dated March 30, 1972 and ending with the issue dated April 6, 1972

Jerry G. Rosin

Subscribed and sworn to before me, this sixth day of April, 1972

Verl Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 11.84

74-7020

IDENT. NO. _____

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

WATER RIGHT ANALYSIS FORM

- DATA ENTRY -

Identification No. 1 74-7020
 Old No. New No.

Record

1. Original Owner: Robert L. Thomas

Present Owner: Valley View Heights Water Co.

2. Address: Rt. 1, Box 112

3. City: Salmon State: ID Zip: 83467

4. A. Source of Water: gw

B. Tributary of:

5. A. Stage (A,P,L,D,S,J): P

B. Status (D,L,R,C,A,I,F - leave blank if valid):

C. Priority Date: ~~3-20-1972~~ 4-1-1972

D. County: 59

E. Total Diversion Rate: 10

F. Total Diversion Volume:

G. Transfer/Amendment (P,T of A or blank): T

H. Water District:

I. DLE/Carey Act (D,C or blank):

J. Right Basis (for adjudication claims A,B,C only):

	Tract	Sec.	Twp.	Rge.	Gov't Lot	Rediv.
6. A. Point of Diversion	<u>NENE</u>	<u>16</u>	<u>21N</u>	<u>22E</u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

7. Period of Use, Use, Diversion Rate/Volume:

from 1-1 to 12-31 for D purposes. Amount 10
 (cfs or AG-FT/yr)

from to for purposes. Amount

from to for purposes. Amount

from to for purposes. Amount

from to for purposes. Amount

from to for purposes. Amount

8. Use Code: D

[illegible]

9. A. Decree Name:

B. Decree Date:

10. Remarks: A. *Reinstated 7-6-1977.*
B.
C.
D.
E.

11. Other Uses (Non-irrigation explanatory information):

4/30 homes.

12. Other Rights for Same Use:

13. A. Proof Due Date: 5-1-1982

B. Date Permit Approved or Denied: 5-17-1972

C. Protested Date:

D. Hearing Date:

E. Old Number:

F. Proof Made (P or blank): *f*

G. Field Exam Made (P,R,F or blank):

H. Conditions of Approval: 01

14. Diversion Means (brief narrative): well, pump + pipeline.

Sho 1-8-1980



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 8, 1980

Valley View Heights Water Co.
Route # 1, Box 112
Salmon, Idaho 83467

Dear Sirs,

RE: License No. 74-7020

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:mr
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLARD
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 24, 1980

Valley View Heights Water Company
Route # 1, Box 112
Salmon, Idaho 83467

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 74-7020, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .28 cfs Source: groundwater

The maximum quantity diverted shall not exceed 24.0 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16, Twp. 21N, Rge. 22E, B.M.

Beneficial use: Domestic use for 20 units within the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16,
Twp. 21N, Rge. 22E.

Priority date established: April 1, 1972.

Conditions (if any):

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
JIM JOHNSON
Water Rights Supervisor

MICROFILMED

GENERAL NOTES FOR
WATER SUPPLY AND PRESSURE SYSTEM

Valley View
For
~~Valley View~~ Estates - Lemhi County, Idaho

Scope of Work: The work contemplated consists of materials, labor and equipment required to successfully install and construct a pressure water system in the location shown on the Plans. The system shall consist of a submergible pump and motor capable of operating under the conditions outlined in Note 3 below, a 535 gallon hydropneumatic pressure tank, a wood-frame or underground concrete pump and pressure tank house complete with heat and light, and electrical control panel and all necessary plumbing and wiring. These facilities shall be constructed over an existing well at the construction site.

2. Electrical power will be furnished to the site by the Idaho Power Company. This power will be 240 volt, three phase, 60 cycle and shall terminate at the meter base in the location shown on the Plans. The Contractor will furnish and install the weatherhead, meter base, conduit and conductor from the meter base to the control panel. All wiring shall be in conduit.
3. The assumed operating conditions of the submergible pump and motor are as follows:

Casing diameter	18 inches
Pumping level at 125 gpm	50 feet
Total Dynamic Head	350 feet
Lift Head	50 feet
Discharge Head	300 feet
Motor	20 horsepower (maximum)
Pump Capacity	125 gallons per minute
Discharge Pipe Size	4 inch I.D.
Wire to Water Efficiency	60 % (minimum)

4. Pressure Tank and Controls: The pressure tank will be a nominal 535 gallon tank with a B/W Hydropneumatic "Add-Air" Tank Control System. The control system shall operate from electrodes mounted in the top of the tank which start and stop the pump by liquid level. Addition of the air shall be controlled by a pressure switch and shall be permitted only when the pump is idle. The pressure switch shall be adjusted to allow air to be added when the system pressure falls to 50 p.s.i. and sufficient air shall be added to maintain this pressure until the water level falls below the start electrode. When the pump starts, the compressor supplying air to the tank shall be locked out. The pump shall continue to operate until the water level in the tank reaches the stop electrode, at which time the system pressure shall be 75 p.s.i. Use B/W Type L remote control relay for pump.

Connect stations with 26 size copper wire buried in water trench. The tank shall conform to the requirements of AWWWS providing for a maximum water pressure of 150 p.s.i. and shall be approximately 54 inches in shell height and 45 inches in diameter. An 11" x 15" manhole shall be provided in one side and openings for a 4" inlet, 4" outlet and 1" air line in the locations shown on the Plans shall be provided by the tank manufacturer. The tank interior shall be epoxy lined and suitable for domestic water. Tank shall be vertical and shall include a ring base.

5. Control Panel - Pump House: A floor mounted NEMA Type I Enclosure containing the following components shall be provided:

- "Across-the-line" starter
- Circuit breaker disconnect
- Failure-phase reversal relay
- Overload protection on "Run" side
- Quick trip heaters (non-ambient)
- Lightening arrestors

In addition to the above pump controls, separate circuit breakers shall be provided for lights and heater. A B/W Type L relay shall be installed for pump operation.

6. Control Panel - Compressor: A wall mounted NEMA Type I Enclosure containing the following components shall be provided:

- "On-off" switch to override pressure control
- Separate circuit breakers for heat and lights
- B/W Type RH relay

The pressure switch operating from the pressure tank may be installed on the one side of the control panel or on pressure line between compressor and tank.

7. Building: The pressure tank or pump station building may be wood frame with fiberglass bat insulation in walls and ceiling, cedar thick butt shingles, and concrete footings, foundation walls and floor or underground concrete structure. All concrete shall be 6-sack mix with a minimum 28-day compressive strength of 3,000 p.s.i. A light broom finish shall be applied to all flat slabs.

The wood frame building shall contain two 100 watt lamps in wall mounted fixtures, two convenience outlets, and one 2.5 KW Chromalox Type V, wall-mounted heater with a 40° F - 80° F thermostat.

Two 1'6" x 2'0" wood-frame, slide-opening or casement type windows with screens shall be installed. One 2'8" x 6'8" exterior-type wood panel door shall be installed with hardware and security lock.

The entire roof shall be removable.

The entire area between footing and under the floor slab shall be backfilled with pit run gravel compacted by water settling. The gravel shall contain no particle larger than 3 inches.

8. Plumbing: All major plumbing in pump house shall be Case Iron, Class 200, Flange x Flange, within and to 5 feet outside of building walls. All valves, piping and fittings shall conform to AWWA Class 200 Specifications.

All major plumbing in pressure tank house shall be Cast Iron, Class 125, Flange x Flange, within and to 5 feet outside of building walls. All valves, piping and fittings shall conform to AWWA Class 125 Specifications.

Assigned to
Valley View Heights
Water Co.

3. Water will be used for the following purposes:

Other uses:

1967-1968

Permit No. 15-1020
Examination for b/u

- Other Points of Diversions:

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

MICROFILMED

TOTAL ACREAGE

R22E




Diagram of System

See attached Blue Prints

DATE OF EXAM 6-8-79

ACREAGE
Found N/A
Recommended N/A

Irrigation Requirement N/A Ac Ft/Ac

USE
Irrigation Q= 0.28 c.f.s. V= 24.0 AF/Ann. from 1-1 to 12-31
Domestic Q= 0.28 c.f.s. V= 24.0 AF/Ann. from 1-1 to 12-31
Livestock Q= 0.28 c.f.s. V= 24.0 AF/Ann. from 1-1 to 12-31

Is water co-mingled? yes no ☒

Name source: N/A
twp. N/S, Rge E/W, B.M., Sec. 1/4, Sub. 1/4 County

Exchange? yes no ☒

Name source exchanged with: N/A
twp. N/S, Rge E/W, B.M., Sec. 1/4, Sub. 1/4 County

Point of injection: N/A
twp. N/S, Rge E/W, B.M., Sec. 1/4, Sub. 1/4 County

Point of exchange: N/A
twp. N/S, Rge E/W, B.M., Sec. 1/4, Sub. 1/4 County

Total Q measured 0.28 (theoretical) Method of measurement Theoretical - By assignment

Total Q recommended 0.28 cfs Meter No. Type Condition

Total V recommended 24.0 AF/YR

Recommended Amendments:

P.D.
Place of Use
Other N/E N/E
None

MEASUREMENT CALCULATION:
20 homes @ .02 = .40 cfs
1.20 AF/YR X 20 = 24.0 AF/YR
15HP (.70) (8.814) = 92.55
(48) + (120) (2.308) = 324.96
92.55 / 324.96 = .28 cfs

SYSTEM DESCRIPTION: SUBMERSIONS 30p - BACKUP (EMERGENCY)
MOTOR - FRANKLIN ELECTRIC 15hp - NORMAL USAGE (120-150) ON/OFF Pressure
Pump - Binkley Model 2361049003 - 3450 RPM - Set at 48' Orp
System serves 20 homes

REMARKS: Permit #74-7054 in same area System shown & Described by Mr. Thomas

Examiner's Signature Redney A. Parker Date 11-28-79
Checked by Anthony R. Kozlowski Date 4-16-80
Approved by Date

June 6, 1979

Valley View Heights Water Company
Route 1, Box 112
Salmon, ID 83467

Gentlemen:

Re: Permit No. 74-7020

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the Department's records.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 24, 1978

Re: Permit No. 74-7054 & 74-7020

Robert L. Thomas
Route 1, Box 112
Salmon, ID 83467

Dear Mr. Thomas:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Idaho Falls.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

Identification No. _____

Permit No. 74 7020

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 28 1978

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Robert L. Thomas
b) Post Office Address Route #1, Box 112, Salmon, Idaho 83467
2. Permit Number 74 7020
3. Date of Priority that you are prepared to establish April 1, 1972
4. a) Source from which water was appropriated ground water
b) Location of the point of diversion: SE ¼ NE ¼, Section 16
Township 21 N., Range 22 E. Boise Meridian, Other points of diversion: None
5. a) The amount of water and use to which the water has been applied:
Amount 1.0 for Domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 1.0 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Richard Dahle, certified well driller did the measurement with irrigation pump & tractor for 8 1/2 hours.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
n/a
b) Describe the agreement or understanding by which you take water from the works:
n/a
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pump & pipeline - 15 Hp Motor on pump, pipeline - 6" Diam., 3,960 foot long, Size of well casing - 16", depth of well - 70 Ft.
b) Describe the type and size of measuring device which you have installed at your point of diversion:
Water meter gates installed at each lot line.
c) Give well driller's name and address and the date the well was completed: Richard Dahle, Box 692, Salmon, Idaho. March 16, 1972.
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:
Domestic use for subdivision for 30 homes.

MICROFILMED

Exam typed 8/24/78 by JP

July 7, 1977

Re: Permit No. 74-7020

Robert L. Thomas
Route 1, Box 112
Salmon, Idaho 83467

Dear Mr. Thomas:

Enclosed is a copy of the approved application for extension of time issued on the above referenced permit. The time within which to submit proof of beneficial use of water has been extended to May 1, 1982.

Please note that this permit has also been reinstated and the priority has been advanced to April 1, 1972.

Sincerely,

JAN GROVER
Supervisor,
Water Rights

JG:JFR

Encl.

NOTED
JUL 10 1977
JG

RECEIVED

JUN 17 1977

Route #1, Box 112
Salmon, Idaho 83467

Department of Water Resources

June 9, 1977

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Attention: Jan Grover

RE: Permit No. 74-7020

Dear Ms. Grover:

In accordance with your letter of May 23, 1977, enclosed please find an application for extension of time . We are sorry for this inconvenience, we did not exexpect so many delays. Hopefully we can have it all completed by November 1. If you need us to furnish further information, kindly advise.

Very truly yours,

Robert S. Thomas

ROBERT L. THOMAS

May 23, 1977

Re: Permit No. 74-7020

Robert L. Thomas
Route #1, Box 112
Salmon, ID 83467

Dear Mr. Thomas:

We have received your letter concerning the above referenced permit. This permit can be reinstated by submitting either a Proof of Beneficial Use form or an Application for Extension of Time form. However, one of these must be submitted on or before July 1, 1977 or your permit will be of no further force or effect.

Enclosed is a Proof of Beneficial Use form with instructions and an Application for Extension of Time form for your use in this matter.

If you have any questions, please contact us.

Sincerely,

JAN GROVER
Senior Rights Supervisor

WJc/h

Enclosures

RECEIVED
MAY 24 1977

RECEIVED

MAY 18 1977

Department of Water Resources

Route #1, Box 112
Salmon, Idaho 83467
May 9, 1977

Department of Water Resources
Statehouse
Boise, Idaho 83720

Attention: C. Stephen Allred

Dear Mr. Allred:

RE: Permit No. 74-7020

In answer to your letter of May 5, 1977 in regard to filing proof of Application of water to Beneficial Use, we do not yet have the water system completed. We had planned to have it finished by this time, but the engineers who are designing the water system have not yet completed the design. The plat is all designed and has been approved by the County, the well is drilled, but we can go no farther until the water design is finished. The engineers have promised us that they will have it completed within 2 weeks. Hopefully they will, because it will take some time to order the pump and pipe needed and get the water system installed. All of the water from this well will be used for domestic use on the subdivision.

Could you inform us as to how to reinstate the permit, or what we can do until such time as we can get the water system completed? My apologies for not writing to you sooner explaining the problem, but until I looked at the papers you sent in February, after receiving your recent letter, I mistakenly thought we had until May 31 instead of May 1.

Thank you for your attention in this matter.

Yours truly,



Robert L. Thomas

RECEIVED
MAY 18 1977



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215


May 5, 1977

Robert L. Thomas
Route 1
Salmon, Idaho 83467

Dear Mr. Thomas:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 74-7020 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated February 28, 1977.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.



C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

RECEIVED

February 28, 1977

CERTIFIED MAIL

138348

Re: Permit No. 74-7020

Robert L. Thomas
Route 1
Salmon, Idaho 83467

Dear Mr. Thomas:

One of the conditions of approval of your water Permit No. 74-7020 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RE: jg
EE: Proof affidavit

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 14, 1972

Re: Permit No. 74-7020

Mr. Robert Thomas
Salmon,
Idaho 83467


Dear Mr. Thomas:

We wish to thank you for your response to our letter of August 1, 1972.

In checking with your permit No. 74-7020, we find that the point of diversion as listed in the approved permit is in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16, Township 21 North, Range 22 East, Lemhi County. This does not match the information on the well log submitted by Dahle Well Drilling of Salmon, which shows the well as having been drilled on the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16, Township 21 North, Range 22 East. Please advise us by return mail as to which description is correct, the one on the permit or the one on the Well Drillers Report.

Your assistance in this matter is appreciated.

Very truly yours,


Donald W. McEldowney
Water Rights Supervisor

DWM/cd

Dear Sir.
Correct description of point of diversion is
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16, T 21 N., Range 22 E B7M. Must
have been an error on well log submitted.
If any further info is needed, kindly advise.
Robert Thomas

14-7020

September 14, 1972

Re: Permit No. 74-7020

Mr. Robert Thomas
Salmon,
Idaho 83467

Dear Mr. Thomas:

We wish to thank you for your response to our letter of August 1, 1972.

In checking with your permit No. 74-7020, we find that the point of diversion as listed in the approved permit is in the NE¹/₄NE¹/₄, Sec. 16, Township 21 North, Range 22 East, Lemhi County. This does not match the information on the well log submitted by Dahle Well Drilling of Salmon, which shows the well as having been drilled on the SE¹/₄NE¹/₄, Sec. 16, Township 21 North, Range 22 East. Please advise us by return mail as to which description is correct, the one on the permit or the one on the Well Drillers Report.

Your assistance in this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Water Rights Supervisor

DWM/cd

74-7020

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

August 1, 1972

Robert Thomas
Salmon,
Idaho 83467

74-7020

Gentlemen:


Through a cooperative arrangement with the well drillers licensed in Idaho, notice is supplied to this agency prior to the construction of wells drilled in connection with exploration for groundwater.

We were notified that you are constructing a well located in Twp. 21N, Rge. 22E, B.M., Sec. 16, SE $\frac{1}{4}$ NE $\frac{1}{4}$. We have reviewed our records, and the preliminary check has failed to indicate that you have filed an application with this agency. If we have overlooked your permit, please advise us of the number by return mail. If you have indeed not filed an application for permit, and your diversion is other than a single family domestic unit and producing less than 13,000 gallons/day, then you are required to file an application before construction starts and receive a valid permit from this agency before groundwater may be diverted.

Idaho has been under a mandatory permit system for groundwater since March 25, 1963: Reference: Carl Tappin, State Reclamation Engineer, v.s. Clyde Smith and Bonny Smith, Idaho Supreme Court, 1967. Therefore, it is held by this agency as an illegal act to divert groundwater without the aid of a valid permit or a license on appropriations with a priority junior to March 25, 1963 for other than excluded above.

We will supply you with an application for permit and instructions if you so request. Please contact us for forms or if we can be of any service.

Very truly yours,


Donald W. McEldowney
Water Rights Supervisor

DWM:cd

Dear Sir:
I have Approved Application
for Permit # 74 7020,
approved May 17, 1972. The

#25 fee was paid, receipt #8199 dated 3/30/72.
published in Recorder Herald 3/30/72 & 4/6/72. If you need
further info, kindly advise.
Robert Thomas

August 1, 1972

Robert Thomas
Salmon,
Idaho 83467

Gentlemen:

Through a cooperative arrangement with the well drillers licensed in Idaho, notice is supplied to this agency prior to the construction of wells drilled in connection with exploration for groundwater.

We were notified that you are constructing a well located in Twp. 21N,
Rge. 18, B.M., Sec. SE 1/4 NE 1/4. We have reviewed our
records, and the preliminary check has failed to indicate that you have filed an
application with this agency. If we have overlooked your permit, please advise us
of the number by return mail. If you have indeed not filed an application for
permit, and your diversion is other than a single family domestic unit and produc-
ing less than 13,000 gallons/day, then you are required to file an application
before construction starts and receive a valid permit from this agency before
groundwater may be diverted.

Idaho has been under a mandatory permit system for groundwater since March 25,
1963: Reference: Carl Tappin, State Reclamation Engineer, v.s. Clyde Smith and
Bonny Smith, Idaho Supreme Court, 1967. Therefore, it is held by this agency as
an illegal act to divert groundwater without the aid of a valid permit or a license
on appropriations with a priority junior to March 25, 1963 for other than excluded
above.

We will supply you with an application for permit and instructions if you so re-
quest. Please contact us for forms or if we can be of any service.

Very truly yours,

Donald W. McElowney
Water Rights Supervisor

DWM:cd

74-7020

May 25, 1972

Re: Permit No. 74-7020

Mr. Robert L. Thomas
Route # 1
Salmon, Idaho 83467

Dear Mr. Thomas:

Enclosed is a copy of your approved Application for Permit No. 74-7020. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at the point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Copy of permit
Information letter

bc: Eastern District Office

74-7020

March 30, 1972

Re: Application for Permit No. 74-7020

Mr. Robert L. Thomas
Rt. #1
Salmon, ID 83467

Dear Mr. Thomas:

We are in receipt of your letter of March 28, 1972, indicating that you wish to increase the number of homes on your filing from thirty to thirty-five homes, and the quantity of water from 1.0 c.f.s. to 1.05 c.f.s.

We are now in the process of advertising your application as we originally received it, and in order to change it to agree with your new request, it would be necessary to readvertise. This would require you to pay the statutory republication fee of \$10.00. Also, increasing the quantity of water used would make it necessary to advance the priority date to the date we receive the amended application.

If you desire to amend your application and pay the republication fee, please complete the enclosed form and return it to this office. If you choose not to amend your application, we will continue processing and, assuming no protests are filed, it will probably be approved for 0.9 c.f.s.

If you have any questions, please do not hesitate to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:bj

Enclosure

74-7020

RECEIVED

MAR 20 1972

Department of Water Administration
Eastern District Office

Route #1,
Salmon, Idaho
3/28/72

State of Idaho
Dept of Water Administration
200 South Holmes Ave
Idaho Falls, Idaho 83401

ATTN: Norman C. Young, District Engineer

Dear Mr. Young:

I received a letter from you pertaining to my application for permit No. 74-7020, stating that my application was incorrect, and that I should claim only 0.9 c.f.s. instead of 1.0 c.f.s. I feel I can use this amount and maybe more, so instead of stating 30 homes, I will make the application for 35 homes. This should make the amount 1.05 c.f.s.

Kindly advise if this is not permissible. Thank you.

Sincerely,

Robert L. Thomas

Robert L. Thomas

74-7020

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

March 29, 1972

Re: Application for Permit No. 74-7020 - Robert L. Thomas

E. Dennis Walker, Environmentalist I
District Seven Health Department
P. O. Box 280
Salmon, Idaho 83467

Dear Mr. Walker:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/BL

Enclosure

74-7020

March 24, 1972

Re: Application for Permit No. 74-7020^h

Mr. Robert L. Thomas
Rt. #1
Salmon, ID 83467

Dear Mr. Thomas:

Your Application for Permit No. 74-7020^h has been forwarded to us from our Boise Office for processing. In reviewing your application, we find that Item #4 requires further consideration.

You have requested 1.0 c.f.s. for domestic usage for thirty families. Normally, we allow a diversion rate of up to .03 c.f.s. for a single family domestic usage; this would entitle your application to 0.9 c.f.s. Unless you can provide us with written justification of the higher rate, we will reduce the amount to 0.9 c.f.s.

If you have any questions, please do not hesitate to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:BJ

74-7020

March 24, 1972

Re: Application No. 74-7020 - Robert L. Thomas

The Recorder-Herald
P.O. Box 310
Salmon, ID 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

NCY:BJ
Enc: Legal notice

Bill submitted 4-12-72
74-7020



STATEMENT

THE RECORDER-HERALD

Telephone
756-2221

P. O. BOX 310

SALMON, IDAHO - 83467

Date Of Statement

4-6-72

Department of Water Administration
240 S. Holmes Ave.
Idaho Falls, Ida. 83401

	First Week	Second Week	Third Week	Fourth Week	Fifth Week	Total	Amount	
Regular Display Advertising, Inches							\$	
Classified Display Advertising, Inches								
32 line legal advertisement Application #74-7020								11 84
SALES TAX - - -								
Accounts due and payable 10th of month, legal interest of 1 1/2 % per month (18 % annually) charged on all past due accounts.						TOTAL - - -	\$	11 84

74-7020

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that **Robert L. Thomas, Rt. #1, Salmon, Idaho**

has on 3-20-72 submitted Application No. 74-7020
for a permit to appropriate 1.0 cubic feet per second ~~XXXXXX~~
of water from a ground-water source
by means of well and pump
within the NE¹/₄NE¹/₄, Sec. 16, T. 21N, R. 22E, B.M., Lemhi County;

to be used from Jan. 1 to Dec. 31

for domestic purposes for thirty families

within the NE $\frac{1}{4}$, Sec. 16, T. 21N, R. 22E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before **April 17, 1972**

R. KEITH HIGGINSON

Director

Published in the The Recorder-Herald, Salmon, Idaho
on March 30 and April 6, 1972

74-2020