




MICROFILMED



Idaho Power Co.
Salmon Release Ponds
NE 1/4 NW 1/4 Section 21
T15N, R21E Boise Meridian
Ketchikan Co, Idaho

L A Y O U T

P L A N


AGENCY APPROVAL	
MAR 9 1981	
IDAHO POWER COMPANY BOISE, IDAHO	
SALMON RELEASE POND	
FUNCTIONAL DRAWING	
SCALE 1" = 50'	DATE March 4, 1981
APPROVED	20R-32321
REV	CH DT
33	18.5

Top of walls, EL. 107.7
Existing Intake to Salmon rearing ponds




SECTION C-C
No scale


PLAN
scale: 1" = 10'-0"



SECTION A-A
scale 1" = 5'-0"



SECTION B-B



DETAIL 1
scale: 3/4" = 1'-0"

MAR 9 1981

AGENCY APPROVAL

PAHSIMEROI RIVER
SALMON REARING PONDS
DIVERSION PLAN
AND SECTIONS

DATE	APPROVED	DATE	APPROVED
20R-32321	20R-32321	20R-32321	20R-32321
SCALE	AS NOTED	SCALE	AS NOTED
DATE	March 4, 1981	DATE	March 4, 1981
BY	32	BY	32
REV	11.5	REV	11.5

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to approp-
riate the public waters of
the State of Idaho:
73-7051

IDAHO POWER
COMPANY

P.O. BOX 70, Boise, ID
83707

Source: PAHSIMEROI
RIVER tributary to SAL-
MON RIVER

Date Filed: 03/24/1981

Amount: 10.00 CFS

Diversion Point: NENW
Sec 21 T 15N R 21E, LEM-
HI Co.

Use: FISH PROP. (10.00
CFS) from 01/01 to 12/31

Place of Use: NENW Sec
21 T 15N R 21E

Diversion Means: WEIR.
74-7101

SMITH, KENT G.

P.O. BOX 16, TENDROY,
ID 83468

Source: BALDY CREEK
tributary to LEMHI RIV-
ER

Date Filed: 03/26/1981

Amount: 2.99 CFS

Diversion Point: SWNW
Sec 13 T 19N R 23E, LEM-
HI Co.

Use: IRRIGATION (2.99
CFS) from 04/01 to 11/01

Place of Use: SWNE

SENE SENW NESW
NESE NWSE Sec 13 T
19N R 23E FOR 149
ACRES

Diversion Means: HEAD-
GATE, DITCH &
SPRINKLERS.

74-7102

OXBOW RANCH

LEADORE, ID 83464

Source: HAWLEY
CREEK tributary to LEM-
HI RIVER

TEN MILE CREEK tribu-
tary to LEMHI RIVER

CLEAR CREEK tributary
to LEMHI RIVER

Date Filed: 03/31/1981

Amount: 45.78 CFS
29174.0 AC-FT

Diversion Point: SENE
Sec 03 T 15N R 27E SESE
Sec 06 T 14N R 28E NENE
Sec 16 T 14N R 28E, LEM-
HI Co.

Use: POWER (45.78 CFS)
from 01/01 to 12/31

Place of Use: SWNE Sec
29 T 15N R 27E

Diversion Means: EXIST-
ING DIVERSION DAMS
& PIPELINE.

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 150 Shoup Ave.,
Idaho Falls, Idaho 83401
on or before APRIL 27,
1981.

C. STEPHEN ALLRED
Director

Published 4/09 & 4/16/
81.

4-9-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

APR 20 1981

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein,

That the Notice of Application for Water Rights 73-7051 and
74-7101, 74-7102

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 2
consecutive issues, commencing with the issue dated April 9, 1981
and ending with the issue dated April 16, 1981

Subscribed and sworn to before me, this sixteenth

day of April, 1981

W. E. Armstrong

Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 33.49

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

MAP
T77

DOWTON
LANE


R 21 E


264

263000mE

114° 00'

4° 37' 30"





4/19/95 MEASURED
1.545 WATER
OVER CREST
36" WALL
ACTUAL DEPTH.
6/10'

MICROFILMED
SER 1 2 3

73-07051

IDAHO POWER COMPANY

PAHSIMERDI RIVER - UPPER HATCHERY

1016



POINT OF
DIVERSION

INLET
FLOW
DIRECTION



POINT OF
DIVERSION
INTAKE
CONTROL
STRUCTURE

MICROFILMED
SEP 12 1997

73-7051

216



ELECTRIC
DRUM FISH
SCREEN

DIVERSION
BYPASS



BYPASS
OUTLET
TO RIVER

MICROFILMED
SEP 12 1997

73-7051

316

CONCRETE
LINED
CHANNEL
TO KEKKIOG
PONDS



SHARP
CRESTED
WEIR

MICROFILMED
SEP 12 1997

73-7051

4 of 6



CONCRETE
DIVERSION
CHANNEL
AND GATES
TO REARING
PONDS.



FIRST SET
OF REARING
PONDS, NORTH
OF CONCRETE
CHANNEL.


MICROFILMED
SEP 12 1997

73-7051

516



VIEW OF
FIRST AND
SECOND SET
OF REARING
PONDS.



DISCHARGE
POINTS OUT
OF REARING
PONDS.

MICROFILMED
SEP 12 1997

73-7051


6/6



DISCHARGE
OF UNLINED
CHANNEL
FROM REAKING
PONDS BACK
TO PANSIMEWI
RIVER.

MICROFILMED
SEP 12 1997


73-7051



IBAYHORSE 1:125,000

Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Topography from aerial photographs by multiplex methods
Aerial photographs taken 1954. Advance field check 1956
Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system, central zone
1000-meter Universal Transverse Mercator grid ticks,
zone 12, shown in blue
Land lines unsurveyed in T. 15 N.-R. 23 E., T. 16 N.-R. 22 E.,
and parts of T. 15 N.-R. 22 E., and T. 16 N.-R. 21 E.
Unchecked elevations are shown in brown

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1956



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 73-07051

Priority: March 25, 1981

Maximum Diversion Rate: 10.00 CFS
Maximum Diversion Volume: 7165.7 AF

This is to certify, that IDAHO POWER CO
PO BOX 70

BOISE ID 83707 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 24, 1981; and
has submitted Proof of Beneficial Use on May 2, 1991. An examination indicates
that the works have a diversion capacity of 22.650 cfs of water from:

PARSIMEROI RIVER

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROPAGATION	01/01 to 12/31	10.00 CFS	7165.7 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 21, Township 15N, Range 21E
LEMHI County

PLACE OF USE: FISH PROPAGATION
TWN RGE SEC
15N 21E 21 NENW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 73.
6. Measuring devices of a type approved by this Department shall be maintained at the point of diversion and point of effluent discharge.
7. Water used under this right if discharged into a natural channel shall meet Idaho Water Quality Standards.

SEP 12 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 73-07051

CONDITIONS OF APPROVAL AND REMARKS

8. Use of water under this right is subject to policies set forth in the State of Idaho Water Plan, including Policy No. 5G.
9. Water diverted under this right shall be returned to the Pahsimeroi River through the outlet of the fish rearing and release ponds of the facility.
10. Rights 73-02168 and 73-07051 when combined shall not exceed a total annual diversion volume of 14,454.0 af.
11. Right 73-02168 is also diverted through the point(s) of diversion described above.
12. Facility volume = 110,000 cubic feet.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of JUNE, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED

SEP 12 1997

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 73-07051 IN THE
NAME OF IDAHO POWER COMPANY

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before May 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, on May 1, 1991 the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on May 2, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 73-07051 be REINSTATED and the priority advanced to March 25, 1981.

Dated this 9th day of May, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

JUN 10 1991

RECEIVED

MAY 2 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 325.00Date 5/2/91Receipt No. 6020357Received by J. L. Laro

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 73-07051 Telephone No. 383-23532. Name(s) of Permit Holder(s): Idaho Power Company3. Post Office Address: P.O. Box 70 Boise, ID 837074. Source of Water: Pahsimeroi Rivera. If ground water, well driller's name: N/A Date drilled: N/Ab. Pump horsepower: N/A Pressure (psi): N/A Dynamic pumping level (ft.): N/A

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

Fish Propagation6. Total rate and/or volume for which proof is submitted 10.0 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No8. Fee Enclosed: \$ 325.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Paul E. Abbott

Name

383-2353

Telephone No.

Idaho Power CompanyP.O. Box 70Boise, ID 83707

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

4/26/91

Signature (and title if on behalf of a company or organization)

Mgr. - Environmental Affairs

JUN 10 1991

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 FEE Receipted by CP
Date 2/1/89
Receipt # C005365

FEB 01 1989

REQUEST FOR EXTENSION OF TIME

Department of Water Resources To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 73-7051Name(s) of Permit Holder: Idaho Power Company (c/o Larry R. Wimer)Post Office Address: P.O. Box 70, Boise, ID 83707Telephone No. 383-2727Date Proof is Due: April 1, 1989

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

Please see Attachment No. 1

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Please see Attachment No. 2

Idaho Power Company
Fisheries Program Coordinator
Permit holder(s) request an extension to April 15, 19 91. Larry R. Wimer
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MAR 06 1989

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to May 1, 1991.

Signed this 8th day of February, 19 89.A. Glen Saxton
Chief, Water Allocations Bureau

In February of 1980 Idaho Power Company (Company) signed an agreement with the Idaho Department of Fish and Game, the Washington Department of Fisheries, the Washington Department of Game, the Oregon Department of Fish and Wildlife, and the United States Department of Commerce by and through its National Marine Fisheries Service. This agreement identified the mitigation requirements of the Company, regarding anadromous fish, for the construction and operation of the Hells Canyon 3-dam complex. A portion of that agreement dictated that a significant reconstruction be undertaken at the Company's steelhead hatchery on the Pahsimeroi River near Challis, Idaho. As agreed by all parties, the existing steelhead hatchery facilities would have to be expanded to accommodate the rearing of one million chinook salmon smolts. This expansion of the Company's Pahsimeroi hatchery required filing for additional water usage. On March 24, 1981, the Company filed for the additional water needed.

During 1981 and 1982, to fulfill the "Pahsimeroi" portion of its obligation, the Company expanded its existing steelhead facility. The additions included, among other things, design and construction of four raceways, installation of water diversion works and feed storage facility, and the reconstruction of two large earthen rearing ponds and two settling ponds. These enhancements were accomplished at a cost of approximately \$273,926.00.

In addition to the above, and to demonstrate that due diligence has been observed, regarding the development of this water right, the following is a list of the approximate annual operation and maintenance expenses incurred by the Company in the pursuit of its Pahsimeroi obligation:

1982	\$ 74,603.00
1983	136,032.00
1984	134,302.00
1985	133,705.00
1986	168,697.00
1987	150,256.00
1988	figure not published.

On the 4th day of April, 1984, the Idaho Department of Water Resources approved Application for Permit No. 73-7051.

MICROFILMED

MAR 06 1989

Attachment No. 2.

As illustrated by the narrative of Attachment No. 1, it is evident that Idaho Power Company (Company) has diligently pursued fulfillment of the requirements of Application for Permit No. 73-7051. The diversion works and aquaculture facilities have been constructed and are functioning as planned. However, one condition of the approved application has yet to be completed.

The approved Application for Permit No. 73-7051 states that, "...Measuring devices of a type approved by the Department shall be permanently installed at the point of diversion and the point of effluent discharge." Measuring at the point of effluent discharge can easily be accomplished by measuring the flow of water over the weir that is installed at that location. Measuring the flow at the point of discharge, however, has proven to be more of a concern than was originally thought. The Company has worked, and continues to work, diligently toward resolving this concern. Informal discussions with IDWR, Eastern Region personnel and a private consultant have helped determine the strategy the Company must take to complete this final issue in a productive manner.

The problem is that since the hatchery became fully operational, there exists only a two to four week "window" in the spring of each year when the ponds can be de-watered for construction purposes. In order to install a measuring device at the point of diversion (at the upper end of the hatchery feeder canal) the flow in the canal must be stopped for a sufficient time to allow drying of the canal. To work in the feeder canal during the time the ponds are filled with water and fish would require extensive bypass channelization and dyking. To minimize negative environmental impacts to the riparian zone adjacent to the feeder canal, and to lessen the cost of installation, the fish rearing ponds must be drained and free of fish before work in the feeder canal can be carried out. Generally, the chinook salmon smolts of a given year-class leave the pond environment and begin their journey to the Pacific Ocean during the month of March. At this time the ponds are cleaned and readied for the next year-class of fish. As early as the middle of April the ponds can be re-filled and the pond rearing cycle of the chinook salmon operation begun anew. It is during this short period of time, each year, that work can be carried out in the most cost effective manner.

During the two to four week construction window this year (1989), rearing pond modifications, costing approximately \$30,000.00, have been budgeted and scheduled to facilitate the proper installation of a water measuring device during the construction window of next year (1990).

It is for this reason that the Company respectfully requests an extension of time to submit proof of beneficial use of water as approved in Application for Permit No. 73-7051.

MAR 06 1989

73 7051

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

1. Name of applicant Idaho Power Company Phone: (208) 383-2200
 post office address P O Box 70, Boise, Idaho 83707
2. Source of water supply Pahsimeroi River which is a tributary of the Salmon River
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 15 N
 Range 21 E B.M. Lemhi County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into Pahsimeroi River at a point in NW $\frac{1}{4}$
 of NW $\frac{1}{4}$ of Section 21 Township 15 N Range 21 E B.M. Lemhi County
4. Water will be used for the following purposes:
 Amount 10 cfs for ^{fish} propagation purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. 10 cfs cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. sheet pile diversion weir up to existing
intake structure. (See attached map entitled "Diversion Plan and Sections"
for specifics).
- b. Height of storage dam NA feet, active reservoir capacity NA acre feet; total reservoir
 capacity NA acre feet, materials used in storage dam: NA
 Period of year during which storage will occur NA to NA inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is NA inches; proposed depth of well is NA feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
 is 5 years.
 b. Estimated construction cost is \$ 20,000.
8. Description of proposed uses:
 a. If water is **not** for irrigation:
 (1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 15 N
 Range 21 E B.M.
 (2) Amount of power to be generated: NA hp under NA feet of head.
 (3) List number of each kind of livestock to be watered NA
- (4) Name of municipality to be served NA, or number of families to be
 supplied with domestic water NA
- (5) If water is to be used for other purposes describe: To provide for the propagation of 1,000,000
Chinook Smolts annually necessitating an increase in flow to 10 cfs each in two
existing acclimation ponds, pursuant to an agreement settling the numbers of salmon
and steelhead lost or destroyed as a result of the existing license for Idaho Power
Company Project No 1971 (Hells Canyon, Oxbow, and Brownlee Dams).

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
TWP. 15N																			

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. License No 33431/73-2168 dated February 3, 1970; Priority January 20, 1967 for 10 cfs from the Pahsimeroi River for fish propagation in NE ¼, NW ¼ and NW ¼, NW ¼, Section 21, Township 15-N, Range 21 E, Lemhi County.

9. a. Who owns the property at the point of diversion Idaho Power Company
- b. Who owns the land to be irrigated or place of use Idaho Power Company
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Permission to attach and place the diversion works within the River's ordinary high water mark is to be obtained from the State Department of Lands. Permission to attach to and construction access through the land on the south bank above the ordinary high water mark must be obtained from private ownership. Idaho Power Company is currently contacting S M Downton, the owner, to obtain such permission.

10. Remarks It is hoped to complete construction of all facilities this year.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

See attached map entitled "Salmon Release Ponds Functional Drawings"

See attached map entitled "Salmon Release Ponds Functional Drawings"

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

IDAHO POWER COMPANY
By *B. H. Condit*
(Applicant) Vice President

WISCONSIN

Proposed Priority

3/24/81

Received by kw Date 3/30/81 Time 11:07

Preliminary check by kw Fee \$ 225.00

Receipted by kw Date 4/1/81 # 17147

Publication prepared by kw Date 4/02/81

Published in Recorder-Herald

Publication dates 4/09 & 4/10/81

Publication approved kw Date 4/13/81

Priority reduced to _____ Reason _____

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 73-7051, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1989.

c. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Water used under this permit if discharged into a natural channel shall meet Idaho Water Quality Standards.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Measuring devices of a type approved by the Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

Assignment or sale of this permit is subject to a determination by the Department that the permit holder has proceeded to develop the permit with due diligence and without speculation.

Use of water under this permit is subject to control by the watermaster of State Water District No. 73, Pahsimeroi River.

Water diverted under this permit shall be returned to the Pahsimeroi River through the outlet of the fish rearing and release ponds of the facility.

Witness my hand this 4th day of April, 1984.

A. Edward Dunn
Director

RECORDED

State of Idaho

WATER LICENSE

Water License No. 33431/73-2168 Priority January 20, 1967 Amount 10.0 c.f.s.

THIS IS TO CERTIFY, that IDAHO POWER COMPANY

of Boise, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated January 20, 1967; that Permit 33431/73-2168 was issued pursuant to said application; that the proposed works were completed on or about February 1967, with a storage/or carrying capacity of 10.0 c.f.s., said works consisting of rock dam and open ditch to ponds; and that on April 17, 1968, proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of N.A. acre feet per season, with a maximum rate of diversion of 10.0 cubic feet per second of the waters of Pahsimeroi River, tributary of Salmon River, for the purpose of acclimation ponds from January 1 to December 31; and for _____ from _____ to _____; and for _____ from _____ to _____; and that the use of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer and entered in the records of the Idaho Department of Reclamation: the point of diversion is located in NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 21, T. 15 N, R. 21 E, B.M., and other additional points _____, in the County of Lemhi; and that the amount of water to which such right is entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes and shall not exceed N.A. acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
15 N	21 E	21					X												

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this 23rd day of February, 1970.


[Signature]
State Reclamation Engineer

PAHSIMEROI RIVER	
SALMON RELEASE	
POND	
FUNCTIONAL DRAWING	
DATE	20R-32321
SCALE	1" = 50'
DATE	MARCH 4, 1951
APPROVED	
BY	33
DATE	18-5

MAR 9 1951

AGENCY APPROVAL



L A Y O U T P L A N




Idaho Power Co.
Salmon Release Ponds
NE 1/4 NW 1/4 Section 21
T15N, R21E Boise Meridian
Ketchikan Co, Idaho

MEPROFILED


Top of walls, EL. 107.7
Existing intake to Salmon rearing ponds




SECTION C-C
No scale.



SECTION A-A
Scale: 1" = 5'-0"



SECTION B-B



DETAIL A-1
Scale: 3/4" = 1'-0"

MAR 9 1981

AGENCY APPROVAL

PAHSIMEROI RIVER
SALMON REARING PONDS
DIVERSION PLAN
AND SECTIONS

IDAH0 POWER COMPANY		DOISE, IDAH0	
SCALE 03 NOTED		DATE March 4, 1981	
APPROVED		20R-32321	
REV	BY	DATE	REV
32			14-5



CERTIFICATE OF CORPORATE STATUS
OF


IDAHO POWER COMPANY

I, PETE T. CENARRUSA, Secretary of State of the State of Idaho, hereby certify that I am the custodian of the corporation records of this State.

I FURTHER CERTIFY That the records of this office show that the above-named corporation was incorporated under the laws of *Maine* and was issued a certificate of *incorporation* in Idaho on *July 31, 1916*

I FURTHER CERTIFY That the corporation has filed its annual statement and paid its annual license tax for the fiscal year ending June 30, 19 *81*, and that its corporate authority has not been forfeited.

Dated *March 12th*, 19 *81*.



Pete T. Cenarrusa

SECRETARY OF STATE

Gnn Lisk
Corporation Clerk

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to approp-
riate the public waters of
the State of Idaho:
73-7051

IDAHO POWER
COMPANY

P.O. BOX 70, Boise, ID
83707

Source: PAHSIMEROI
RIVER tributary to SAL-
MON RIVER

Date Filed: 03/24/1981

Amount: 10.00 CFS

Diversion Point: NENW
Sec 21 T 15N R 21E, LEM-
HI Co.

Use: FISH PROP. (10.00
CFS) from 01/01 to 12/31

Place of Use: NENW Sec
21 T 15N R 21E

Diversion Means: WEIR.
74-7101

SMITH, KENT G.

P.O. BOX 16, TENDON,
ID 83468

Source: BALDY CREEK
tributary to LEMHI RIV-
ER

Date Filed: 03/26/1981

Amount: 2.99 CFS

Diversion Point: SWNW
Sec 13 T 19N R 23E, LEM-
HI Co.

Use: IRRIGATION (2.99
CFS) from 04/01 to 11/01

Place of Use: SWNE

SENE SENW NESW
NESE NWSE Sec 13 T
19N R 23E FOR 149
ACRES

Diversion Means: HEAD-
GATE, DITCH &
SPRINKLERS.

74-7102

OXBOW RANCH

LEADORE, ID 83464

Source: HAWLEY
CREEK tributary to LEM-
HI RIVER

TEN MILE CREEK tribu-
tary to LEMHI RIVER

CLEAR CREEK tributary
to LEMHI RIVER

Date Filed: 03/31/1981

Amount: 45.78 CFS
29174.0 AC-FT

Diversion Point: SENE
Sec 03 T 15N R 27E SESE
Sec 06 T 14N R 28E NENE
Sec 16 T 14N R 28E, LEM-
HI Co.

Use: POWER (45.78 CFS)
from 01/01 to 12/31

Place of Use: SWNE Sec
29 T 15N R 27E

Diversion Means: EXIST-
ING DIVERSION DAMS
& PIPELINE.

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 150 Shoup Ave.,
Idaho Falls, Idaho 83401
on or before APRIL 27,
1981.

C. STEPHEN ALLRED
Director

Published 4/09 & 4/16/
81.

4-9-2tc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

APR 20 1981

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein,

That the Notice of Application for Water Rights 73-7051 and
74-7101, 74-7102

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 2
consecutive issues, commencing with the issue dated April 9, 1981
and ending with the issue dated April 16, 1981

Subscribed and sworn to before me, this sixteenth

day of April, 1981

Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 33.49

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to appropri-
ate the public waters of
the State of Idaho:

73-7051

DK
BES

IDAHO POWER
COMPANY

P.O. BOX 70, Boise, ID
83707

Source: PAHSIMEROI
RIVER tributary to SAL-
MON RIVER

Date Filed: 03/24/1981

Amount: 10.00 CFS

Diversion Point: NENW
Sec 21 T 15N R 21E, LEM-
HI Co.

Use: FISH PROP. (10.00
CFS) from 01/01 to 12/31
Place of Use: NENW Sec
21 T 15N R 21E

Diversion Means: WEIR.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 9, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO POWER CO
PO BOX 70
BOISE ID 83707

RE: WATER RIGHT NO. 73-07051

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 12 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


3-11-11
SEP 12 1997

CERTIFICATE OF MAILING

I hereby certify that on the 9th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 73-07051

IDAHO POWER CO
PO BOX 70
BOISE ID 83707


Kari Lynn Townsend
Secretary

MICROFILMED
SEP 12 1997

MEMORANDUM

TO: Files 73-07051 and 73-07055

FROM: Sharla

DATE: June 3, 1997

RE: Annual Volume for Fish Propagation Use

Per a memo dated 1/15/88, volume is calculated this way:

1. Calculate changes per hour:
 $\text{total flow into facility} \times 3600 / \text{facility volume(cf)} = \text{changes}$
2. Calculate annual volume:
 $\text{facility volume(AF)} \times \text{changes} \times 8760 = \text{AFA}$
3. Calculate volume given by permitted flow:
 $\text{flow rate(cfs)} \times 1.98 \times 365 \text{ days} = \text{AFA}$
4. Recommend lower figure

73-07051:

1. 10.0 cfs $\times 3600 /$ 110,000 cf = .3272
2. 2.5 AF $\times$.3272 $\times 8760 =$ 7165.7 AFA
3. 10.0 cfs $\times 1.98 \times 365 \text{ days} =$ 7227.0 AFA

RECOMMENDATION: 7165.7 AFA

73-07055:

1. 40.0 cfs $\times 3600 /$ 23,612.5 cf = 6.10
2. 0.2 AF $\times$ 6.10 $\times 8760 =$ 10,687.2 AFA
3. 40.0 cfs $\times 1.98 \times 91 \text{ days} =$ 7207.0 AFA

RECOMMENDATION: 7207.0 AFA

MICROFILMED

SEP 12 1997

Page 2

Facility volume for these two rights was confirmed in a telephone conversation between Cindy Bird and Doug Engeman, Assistant Hatchery Manager. Under Permit 73-07051, there are two ponds approximately 40 feet wide, 275 feet long and 5 feet in depth, for a total of 110,000 cubic feet.

Under Permit 73-7055, there are four raceways, each 4 feet wide, 100 feet long and 4 feet deep. There are also 3 holding ponds which are approximately 15-18 feet wide, 75 feet long and 4.5 feet in depth (the SRBA claim filed on overlapping right 73-07006 indicates 17' width - this figure used to calculate facility volume for the right to be licensed). The combined facility volume under this right is 23,612.5 cubic feet.

MICROFILMED
SEP 12 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 73-07051

DATE 5/29/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	—	✓	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>10.0</u> cfs	<i>flow thru records 1/94 - 3/95 2/94 highest 2 14.17 cfs (drought years)</i>
Fee limit	<u>10.0</u> cfs	
Measured	<u>5.51</u> cfs	
Theoretical	<u>—</u> cfs	

\$32500 going back to river + 17.14

Recommended Total Div Rate 10.0 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use Fish Prop. Volume Calculation

<u>—</u>	af
<u>—</u>	af
<u>—</u>	af
<u>—</u>	af
<u>—</u>	af
SUBTOTAL	7239.8

Flow rate 10.0 cfs X 365 days X 1.9835 = 7227.6 af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

facility volume =

charges/hr.

CONDITIONS

R04 Watermaster Control WD# 73

R03 GW Measurement/Measuring Device

— Overlap

— Use-specific conditions R09 R41 09D, spec. cond

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed ✓

Adjustment Memo —

1st Amend Letter NA

2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 11 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 73-07051

1. Owner: IDAHO POWER COMPANY Phone No. (208) 383-2353

Current Address: P.O. BOX 70, BOISE, IDAHO 83707 ATTN: PAUL ABBOTT

2. Accompanied by: GARY BERTELLOTTI EXAM DATE: 4/19/95

Address: P.O. BOX 85, ELLIS, IDAHO 83235 Phone No. (208) 976-4475

Relationship to Permit Holder: HATCHERY MANAGER

3. Source: PANSIMEROI RIVER tributary to SALMON RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 73-02168

2. Other water rights with the same point of diversion: 73-02168

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	NW	21	15N	21E	LEHHI	H.S.G.S. ORTHO PHOTO


2. Place(s) of Use:

Indicate Method of Determination ON SITE INSPECTION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15N	21E	21					H												

MICROFILMED
SEP 12 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE ATTACHED DIAGRAM + PHOTOS*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

SHARP CRESTED WEIR (RECTANGULAR)

MICROFILMED

SEP 12 1997

E. NARRATIVE/REMARKS/COMMENTS

SEE ATTACHMENT.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 12 1997

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

FLOW AT WEIR $6/10' = 7\frac{1}{4}"$

FRANCIS FORMULA

$$10.958' \times 702 = 7,692.756 \text{ GPM} / 448.8 = 17.14 \text{ CFS}$$

1606TH DISCHARGE

PLUS BYPASS FLOW DISCHARGE = $\frac{5.5 \text{ cfs}}{22.64 \text{ cfs}}$

CAPACITY OF DIVERSION EXCEEDS
20 cfs. ALLOW 10 cfs
UNDER THIS PERMIT.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 10 \times 365 \times 1.9835 = 7,239.775 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

FISH PROPAGATION:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
FISH PROPAGATION	1/1	12/31	10	7,239.77
Totals:			10 cfs	7,239.77 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPkins Date 6/21/95

Reviewer ERIC SILVER Date 3/7/96

SEAL

MICROFILMED

SEP 12 1997

E. NARRATIVE

EXAM #: 73-07051

IDAHO POWER COMPANY

THIS PERMIT IS FOR ADDITIONAL WATER FLOW (10 CFS) FOR FISH PROPAGATION, THIS FLOW IS IN ADDITION TO THE 10 CFS LISTED IN WATER RIGHT # 73-02168.

ON 4/19/95 A FIELD EXAMINATION WAS CONDUCTED AT THE UPPER PAHSIMEROI RIVER FISH HATCHERY, SOUTH AND EAST OF ELLIS, IDAHO.

IN THE NW CORNER OF SECTION 21, T15N, R21E, WATER IS DIVERTED FROM THE PAHSIMEROI RIVER VIA A CONCRETE DIVERSION STRUCTURE INTO A CONCRETE LINED CHANNEL. THE WATER THEN PASSES THROUGH ELECTRIC FISH DRUM SCREENS. A PORTION OF THE FLOW IS DIVERTED, PRIOR TO THE SCREENS VIA A 12 INCH BYPASS (CALCULATED BYPASS FLOW USING HAZEN-WILLIAMS EQUATION IS 5.51 CFS), BACK TO THE RIVER. THE WATER THEN PASSES OVER A SHARP-CRESTED WEIR (MEASUREMENT ON THAT DAY INDICATE A FLOW OF 17.14 CFS). AND CONTINUES DOWN THE CONCRETE CHANNEL INTO AN "L" STRUCTURE WHERE TWO HEAD GATES CONTROL WATER ENTERING INTO TWO REARING PONDS. AFTER THE FIRST SET OF PONDS THE WATER PASSES THROUGH TWO ELECTRIC DRUM FISH SCREENS AND INTO TWO SECONDARY PONDS. AFTER LEAVING THE SECOND SET OF PONDS THE WATER DUMPS INTO AN UNLINED CHANNEL AND REENTERS THE PAHSIMEROI RIVER.

NOTE: AT THE TIME OF FLOW MEASUREMENT ON 4/19/95, THE REARING PONDS WERE BEING FLUSHED OF FISH AND THEREFORE NOT BEING USED TO DESIRED OPERATIONAL FLOWS OF 20 CFS. [REF: COMBINING CFS OF RIGHT 73-02168 AND THIS PERMIT 73-07051.]


FLOWS THROUGH THE SALMON REARING PONDS AT THE UPPER HATCHERY, AS NOTED ON THE ATTACHED FLOW RATES FOR 1994/95, ARE BELOW HISTORICAL FLOWS ON THE PAHSIMEROI DUE TO DROUGHT CONDITIONS OVER THE PAST SEVEN YEARS.


MICROFILMED
SEP 12 1997

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

MAP
T77

DOWTON
LANE





PAHSIMEROI

04/19/95 14:24 FAX 2088764279

FLows THROUGH OUR SALMON
REARING PONDS ON UPPER HATCHERY,
PAHSIMEROI RIVER.

PAHSIMEROI HATCHERY
WATER FLOW THROUGH UPPER FACILITY(SALMON REARING PONDS)

MONTH/YEAR	FLOW(MGD)	FLOW(CFS)
03/95	6.64	10.25
02/95	6.60	10.19
01/95	6.60	10.19
12/94	6.00	9.26
11/94	6.20	9.57
10/94	7.78	12.01
09/94	7.78	12.01
08/94	5.13	7.92
07/94	5.18	7.99
06/94	6.65	10.26
05/94	0.00	0.00
04/94	7.00	10.80
03/94	7.13	11.00
02/94	9.18	14.17
01/94	8.13	12.55

MICROFILMED
SEP 12 1997

73-07051

Hazen-Williams Equation for Closed Pipe Flow

Assumptions: Head Loss due to bends, couplings, & valves is negligible

$$Q_{cfs} = 1.318 C_h (\pi D^2/4) \times (D/4)^{0.63} \times (H/L)^{0.54}$$

Q = Discharge (cfs)

D = Pipe Diameter (ft) = 1 ft

L = Pipe Length (ft) = 120 ft DROP EST. AT.
0.125' / FT RUN.

H = Elevation Drop (ft) = 1.25 ft

C_h = Values for Types of Pipe = 150

150 -Plastic (PVC)	110 -Riveted Steel
140 -Very Smooth	100 -Old Cast Iron
130 -Cast Iron	80 -Badly Corroded Cast Iron
120 -Wood, Concrete	

$$Q_{cfs} = 1.318 \left(\frac{150}{C_h} \right) \left[\pi \left(\frac{1}{D} \right)^2 / 4 \right] \times \left(\frac{1}{D} / 4 \right)^{0.63} \times \left(\frac{1.25}{H} / \frac{120}{L} \right)^{0.54}$$

$$Q_{cfs} = \underline{5.51} \text{ cfs}$$

BY PASS DISCHARGE FROM DRUM FISH SCREENS
BACK TO PAHSIMERDI RIVER.

MICROFILMED
SEP 12 1977

Permit # 73-07051

IDAHO POWER COMPANY
PAHSIMEROI RIVER - UPPER HATCHERY

116

POINT OF
DIVERSION

INLET
FLOW
DIRECTION



POINT OF
DIVERSION
INTAKE
CONTROL
STRUCTURE




RECORDED
SEP 12 1997

73-7051

216

ELECTRIC
DRUM FISH
SCREEN

DIVERSION
BYPASS



BYPASS
OUTLET
TO RIVER



MICROFILMED
SEP 12 1997

73-7051

316

CONCRETE
LINED
CHANNEL
TO KEKKIOG
PONDS



SHARP
CRESTED
WEIR

MICROFILMED
SEP 12 1997

73-7051

4/6

CONCRETE
DIVERSION
CHANNEL
AND GATES
TO REARING
PONDS.



FIRST SET
OF REARING
PONDS, NORTH
OF CONCRETE
CHANNEL.



MICROFILMED
SEP 12 1997

73-7051

516

VIEW OF
FIRST AND
SECOND SET
OF REAKING
PONDS.




DISCHARGE
POINTS OUT
OF REAKING
PONDS.



MICROFILMED
SEP 12 1997

73-7051

616



DISCHARGE
OF UNLINED
CHANNEL
FROM REAKING
PONDS BACK
TO PANSI MENDI
RIVER.

MICROFILMED
SEP 12 1997

73-7051

May 14, 1991

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 73-07051

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

JUN 10 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 73-7051

Date 5-8-91

GENERAL CONSIDERATIONS

9 Name same as permit?
9 Address same as permit? If no, indicate below.
Yes Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

9 Surface water source
 Ground water source
 Drill permit req'd?
 Copy in file? Drill permit no.
 Amt paid for drilling permit? Correct?
 Well log in file?

LICENSE EXAMINATION FEE

4 Required?
325 Amount submitted?
4 Correct amount?

MEASURING DEVICE

9 Measuring device or access port required?
4 Installed?
n/a Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

*Proof acceptable
Permittee*

PRIORITY CALCULATION

Date proof received May 2 _____
Date proof due May 1 - _____
No. of days late = 1
Priority date 3/24/81 + _____
NEW PRIORITY DATE 3/25/81 = _____

LB



Idaho Power Company

BOX 70 ★ BOISE, IDAHO 83707

April 26, 1991

Ms. Rita Fleck
Secretary/Records Manager
Department of Water Resources
1301 North Orchard, Statehouse Mail
Boise, Idaho 83720

RECEIVED
MAY 2 1991

Department of Water Resources

Dear Ms. Fleck:

Pursuant to your letter of February 28, 1991, enclosed please find a proof of beneficial use form and check in the amount of \$325.00 to cover the license examination fee for Idaho Power's permit number 73-07051.

As indicated on the enclosed form, your Department may contact me directly to schedule the necessary field examination at your convenience. Please feel free to call me if you have any additional questions or comments.

Sincerely,

Paul E. Abbott
Hatchery Biologist

pa
enclosures

JUN 10 1991

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

138173
February 28, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 73-07051

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

REGISTERED

JUN 10 1991

February 9, 1989

Idaho Power Co.
c/o Larry R. Wimer
P.O. Box 70
Boise, ID 83707

Dear Mr. Wimer:

Re: Permit No. 73-7051

Enclosed is a copy of the approved request for extension of time. The time within which to submit the proof of beneficial use form is extended to May 1, 1991.

If you have any questions or concerns regarding the permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

MAR 06 1989

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

February 1, 1989

Ms. Rita I. Fleck
Secretary/Records Manager
Idaho Department of Water Resources
1301 N. Orchard
Statehouse Mail
Boise, Idaho 83720

RECEIVED
FEB 01 1989

Department of Water Resources

Re: Permit No. 73-7051

Dear Ms. Fleck,

Attached you will find an IDWR "Request for Extension of Time", and an Idaho Power Company Check, No. 83326, in the amount of \$15.00 to cover the cost of this filing.

I hope that this request will not inconvenience the Department. If you have any questions regarding this request, please feel free to contact me at 383-2727.

Thank you for your efforts in this matter.

Respectfully,

Larry R. Wimer
Fisheries Program Coordinator

RECORDED

MAR 06 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

February 10, 1987

73-7051
IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707



EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and then submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

MAR 06 1989

*Proof withdrawn, this letter sent
in error. RJ*

P

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,


Ronald D. Carlson
Eastern Regional Manager

Enclosures

MICROFILMED

MAR 06 1989

--- SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

January 6, 1987

RECEIVED RECEIVED
JAN 08 1987

JAN 13 1987

Mr Ernest Carlsen
Idaho Department of Water Resources
Eastern Regional Office
150 Shoup
Idaho Falls, ID 83402

Department of Water Resources

Department of Water Resources

RE: Approved Permit Application No. 73-7051 (attached)

Dear Mr Carlsen:

Pursuant to our phone conversation of earlier today, I wish to inform you that some of the facilities at our Pahsimeroi Hatchery need additional attention to detail prior to being inspected and tested for proof of beneficial use.

Therefore, I respectfully request that you withdraw our request for proof of beneficial use on the referenced approved permit application. I am not asking for an extension of time in which to prove beneficial use. The approved application includes a deadline date of April 1, 1989, at which time this proof must be completed. I anticipate no problems with resolving the situation at Pahsimeroi and will resubmit our request for proof of beneficial use well in advance of that date.

Thank you for your time and consideration.

Respectfully,

Larry R Wimer
Fisheries Program
Coordinator

LRW:lf

Attachment

C: Dave Tuthill (IDWR)
Legal (IPC)

RECEIVED
MAR 09 1987

Idaho Department of Water Resources
Western Region Rec'd 1-9-87
Statehouse
Boise, Idaho 83720

RECEIVED

JAN 08 1987

73 7051

Identification No. _____

Application No. _____

Department of Water Resources

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Idaho Power Company Phone: (208) 383-2200
post office address P O Box 70, Boise, Idaho 83707

2. Source of water supply Pahsimeroi River which is a tributary of the Salmon River

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 15 N
Range 21 E B.M. Lemhi County; additional points of diversion if any: None

b. If water is not consumed, it will be discharged into Pahsimeroi River at a point in NW $\frac{1}{4}$
of NW $\frac{1}{4}$ of Section 21 Township 15 N Range 21 E B.M. Lemhi County

4. Water will be used for the following purposes:

Amount 10 cfs for ^{fish} propagation purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 10 cfs cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. sheet pile diversion weir up to existing intake structure. (See attached map entitled "Diversion Plan and Sections" for specifics).

b. Height of storage dam NA feet, active reservoir capacity NA acre feet; total reservoir capacity NA acre feet, materials used in storage dam: NA

Period of year during which storage will occur NA to NA inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is NA inches; proposed depth of well is NA feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

b. Estimated construction cost is \$ 20,000

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 15 N
Range 21 E B.M.

(2) Amount of power to be generated: NA hp under NA feet of head.

(3) List number of each kind of livestock to be watered NA

(4) Name of municipality to be served NA, or number of families to be supplied with domestic water NA.

(5) If water is to be used for other purposes describe: To provide for the propagation of 1,000,000 Chinook Smolts annually necessitating an increase in flow to 10 cfs each in two existing acclimation ponds, pursuant to an agreement settling the numbers of salmon and steelhead lost or destroyed as a result of the existing license for Idaho Power Company Project No 1971 (Hells Canyon, Oxbow, and Brownlee Dams).

MICROFILMED

MAR 09 1987

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. License No 33431/73-2168 dated February 3, 1970; Priority January 20, 1967 for 10 cfs from the Pahsimeroi River for fish propagation in NE 1/4, NW 1/4 and NW 1/4, NW 1/4, Section 21, Township 15 N, Range 21 E, Lemhi County.


9. a. Who owns the property at the point of diversion Idaho Power Company
- b. Who owns the land to be irrigated or place of use Idaho Power Company
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Permission to attach and place the diversion works within the River's ordinary high water mark is to be obtained from the State Department of Lands. Permission to attach to and construction access through the land on the south bank above the ordinary high water mark must be obtained from private ownership. Idaho Power Company is currently contacting S M Dowton, the owner, to obtain such permission.
10. Remarks It is hoped to complete construction of all facilities this year.

MICROFILMED

MAR 09 1987

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

See attached map entitled "Salmon Release Ponds Functional Drawings"



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 09 1987

IDAHO POWER COMPANY
By *[Signature]*
(Applicant) Vice President

Proposed Priority

3/24/81

Received by kw Date 3/30/81 Time 11:25

Preliminary check by HWS Fee \$ 225.00

Received by kw Date 4/1/81 # 17147

Publication prepared by kw Date 4/02/81

Published in Recorder-Herald

Publication dates 4/09 & 4/10/81

Publication approved kw Date 4/13/81

Priority reduced to _____ Reason _____

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 73-7051, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1989.

c. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Water used under this permit if discharged into a natural channel shall meet Idaho Water Quality Standards.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Measuring devices of a type approved by the Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

Assignment or sale of this permit is subject to a determination by the Department that the permit holder has proceeded to develop the permit with due diligence and without speculation.

Use of water under this permit is subject to control by the watermaster of State Water District No. 73, Pahsimeroi River.

Water diverted under this permit shall be returned to the Pahsimeroi River through the outlet of the fish rearing and release ponds of the facility.

Witness my hand this 4th day of April, 1984.

Director

MICROFILMED

MAR 09 1987

February 10, 1987

Larry R. Wimer
Idaho Power Co.
P. O. Box 70
Boise, ID 83707

Dear Mr. Wimer:

Re: Permit No. 73-7051

Pursuant to your request, the department has withdrawn the proof of beneficial use form for this permit. The department will again notify you that proof is due sixty days prior to April 1, 1989.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Eastern Region

MICROFILMED
MAR 09 1987

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

January 6, 1987

RECEIVED

JAN 14 1987

Mr Ernest Carlsen
Idaho Department of Water Resources
Eastern Regional Office
150 Shoup
Idaho Falls, ID 83402

Department of Water Resources

RE: Approved Permit Application No. 73-7051 (attached)

Dear Mr Carlsen:

Pursuant to our phone conversation of earlier today, I wish to inform you that some of the facilities at our Pahsimeroi Hatchery need additional attention to detail prior to being inspected and tested for proof of beneficial use.

Therefore, I respectfully request that you withdraw our request for proof of beneficial use on the referenced approved permit application. I am not asking for an extension of time in which to prove beneficial use. The approved application includes a deadline date of April 1, 1989, at which time this proof must be completed. I anticipate no problems with resolving the situation at Pahsimeroi and will resubmit our request for proof of beneficial use well in advance of that date.

Thank you for your time and consideration.

Respectfully,

Larry R Wimer
Fisheries Program
Coordinator

LRW:lf

Attachment

C: Dave Tuthill (IDWR)
Legal (IPC)

MICROFILMED

MAR 09 1987

RECEIVED

JAN 9 1987

Department of Water Resources
Eastern District Office

JAN 14 1987

73 7051

Identification No. _____

Department of Water Resources Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Idaho Power Company Phone: (208) 383-2200
post office address P O Box 70, Boise, Idaho 83707

2. Source of water supply Pahsimeroi River which is a tributary of the Salmon River

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 15 N
Range 21 E B.M. Lemhi County; additional points of diversion if any: None

b. If water is not consumed, it will be discharged into Pahsimeroi River at a point in NW $\frac{1}{4}$
of NW $\frac{1}{4}$ of Section 21 Township 15 N Range 21 E B.M. Lemhi County

4. Water will be used for the following purposes:

Amount 10 cfs for fish propagation purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 10 cfs cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. sheet pile diversion weir up to existing intake structure. (See attached map entitled "Diversion Plan and Sections" for specifics).

b. Height of storage dam NA feet, active reservoir capacity NA acre feet; total reservoir capacity NA acre feet, materials used in storage dam: NA

Period of year during which storage will occur NA to NA inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is NA inches; proposed depth of well is NA feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

b. Estimated construction cost is \$ 20,000

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 15 N
Range 21 E B.M.

(2) Amount of power to be generated: NA hp under NA feet of head

(3) List number of each kind of livestock to be watered NA

(4) Name of municipality to be served NA, or number of families to be supplied with domestic water NA

(5) If water is to be used for other purposes describe: To provide for the propagation of 1,000,000 Chinook Smolts annually necessitating an increase in flow to 10 cfs each in two existing acclimation ponds, pursuant to an agreement settling the numbers of salmon and steelhead lost or destroyed as a result of the existing license for Idaho Power Company Project No 1971 (Hells Canyon, Oxbow, and Brownlee Dams).

MICROFILMED

MAR 09 1987

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. License No 33431/73-2168 dated February 3, 1970; Priority January 20, 1967 for 10 cfs from the Pahsimeroi River for fish propagation in NE 1/4, NW 1/4 and NW 1/4, NW 1/4, Section 21, Township 15 N, Range 21 E, Lemhi County.

9. a. Who owns the property at the point of diversion Idaho Power Company

b. Who owns the land to be irrigated or place of use Idaho Power Company

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Permission to attach and place the diversion works within the River's ordinary high water mark is to be obtained from the State Department of Lands. Permission to attach to and construction access through the land on the south bank above the ordinary high water mark must be obtained from private ownership. Idaho Power Company is currently contacting S M Dowton, the owner, to obtain such permission.


10. Remarks It is hoped to complete construction of all facilities this year.

RECEIVED

MAR 09 1981

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

See attached map entitled "Salmon Release Ponds Functional Drawings"



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 09 1987

IDAHO POWER COMPANY
By *A. H. Condit*
(Applicant) Vice President

Proposed Priority

3/24/81

Received by kw Date 3/30/81 Time 11:25

Preliminary check by HWS Fee \$ 225.00

Receipted by kw Date 4/1/81 # 17147

Publication prepared by kw Date 4/02/81

Published in Recorder-Herald

Publication dates 4/09 & 4/10/81

Publication approved kw Date 4/13/81

Priority reduced to _____ Reason _____

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 73-7051, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1989.

c. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Water used under this permit if discharged into a natural channel shall meet Idaho Water Quality Standards.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Measuring devices of a type approved by the Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

Assignment or sale of this permit is subject to a determination by the Department that the permit holder has proceeded to develop the permit with due diligence and without speculation.

Use of water under this permit is subject to control by the watermaster of State Water District No. 73, Pahsimeroi River.

Water diverted under this permit shall be returned to the Pahsimeroi River through the outlet of the fish rearing and release ponds of the facility.

Witness my hand this 4th day of April, 1984.

[Signature]
Director

MICROFILMED

MAR 09 1981

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 18, 1985

IDAHO POWER COMPANY
P.O. BOX 70
BOISE

ID 83707

RE: Permit No. 73-7051

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED


MAR 09 1987

*Proof withdrawn
per letter of
1-6-1987*

Idaho Power Company

PRESORTED
P O Box 70

FIRST CLASS
Boise, ID 83707S



PLACE
TEN CENT
STAMP
HERE 7

RECEIVED

JAN 4 1985



MICROFILMED

MAR 03 1981

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

CEIVED MAR 1981

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 73-7051.

Name(s) of Permit Holder: Idaho Power Company

Post Office Address: P O Box 70, Boise, Idaho 83707

Tel. No. 383-2678

Source of Water: Pahsimeroi River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other Fish propagation

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-3-85

Date

WILLIAM H. JOHNSON

C. E. Bassell

Vice-Pres. Power Plant Signature of Permit Holder Const. & Op.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 73-7051
Name(s) of Permit Holder(s): Idaho Power Company
Post Office Address: P O Box 70
Boise, ID 83707 Tel. No. 383-2678

☒ I hereby certify that construction of diversion works for the above referenced permit began on July 20, 1981 I understand that I must
(date)
continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

1-3-85
Date

C. E. Bassett
Signature of Permit Holder
Vice President

Idaho Power Company

P.O. Box 70

Boise, ID 83707



PLACE
STAMP
HERE



JAN 2 1985

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources

WATER RIGHT NUMBER. 73-7051

OWNER LAST NAME - IDAHO POWER COMPANY

ADDRESS LINE 1 - P.O. BOX 70

ADDRESS LINE 2 -

SOURCE - PAHSIMEROI RIVER

STAGE - PERMIT

TOTAL DIV. VOLUME -

DIVERSION POINT - NENW 21 15N 21E LOT

FROM - 01-01 TO - 12-31 USE - FISH PROP.

USE - FISH PROP.

DECREE NAME -

REMARKS - WATER DIVERTED UNDER THIS PERMIT SHALL BE RETURNED TO THE
PAHSIMEROI RIVER THROUGH THE OUTLET OF THE FISH REARING AND
RELEASE PONDS OF THE FACILITY.

NON IRRIG USE - H/1,000,000 CHINDOK SMOLTS.

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 04-01-1989 PERMIT/DENIED - 04-04-1984 PROTESTED -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL - 16 26 09D 04 02 07A 05

DIVERSION MEANS - WEIR.

FIRST NAME - ORIG OWNER -

ADDRESS LINE 2 -

CITY - BOISE

STATE - ID ZIP CODE - 83707

TRIBUTARY OF - SALMON RIVER

PRIORITY - 03-24-1981 COUNTY - LEMHI

TOTAL DIV. RATE - 10.0000 -CFS

STATUS - .00 AFA TRFR/AMEND -

WATER DIST. - 73

DLE/CAREY ACT -

RIGHT BASIS -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

USE DIV. RATE - 10.0000 CFS USE DIV. VOLUME -

.00 AFA

PLACE OF USE - TWN 15N RNG 21E SEC 21 TRACT NENW LOT

AC

DATE -

TOTAL ACRES 0

HEARING -

OLD NO. -

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

IDAHO POWER COMPANY
P.O. BOX 70
BOISE, ID 83707

APRIL 11, 1984

RE: PERMIT NO. 73-7051

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT YOUR PLANS FOR FISH PROPAGATION MAY BE SUBJECT TO REGULATIONS OF THE IDAHO DEPARTMENT OF FISH AND GAME. WE SUGGEST THAT YOU CHECK WITH THEM BEFORE STARTING CONSTRUCTION.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
MAY 10 1984

INTER-DEPARTMENT MEMO — 1

FROM Glen

DATE 7-12-83

TO File 73-7051

SUBJECT

- Action can be taken on this app after Dept action on the Board's Min. Str. Flow app on Pashunio R. is complete

- M.D. 40 draft is now submitted for Director's review.



SIGNATURE

RECORDED

INTER-DEPARTMENT MEMO — 1

FROM

Glen

DATE

2-1-84

TO

Tim

- cond of approval to include

SUBJECT

- "Water diverted under this permit shall be returned to the Pahsimeroi R. through the outlet of the fish rearing and release ponds of the facility"

- Directors Signature

SIGNATURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

73 7051

INITIAL REVIEW BY: HWT

APPLICATION NUMBER: Id. Power

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: John K.
Date: 23 April '81
Comments: Syd Dorton expressed his
concern of planned diversion works and
intends to file a protest. Id. Power
plans to work with him

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other WD 73

Copies sent by: _____

Date: _____

PROCESSING:

- ☒ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. 73-2168
☒ Yes ☒ No* In form for advertising. April 27
☒ Yes ☒ No Final date for protests: _____
☒ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: April 20, 1981.
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 73
3-24-1981 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Ernest Carter

Date: April 30, 1981

STATE OFFICE REVIEW:

SLW/L02, L06 0204, 05 (73, Pansimeroi River), 02, 07A

☒ See attached sheet for more information.

By: John K.

Date: 5/19/81

See
overlap
review.

L06, L17

NO P. 02040 App. Tom's signature.

0204, 05 (73, Pansimeroi River) 02 07A
and Helen's condition above (on his memo
of 2/1/84)

73-7055

see 73-7006 (as per app.)
(~~fish prop.~~) fish prop. (see copy)

pd/sec (per terminal)

73-7003 - irrigation

73-4014 irrigation

73-7036 domestic

73-7029 irrigation

73-4035 domestic

pu/sec 73-4009 irr.

73-4004 irr.

73-7045 - N-

73-7048 irr.

73-4031 irr.

73-4041, fish
(see copy)

Water Resource Board
minimum instream
flow

73-7051

see 73-2168 (as per app.)
fish prop. (see copy)

pd/sec (per terminal)

pu/sec 73-4015 irr.

-4000 irr.

-2171 irr.

-2157 irr.

-4007 irr.

-0100 irr.

-0099B irr.

-0099A irr.

-0098 irr.

-0097B irr.

-0097A irr.

-0096B irr.

-0096A irr.

-0092 irr.

-4098 irr.

-7086 irr.

all overlaps w/73-7051
are for irrigation
purposes except
73-2168 which is for
fish prop. (see copy
attached)

RECORDED

WATER LICENSE

Water License No. 33431/73-2168 Priority January 20, 1967 Amount 10.0 c.f.s.

THIS IS TO CERTIFY, that IDAHO POWER COMPANY

of Boise, Idaho, made application for a permit to appropriate the public waters of

the State of Idaho, dated January 20, 1967; that Permit 33431/73-2168 was issued pursuant

to said application; that the proposed works were completed on or about February 1967,

with a storage/or carrying capacity of 10.0 c.f.s., said works consisting of

rock dam and open ditch to ponds; and that on April 17, 1968,

proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of N.A.

acre feet per season, with a maximum rate of diversion of 10.0 cubic feet per second of the waters

of Pahsimeroi River, tributary of Salmon River,

for the purpose of acclimation ponds from January 1 to December 31;

and for _____ from _____ to _____; and for

_____ from _____ to _____; and that the use

of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Recla-

mation Engineer and entered in the records of the Idaho Department of Reclamation. the point of diversion is

located in NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 21, T. 15 N, R. 21 E, B.M., and

other additional points _____, in the County of

Lemhi; and that the amount of water to which such right is

entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially

used for said purposes and shall not exceed N.A. acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
<u>15 N</u>	<u>21 E</u>	<u>21</u>					<u>X</u>												

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.



Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

23rd day of February, 1970

[Signature]
State Reclamation Engineer

23 2168

33431
2168



IBAYHORSE 1:125,000

Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Topography from aerial photographs by multiplex methods
Aerial photographs taken 1954. Advance field check 1956
Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system, central zone
1000-meter Universal Transverse Mercator grid ticks,
zone 12, shown in blue
Land lines unsurveyed in T. 15 N.-R. 23 E., T. 16 N.-R. 22 E.,
and parts of T. 15 N.-R. 22 E., and T. 16 N.-R. 21 E.
Unchecked elevations are shown in brown

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1956

July 9, 1981

Idaho Power Company
P. O. Box 70
Boise, Idaho 83707

RE: Application for Permit No. 73-7051 for 10 cfs on the Pahsimeroi River.

Gentlemen:

We have completed preliminary review of the above referenced application for permit. We will not be able to approve the application at this time due to the existence of a minimum stream flow application on the Pahsimeroi River, No. 73-7045. A copy of the application is enclosed for your information.

If the minimum stream flow application were approved as it is currently described, there would probably be no water available for diversion at the inlet to your ponds during most of the year. However, the Idaho Water Resource Board is currently holding their application to await some additional stream flow information being gathered by the agency which requested that the minimum stream flow be protected, the Idaho Department of Fish and Game. Based on this information the Board may decide to reduce the rates of flow on the application or move the upper point of the minimum flow reach downstream to the outlet of your fish propagation facility.

We will hold your application pending the resolution or amendment of the minimum stream flow application. Please contact me if you have further questions about this matter.

Sincerely,

DAVID R. TUTTILL JR., P. E.
Supervisor, Water Allocation Section

DRT:jg

Enclosure

c.c. Idaho^{WR} Resource Board

CONVERSATION MEMORANDUM

DATE 6/5/81FILE 73-7051NAME OF PARTY Dave Taylor
EMPLOYEE Jeni Johnson

RE: In reviewing this application I could not determine if the place of use was to remain unchanged or if new fish ponds were being constructed.

If ~~the~~ the place of use remained unchanged it would mean that the facility volume of the system is covered under the existing water right No. 73-2168. A special condition would be required on this application ~~to~~ limiting the facility volume to that of license 73-2168.

I discussed the intent of the application with Dave ~~T~~ Taylor who is in charge of constructing the new facilities. He indicated that the inlet structure would be enlarged to allow an additional 10 cfs to be diverted.

The fish ponds would be modified by shortening the two existing ponds (ponds 1 & 2 on map) and building a large settling pond below the modified existing ponds.

The net result will be a decrease in facility volume ^{because} the settling pond ~~will~~ not be used for fish propagation.

April 30, 1981

Sidney Dowton
P.O. Box 542
Salmohp Idaho 83467

RE: Application for Permit No. 73-7051, Idaho Power Company

Dear Mr. Dowton:

John Kappelman informed me that at the conclusion of the meeting between yourself and representatives of Idaho Power Company, you expressed an intent to submit written protest against the above application. Because the protest period has now expired, and no protest was received, we are obligated to proceed with a final recommendation on the application. You should be aware that if approved, the permit, with itself, does not grant any right-of-way or easement across your property.

I hope that Mr. Kappelman's presence on April 23, 1981, was beneficial and will result in an expeditious agreement between the Power Company and yourself.

Respectfully submitted,

ERNEST M. CARLSEN
Sr. Resource Analyst

EMC:brs



IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

April 28, 1981

RECEIVED

APR 30 1981

Department of Water Resources
Eastern District Office

Mr. Sidney M. Dowton, Sr.
& Mr. Jimmy L. Dowton
P. O. Box 542
Salmon, Idaho 83467

Subject: Protest Over Additional Water Rights At
The Pahsimeroi River Salmon Release Ponds

Gentlemen:

As a result of the meeting among Idaho Power Company, Idaho Department of Water Resources and yourself on April 23, 1981, and your protest of the additional 10cfs of water rights at the Pahsimeroi River Salmon Release Ponds, the following changes in the design of the sheet pile diversion, intake structure and canal will be made to accommodate your concerns:

1. Remove the existing intake and widen it to 8 feet wide. The new intake will also be 6 inches deeper than the old intake.
2. Widen the existing canal by 2 feet making it 6 feet wide at the bottom.
3. The new sheet pile diversion structure will be located in the same location as the existing rock dike.
4. The new sheet pile diversion spillway will be lowered to elevation 105.7.
5. An additional low level outlet will be added to the diversion structure making a total of four low level outlets.
6. The river channel both upstream and downstream of the diversion structure, on the south side of the channel, will be rip-rapped to protect against wash out during high water periods.

The net effect of these changes will be to maintain the normal annual maximum flood water elevation at the diversion structure. This is based on 350 cfs as a normal annual flood, and elevation 106.7 the coinciding height of a normal annual flood.

RECEIVED

Messrs: Dowton

-2-

April 28, 1981

Mr. Frank Donati of Idaho Power Company will be contacting you in the near future about permission to survey the area as well as to discuss the necessary documents that need to be entered into.

If you have any questions call David Taylor at telephone number 383-2478.

Very truly yours,

David D. Taylor

for Ralph I. Clements
Superintendent
Power Plant Engineering

RIC:DDT:jw

cc: John Kappelman - Dept. of Water Resources
Nick Ysursa - IPCo.
Frank Donati "

RECEIVED
APR 29 1981
FBI - IDAHO

3/79

IDENT. NO.

73 7051

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]


MEMO: April 23, 1981
TO: FILE 73-7051
FROM: JOHN KAPPELMAN
RE: PRE-PERMIT EXAM

On April 23, 1981, I met with Syd Dowton and representatives of Idaho Power - David Taylor and Frank Donati, at Idaho Power's fish ponds on the Pahsimeroi River.

Mr. Dowton is concerned about the type of diversion works planned by Idaho Power. He believes the riprap diversion structure will cause flooding on his property during high water. Dowton thinks the additional 10 cfs requested by Idaho Power can be diverted through the existing diversion works with slight modifications.

The representatives of Idaho Power seem anxious to cooperate with Dowton. An agreement on the diversion works cannot be reached until after the last date for protest. Dowton intends to file a protest in order to insure his involvement in the project.

RECEIVED
MAY 1 1981





STATE OF IDAHO

DEPARTMENT OF FISH AND GAME

REGION 6
1515 LINCOLN ROAD
IDAHO FALLS, IDAHO 83401

April 14, 1981

Mr. Ernest Carlsen
Sr. Resource Analyst
Department of Water Resources
150 Shoup Avenue
Idaho Falls, Idaho 83401

Dear Ernie:

Re: Appl. No. 73-7051
Idaho Power

Personnel from our Department have reviewed the above referenced application to appropriate water from the Pahsimeroi River in Lemhi County. We support this project.

Thank you for the opportunity to review and comment on this application.

Sincerely,

A handwritten signature in dark ink, appearing to read "Tom Reinecker".

Tom Reinecker
Regional Supervisor
Region 6

cc: Fish and Wildlife Service
Bureau of Program Coordination
Bureau of Fisheries
P. Jeppson

RECEIVED

RECEIVED

APR 15 1981

Department of Water Resources
Eastern District Office

April 7, 1981

RE: Application for Permit No. 73-7051 IDAHO POWER
No. 74-7102 OXBOW RANCH

Mr. Tom Reinecker
Regional Supervisor
Department of Fish & Game
1515 Lincoln Road
Idaho Falls, Idaho 83401

Dear Mr. Reinecker:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and submit any comments you may have to our Department as soon as possible. The last date of protest is April 27, 1981, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Sr. Resource Analyst

EC:cw:kw

Enclosure

April 7, 1981

RE: Application for Permit No. 73-7051 IDAHO POWER

Mr. Charles Kesi
Watermaster
Water District No. 73
May, Idaho 83253

Dear Mr. Kesi:

We are enclosing a copy of an application that may be of interest to your water district. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is April 27, 1981, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Sr. Resource Analyst

EC:cw:kw

Enclosure

130 Shoup Ave. -----

525-7161

April 7, 1981

RE: Application for Permit No. 73-7051 (Pahsimeroi River)

Idaho Power Company
P.O. Box 70
Boise, ID 83707

Gentlemen:

Attached herewith is Departmental Receipt No. 17147 in the amount of \$225.00 for the above referenced application.

Sincerely,

KAY WALKER
Secretary

KW:k
Attachment

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave.
Idaho Falls, Idaho 83401
(208) 525-7161

APRIL 2, 1981

The Recorder-Herald
P. O. Box 310
Salmon, Idaho 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 27, 1981.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

RECEIVED
APR 13 1981

Z3-7051_

IDAHO POWER COMPANY

P.O. BOX 70, BOISE, ID 83707

Source: PAHSIMEROI RIVER tributary to SALMON RIVER

Date Filed: 03/24/1981

Amount: 10.00 CFS

Diversion Point: NENW Sec 21 T 15N R 21E, LEMHI Co.

Use: FISH PROP. (10.00 CFS) from 01/01 to 12/31

Place of Use: NENW Sec 21 T 15N R 21E

Diversion Means: WEIR.

RECEIVED
JUN 1981