



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)




MICROFILMED

APR 19 1990

Sec. 31.
36.00

Total number of

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NOT RECEIVED
RECEIVED
DEC 01 1995

69-07100

T13N R07W



PERMIT 69-07100 INIT S.H.
T. R. S. Q/Q
P/D 13N 7W 32 SE NW
SCALE 7.5 USGS Topo.
PHOTO ID. _____



69-07100
8/10/95 S.H.

P/D: spring
3'x5' culvert
collection area
w/ 2" ABS
to house + 1" ABS
@ trees w/ hole
punched out @
each tree w/
shut off valve
going to the
trees



P/D: spring, 2400' of
2" ABS buried from
spring to house

MICROFILMED
DEC 01 1995

69-07100
8/10/95 S.H.



150 gallon
holding tank



P/u:

Domestic internal
w/ 1" ABS & hole
punched out to
drip irrigate each
of the 3 ~~the~~ trees

NO FILMED

DEC 01 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 69-07100

Priority: October 12, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that ROBERT G NELSON
MARY E NELSON

1748 WOODBRIDGE LN
BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 12, 1989; and has submitted Proof of Beneficial Use on February 21, 1990. An examination indicates that the works have a diversion capacity of 0.110 cfs of water from:

SPRING

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESENW , Sec. 32, Township 13N, Range 07W
WASHINGTON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

13N 07W 32 Lot 2(SWNW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECEIVED


DEC 01 1995

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 69-07100

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th
day of November, 1995.


Acting for KARL J. DREHER, Director



DEC 01 1995

RECEIVED
FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 6907H00 Telephone No. 208 345-5146

Name(s) of Permit Holder(s): ROBERT G. & MARY E. NELSON

Post Office Address: 1748 WOODBRIDGE LN BOISE, ID 83706 -

Source of Water: Spring ✓

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic ✓ 1 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1980 ✓

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ✓ No Installed? Yes ✓ No

OR

Flow Measurement Port: Required? Yes ✓ No Installed? Yes ✓ No

Fee Enclosed: \$ None (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Mary E Nelson 208-345-5146
Name Telephone No.
1748 WOODBRIDGE LN BOISE ID 83706
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho. APR 19 1990

Feb 21, 1990 Mary E Nelson
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 69-07100

Proposed Priority: October 12, 1989 Maximum Diversion Rate: 0.02 CFS

This is to certify, that ROBERT G. NELSON
MARY E. NELSON
1748 WOODBRIDGE LANE
BOISE, ID 83706

has applied for a permit to appropriate water from:

UNNAMED STREAM tributary of SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: SESENW Sec. 32, Township 13N, Range 07W
WASHINGTON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

13N 07W 32 LOT 2(SWNW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1991.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of January, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

APR 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

69-07100
RECEIVED
Ident. No. _____
OCT 13 1989

Department of Water Resources
Western Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant ROBERT G. & MARY E. NELSON Phone 208-345-5146
Post office address 1748 WOODBRIDGE LANE BOISE, ID. 83706
2. Source of water supply UNNAMED STREAM which is a tributary of SNAKE RIVER
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 32 Township 13N Range 7WEST B.M. WASH. County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.02 for DOMESTIC purposes from 1 JAN to 31 DEC (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PLASTIC PIPE LAYING IN STREAM
BED TO CABIN
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 yr years (minimum 1 year).

MICROFILMED

APR 19 1990

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. 1 HOUSEHOLD

e. Other; describe fully. _____

RECEIVED

APR 19 1990

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other: _____

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by <i>hnt</i>	Date <i>10-13-89</i>	Time <i>3:00</i>	Preliminary check by <i>[Signature]</i>
Fee \$ <i>30.00</i>	Received by <i>hnt</i>	# <i>2012181</i>	Date <i>10-12-89</i>
Publication prepared by <i>GC</i>	Date <i>10-25-89</i>	Published in <i>Westar Signal</i>	Date <i>11/2 & 11/9/89</i>
Publication approved <i>[Signature]</i>	Date <i>12-18-89</i>		



MICROFILMED

APR 19 1990

Sec. 31.
36.00

Total number of



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 30, 1995

ROBERT G NELSON
MARY E NELSON
1748 WOODBRIDGE LN
BOISE ID 83706

RE: WATER RIGHT NO. 69-07100

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

DEC 01 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 69-07100

DATE 11-29-95

- assignment never received -



NAME

Change OK

Or Address Change?

PRIORITY DATE

Advance? ☒ Advanced to: _____
Order to reinstate needed? _____
Incorrect fee for rate recommended? N/A

SOURCE

Changes or just clarification of originally intended source? Spring rather than stream
Notice of Intent to Void necessary? NO

POINT OF DIV

Amendment needed? NO - WRONG ON FRONT OF EXAM
Overlaps? ☒

PLACE OF USE

Amendment needed? ☒
Overlaps? ☒

DIV RATE

Permit/fee limits: .02 CFS
Meas Q = .11 CFS Theo Q = _____ Recommend: .02
2" pipeflow capacity
Combined rates exceed capacity _____

ANNUAL VOLUME

Volume Limit: _____ Season: 1-1 to 12-31
Calculations: Intermittent only @ .6
Flow limit: _____ cfs x _____ x 1.9835 = _____
Combined volumes exceed capacity/allowable _____

USES

Change in Nature of Use or additional uses? _____
Amendment necessary? _____

ADDITIONAL INFO

Supplemental Groundwater _____ PPU Scenario _____
Irr/Dom Combination _____ Shared G/W System _____

NEW REMARKS

Multiple p/d(s) in ¼ ¼? _____
Other _____

NEW CONDITIONS

Watermaster control - District _____
Measuring/Locking Devices _____
Irrigation Overlap _____
Other _____
Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS:

For drip irrigation of 3 trees next to the River - not much would be required.

RECOMMENDATION

CFS

VOLUME

SRBA Claim Filed _____
Adjustment Memo Needed _____

NO
YES

Domestic

.02

.6

LICENSE

☒

1ST AMEND LETTER _____

2ND AMEND LETTER _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 15 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 69-07100

1. Owner: Robert G & Mary E. Nelson

(503) 523-6382
Phone No. (503) 523-5426

Current Address: Rt 1 Box 83B Baker, OR 97814

2. Accompanied by: Thomas Keaton

EXAM DATE: _____

Address: Rt 1 Box 83B Baker, OR. 97814

(503) 523-6382
Phone No. (503) 523-5426

Relationship to Permit Holder: present owner of property

* 3. Source: unnamed stream tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: none

2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	32	13N	~~7W~~ 7W	WA.	per county assessor See narrative + USGS Topo. + exam

2. Place(s) of Use:

USGS Topo. + exam
Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13N	7W	32																	

* See attached adjustment memo. BC

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

**Code to correspond with No. on map and aerial photo*

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size


4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

Scale: 1 =



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

WASH.

- Confirmed per telephone County Assessor/gpr
at (208) 549-2000 on 6-10-94.

Shower: Robert Nelson sold property
7/24/90 owner David G. Still with
contract buyer:

Thomas Keaton

Rt. 1 Box 83B

Baker, OR 97814

} one that pays
the taxes

- Gov't lot found for P/U: lot # 2.
- Use is Domestic D/I internal only. Other use: 1" ABS
hose to drip irrigate 3 trees.
- No other water rights used.
- No other water available except the Brownlee Res.
- The system consists of a 3' x 5' culvert @ the
spring that acts as a collection box w/ 2" ABS
to a 150 gallon holding tank, 2400' of 2" ABS from
spring to house w/ gravity flow. This is a closed
system w/ the piped buried 2-2 1/2'.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

DEC 01 1995

DEC 01 1995

RECEIVED

SEAL

Reviewer

Date

Field Examiner's Name

Date

Greg Demery
10/27/95

I. AUTHENTICATION

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above

None
Other

2. Recommended Amendments

Beneficial Use

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

Allow Domestic D/I .02 cfs internal only

Pipeline Capacity of 2" pipe (see attachment) = .11 cfs

Pipeline Computation Spreadsheet (see attachment) = .18 cfs

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

MEMORANDUM

TO: File 69-07100 / Robert Nelson
FROM: Brenda Chapman
DATE: November 29, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 69-07100 are based on the information below:

A. GENERAL INFORMATION

Owner: The assignment was never returned to the Department assigning the permit to Thomas Keaton; therefore, the permit will be licensed in the original owners' names.

Source: The source is actually a spring. The diverting works are at the spring site, not in a stream created from the spring flow.

C. DIVERSION AND DELIVERY SYSTEM

Point of Diversion: It appears that the examiner marked the location of the home here rather than the spring location. The exam map showing the location of the spring coincides with the permit. The exam narrative reaffirms the location by indicating the spring is 2400' from the house.

RECEIVED
DEC 01 1995

① Permit: Domestic 1/1 - 12/31 .02 cfs

② B/u fee: ~~0~~ fee pd 2-21-90 0 - 0.04 cfs

③ Max. Allowable:

Domestic D/I .02 cfs internal only

④ Measurement:

Pipeflow Capacity of 2" pipe = .11 cfs

$$Q = 5 \pi R^2 \frac{\text{dia.}}{12} \div 2 = R \quad \pi = 3.1416$$

Pipeflow Computation Spreadsheet (see attachment)

$$= .176 \text{ cfs} = .18 \text{ cfs}$$

RECEIVED
DEC 01 1993

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Sandy Hemenway
 10/27/95
 Project: Flow Computation for Permit No. 69-07100
 Tom Keaton
 Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
 $f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$

To Find: Compute Rate of Flow

Data Table

Total Head: 577.77 feet
 Pressure Req'd: 1.00 psi
 Available Head: 575.46 feet
 Pipe Roughness: 140.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80


Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.75	2400.00	575.91	
13.50	0.00	0.00	
11.50	0.00	0.00	
9.50	0.00	0.00	575.91

Rate of Flow: 0.176 CFS

RECEIVED
 DEC 01 1995

69-07100

T13N R07W




PERMIT 69-07100 INIT S.H.
T. R. S. Q/Q
P/D 13N 7W 32 SE 1/4
SCALE 7.5 USGS Topo.
PHOTO ID. 4776



69-07100
8/10/95 S.H.

P/D: spring
3'x5' culvert
collection area
w/ 2" ABS
to house + 1" ABS
@ trees w/ hole
punched out @
each tree w/
shut off valve
going to the
trees



P/D: spring, 2400' of
2" ABS buried from
spring to house

RECORDED
DEC 01 1995

69-07100
8/10/95 S.H.



150 gallon
holding tank



P/u:

Domestic internd
w/ 1" ABS & hole
punched out to
drip irrigate eac
of the 3~~rd~~ tree

DEC 01 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

August 23, 1995

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TOM KEATON
RT 1 BOX 83B
BAKER CITY OR 97814

RE: Permit No. 67-07100

Dear Mr. Keaton:

I recently received an 'Assignment of Permit' form on the above referenced permit assigning the permit to you.

In Idaho, a permit is considered personal property and can only be assigned by the owner of record. Our records identify Robert G. and/or Mary E. Nelson as owners of the permit. The assignment submitted was not signed by Robert G. or Mary E. Nelson and, therefore, is not acceptable.

I am returning the assignment to you. I have enclosed a partially completed assignment of permit form which Robert G. and/or Mary E. Nelson may sign. Please resubmit the assignment to my attention at the above address.

If you have any questions, please feel free to contact me directly at (208) 327-7944.

Sincerely,

Cindy Zimmerman
Water Resource Agent

Enclosures

RECEIVED

NOV 14 1995

For Office Use Only
\$25 Filing Fee
Receipt# W019765
Date 8/18/95

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ASSIGNMENT OF PERMIT

I/We, Robert G. and/or Mary E. Nelson, hereby assign to Tom Keaton

of, _____
(Full Address) _____
(Phone) _____

All my/our right, title, and interest in and to Permit No. 67-07100 to appropriate the public waters of the State of Idaho.

or (for partial assignments)

The following described portion of my right, title, and interest in and to Permit No. N/A to appropriate the public waters of the State of Idaho. (Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision, point of diversion location, and the amount of water in cubic feet per second.)

Made this _____ day of _____, 19____

X
Robert G. Nelson

X _____
Mary E. Nelson

State of Idaho)
County of) ss

On this _____ day of _____, 19____, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he/she/they executed the same.

Notary Public residing at _____

My commission expires:

7/93

RECEIVED

AUG 18 1995

WATER RESOURCES
WESTERN REGION

Dept. of Water Resources 2735 Airport Wy
State of Idaho Boise, Id

DEPARTMENT OF WATER RESOURCES 83705-5082

ASSIGNMENT OF APPLICATION FOR PERMIT

To change the ownership of an application for permit

RECEIVED

AUG 22 1995

I, MARY NELSON (Applicant), hereby assign to TOM KEATON Department of Water Resources
of RT 1 Box 83 B BAKER CITY OR. 97814 (Full Address)

All my right, title, and interest in and to Application for Permit
No. 69-07100 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Application for Permit No. _____ to appropriate the public waters of the
State of Idaho.


Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
point of diversion location, and the amount of water in cubic feet per second.

Made this 14 day of August, 1995.

Tom Keaton
Applicant(s)

State of Oregon)
Idaho)
County of Baker) ss

On this 14 day of August, 1995, personally appeared before me the
signer of the above instrument, duly acknowledged to me that he/she/they executed the same.



Gail Kelsey
Notary Public

NOV 14 1995

My commission expires: 11/7/97

Signature

RETURNED, WRONG SIGNATURE

April 18, 1990

ROBERT G. NELSON
MARY E. NELSON
1748 WOODBRIDGE LANE
BOISE, ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 69-07100

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 19 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 30, 1990

ROBERT G. NELSON
MARY E. NELSON
1748 WOODBRIDGE LANE
BOISE, ID 83706

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 69-07100

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

APR 19 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 30, 1989

J. S. Tixier, Regional Forester
U. S. Dept. of Agriculture
Forest Service
324 25th St.
Ogden, UT 84401

Re: Application for Permit No. 69-07100 in the name of Robert G. &/or Mary E. Nelson

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by November 20, 1989.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

MICROFILMED

APR 19 1990

DEC 1 1989

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles

, being duly sworn,

deposes and says:

That she is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

November 2

, 1989, and ending

with the issue of November 9

, 1989.

Sarah Boles

Fees, \$ 209.12Subscribed and sworn to before me this 9day of November, 1989.

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993.

MICROFILMED

APR 19 1990

No. 43

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07777

RADCLIFFE, DAN
RADCLIFFE, KRYSTINA
1342 HOOVER RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESW Sec 25 T 12N R 05W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Date Filed: 10/18/1989
In: T12N R05W S25 NESW
1.0 ACRES TOTAL

67-07781

GOMEZ, STEVE
GOMEZ, LINDA J.
1506 THOUSAND SPRINGS RD.
WEISER, ID 83672
Source: SPRING
Tributary: SINKS
Diversion Pt: SWNENW Sec 19 T 12N R 04W
Use: DOMESTIC (.020 CFS)
STOCKWATER (.020 CFS)
Date Filed: 10/02/1989
In: T12N R04W S19 NENW

67-07788

SEMERAD, CHARLES
SEMERAD, CATHY
1281 MANN CREEK RD.
WEISER, ID 83672
Source: SPRINGS
Tributary: MANN CREEK
Diversion Pt: SWNENW Sec 31 T 12N R 04W
NWSNENW Sec 31 T 12N R 04W
Use: STOCKWATER (.020 CFS)
Date Filed: 10/11/1989
In: T12N R04W S31 NENW SENW

67-07795

ROBERTS FARM INC.
1449 LARSEN RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESE Sec 5 T 10N R 05W
Use: IRRIGATION (.800 CFS)
Date Filed: 10/10/1989
In: T10N R05W S05 NESE NWSE
40.0 ACRES TOTAL

67-07797

RANEY, R. H.
RANEY, BETTY
363 W. INDIANHEAD RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENESE Sec 30 T 11N R 05W
Use: IRRIGATION (.140 CFS)
STOCKWATER (.020 CFS)
Date Filed: 10/06/1989
In: T11N R05W S30 NESE
7.0 ACRES TOTAL

67-07801

SLYTER, ROY L.
SLYTER CHET L.
797 SLYTER LN.
WEISER, ID 83672
Source: MONROE CREEK
Tributary: WEISER RIVER
Diversion Pt: NWNENW Sec 28 T 11N R 05W
Use: IRRIGATION (.500 CFS)
Date Filed: 10/10/1989
In: T11N R05W S28 NWNE
25.0 ACRES TOTAL

69-07099

QUEST, AARON M.
BOX 877
CASCADE, ID 83611
Source: SPRING
Tributary: ROCK CREEK
Diversion Pt: NWNESE Sec 2 T 13N R 06W
Use: WILDLIFE STORAGE (15.00 AF)
FIRE PROTECTION STORAGE (15.00 AF)
DIVERSION TO STORAGE (.200 CFS)
Date Filed: 9/05/1989
In: T14N R06W S02 NESE

69-07100

NELSON, ROBERT G.
NELSON, MARY E.
1748 WOODBRIDGE LN.
BOISE, ID 83706
Source: UNNAMED STREAM
Tributary: SNAKE RIVER
Diversion Pt: SESENW Sec 32 T 13N R 07W
Use: DOMESTIC (.020 CFS)
Date Filed: 10/12/1989
In: T13N R07W S32 Lot 2 (SWNW)

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before 10/1/90.

69-07100

NELSON, ROBERT G.
NELSON, MARY E.
1748 WOODBRIDGE LN.
BOISE, ID 83706

Source: UNNAMED STREAM

Tributary: SNAKE RIVER

Diversion Pt: SESENW Sec 32 T 13N R 07W

Use: DOMESTIC (.020 CFS)

Date Filed: 10/12/1989

In: T13N R07W S32 Lot 2 (SWNW)

MICROFILMED

APR 19 1990