


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED


FEB 67 1991

IDAHO POWER COMPANY

Ronald W. Bubb
(Applicant)

RONALD W BUBB
MANAGER, LAND AND RIGHT OF WAY DEPT

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/A

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached (required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GRISWOLD	7 1/2	~~75~~ ~~~~~	same	75NS6LN 3" pipe
	JACUZZI				(Subm. system)
					(3 phase pump)

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: not possible to measure - all lines buried.

Water level gauge @ wellhead = 143' to water

SEE pump test + pump curve data in 5/23/96 fax.

-SC 11/1/01



(MINERAL)

Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1951. Field check 1957

Polyconic projection. 1927 North American datum
10,000-foot grids based on Idaho coordinate system, west zone,
and Oregon coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

Dashed land lines indicate approximate locations


Blue hatching indicates areas to be submerged by
Brownlee Dam at spillway elevation of 2077 feet

Unchecked elevations are shown in brown

MICROFILMED
FEB 04 2002

69-07098 WOODHEAD PARK

5.14, 15, 22
Govt lots 5.15 NESE L. 2
SWSE L. 3



CONTOUR INTERVAL 80 FEET
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLORADO
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS

69-07098

17N
5W

S. 14, S. 15,
S. 22

No 7 1/2' topo
@ Region office

HIGHWAY 1
1847

REST AREA

15

RV

RV camp

tent camp

22

HOME

WELL

pipeline

TANK

SHOP

WOODHEAD PARK

Hwy 71

Board,
5028

Microwave
Relay Station

24

GOVT LOTS.

S. 15 NESE L. 2
SWSE L. 3

MICROFILMED
FEB 04 2002

RIVER

Boato

12

13

Board,
5028

Microwave
Relay Station

24

GOVT LOTS.

S. 15 NESE L. 2
SWSE L. 3

MICROFILMED
FEB 04 2002

RIVER

Boato

12

13

Board,
5028

Microwave
Relay Station

24

GOVT LOTS.

S. 15 NESE L. 2
SWSE L. 3

MICROFILMED
FEB 04 2002

N

64-07048

Sec. 9.

Sec. 10.

Sec. 12.

17N

5W

S. 14, 15, 22


Sec. 16.

Sec. 15.

Sec. 13.

Sec. 21.

Sec. 24.



Survey by Abraham L. Rineason in

MICROFILMED
FEB 04 2002

AUXILIARY NORTH MERIDIAN WEST



PHOTO ONE-

Well and valve chamber, Snake River and Oregon in background.




PHOTO TWO-

Looking NE from Woodhead Park at part of Plu. Rest area in foreground. Home, storage tank & shop in background.

MICRO

FEB 04



PHOTO THREE-

Looking SW at Woodhead Park
from shop. Hwy 71 in foreground and
Snake River in background.

>

PHOTO ~~FOUR~~-

MICROFILMED

FEB 04 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 69-07098

Priority: June 12, 1989

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 15.0 AF

It is hereby certified that IDAHO POWER CO
P O BOX 70
BOISE ID 83707 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated June 12, 1989; and has
submitted Proof of Beneficial Use on February 23, 1994. An examination indicates that the works have
a diversion capacity of 0.2 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.20 CFS	15.0 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 14, Twp 17N, Rge 05W, B.M., WASHINGTON County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N 05W 14									X								
17N 05W 15													X		X	X	
17N 05W 22	X	X	X										L2		L3		

CONDITIONS OF APPROVAL

1. Domestic use is for Woodhead Park, 1 home, shop and rest area.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 19th day of DECEMBER, 2001.

Acting for

KARL J. DREHER
Director

MICROFILMED

FEB 04 2002

RECEIVED

DEC 14 2001

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

Department of Water Resources

(For Licensing Purposes)

WATER RIGHT NO. 69-07098

Date of Priority: June 12, 1989

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 15.0 AF

Comes now IDAHO POWER CO
P O BOX 70
BOISE ID 83707

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 69-07098, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.20 CFS	15.0 AF


LOCATION OF POINT OF DIVERSION:

GROUND WATER NE¼NW¼SW¼ Sec. 14, Twp 17N, Rge 05W, B.M., WASHINGTON County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N 05W 14									X								
17N 05W 15													X		X	X	
17N 05W 22	X	X	X										L2		L3		

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 13th day of December, 2001.


(Signature)

Real Estate Specialist *

MICROFILMED

FEB 04 2002

*per letterhead - kw 12/14/01

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 69-07098

FOR DEPARTMENT USE ONLY

Preliminary check by SK Fee = \$50.00 Received by J. Mai # C058498 Date 12/14/01

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 69-07098 with the following:

CONDITIONS OF APPROVAL

1. Domestic use is for Woodhead Park, 1 home, shop and rest area.

Witness my hand this 19TH day of DECEMBER, 2001.

Acting for


KARL J. DREHER
Director

MICROFILMED

FEB 04 2002

RECEIVED

FEB 23 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 69-07098 Telephone No. (208) 383-2497
2. Name(s) of Permit Holder(s): IDAHO POWER COMPANY
3. Mailing Address: PO Box 70, BOISE, IDAHO 83707
4. Source of Water: WELL

If GROUNDWATER, Well Driller's Name: KELSEY DENNIS Date Drilled: 8/21/89

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic X (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other WOODHEAD PARK RESTROOM AND R.V. FACILITIES
(excluding irrigation)

6. Total rate and/or volume for which proof is submitted 0.20 cfs OR _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ✓ No Installed? ____ Yes ✓ No

OR
Flow Measurement Port: Required? ____ Yes ✓ No Installed? ____ Yes ✓ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)
9. Person to contact to accompany the Department representative during field examination of the water system.

PETE NEWTON (208) 257-3341
Name Telephone No.


WOODHEAD PARK HIGHWAY 71
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 20 1994

2/10/94
Date

Casey Sprouse, Real Estate Specialist, Idaho Power Co.
Signature (and title, if on behalf of a company or organization)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by OK
Date 12-10-90
Receipt # 6019088

REQUEST FOR EXTENSION OF TIME

Department of Water Resources

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. P69-07098

Name(s) of Permit Holder: Idaho Power Company

Post Office Address: P.O. Box 70, Boise, Idaho 83707

Telephone No. 383-2497

Date Proof is Due: January 1, 1991

Describe what work has been completed toward the development of this water right: We have drilled a 175' foot,
(This must be filled out! If no work has been completed, show "none".)

8 inch hole & installed a 5-horsepower 3-phase pump with accompanying electrical service hook-
up. We have installed a temporary 2" water line running from the pump to the existing storage
tank. The pump is currently serving park needs on an interim basis until reconstruction is
completed.

Costing \$ 80,000 (approximately)

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Re-construction of Idaho Power's Woodhead Park is not scheduled for completion until March
of 1993. The water system can not be completed until Park construction is finished.

Permit holder(s) request an extension to March, 19 94.
(1 yr. minimum)

Casey Sprouse agent
(Signature)*

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

FEE: \$15.00

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to March 1, 1994.

Signed this 25th day of January, 19 91.

J. Glen Taylor
Chief, Water Allocation Bureau

FEB 07 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 69-07098

Proposed Priority: June 12, 1989

Maximum Diversion Rate:

0.50 CFS

This is to certify, that IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.50 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW Sec. 14, Township 17N, Range 05W
WASHINGTON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

17N 05W 22

NENE

NWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for Woodhead Park.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of December, 19 89.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

FEB 07 1991

RECEIVED
JUN 13 1989
Department of Water Resources
Western Regional Office

Identification No. 69-07098
Application No. _____

RECEIVED
JUN 12 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

Department of Water Resources

1. Name of applicant IDAHO POWER COMPANY Phone: 383-2695
post office address P O BOX 70 Boise, ID 83707
2. Source of water supply ~~Well~~ Groundwater which is a tributary of N/A
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 14 Township 17N
Range 5W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .50 for Domestic purpose from January 1 to Dec 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .50 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well cast pipe and submergeable
pump and cast pipe to park 1/4 mile South

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8" inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: N 1/2 $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 17N
Range 5W B.M. _____
(2) Amount of power to be generated: N/A hp under _____ feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served N/A, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: Increase water pressure and
availability for park use (Woodhead Park) Domestic use in restrooms
and Exterior Faucets.

FEB 27 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
17N	5W	22	D	D															

Total number of acres to be irrigated _____


c. Describe any other water rights used for the same purposes as described above. N/A

9. a. Who owns the property at the point of diversion Idaho Power Company


b. Who owns the land to be irrigated or place of use Idaho Power Company

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

FEB 67 1991

IDAHO POWER COMPANY

Ronald W. Bubb

(Applicant)

RONALD W BUBB

MANAGER, LAND AND RIGHT OF WAY DEPT

Received by KSL Date 6/12/89 Time 2:30 pm

Preliminary check by RW Fee \$ 45.00

Receipted by KSL Date 6/12/89

#C007400

Publication prepared by GG Date 8-30-89

Published in Upper County News Reporter

Publication dates 9/7 & 9/14/89

Publication approved AT Date 10-12-89

Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by DW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

Director

MANUSCRIPT
FILMED

FEB 67 1991

JUL 1 7 1980

OFFICERS

<u>Name</u>	<u>Title</u>	<u>Address</u>
*R J O'Connor	Chairman of the Board and Chief Executive Officer	1220 W Idaho Street Boise, ID 83707
*W W Anderson	President and Chief Operating Officer	"
J W Marshall	Executive Vice President	"
C E Bissell	Senior Vice President - Power Supply	"
L E Lanham	Senior Vice President - Public Affairs	"
Daniel K Bowers	Vice President and Treasurer	"
L R Gunnoe	Vice President - Distribution	"
D D Hammond, Jr	Vice President and Chief Financial Officer	"
Paul L Jauregui	Vice President - Human Resources	"
Paul R Sarni	Vice President - Administrative Services	"
Robert W Stahman	General Counsel and Secretary	"
J L Keen	Controller	"

*Also Directors

DIRECTORS

<u>Name</u>	<u>Address</u>
Robert D Bolinder	1843 Broadway Boise, ID 83706
James E Bruce	428 Cashmere Road Boise, ID 83702
George L Coiner	Route #1 Hansen, ID 83334
A Dale Dunn	999 Main Street Boise, ID 83707
John H Elorriaga	4011 S W Downs View Court Portland, OR 97221
R V Hansberger	1412 W Idaho Boise, ID 83707
Evelyn Loveless	1111 Main Street Boise, ID 83702
Jon H Miller	One Jefferson Square Boise, ID 83728
Richard T Norman	6207 Riviera Circle Long Beach, CA 90815
Gene C Rose	89 S W Third Avenue Ontario, OR 97914
Phil Soulen	Rolling Hills Weiser, ID 83672

MAILED
FEB 67 1981

Affidavit of Publication

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Sept. 7, 1989 and ended Sept. 14, 1989.

Stuart Dopf

Subscribed and sworn to before me

this 6th day of

OCTOBER, 1989

B. J. Soules

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

67-07768

SEVENTH DAY ADVENTISTS

SOUTHERN IDAHO CORP.
P.O. BOX 4878

BOISE, ID 83711

Source: GROUNDWATER

Diversion Pt: NWNW Sec. 15 T 14N R 3W

Use: DOMESTIC (.040CFS)

Date Filed: 8/09/1989

In: T14N R3W S15 NWNW

69-07098

IDAHO POWER COMPANY
P.O. BOX 70

BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: NWSW Sec. 14 T 17N R 5W

Use: DOMESTIC (.500 CFS)

Date Filed: 6/12/1989

In: T17N R5W S22, NENE NWNE.

These permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 25, 1989.

R. KEITH HIGGINSON,
Director

Publish 9/7 and 9/14/1989

RECORDED

FEB 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 20, 2001

IDAHO POWER CO
P O BOX 70
BOISE ID 83707

RE: License No. 69-7098 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


FEB 04 2002

CERTIFICATE OF MAILING

I hereby certify that on December 20, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 69-7098

**IDAHO POWER CO
P O BOX 70
BOISE ID 83707**

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

FEB 04 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

FEB 04 2002



IDAHO POWER COMPANY
P.O. BOX 70
BOISE, IDAHO 83707

GIL GREEN SR/WA
Real Estate Specialist
phone: (208) 388-2795, fax: (208) 388-6926 e-mail Ggreen@idahopower.com

December 13, 2001

Kay Walker
Sr. Water Resource Agent
State of Idaho
Department of Water Resources
1310 North Orchard Street
P. O. Box 83720
Boise Idaho 83720-0098

RECEIVED

DEC 14 2001

Department of Water Resources

Dear Ms. Walker

Enclosed is the signed application for amendment you sent to Idaho Power Company. Thank you for bringing these clarifications to our attention. I'm sure that these changes will eliminate questions that might arise in the future.

I look forward to receiving a license for the water use. Can you estimate when we might receive that license?

If you have any questions, call me at (208) 388-2795.

Sincerely,

Gil Green
Gil Green

MICROFILMED

FEB 04 2002

12/14/01 -
called Mr. Green
and let him
know I was
printing license
and they should
have it within
a week or so -
kw



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 10, 2001

IDAHO POWER CO
P O BOX 70
BOISE ID 83707

RE: Water Right Permit No. 69-07098

Dear Permit Holders:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.


Based on the examiner's report, the following elements were developed differently than described on your permit:

Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,


KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

FEB 04 2002

LICENSE REVIEW CHECKLIST

Permit No 69-07098 Date: 12-10-01 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use

change

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.50 cfs
Fee Limit 0.20 cfs Recommended Total Diversion Rate 0.20
Measured _____ cfs
Theoretical 0.20 cfs pump curve

Season of Use per new Standards

Water Uses

OK Change (P46)

Irrigation _____ cfs _____ af
Stockwater _____ cfs _____ af
Domestic 0.20 cfs 15.0 af
_____ cfs _____ af
_____ cfs _____ af
Total 0.20 cfs 15.0 af

~~Irrigation - overlap(R58-R61, R62-R65, R66-R69)~~
~~supp. Gw (WB7/065/104)~~
~~overlap spec combined rts (W35)~~
~~1 acre (W31)~~
~~Domestic (W01/wb5/070/071/075)~~
~~Power (W42 or W43/025/027/R22 or R23)~~
~~Fish (042)~~
~~Fire (077)~~
~~Water Quality (081/R07)~~
~~Payette - (W22/047/27A)~~
~~Stockwater for US (R37)~~

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: _____

Additional Conditions _____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048/049)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? yes - S15

Advance Priority? _____ yes If yes, explain why below.
_____ no

SRBA Claim? NO - not req'd.

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

P49

S06

5/20/2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

contact = Pete Newton
project eng.

A. GENERAL INFORMATION

Permit No. 69-07098

1. Owner: IDAHO POWER CO.

Phone No. 383-2497

Current Address: PO Box 70 Boise, ID 83707

2. Accompanied by: HAROLD HAGEN

EXAM DATE: 5/22/96

Address: 4460 Hwy 71 Cambridge ID

Phone No. 257-3341

Relationship to Permit Holder: Park Coordinator

3. Source: groundwater

tributary to

B. OVERLAP REVIEW *

1. Other water rights with the same place of use

{ A03-10162 Snake River, irrigation at park
69-00014 & 00015 BROWNLEE CR., irrigation, separate land.

2. Other water rights with the same point of diversion:

69-07023 ID. Power Well, same park.

Well now properly abandoned.

C. DIVERSION AND DELIVERY SYSTEM

Relinquished 7/19/96

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	—	NE	NW	SW	14	17N	5W	WASH.	15' typ & 7 1/2' orthophoto well just above (south) of hwy.

2. Place(s) of Use:

Indicate Method of Determination Same

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	5W	14																	
		15																	
		22	D	D	D														

MICROFILMED

* update 11/1/01 - JB

Pending appl. 3-7063 Remains to be processed. Held per lack of response by ID. Power but being resolved e western Region.

52 11/1/01

Water level gauge & wellhead = 143' to water
See pump test + pump curve data in 5/23/96 box.

2. Measurements: Not possible to measure - all lines buried.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grissold	7 1/2		Same	75NS62N 3" pipe
	Jacuzzi				(Subm. system)
					(3 phase pump)

Scale: 1" = 100' N/A
Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres) N/A
Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

to Oxley Dam
See for
CRHing look
to total
overlook
drainage
(reference
landmark)

111 = P/L

111 = P/L

FEB 04 2002

E. NARRATIVE/REMARKS/COMMENTS

This 8", 175' well has 7 1/2 hp. subm. pump* & buried 3" main conveying water uphill & over ridge to 20,000 gallon storage tank. From tank, buried 3" main continues as gravity flow to park on other side of highway, adjacent to Brumke Reservoir. At park, system expands to buried 6" mains supplying park and adjacent rest area.

Two minor uses occur before water reaches park. One shop & one home (with minor yard) are supplied with water from mainline. All uses from well are part of park system & operations & thus can be interpreted as part of domestic use w/ permit.

Previously used but now properly abandoned wells served park needs (see 69-07023). The newest well - one examined today - dating from 1989 now serves all of the non-irrig. needs (with exception of yard use at D/I).

Uses: SEE 11/1/01 "FLOW/VOLUME ATTACHMENT" to update "USES" into: -82

REST AREA - 1 Bathroom, 14 tables, assume average 4 people/table, assume c 10 gpd/person (like "congregated use" from Forest Service BLM congregated guidelines).

House - int + ext D/I use.

Shop - 3 employees, std. work yr., minor interval uses & misc. ext. (washing equipment etc - no irrigation). About equivalent of D/I interval use (assumed).

Park - 2 bathrooms with showers, 4 without.
1 fish cleaning station.
many drinking fountains & misc. hydrants (fire etc).
124 RV sites with hookups.
15 tent sites served by 3 hookups nearby.

Park site covers c 60 acres all together.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

FEB 04 2002

Irrig not from well - park/rest area irrig. via pump system from Reservoir.

* pump installed by Mayne Pump & Water, Meridian 888-5011

Plots 1) well, valve chamber in background 2) view from park, look x rd. to home, tank, shop, rest area & foreground 3) view of park from shop

SEAL

Date _____

Reviewer

Field Examiner's Name

Date _____

1. AUTHENTICATION

Change P.D. as reflected above

☒ Add P.U. as reflected above
☐ Add P.D. as reflected above
☐ Other _____
☐ None _____

2. Recommended Amendments

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afy)
Domestic	1/1 12/31	.20	15.0
Totals:		.20	15.0

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses: - See attached for volume summary

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: *N/A*

$Q = \frac{46.2}{255} = .18 \text{ cfs}$... pump curve when $T04 = 255$ yields $Q = 90 \text{ gpm}$.


$\text{width } h_p = 7.5$
 $\text{TOH} = 255$ per 5/23/96 for from Mr. Hansen

Additional Computation Sheets Attached

Measured Method:

$$Q_2 = \frac{I \cdot \rho \cdot H}{(8.8)(40)(.7)}$$

F. FLOW CALCULATIONS




(MINERAL)

Mapped, edited, and published by the Geological Survey
 Control by USGS and USC&GS
 Topography from aerial photographs by multiplex methods
 Aerial photographs taken 1951. Field check 1957
 Polyconic projection. 1927 North American datum
 10,000-foot grids based on Idaho coordinate system, west zone,
 and Oregon coordinate system, north zone
 1000-meter Universal Transverse Mercator grid ticks,
 zone 11, shown in blue
 Dashed land lines indicate approximate locations
 Blue hatching indicates areas to be submerged by
 Brownlee Dam at spillway elevation of 2077 feet
 Unchecked elevations are shown in brown

MICROFILMED
 FEB 0 4 1962

69-07098 WOODHEAD PARK

5.14, 15, 22
 Govt lots S.15 NESE L.2
 SWSE L.3



CONTOUR INTERVAL 80 FEET
 DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACT
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLOR.
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS.

69-07098

17N
5W

S. 14, S. 15,
S. 22

No 7 1/2' topo
@ REGIONS office

HIGHWAY 1

REST AREA

15

22

44

RIVER

WELL

HOME

TANK

SHOP

WOODHEAD PARK

Hwy 71

GOVT LOTS.

S. 15 NESE L. 2
SWSE L. 3

12

13

Board
5028

Microwave
Relay Station

24

25

MICROFILMED


FEB 04 2002

69-0708

Ver. 10.

172
500

S. 14, 15, 22



Survey by ^{Sec. 24} Abraham L. ^{Sec. 13} Rinearson. ^{Sec. 12.} In

MICROFILMED

4513 0 4 2002

AUXILIARY NORTH MERIDIAN WEST

Attn: Steve Lester
Water Resources

From: Harold Hagg
Idaho Power
Hoodhead Park
PWS 3440012

Call if further information
is needed.

Thank you.

Harold
5/23/96

69-07098

MICROFILMED

FEB 04 2002

DON'T NEED TO COPY
this for Region's
file.

-J2

MAYNE PUMP & WATER

720 W. FRANKLIN RD. MERIDIAN, IDAHO 83642
(208) 888-5011

8/10/93

CONTRACTORS NORTHWEST INC.
P. O. Box 8626
Boise, Idaho 83707
Attn: Mike Mikelsen

Re; Woodhead Park Improvements
Potable Water Well Pump Item P-6

Dear Mike;

The above referenced pump was installed in the well on 7-7-93 and chlorine was introduced into the well and let stand for a twenty four period. On 7-9-93 the following tests were performed;

Open discharge (full flow) approximateley one hour and did not break suction.

Shut off head or maximum pressure (not required).

Pumping level (draw down)--- 65 ft.

Pump pressure -----253 ft., 110 psi

318 ft., 138 psi

Pumped 90 gpm

Pumping level (draw down)--- 65 ft.

Pump pressure -----190 ft., 82 psi

255 ft. (190 ft. required)

The Franklin 7-1/2 hp., 460 v., 3 ph. submersible motor ran smoothly within the proper amperage range during all test levels.

Sincerely;

Bud L. Morford
Bud L. Morford

MICROFILMED

FEB 04 2002

05/23/96

13:51

208 257 3342

WHPK IPCO OFFICE

003

CONTRACTORS NORTHWEST INC.
TEST REPORTDESCRIPTION OF ITEM, SYSTEM, OR PART OF SYSTEM TESTED: Item P-6, PumpWater Well PumpDESCRIPTION OF TEST: Capacity flow test to determine design point criteriawhich was 90 gallons per minute at 150 cfm. The pump flow test results were90 gallons per minute at 255 cfm.Pump
TEST
Results

NAME AND TITLE OR PERSON IN CHARGE OF PERFORMING TESTS FOR CONTRACTOR:

NAME BUD L. MORROWTITLE OWNERSIGNATURE Paul L. MorrowI HEREBY CERTIFY THAT THE ABOVE DESCRIBED ITEM, SYSTEM, OR PART OF
SYSTEM HAS BEEN TESTED AS INDICATED ABOVE AND FOUND TO BE ENTIRELY
SATISFACTORY AS REQUIRED IN THE CONTRACT SPECIFICATIONS.SIGNATURE OF CONTRACTOR
QUALITY CONTROL INSPECTOR [Signature]PUMP SERIES: Project P-6DATE 7-9-93REMARKS: The flow test was performed on 7-9-93 and passed all requirements.
The Franklin 7-1/2 hp., 350 volt, 3 ph. submersible motor ran smoothly and
within the proper amperage range during all test levels.

MICROFILMED

FEB 04 2002



INSTALLATION INSTRUCTIONS and OWNER'S MANUAL for GRISWOLD SUBMERSIBLE TURBINE PUMPS

PLEASE READ THIS MANUAL BEFORE INSTALLING THE PUMP.

INSPECTION

Examine equipment at time of receipt. Check that power cable is not cut or damaged, and that all equipment is correct for the particular installation. Handle pump and cable carefully, and do not load other material on top of them. This is very important because of the precise alignment of the assembly and the vulnerability of the cable.

INSTALLATION RECORD

WOODHEAD PARK IMPROVEMENTS

Domestic water well pump(P-6)

Record the following details at the time of installation and retain for future reference:

Purchased From: STEVE REGAN COMPANY
Salt Lake City, Utah
 Installed By: MAYNE PUMP AND WATER, INC.-Meridian, Idaho
 Date of Installation: July 7, 1993
 Catalog Figure Number: 75NS615 ST-1352
 Motor Make: Franklin Motor Serial Number: 592
 Motor HP: 7.5 Volts: 460 Phase: 3 Cycle: 60
 Maximum Allowable Current: 12.3 Amps
 WELL: Inside Diameter: 8 in. Depth: 172 Ft.
 Standing Water Level: 65 Ft. Below Ground
 Depth to Lowest Perforation: NA Ft. Below Ground
 RISER PIPE: Size: 3 in. Length: 142 Ft.
 (Refer to section on RISER PIPE)
 POWER CABLE: Size: 12/3 Length: 160 Ft.
 Distance Between Well and Point of Discharge: 150 Ft.
 Discharge Operating Conditions: 90 GPM @ 190 TDS

MICROFILMED

FEB 04 2002



JACUZZI

Subsidiary of Kilde Inc

KIDDE

SUBMERSIBLE TURBINES 75S6L5 - 10S6L8 Performance Curve Section 243-I Page 2

July 26, 1982



MICROFILMED

12401 Interstate 30

P.O. BOX 8903
FEB 04 2002

Little Rock, AR 72219-2903

501/455-1234

PERMIT 69-7098 – FLOW AND VOLUME ATTACHMENT

November 1, 2001

JK

RATE OF FLOW

CRITERIA

CFS

Permit .50

Proof fee \$50 .20

Measurement data

HP equation ~ .18 cfs

Pump test & curve ~ .20 cfs

Allow .20

Beneficial use found .20 (assumed okay for actual use)

Recommended Rate .20 cfs

ANNUAL VOLUME

Frequency of use – park open all year but at various levels of use per park manager:

3 months at 90-100% 95 days (365 – sum of other two periods)

3 months at 50% 90 days

6 months at 10% 180 days

“Full time equivalent use days” per year:

$$95 + (.5 \times 90) + (.1 \times 180) = \underline{158 \text{ days}}$$

MICROFILMED

FEB 04 2002

CALCULATING VOLUME PER USE

69-7098
11/1/01
Pg 2 of 2

Caretakers Home with yard, allow 1.2 afa.

Shop – 3 workers with misc. internal/external uses (not irrigation), assume year around use, assume 50 gpd/person from “construction camp” in Table 3, Quick References, Field Exam Handbook:

$$(3 \times 50 \times 365) / 325,850 = \underline{.17 \text{ Afa}}$$

Rest Area – 1 bathroom, 14 tables, assume 4 people/table and 15 gpd/person from “camps, day w/o meals served” in Table 3, use 158 “full time days” from above frequency information:

$$(14 \times 4 \times 15 \times 158) / 325,850 = \underline{.41 \text{ Afa}}$$

Park Area – 124 RV sites with hookup capability, 15 tent sites, assume 4 people/RV site and 2 people/tent site, assume 50 gpd/person at RV sites and 25 gpd/person at tent sites from “parks” in Table 3, use 158 “full time days”:

$$\text{Gpd: } (124 \times 4 \times 50) + (15 \times 2 \times 25) = 25,550$$

$$\text{Annual use: } 25,550 / 325,850 = \underline{12.39 \text{ Afa}}$$

Total volume required:

$$1.2 + .17 + .41 + 12.39 = 14.17 \text{ Afa}$$

But allow 15 afa for margin of error or assumptions.

Total volume diverted:

$$.20 \times 365 \times 1.9835 = 144.8 \text{ Afa (62.7 if use 158 full time days)}$$

Recommended Volume 15.0 Afa

MICROFILMED

SEP 04 2002

IDAHO DEPARTMENT OF WATER RESOURCES
WELL INSPECTION FORM

1. DRILLING PERMIT NO: 69-89-W-001 OTHER APPLICABLE NO: 69-07098
2. OWNER: Idaho Power Co. Phone: _____
Address: - See water right -
3. WELL LOCATION: Twp 17N, Rge. 5W, Sec. 14, _____ 1/4 _____ 1/4
County Washington (Provide sketch map and photo on reverse.)
4. DRILLER: Dennis Drilling (? - hard to read by) Lic. No. 471 ← Expired 5/23/96
When Drilled? 7/31 - 8/21 1989 2 bases
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No but can remove cap if need access
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 175 ft. Method Drilled air rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION: well log 1989 but 1996: water level gauge & wellhead reads 143'
Depth to Static Water 115 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE: Woodland Park (camping, bathrooms etc.)
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned MICROFILM ☒ Waste Disposal/Injection ☐ Not Used
☐ Other: FEB 04 2002

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Steve Laster Water Rights Supervisor
Signature of Dept. Representative & Title

5/22/96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

See Water Right Exam

Original: RBW
cc : WR file

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]




PHOTO ONE-

Well and valve chamber. Snake River and Oregon in background.



PHOTO TWO-

Looking NE from Woodhead Park at part of Plu. Rest area in foreground. Home, storage tank & shop in background.

MICRO

FEB 04



PHOTO THREE-

Looking SW at Woodhead Peak
from Shop. Hwy 71 in foreground and
Snake River in background.

>

~~PHOTO FOUR-~~

MICROFILMED

FEB 04 2002

March 1, 1994

IDAHO POWER CO.
P.O. BOX 70
BOISE ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 69-07098

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

APR 20 1994

Permit No. 69-07098 Reviewed by [Signature] Date 3-1-94

Correct Uses? Yes

Proof Made Z-23-94



IDAHO POWER COMPANY
P.O. BOX 70
BOISE, IDAHO 83707

Casey D. Sprouse
Real Estate Specialist ■ Real Estate Department
tel: (208) 383-2497, fax: (208) 368-6926

February 23, 1994

Julie Yarbrough
Department of Water Resources
1301 North Orchard
Statehouse Mail
Boise, Idaho 83720-9000

RE: Permit No. 69-07098

Dear Ms. Yarbrough:

Enclosed, please find Idaho Power Company's completed Proof Of Beneficial Use form and accompanying payment for the license examination fee, associated with the Woodhead Park water well.

I also wanted to call your attention to a correction in the well location, as is referenced in the enclosed letter, dated February 2, 1990.

If you have any questions or correspondence concerning this matter, please direct them to me.

Very truly yours,

A handwritten signature in cursive script that reads "Casey D. Sprouse".

Casey D. Sprouse


CDS

Enclosures

HAND DELIVERED

A rectangular stamp with the word "RECEIVED" in a bold, sans-serif font, oriented vertically.

APR 20 1994



IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

February 2, 1990

Mr Rob Whitney
State of Idaho
Department of Water Resources
1301 North Orchard
Boise, Idaho 83706

Dear Mr Whitney:

Idaho Power Company needs to make a correction on Drilling Permit No 69-89-W-001. It should show the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 14, Township 17 North, Range 5 West, B M, Washington County, Idaho.

Please find enclosed a copy of the drilling permit, dated 22nd of August, 1989, which is the one that needs the correction. I have already changed our records.

Very truly yours,

Donald Bair
Permit Co-ordinator
Right of Way Dept

DB/cc
Enclosure

RECORDED

APR 20 1994

Form 235-1
4/88

Drilling Permit No. 69-89-W-001
Water Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED
JUN 13 1989

Department of Water Resources
Western Regional Office

RECEIVED
JUN 12 1989

1. Applicant Idaho Power Company Department of Water Resources

2. Address P O Box 70

Boise, Idaho 83707 Telephone 383-2695

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 14, Twp. 17N, Rge. 5W, County Washington,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

☒ Domestic () Stockwater () Monitoring
50 cfs
() Irrigation () Industrial () Municipal
() Injection () Other, Specify Woodhead Park

5. Well construction information:

☒ New well () Deepen () Replace

Proposed surface diameter 8" Maximum depth 200'
Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date After July 1, 1989

7. Well Driller (if known) Kelsey Dennis

Address Baker, Oregon

8. Applicant's signature Ronald W Bubb

RONALD W BUBB

Title Manager, Land and Right of Way Department

Date _____

Department of Water Resources

AUG 24 1989

APR 20 1994

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

* Driller licensed & bonded in Idaho per/mark SLIFKA

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 22nd day of Aug, 19 79.

Signed

David R. Hux
Title Mgr, Western Reg. Off
APR 20 1994

Received by T. Young Fee 100.00 Date 6/18/89

Receipt No. 0807460 Construction start extension

Extension approved

December 31, 1993

IDAHO POWER CO.
P.O. BOX 70
BOISE ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 69-07098

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

APR 20 1994





IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

January 31, 1991

Ms Rita Fleck
Secretary/Records Manager
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

RECEIVED
FEB 04 1991

Department of Water Resources

Dear Rita:

I have received your letter dated January 29, 1991, regarding the approved request for extension of time for Permit No. 69-7098.

Would you please insert a note in the file, stating that Idaho Power Company wishes to be notified prior to the Department of Water Resources taking any further action pertaining to this permit.

Very truly yours,

Casey Sprouse

Casey Sprouse
Real Estate Specialist
Real Estate Department
PH: 383-2497

to
OK, re
10

CDS:emv

MICROFILMED
FEB 07 1991

January 29, 1991

IDAHO POWER COMPANY
P O BOX 70
BOISE ID 83707

Gentlemen:

Re: Permit No. 69-7098

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to March 1, 1994.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

FEB 07 1991

Permit No. 69-7098

Date 1-24-91

4 Date stamp received
3 Extension received timely (not too early not too late)
4 Fee received and receipted
3 Name and signature same as permit
2 Address change

9 Has adequate work been completed to demonstrate due diligence?
9 Has the cost incurred been adequate to demonstrate an intent to complete the project?
 _____ Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay _____

NEW PROOF DUE DATE =

Is supporting documentation needed to complete the file? _____
Requested?

ACTION TAKEN - Recommend approval based on due diligence for ~~one year~~ to March 1, 1994

ADJUSTED PRIORITY DATE =

Change proof due date
Priority date change

Address change

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

December 3, 1990

Rita I Fleck
Secretary/Records Manager
State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

RE: Permit No. P69-07098

Dear Ms Fleck:

Enclosed is the completed Request For Extension of Time form and a copy of the well drillers report on the above referenced water permit.

The proof of beneficial use is due on January 1, 1991. We anticipate completion of construction at Woodhead Park to be March of 1993 and are hereby requesting an extension until March of 1994.

If you have any questions or concerns this matter, please direct them to me.

Very truly yours,

Casey Sprouse
Real Estate Specialist
Real Estate Department
PH: 383-2497

RPG:CDS:emv

Enclosure

MICROFILMED

FEB 07 1991

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

138699
October 31, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 69-07098

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures



WHITE - State Auditor
YELLOW - Remittance Advice
PINK - State Auditor then Agency
GOLDENROD - Agency Copy

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

2337
Date 08/01/90
Code 193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

IDAHO POWER COMPANY
BOX 70
BOISE, ID 83707

CHECK ONE:

- (1) MISCELLANEOUS EXPENDITURE
() STATE CONTRACT
() PURCHASE ORDER
() MISCELLANEOUS ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 20 121	1238	8831		REFUNDS PER RITA FLECK WR #69-7098 7/27/90 50.00	50.00	
						TOTAL 50.00	

NOTE: Final payment must be accompanied by a receiving copy

TOTAL

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service; that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

MEMORANDUM

DATE: July 27, 1990

TO: FISCAL SECTION

FROM: Nina Shields or Rita Fleck

RE: REFUND - Permit No. 69-7098

Please prepare a refund of \$50.00 (receipt No. C017542). Attached is a copy of a letter which explains why the refund is necessary.

Also, please reference the identification number on any papers returned to me for the file. Thanks.

Attachments: letter
receipt

MicroFILMED

FEB 07 1991

July 25, 1990

Idaho Power Company
Box 70
Boise, ID 83707

Gentlemen:

Re: Permit No. 69-7098

Pursuant to your request, the department has withdrawn the proof of beneficial use form submitted on February 5, 1990 and the paperwork has been initiated to start the refund process. The refund should reach you in several weeks.

Proof of beneficial use is due on January 1, 1991. The department will contact you sixty days prior to that date to advise you of the requirement.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: W. Reg.
Acct. Sec.

MICROFILMED

FEB 07 1991

4 SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

July 10, 1990

State of Idaho
Dept of Water Resources
Attn Glen Saxton
1301 North Orchard
Statehouse Mail
Boise, Idaho 83720

RECEIVED
JUL 11 1990

Department of Water Resources

RE: Permit # P69-07098

Dear Mr Saxton:

In accordance with our recent telephone conversation, I am formally requesting that proof be withdrawn from permit number P69-07098 (Woodhead Park) and that a refund be issued for \$50.00, the amount paid for the license examination fee.

I anticipate resubmitting proof on this project later on this fall.

I apologize for any inconvenience this matter may have caused and appreciate your cooperation.

Very truly yours,

Casey Sprouse

Casey Sprouse
Real Estate Specialist
Real Estate Department
PH: 383-2497

CDS:emv

c: D H Jackson
R C Hillman

MICROFILMED

FEB 07 1991

SNAKE RIVER



HYDRO POWER

IDAHO POWER COMPANY

BOX 70 • BOISE, IDAHO 83707

July 3, 1990

State of Idaho
Dept of Water Resources
1301 South Orchard
Statehouse Mail
Boise, Idaho 83720

RECEIVED
JUL 5 1990

Department of Water Resources

RE: Proof of Beneficial Use

Dear Sir or Madam:

Enclosed please find Idaho Power Company's completed Proof of Beneficial Use form and accompanying payment for the license examination fee.

If you have any questions or correspondence concerning this matter, please direct them to me.

Very truly yours,

Casey Sprouse
Real Estate Specialist
Real Estate Department
PH: 383-2497

CDS:emv

Enclosures

MICROFILMED

FEB 07 1991

RECEIVED

FEB 5 1990

Notice Received
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 30.00
Date 7/5/90
Receipt No. 208542
Received by [Signature]

RECEIVED

JUL 5 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee of a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P69-07098 Telephone No. (208) 383-2691

Name(s) of Permit Holder(s): IDAHO POWER COMPANY.

Post Office Address: P O Box 70, Boise, Idaho 83701

Source of Water: Well

If ground water, well driller's name: Kelsey Dennis Date drilled: August 21, 1989

Extent of Use:
Domestic X (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Public - Woodhead Park
Restroom facilities

Total rate and/or volume for which proof is submitted 25-30 GPM cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: only tested

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No

*fee received
for license
exam fee*

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Mac Billiard
Name

(503) 785-3323

Telephone No.

P O Box 169

Oxbow, Oregon

97840

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

IDAHO POWER COMPANY
DONALD BAIR, Permit Co-ordinator, Right of Way Dept

February 2, 1990

Date

D Bair

Signature (and title if on behalf of a company or organization)

RECEIVED

FEB 67 1991

May 22, 1990

Idaho Power Company
P. O. Box 70
Boise, ID 83707

Gentlemen:

Re: Permit No. 69-7098

Returned is the proof of beneficial use form submitted to this office on February 5, 1990. For the diversion of 25-30 gallons per minute (approx. 0.06 cfs), the license exam fee is \$50.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

FEB 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 8, 1989

IDAHO POWER CO.
P.O. BOX 70
BOISE, ID 83707

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P69-07098

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

FEB 07 1991

P/D 17N 5W 5. 14 NW SW
P/U 5. 22 NW NE
NE NE

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 7/27/89 APPLICATION: 69-07098

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) .50 seems High (.05?) Gov't. Lots: _____
☒ Period of use: _____ P/D
☒ Nature of proposed use: (Include description of use) _____ P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes _____ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Names & Address of Corp Officers, Time requested
DATE REQUESTED: 8/9/89 8/10/89
☒ Additional information on reverse side:

RECEIVED
NOV 01 1989
Department of Water Resources

1 4 1 4 1 4				RIGHT NO.		C	DATE	FLAG	SOURCE
17N 04W 31	SH	SH	04	69-04117	HILLMAN	C	S 01/01/1912		GRADE CREEK
	SE	SH	04	69-04114	HILLMAN	C	S 01/01/1912		SPRINGS
	NE	SE	13.43	69-07087	ANGLO BOMARC HINES	C	A 10/12/1984		GROUNDWATER
	SH	SE	04	69-04118	HILLMAN	C	S 01/01/1912		SPRINGS
	SE	SE	13.43	69-07087	ANGLO BOMARC HINES	C	A 10/12/1984		GROUNDWATER
32	NE	NA	01.43	69-02035	GIBBS	C	L 09/24/1923		GRADE CREEK
	NA	SH	13.43	69-07087	ANGLO BOMARC HINES	C	A 10/12/1984		GROUNDWATER
	SH	SH	13.43	69-07087	ANGLO BOMARC HINES	C	A 10/12/1984		GROUNDWATER
	NE	SE	04	69-04114	HILLMAN	C	S 01/01/1912		SPRINGS
33	SH	NE	04	69-04073	U.S. DEPT. OF AGRI	C	S 06/01/1960		DRAG TRAIL SPRING
05W 2	NA	NA	04	69-04072	U.S. DEPT. OF AGRI	C	S 06/01/1962		BUCK SPRING
	NE	SE	3 28	03-07018	IDAHO POWER CO.	C	P 12/24/1975		SNAKE RIVER
	SE	SE	3 29.30	03-02018	IDAHO POWER CO.	C	L 10/17/1952		SNAKE RIVER
	SE	SE	3 28	03-02023	IDAHO POWER CO.	C	L 10/17/1952		SNAKE RIVER
	SE	SE	3 28	03-02024	IDAHO POWER CO.	C	L 02/11/1964		SNAKE RIVER
12	NA	NE	04	69-04107	HILLMAN	C	S 01/01/1912		DUKES CREEK
	SH	NE	04	69-04107	HILLMAN	C	S 01/01/1912		DUKES CREEK
	SE	NE	04	69-04107	HILLMAN	C	S 01/01/1912		DUKES CREEK
	NA	NA	04	69-04107	HILLMAN	C	S 01/01/1912		DUKES CREEK
	SH	NA	04	69-04107	HILLMAN	C	S 01/01/1912		DUKES CREEK
	SE	NA	04	69-04107	HILLMAN	C	S 01/01/1912		DUKES CREEK
13	SH	NE	04	69-04114	HILLMAN	C	S 01/01/1912		SPRINGS
	NE	NA	04	69-04114	HILLMAN	C	S 01/01/1912		SPRINGS
	SH	SH	04	69-04114	HILLMAN	C	S 01/01/1912		SPRINGS
	SH	SH	04	69-04118	HILLMAN	C	S 01/01/1912		SPRINGS
14	NA	SH	04	69-07023	IDAHO POWER CO.	C	P 08/03/1977		GROUNDWATER
23	NE	NE	04	69-04114	HILLMAN	C	S 01/01/1912		SPRINGS
	SE	NE	04	69-04114	HILLMAN	C	S 01/01/1912		SPRINGS

MICROFILMED
 FEB 07 1981

Form 235-1
4/88

Drilling Permit No. 69-89-W-001
Water Permit No. _____
Injection Permit No. _____

RECEIVED
JUN 13 1989

Department of Water Resources
Western Regional Office

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

JUN 12 1989

1. Applicant Idaho Power Company Department of Water Resources
2. Address P O Box 70
Boise, Idaho 83707 Telephone 383-2695
- (X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 14, Twp. 17N, Rge. 5W, County Washington,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
- (X) Domestic () Stockwater () Monitoring
150 cfs
() Irrigation () Industrial () Municipal
() Injection () Other, Specify Woodhead Park
5. Well construction information:
- (X) New well () Deepen () Replace
- Proposed surface diameter 8" Maximum depth 200'
Anticipated bottom hole temperature: _____
- (X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date After July 1, 1989
7. Well Driller (if known) Kelsey Dennis
Address Baker, Oregon
8. Applicant's signature Ronald W Bubb
RONALD W BUBB
Title Manager, Land and Right of Way Department
Date _____

MICROFILMED

FEB 07 1991

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

* Driller licensed & Bonded in Idaho per/mark Slifka

The approval of this permit authorizes the construction of a well as described or this application subject to the conditions on this permit.

(X) Approved () Denied

ACTION OF IDWR

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.

2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.

3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.

4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.

5. Issuance of this drilling permit does not authorize trespass on the land of another party.

6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

RECEIVED

FEB 07 1991

Dated this 22nd day of Aug.

Signed

Title

David R. Smith
Mgr. Western Reg. Off.

Fee

100.00

Date

6/10/87

Received by *T. Young*

Receipt No. *0007460*

Construction start extension to

Extension approved by

69-07098

IDAHO POWER COMPANY
P.O. BOX 70
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: NWSW Sec 14 T 17N R 05W

Use: DOMESTIC (.500 CFS)

Date Filed: 6/12/1989

In: T17N R05W S22 NENE NWNE

MICROFILMED

FEB 07 1991