


City of Council




HOLLADAY


ENGINEERING CO.

TOPOGRAPHIC SITE MAP

Modified from *Council, Idaho* 7.5 minute Quadrangle

MICROFILMED
Idaho 7.5 minute
DEC 10 1999





Point of Diversion



Place of Use



MICROFILMED

OCT 19 2001

67-08040

Place of Use



MICROFILMED
OCT 19 2001

67-08040

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-08040

CITY OF COUNCIL
PO BOX 606
COUNCIL, ID 83612

Source: GROUNDWATER

Diversion Pt: SENWSW Sec 15 T 16N R 01W in ADAMS County.

Use: MUNICIPAL (0.060 CFS)
Total Diversion: (0.060 CFS)

Date Filed: 9/20/1999

In: ADAMS County
T16N R01W S15 NWSW

Applicant agrees to mitigate consumptive use in the future as needed.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before OCTOBER 25, 1999. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published in the Adams County Record October 7 and 14, 1999.

Legal Description

sion, formerly known as Kimberland M
13 as Instr. No. 84350, records c

Identifying Data of Deed of Trust or
Mortgage* Being Foreclosed Per Real
Estate Records of County Stated
in Legal Description:

RECEIVED

OCT 21 1999

WATER RESOURCES
WESTERN REGION

Dat
Rec
Rec
Ori
Ori
Ori
Add
Ori
Add
Pre
Ad

* Sometimes named "Trust Inde
** Sometimes named "Mortgaged
*** Sometimes named "Beneficiary
**** Sometimes named "Grantor" o

Published in The Adams County Record

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 67-08040

Priority: September 20, 1999

Maximum Diversion Rate: 0.05 CFS

It is hereby certified that CITY OF COUNCIL
PO BOX 606
COUNCIL ID 83612 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated September 20, 1999; and has
submitted Proof of Beneficial Use on June 20, 2000. An examination indicates that the works have a
diversion capacity of 0.05 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE

MUNICIPAL

PERIOD OF USE

01/01 to 12/31

DIVERSION RATE

0.05 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15, Twp 16N, Rge 01W, B.M., ADAMS County

PLACE OF USE: MUNICIPAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16N	01W	15											X						

CONDITIONS OF APPROVAL

1. Use of water is to provide chlorination process water at the waste water treatment plant.
2. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25TH day of June, 2001.

Acting for


KARL J. DREHER
Director

MICROFILMED

OCT 10 2001

RECEIVED

JUN 19 2000

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00

Receipt No. 00419519

Receipt By: H. Kovel

Date Received: 6-20

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 67-08040 Telephone No. (208)253-4201

2. Name of Permit Holder(s): City of Council

3. Mailing Address: PO Box 606

City Council State ID Zip 83612

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 12 / yr. 1999

Well Driller: Stevens & Sons Drilling Permit Number: 67 - 99 - W - 0095 - 000

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: Municipal

6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Michael Holladay or Jenifer Willer Telephone Number: (208)642-3304

Address: PO Box 235, Payette, ID 83661

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Jay R. Smith
(Include your title, if on behalf of company or organization)

Date: 6-6-00

MICROFILMED

AUG 24 2000

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-08040

Priority: September 20, 1999

Maximum Diversion Rate:

0.06 CFS

This is to certify, that CITY OF COUNCIL
PO BOX 606
COUNCIL ID 83612

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

MUNICIPAL

01/01 to 12/31

0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 15, Township 16N, Range 01W
ADAMS County

PLACE OF USE: MUNICIPAL

TWN RGE SEC

16N 01W 15

NWSW

CONDITIONS OF APPROVAL AND REMARKS


1. Proof of application of water to beneficial use shall be submitted on or before November 1, 2001.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
6. Use of water is to provide chlorination process water at the waste water treatment plant.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

15th day of November, 1999.

MICROFILMED

DEC 14 1999


for Karl J. Dreher, Director

RECEIVED

SEP 20 1999

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

NOV 4 1999

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant City of Council Phone (208) 253-4201
Post Office address P.O. Box 606 83612
2. Source of water supply Well near the Weiser River GW which is a tributary of Snake River
3. Location of point of diversion is SE 1/4 of NW 1/4 of SW 1/4, Govt. Lot _____
Sec. 15 Township 16N Range 1W B.M. Adams County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.06 cfs for Municipal purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 cfs and/or (b) 30 afy
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is 12 inches; proposed depth of well is 35 feet.
d. Is ground water with a temperature of greater than 85°F being sought? No
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. City of Council
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED

DEC 10 1999

9. Description of place of use

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16N	1W	15									M								

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? City of Council

b. Who owns the land to be irrigated or place of use? City of Council

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: The well is to provide chlorination process water for use at the wastewater treatment plant. This water will not be for potable supply.

COMMENTS - Applicant agrees to mitigate consumptive use in future as needed.

13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Jack H Biddle For the City of Council
(Applicant)
City Engineer

Received by Kb Date 9/20/99 Time 11:41 Preliminary check by ly
Fee \$ 5000 Receipted by Kb # W025745 Date 9/20/99
Publication prepared by st Date 10-1-99 Published in The Record
Publication approved st Date 10-27-99 7-7-99

MICROFILMED

SEP 12 1999

City of Council



HOLLADAY

ENGINEERING CO.

TOPOGRAPHIC SITE MAP

Modified from Council, Idaho 7.5 minute Quadrangle

DEC 10 1989

Ident. No. 67-08040

Comments: Date: 10/ 1/1999 User-ID: STAYLOR

Subject: Water use.

The well is to provide chlorination process water for use at the wastewater treatment plant. This water will not be for potable supply.

MICROFILMED

DEC 10 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 26, 2001

CITY OF COUNCIL
PO BOX 606
COUNCIL ID 83612

RE: License No. 67-8040 - Issuance of License

Dear Water Right Holder(s):


The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,


for Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
OCT 18 2001

CERTIFICATE OF MAILING

I hereby certify that on June 26, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 67-8040

**CITY OF COUNCIL
PO BOX 606
COUNCIL ID 83612**


**Kari Lynn Townsend
Secretary**

**MICROFILMED
OCT 13 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

OCT 7 5 2007

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
2001

LICENSE REVIEW CHECKLIST

Permit No 67-8040

Date: 6-30-01

Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): 67-7120, 67-84151, 67-10414 & 67-10415

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.06 cfs

Fee Limit 0.20 cfs

Measured _____ cfs

Theoretical 0.05 cfs

Recommended Total Diversion Rate 0.05

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

Municipal 0.05 cfs N/A af

_____ cfs _____ af

Total 0.05 cfs _____ af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

super. Gw (W87/065/104)

overlap spec combined rts (W35)

1 acre (W31)

Domestic (W01/Wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: 103,

Additional Conditions

☒ Watermaster Control

☒ GW Measurement/Measuring Device

☒ Other

☒ Trust R55 - remove 051)

☒ Non-trust (048/049)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim? not reqd

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

S06

all City of
Council for
municipal
use
*none
describable
same use
as this
right.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 11 2000
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-08040

1. Owner: City of Council Phone No. (208) 253-4201

Current Address: PO Box 606, Council, ID 83612

2. Accompanied by: Marlene Lively Exam Date: 07/27/2000

Address: PO Box 606, Council, ID 83612 Phone No. (208) 253-4201

Relationship to Permit Holder: Employee of the City of Council

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None.

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	SEC	TWP	RNG	County	Method of Determination/Remarks
			NW	SW	15	16N	01W	Adams	USGS Quadrangle Map

2. Place(s) of Use: _____ Indicate Method of Determination: USGS Quadrangle Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
16N	01W	15										M							

MICROFILMED
AUG 11 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

 X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

 Aerial Photo Attached (required for irrigation of 10+ acres).

 X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	unknown	0.5	unknown	unknown	unknown

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibration Date
N/A						

2. Measurements: None.

MICROFILMED

001 1 3 2001

E. NARRATIVE/REMARKS/COMMENTS

The point of diversion and place of use are located in the NWSW of Section 15, Township 16N, Range 01W. The well is used to provide water for a chlorination process at the wastewater treatment plant.

A ½-hp pump is set at 65 feet and pumps water through a 1¼-inch mainline to the chlorination tank. Marlene Lively the plant operator had recorded the amount of water being used. She said the maximum diversion rate recorded is 23 gpm (0.05 cfs).

A measurement could have been taken from a faucet by the well. However, the size of the faucet would limit the flow.

I contacted Jenifer Willer, the contact person on the proof of beneficial use form. She was unable to meet me for the time of the field exam. She asked Marlene Lively to accompany me during the field exam.

I recommend that this permit be licensed for 0.05 cfs. An annual volume is not necessary because it is not required for municipal use.

Have the conditions of permit approval been met? X YES NO

MICROFILMED
OCT 19 2001

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measurement Method: *Data from well log*

The well log gives a yield of 20 gpm (0.045 cfs).
 Allow 0.05 cfs. This is the capacity of the system.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Not required for Municipal Use.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (AFA)
	From	To		
<u>Municipal</u>	<u>01/01</u>	<u>12/31</u>	<u>0.05</u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Totals:			<u>0.05 cfs</u>	<u> </u>

2. Recommended Amendments

_____ Change P.D. as reflected above _____ Add P.D. as reflected above X None

_____ Change P.U. as reflected above _____ Add P.U. as reflected above _____ Other

I. AUTHENTICATION

Richard D. Hansen – Field Examiner

Field Examiner's Name Richard D. Hansen Date: 8/2/2000

Reviewer _____ Date: _____ seal

MICROFILMED

OCT 13 2001

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 67-99-W-0095-000 OTHER APPLICABLE NO: 67-08040
2. OWNER: City of Council Phone: (208) 253-4201
Address: PO Box 606, Council, ID 83612
3. WELL LOCATION: Twp 16 N, Rge. 01 W, Sec. 15, NW $\frac{1}{4}$ SW $\frac{1}{4}$
County Adams (Provide sketch map and photo on reverse.)
4. DRILLER: Stevens & Sons Lic. No. _____
When Drilled? 1999
5. WELL CONSTRUCTION:
- Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 74 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
- Depth to Static Water 7 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 58 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
- | | | |
|---------------------------------------|---|-------------------------------------|
| ☐ Domestic | ☐ Irrigation | ☐ Stock |
| ☐ Test | ☒ Municipal | ☐ Industrial |
| ☐ Abandoned | ☐ Waste Disposal/Injection | ☐ Not Used |
| ☐ Other: _____ | | |
- MICROFILMED
OCT 13 2001

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? Sewage disposal ponds

How far away from the well is this source? 75 ft


9. REMARKS:


Richard D. Hanson — Field Examiner
Signature of Dept. Representative & Title

7-27-00
Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED
OCT 19 2001






Point of Diversion



Place of Use




MICROFILMED

DEC 13 2001

67-08040

Place of Use



MICROFILM
307 2 2001

67-08040

Field Notes 67-08040

7-27-00

Marlene Lively

58 psi before the pressure tank

1/4" - mainline

23 gpm

1/2 hp

65-feet - pump set

Water is used for chlorination
process.

No measurement was taken.

Conditions of approval have
been met.

MICRONIC

067 19 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 21, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF COUNCIL
PO BOX 606
COUNCIL ID 83612

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-08040

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Western** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah Drew-Ellis
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED

2000 2 4 2000

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 67-08040 Reviewed by D. Ellis Date 6/21/00

GENERAL CONSIDERATIONS

Yes Name same as permit?

Yes Address same as permit?

Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Municipal

Correct Uses? Yes

SOURCE OF WATER

No Surface water source

Yes Ground water source

Yes Drilling permit required?

No Yes Copy in the file? Drilling Permit No. 67-99-W-0095-000

Yes Amount paid for permit Correct?

Yes Well log in the file?

LICENSE EXAMINATION FEE

Yes Required?

\$50 Amount Submitted

Yes Correct?

MEASURING DEVICE

No Required?

No Installed?

Waiver requested?

PRIORITY CALCULATION

Date proof received 6/20/00

Date proof due 11/1/01

No. of days late =

Priority Date +

New Priority Date

DEFICIENCIES OR ACTION ITEMS

Acknowledge & proof.

MICROFILMED

AUG 24 2000

DATA ENTRY

New Address No

Proof Made 6/20/00

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No:

0044519

Date:

Time: 6/19/2000
15:07:01

Received

From:

CITY OF COUNCIL

Type of Payment

Program Acct

Amount

PROFF OF BENEFICIAL USE

56104

229 21 1155

50.00

Total


\$

50.00

CHECK

012225

Region: STATE

Signature: 

MICROFILMED

AUG 24 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

November 16, 1999

CITY OF COUNCIL
PO BOX 606
COUNCIL ID 83612

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-08040

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

MICROFILMED

DEC 18 1999

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


DEC 16 1993

CERTIFICATE OF MAILING

I hereby certify that on the 16th day of **November, 1999**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 67-08040

**CITY OF COUNCIL
PO BOX 606
COUNCIL ID 83612**


Kari Lynn Townsend
Secretary

MICROFILMED

DEC 10 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**

Reviewed by Sharla Curtis on 11/8/99

No. 67-08040 Name: City of Council Corp. Officers N/A Ad ok ✓ Govt Lots N/A

AREA OF CONCERN: No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)
~~Basin 34~~ - 085
~~Irr. w/in WD~~ - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-079
Supp irr (+ other uses) - 100-101
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P64 (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH/PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

BENEFICIAL USE DUE: 11/01/2001

MISC CONDITIONS/REMARKS:

~~Protested~~ - 020-W19
Development Period
≤ 1 yr - P16
> 1 yr - 264(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9
PLANNING SECTION REVIEW/RESPONSE
In-stream development - P52
WD - R04 (WD#)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

SNAKE R (01) - W22(P04), N/A
(02.03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

~~POWER~~ - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
~~MUNICIPAL~~
Restricted area - 022,075
Irr., GW supp to SW - 102 N/A for use
~~DOMESTIC~~
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2400 gpd -- meetd domestic definition
i.e. D/convenience store)

OTHER CONDITIONS/REMARKS

Chlorination processing at waste water treatment plant.

COMMENTS

ID, DEPARTMENT OF WATER RESOL S
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

NOV 4 1999

INITIAL REVIEW BY: Ly DATE: 9/30/99 APPLICATION: 678040 Department of Water Resources

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

☒ ADVERTISE REMARK(S)
(Reviewer identify which remarks)

to do T FLAG CHANGED TO P FLAG

YES NO

- N/A Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium:
- ☒ Surface water source, IDFG letter needed.
- ☒ Protected river or minimum flow reach, notify water planning bureau.
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- ☐ immediate = acceptable plan required and submitted.
- ☒ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

mitigation request

Date Requested 9/30/99 Date Response Received 9/30/99

PROCESSING

APP. NO. 62

YES NO

☒

In form for advertising:

☒

Statewide advertising: (> 10 cfs &/or 1000 af)

☒

Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐

I.D. Health & Welfare

☒

I.D. District Health

☒

I.D. Fish & Game

☒

I.D. Lands

YES NO

☐

U.S. BLM

☒

U.S. Forest Service

☒

Water Dist. # _____

☒

Water Planning Bureau

☒

Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒

Affidavit of publication received:

☒

Application published correctly: If not, record action taken.

☒

Publication dates and paper recorded on application:

☐

Final date for protest

10-25-99☒

Protests received.

☒

Recommendations attached:

☒

Measuring device required:

☒

Water delivered by water master? District # _____

☒Special conditions of approval or cover letter: 046

See below for additional information

Recommended Date on Priority

9/20/99Recommended by: BayS

Date:

11/2/99**ADDITIONAL INFORMATION:**

STATE OF IDAHO)
)S.S
COUNTY OF ADAMS)

RECEIVED

OCT 21 1999

WATER RESOURCES
WESTERN REGION

Nancy Laker being duly sworn, deposes and says That she is the Principle Clerk of The Record, a weekly newspaper printed and published at Council, Adams County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the advertisement, a copy of which is attached hereto; that advertisement was published in the regular edition of The Record.


for two insertion(s) beginning with the
issue of Oct. 7, 1999 and ending with the
issue of Oct. 14, 1999.

Nancy Laker

Subscribed and sworn to before me this 19th day of
October, 1999

Janet Meyer

Notary Public for Idaho, Residing at



MICROFILMED
DEC 10 1999

RECEIVED
OCT 2 1966
WATER RESOURCES
WESTERN REGION

CITY OF DENVER
TO: HON. J. ROBERT
GOVERNOR

Subject: [illegible]

Re: [illegible]

Enclosed: [illegible]

Very truly yours,
[illegible]
Director, [illegible]

cc: [illegible]
[illegible]
[illegible]

Must also send a copy of [illegible]

Pub. [illegible]



HOLLADAY ENGINEERING CO.

ENGINEERS • CONSULTANTS

32 N. Main P.O. Box 235 Payette, ID 83661
(208) 642-3304 • Fax # (208) 642-2159

RECEIVED

SEP 20 1999

WATER RESOURCES
WESTERN REGION

September 16, 1999

Gary Spackman
Idaho Department of Water Resources
Western Region Office
2735 Airport Way
Boise, Idaho 83705

Dear Mr. Spackman:

Please find enclosed an application for a Water Right and an application for a Drill Permit. A check has been attached in the amount of \$250.00 (\$50.00 for the Water Right and \$200.00 for the Drill Permit). The proposed well is located at the City of Council's Wastewater Treatment Lagoons. The water from this well will be used as process water for the chlorine disinfection system and will not be used for potable supply.

If possible, the City would like to begin construction of the well by the first of November. If the water right can not be granted by this time, the City would like to proceed with construction of the well under the guidelines of a domestic use well with a diversion rate of 18 gpm and daily total withdrawal of 2500 gallons. After well construction it will take some time to complete the remainder of the chlorination system by which time the water right may be available.

I would like to request that both of these applications be expeditious processed to allow the City to build this system prior to the onset of winter. Please contact me if you need any additional information.

Sincerely,
HOLLADAY ENGINEERING COMPANY

Jack H Biddle
Jack H. Biddle P.G.

Enclosures

MICROFILMED
DEC 10 1999

REQUEST TO PROCESS

**COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW**

Name of Applicant

CITY OF COUNCIL

Mailing Address

P.O. Box 606COUNCIL, Id 83612Application No.
(if known)**IN LOCAL PUBLIC INTEREST**

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

*** WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY**

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Jack H. Biddle, P.G. FOR THE CITY OF COUNCIL

Date

9/30/99

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

MICROFILMED
DEC 10 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR
OCTOBER 1, 1999

Legal Notices Department
The Record
PO Box R
Council, ID 83612

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 25, 1999.

Yours truly,

A handwritten signature in cursive script, appearing to read 'Sue'.

SUE TAYLOR
Secretary/Office Coordinator

Encl.

MICROFILMED
DEC 10 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED
DEC 10 1985

67-08040

CITY OF COUNCIL
PO BOX 606
COUNCIL, ID 83612

Source: GROUNDWATER

Diversion Pt: SENWSW Sec 15 T 16N R 01W in ADAMS County.

Use: MUNICIPAL	(	0.060 CFS)
Total Diversion:	(	0.060 CFS)

Date Filed: 9/20/1999

In: ADAMS County	
T16N R01W S15	NWSW

Applicant agrees to mitigate consumptive use in the future as needed.

MICROFILMED

DEC 10 1999

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 for each application on or before OCTOBER 25, 1999. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 10/ 7/1999 & 10/14/1999

EXPRO-RE-12

DEC 10 1999