

COONROD GULCH QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)

2772 IV SE
(DODSON PASS)

INDIAN VALLEY 22 MI.

546

25'


547

R 1 W 330 000 FEET

549 R 1 E

116°22'30"


44°15'



No gov't
lots
- 9/23/97

MICROFILMED
JAN 12 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: None - office exam

MICROFILMED

JUN 25 1999

COONROD GULCH QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)

2772 IV SE
(DODSON PASS)



T 11 N
R 1 E
Sec. 31

No Gov. lots

JUN 25 1959
67-08007

APPURTENANT FEATURES CHECKLIST

DAM NAME Coyote Basin

DAM NUMBER D67-3007

JFW & DT

FEATURE

DAM HEIGHT

MAIN DAM

DIKE

MEASURING DEVICE

STRUCTURAL

13.4 Ft

HYDRAULIC

9.2 Ft

DAM CREST LENGTH

150 Ft

DAM CREST WIDTH

10 Ft

UPSTREAM SLOPE

~ 4:1

DOWNSTREAM SLOPE

~ 3:1

OUTLET SIZE

None

SECONDARY OUTLET SIZE

—

PRINCIPAL SPILLWAY

BASEWIDTH (DIA)

12 Ft

DEPTH

4.1 Ft

SIDESLOPES

1:1 Est.

AUXILIARY SPILLWAY

BASEWIDTH (DIA)

DEPTH


SIDESLOPES

OTHER (DESCRIBE)

Reservoir Capacity:

Surface area = 2 AC.

Storage Volume = 7 AC-Ft.



MICROFILMED

JUN 25 1999

COONROD GULCH QUADRANGLE
IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)

2772 IV SE
OODSON PASS


INDIAN VALLEY 22 MI.
25' 547

R.1W. | 330 000 FEET

549 R.1E.

116°22'30"

44°15'



T11N
R1E
Sec. 31
SWSW

No Gov. Lots

Coyote
Basin

BLM
Project
9084

67-08007

DEPARTMENT OF WATER RESOURCES

Western Region, 35 Airport Way, Boise, Idaho 83725-5082 - (208) 334-2190
FAX (208) 334-2348

DAM SAFETY PHOTOGRAPHS

Photos in the Dam Safety File

DAM NAME: COYOTE BASIN - BLM

ID: D67-8007 Project # 9084

DATE: 10/21/98 BY: J. Westra



Overview of the reservoir and dam.



Upstream slope of the embankment.

Downstream slope and toe, good condition.

MICROFILMED

JUN 25 1999

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 67-08007

Priority: September 16, 1997 Maximum Storage Volume: 0.7 AF

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 16, 1997; and
has submitted Proof of Beneficial Use on January 13, 1998. An examination indicates
that the works have a storage capacity of 0.700 af of water from:

UNNAMED STREAM tributary to NORTH CRANE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER STORAGE	01/01 to 12/31		0.7 AF
WILDLIFE STORAGE	01/01 to 12/31		0.7 AF
	Totals		0.7 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 31, Township 11N, Range 01E
WASHINGTON County

PLACE OF USE: STOCKWATER STORAGE

TWN RGE SEC

11N 01E 31 NWSW SWSW

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
2. The storage of water under this right is contingent upon continued certification by the Department of Water Resources under the dam safety provisions of the Idaho Code, authorizing storage.
3. This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.
4. Place of use is located within Foothills Allotment #362.
5. Place of use is locally known as Coyote Basin Project #9084.

UNRECORDED

11-2-98


State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 67-08007

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 30th day of

April, 1999.


Acting for KARL J. DREHER, Director

WATER RIGHT
APR 23 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 15 1998

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-08007 Telephone No. 384-3371

2. Name(s) of Permit Holder(s): US Dept. of Interior, Bureau of Land Management

3. Mailing Address: 3948 Development Ave., Boise, ID 83705

4. Source of Water: Stream Trib: N. Crane Creek If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: NA Drilling Permit Number: ____ - ____ - ____

b. **OPTIONAL:**

Pump Horsepower: ____ Pressure (psi): ____ Dynamic pumping level (ft): ____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): NA Stockwater (No. and type of stock): ____

Irrigation (No. of acres): NA Other: ____

6. Total rate of diversion and/or volume for which proof is submitted: ____ cfs OR 0.8 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ____ or No ____
Has the measuring device been installed? Yes ____ or No ____

Flow Measurement Port: Is a flow measurement port required? Yes ____ or No ____
Has the measurement port been installed? Yes ____ or No ____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Jon Haupt Telephone Number: ____

Address: Cascade Res. Area, 3948 Development Ave., Boise, ID 83705

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Christopher Woodward

(include your title, if on behalf of company or organization)

Date: 1-13-98

FEB 26 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-08007

Proposed Priority: September 16, 1997

Maximum Storage Volume:

0.8 AF

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705

has applied for a permit to appropriate water from:
UNNAMED STREAM tributary of NORTH CRANE CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER STORAGE	01/01 to 12/31		0.8 AF
WILDLIFE STORAGE	01/01 to 12/31		0.8 AF
	Totals		0.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 31, Township 11N, Range 01E
WASHINGTON County

PLACE OF USE: STOCKWATER STORAGE

TWN RGE SEC

11N 01E 31

NWSW

SWSW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1998.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
4. This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.
5. The storage of water under this right is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.
6. Place of use located within Coyote Basin Project #9084.
7. Stockwater use is for 200 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

2nd day of January, 1998.

MICROFILMED

JAN 12 1998

for

Karl J. Dreher, Director

RECEIVED

STATE OF IDAHO

Ident. No. 67-08007

SEP 16 1997
RECEIVED
WATER RESOURCES
WESTERN REGION
DEC 03 1997

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

North Crane Cr.
is Basin 67

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant US Dept. of the Interior, Bureau of Land Management Phone 384-3371
Mailing address 3948 Development Ave, Boise ID 83705

2. Source of water supply unnamed stream which is a tributary of North Crane Creek

3. Location of point of diversion is Township 11N. Range 1E. Sec. 31 in the NW 1/4, SW 1/4, SW 1/4, Govt. Lot —, B.M., Washington County;
additional points of diversion if any: —

4. Water will be used for the following purposes:

Amount 0.75 AF for Stockwater storage purposes from 1/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount ~~0.02 cfs~~ for ~~Stockwater~~ purposes from ~~1/01~~ to ~~12/31~~ (both dates inclusive) *

.8 Amount 0.75 AF for wildlife storage purposes from 1/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount ~~0.02 cfs~~ for ~~wildlife~~ purposes from ~~1/01~~ to ~~12/31~~ (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) ~~0.02 cfs~~ and/or (b) 0.75 - 8
cubic feet per second acre feet per annum *

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Earthfill dam

b. Height of storage dam 14' feet; active reservoir capacity 0.75 - 8 acre-feet; total *
reservoir capacity 0.75 - 8 acre-feet

c. Proposed well diameter is N/A inches; proposed depth of well is — feet

d. Is ground water with a temperature of greater than 85°F being sought? N/A

e. If well is already drilled, when? N/A; Drilling firm —
Well was drilled for (well owner) —; Drilling Permit No. —

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. —

b. Stockwatering; list number and kind of livestock. 200 cattle & misc wildlife *

c. Municipal; show name of municipality. —

d. Domestic; show number of households. —

e. Other; describe fully. —

FILED

* Onstream storage, cfs N/A.
Allow .8 AF capacity per IDWR standards.
Misc. wildlife per typical BLM project.

-sc 9/23/97

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N.	1E.	31										X	X						*

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? BLM - public land

b. Who owns the land to be irrigated or place of use? BLM - public land

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: This will be a new dam and reservoir. Pending the approval of the "Certificate to Appropriate Water," construction is scheduled for October 1997 or spring 1998.

Comments { P/D clearly 1 AQ but P/L appears 2 AQ per topo. Use is for 200 range cattle & misc. wildlife.

Project is Coyote Basin, Project #9084.

Allow refill/loss component for onstream storage

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

* P/L 2 AQ per topo.
Note pld is 1 AQ per topo.
Comments per IOWR standards & Appl. info. -gc 9/23/97

MICROFILMED

JAN 12 1998

Thomas M. Woodward, Act
Signature of Applicant (and title, if applicable)


Received by KL Date 9/16/97 Time 2:41 Preliminary check by FL
Fee \$ 30.00 Receipted by KL # 11023068 Date 9/16/97
Publication prepared by AT Date 9-25-97 Published in Western Record 10-2-97
Publication approved AT Date 11-13-97

COONROD GULCH QUADRANGLE

IDAHO

7.5 MINUTE SERIES (TOPOGRAPHIC)

2772 IV SE
(OODSON PASS)



No govt
lots
- 9/23/97

MICROFILMED
APR 2 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 3, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705

RE: WATER RIGHTS 67-08007/67-08009

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water right have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


JUN 2 1999

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of May, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDERS (Approved Licenses) to the person(s) listed below:

Water Rights 67-08007/67-08009

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705


Kari Lynn Townsend
Secretary

REC'D - BLM

JUN 25 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

REC'D
JUN 25 1997

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

RECEIVED
MAR 25 1997

B/U FIELD EXAM REVIEW

by Andy DonPermit #: 67-8007 Name: BLM Date: 4/26/99 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source _____
Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Addn'l 1/4? _____ Legal _____ P39
Same 1/4? _____ W32 _____ P45
Overlap(s) none

P/U ✓ Amendment Needed? _____ P41
Overlap(s) none
(Gov't use special ¶s) _____ *P/D & P/U Amend? P37

~~RATE~~ ✓ Permit/proof fee limits _____ /
Measured Quantity = _____ cfs Theoretical Quantity = _____ cfs

✓ Recommended capacity _____ cfs
Recommended rate _____ cfs

VOLUME ✓ Season: (_____ / _____) 1/1 - 12/31 = _____ days
Calculations: _____

per dam safety inspection report, capacity = 0.7 AF

✓ Flow limit: _____ cfs x _____ days/yr. x 1.9835 = _____ AF
Recommended volume 0.7 AF

USES ✓ Same Nature of Use? _____ P46
Amendment Needed? _____

REMARKS ✓ Multiple p/d's in same 1/4? Use W32
✓ ① FH Allotment #362 ② Coyote Basin Proj 9084

CONDITIONS ✓ Measuring Device (R43) or Lockable Controlling Works (R02)
R04 Watermaster Control (R04) - WD # 67
Irrigation rate/annual volume overlap
GW irrigation replaces surface water (050)
GW irrigation supplements surface water (065)
Water Quality
R40 Other R37

PRIORITY App Rcd 9/16/99 Due 12/1/98 Rcd 1/13/98
Receipt# W023366 Fee OK? Yes No \$ 50
Order to Reinstatement Needed? Yes No Done? _____ Advanced to: _____
Priority 9/16/99 Examined 8/12/98

COMMENTS: limited capacity per dam safety inspection report

USE	CFS	VOLUME
<u>Stock Stor</u>	<u>-</u>	<u>0.7</u>
<u>WL Stor</u>	<u>-</u>	<u>0.7</u>
<u>✓</u>	<u>✓</u>	<u>✓</u>
TOTAL	<u>0</u>	<u>0.7</u>

SRBA Overlap none
Adjustment Memo ✓
LICENSE
#1 AMEND: _____ /P38
#2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: April 27, 1999
TO: File No. 67-8007
FROM: Cindy Lou Zimmerman *CS*
SUBJECT: Review of Beneficial Use Field Report

The original exam was returned to region for "as-built" plans or other verification of construction as required by Permit Processing Administrative Memorandum No. 8. The exam was re-sent to state office along with a copy of the department's dam safety inspection report since "as-built" plans were not available from BLM. The dam safety report calculates the capacity of the reservoir at 0.7 AF. The permit allowed development of up to 0.8 AF.

The following adjustments¹ were made on the field report:

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Stockwater	1/1-12/31	NA	<u>0.7</u> AF
	Totals:	NA	<u>0.7</u> AF

Examiner: Dan Tomich
Examined: August 12, 1998

¹ Adjustments are **bolded and underlined**.

MEMORANDUM

RECEIVED
MAR 09 1999
Department of Water Resources

Date: March 9, 1999
To: Cindy Zimmerman
From: Dan Tomich
Subj.: BLM Field Exams, Verification of Construction,
67-08007, 67-08008, and 67-08009.

For verification of construction, I added a couple of paragraphs to the report on how the information was obtained from BLM, and a copy of the Safety of Dams report for each water right.

The dams and reservoirs for stockwater on these rights were constructed by BLM Equipment Operators after being located and staked by BLM engineering personnel in the Operations Division. Normally, the engineering personnel visit the sites during construction, and check the project at completion. However, the equipment operators normally do not develop "as built" drawings or correct the location, if needed, on the map. The engineering personnel are required to do "as built" drawings, correct map locations as needed, do a construction report, cost report, and some other documentation for the project file. This work is very seldom done due to lack of time and engineering funding. The BLM office only has one engineer and one engineering technician to do all the engineering services for the four resource areas in the district.

I went out with John Westra on the Safety of Dams initial inspection and survey for these rights, and a copy of the report is enclosed for each site.

I would recommend that we do field exams on all Federal water rights as there are not a large number of new permits, and we could work them in with other exams in the same area.

Let me know if you need anything else on these or others! (I'm sure you will!).

Dan Tomich

Dan Tomich

MICROFILMED

JUN 25 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

67-08007

RECEIVED
DEC 04 1998

A. GENERAL INFORMATION

Permit No. 67-08007

1. Owner: U.S. Dept. of Interior
Bureau of Land Management Phone No. (208) 384-3371

Current Address: 3948 Development Av., Boise, ID 83705

2. Accompanied by: Jon Haupt EXAM DATE: 8-12-98

Address: (Same) Phone No. 384-3371

Relationship to Permit Holder: BLM - Rangeland Manage. Spec.

3. Source: Unnamed Stream tributary to North Crane Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	31	11N	1E	Wash.	Office Exam, Map

2. Place(s) of Use:


Indicate Method of Determination Office Exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	1E	31										5	5						
												ω	ω						

RECEIVED

DEC 21 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - office exam

MONITORING

JUN 24 1999

E. NARRATIVE/REMARKS/COMMENTS

1. This was done as an office exam at the BLM office in Boise.

2. This is a new dam and reservoir constructed in Oct., 1997.

3. The project is called Coyote Basin, and is BLM Project # 9084.

4. The project provides water for the BLM Foothills Allotment #362 with the following grazing periods:

86 Head 4/15 to 5/15

160 Head 5/16 to 6/15

208 Head 6/16 to 9/30

The Permit and ~~grant~~ only allows 200 Head of range cattle.

5. Information was obtained from notes in the BLM file and ~~conversations~~ ^{conversations} with Jan Haupt, and John Ryan (Operations Div.)

There are no "as-built" drawings in the BLM files, or "as-built" location marked on the map. The dam and reservoir was built by BLM Equipment Operators.

Normally, the Equipment Operators do not make "as-built" drawings or check the location on the map; and the small (2) engineering staff does not

Have conditions of permit approval been met? ☒ yes ☐ no have time to do this work.

6. A Safety of Dams inspection was conducted to the site on 10-21-98 and a copy of the Dam Inspection Report is enclosed.

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None - office exam

For 200 Head, $Q_{\text{allowed}} = 0.05 \text{ cfs}$

$$\text{Vol. Reservoir} = \left[\left(\frac{1}{2} \right) (150') (119') (13.4' - 4.1') \right] \frac{AF}{(66)(66)(10)} = 1.91 \text{ AFA Storage}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: Stockwater

$$\begin{aligned} 1) \text{ AFA} &= \left(\frac{12 \text{ GPD}}{\text{Head}} \right) \left(\frac{200}{200 \text{ Head}} \right) \left(\frac{105 \text{ Days}}{\text{Ann.}} \right) \left(\frac{AF}{325,850 \text{ Gal.}} \right) = 0.80 \text{ AFA} \\ 2) \text{ AFA} &= (12)(160)(30) \left(\frac{AF}{325,850} \right) = 0.20 \\ 3) \text{ AFA} &= (12)(186)(30) \left(\frac{AF}{325,850} \right) = 0.10 \end{aligned}$$

H. RECOMMENDATIONS

Total 1.10 AFA

1. Recommended Amounts

Allow 0.8 AFA

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>Stockwater Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>0.80</u>
<u>Wildlife Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>0.80</u>
Totals:				<u>0.80</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Don Zambich Date 12-1-98

Reviewer _____ Date _____

SEAL

NOV 23 1998

E. NARRATIVE/REMARKS/COMMENTS

1. This was done as an office exam at the BLM office in Boise.

2. This is a new dam and reservoir constructed in Oct., 1997.

3. The project is called Coyote Basin, and is BLM Project # 9084.

4. The project provides water for the BLM Foothills Allotment #362 with the following grazing periods:

86 Head 4/15 to 5/15

160 Head 5/16 to 6/15

208 Head 6/16 to 9/30.

The Permit and ~~permit~~ only allows 200 Head of range cattle.

5. Information was obtained from notes in the BLM file and ~~conversations~~ ^{conversations} with Jim Haupt, and John Ryan (Operations Div.)

There are no "as-built" drawings in the BLM files, or "as-built" location marked on the map. The dam and reservoir was built by BLM Equipment Operators.

Normally, the Equipment Operators do not make "as-built" drawings or check the location on the

map; and the small (2) engineering staff does not

Have conditions of permit approval been met? ☒ yes ☐ no have time to do this work.

6. A Safety of Dams inspection was conducted to the site on 10-21-98 and a copy of the Dam Inspection Report is enclosed.

COONROD GULCH QUADRANGLE IDAHO 7.5 MINUTE SERIES (TOPOGRAPHIC)

2772 IV SE
(DODSON PASS)


INDIAN VALLEY 22 MI.

R. 1 W. | 330 000 FEET

549 R. 1 E.

116° 22' 30"

44° 15'



T 11 N
R 1 E
Sec. 31

No Gov. Lots

67-08007

For 65-13747
65-13747

67-08009
67-08007

6 08008

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
GRAZING PERMIT

BOISE DISTRICT OFFICE

STATE ID
OFFICE 014
OPERATOR NUMBER 111160
PREFERENCE CODE 03
DATE PRINTED 01/10/96
TERM 03/01/1996 TO 02/28/2001

WALT LITTLE RANCHES
C/O EVELYN LITTLE
6420 LITTLE LANE
NEW PLYMOUTH, ID 83655

BUREAU OF LAND MANAGEMENT
CASCADE R.A.
3948 DEVELOPMENT AVE
BOISE, ID 83705

THIS GRAZING PERMIT IS OFFERED TO YOU BASED ON YOUR RECOGNIZED GRAZING PREFERENCE ON THE PUBLIC LANDS AND/OR OTHER LANDS ADMINISTERED BY THE BLM. YOU ARE AUTHORIZED TO MAKE GRAZING USE TO THE EXTENT OF YOUR ACTIVE GRAZING PREFERENCE AS SHOWN BELOW UPON YOUR ACCEPTANCE OF THE TERMS AND CONDITIONS INCORPORATED HEREIN AND YOUR PAYMENT OF GRAZING FEES.

ALLOT	LIVESTOCK	GRAZING PERIOD	TYPE	
PASTURE	NUMBER KIND	BEGIN END	%PL USE	AUM'S
00176 BLACK CANYON	88 CATTLE	03/01 06/15	86 ACTIVE	266
	88 CATTLE	10/01 02/28	86 ACTIVE	376
00177 BIG FLAT	21 CATTLE	04/01 06/30	100 ACTIVE	63
00362 FOOTHILLS	86 CATTLE	04/15 05/15	80 ACTIVE	70
	160 CATTLE	05/16 06/15	80 ACTIVE	130
	208 CATTLE	06/16 09/30	80 ACTIVE	585

TERMS AND CONDITIONS:

PENDING THE RESULTS OF ANNUAL UTILIZATION AND TREND STUDIES, 250 AUMS, ON THE FOOTHILLS ALLOTMENT #362, ARE PLACED IN CONSERVATION USE. MONITORING MUST INDICATE ANNUAL USE LEVELS FALL WITHIN THE PRESCRIBED LIMITS OF 50% OR LESS BEFORE TOTAL PREFERENCE MAY BE ACTIVATED (43 CFR 4130.2(G)(1)).

THE BIG FLAT ALLOTMENT #177 WILL NOT BE RESTRICTED TO THE LIVESTOCK NUMBERS AND SEASON OF USE AS STATED ABOVE SO LONG AS WATERSHED DETERIORATION DOES NOT OCCUR.

TURN-OUT IS SUBJECT TO BOISE DISTRICT RANGE READINESS CRITERIA.

YOUR CERTIFIED ACTUAL USE REPORT IS DUE WITHIN 15 DAYS OF COMPLETING YOUR AUTHORIZED ANNUAL GRAZING USE.

STATE OF IDAHO

Department of Water Resources

DAM INSPECTION REPORT

Dam name: Counte Basin - BLM File No: D67-8007

Date: 10/21/98 Time: 9:30 Am Photos: X Yes No

Weather Conditions: Clear cool Temperature: 50's

Ground Condition (wet, muddy, dry, snow covered, etc.): dry

Condition of Dam (maintenance problems): The facility is in good condition

Reservoir Condition (ice covered, low, spilling, etc.): Small Puddle

Reservoir Stage (gage ht.):

Percentage Full (by volume):

Inflow to Reservoir: None

Outflow From Reservoir: None

Seepage Conditions: None

Spillway Open: X Yes Flashboards Other obstructions (if other than 'yes' explain)

Comments or Remarks: Constructed in 1907

The facility is well constructed. Spillway has not been used
at this point, but should function well.

No problems noted

Inspector: J. W. Winters, Western Reg.
Don Tomich, Western Reg.

MICROFILMED
JUN 24 1999

67-08007

APPURTENANT FEATURES CHECKLIST

DAM NAME Coyote Basin

DAM NUMBER D67-3007

JFW & DT

FEATURE

DAM HEIGHT

STRUCTURAL

MAIN DAM

13.4 Ft

DIKE

MEASURING DEVICE

HYDRAULIC

9.3 Ft

DAM CREST LENGTH

150 Ft

DAM CREST WIDTH

10 Ft

UPSTREAM SLOPE

~ 4:1

DOWNSTREAM SLOPE

~ 3:1

OUTLET SIZE

None

SECONDARY OUTLET SIZE

—

PRINCIPAL SPILLWAY

BASEWIDTH (DIA)

12 Ft

DEPTH

4.1 Ft

SIDESLOPES

1:1 Est.

AUXILIARY SPILLWAY

BASEWIDTH (DIA)

DEPTH

SIDESLOPES

OTHER (DESCRIBE)


Reservoir Capacity:

Surface area

= .2 AC.

Storage Volume

= .7 AC-Ft.



MICROFILMED

JUN 25 1969

COONROD GULCH QUADRANGLE
IDAHO

7.5 MINUTE SERIES (TOPOGRAPHIC)


2772 IV SE
1000SON PASS

INDIAN VALLEY 22 ML
25' 547

R.1W. 330 000 FEET

149 R.1E.

116°22'30"
44°15'



T11N
R1E
Sec. 31
SWSW

No Gov. Lots

Coyote
Basin

BLM
Project
9084

67-08007

DEPARTMENT OF WATER RESOURCES

Western Region, 35 Airport Way, Boise, Idaho 83725-5082 - (208) 334-2190

FAX (208) 334-2348

DAM SAFETY PHOTOGRAPHS

Photos in the Dam Safety File

DAM NAME: COYOTE BASIN - BLM

D: D67-8007 Project # 9084

DATE: 10/21/98 BY: J. Westra



Overview of the reservoir and dam.



Upstream slope of the embankment.

Downstream slope and toe, good condition.

REPRO FILMED

NOV 25 1998

MEMORANDUM

DATE: February 4, 1999
TO: Steve Lester, Western Region
FROM: Cindy Zimmermans
THRU: Shelley Keen (SWK)
SUBJECT: BLM field exams

RECEIVED

FEB 08 1999

WATER RESOURCES
WESTERN REGION

The attached field exams on 67-08007, 67-08008, & 67-08009 do not contain the information required under Permit Processing Administrative Memorandum No. 8 (copy attached). Specifically, "as-built" plans or other verification of construction were not included in the field exams.

In follow-up to our telephone conversation this afternoon, I am returning these exams to you for verification of my findings and any action you deem appropriate.

Thanks,

Cindy

MICROFILMED
JUN 25 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 26, 1998

BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-08007

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's Western Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

RECEIVED
FEB 26 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 7, 1998

PHILIP E. BATT
GOVERNOR

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMITS 65-13747/67-08007

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permits authorizing you to establish new water rights. Please be sure to thoroughly review the conditions of approval and remarks listed on your permits.

The permits are preliminary orders issued by IDWR pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.


Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

If the diversion dam is 10 feet or more in height, or has an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

MICROFILMED

JAN 12 1998

SWK:klt
Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 7th day of January, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Permits 65-13747/67-08007

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 837059


Kari Lynn Townsend
Secretary

MICROFILMED

JAN 12 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

TO: File Nos. 67-08007
FROM: Cindy Zimmerman *CS*
SUBJECT: Telephone Conversation
DATE: December 29, 1997

Per telecon today with Gerald Myers, watermaster of district no. 67, no measuring device is necessary for his control of these diversions.

MICROFILMED
JAN 12 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 22, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Gerald Myers
HC 70 Box 2010
Midvale ID 83645

RE: Applications for Permit Nos. 67-08007 & 67-08008

Dear Mr. Myers,

Enclosed are copies of applications for water rights within your water district. These applications represent development for stockwater and wildlife storage facilities. A standard condition put on approved permits for storage located within water districts is:

The right holder shall install/maintain permanent measuring devices in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.

The purpose of this condition is to give you the ability to regulate the diversions. It is possible, however, that measuring devices may not be necessary for the regulation of some small reservoirs.

The purpose of this letter is to seek your comment on including this condition on the permits. Please review the applications and the condition. I will hold processing on the applications for 14 days pending your response. For your convenience, I have provided a self-addressed pre-posted envelope.

If I do not receive a response from you within the 14 day period, I will assume that you agree with including the condition on the permits. If you have questions or need additional information, you may contact me directly at (208) 327-7944.

Respectfully,

Cindy Zimmerman
Water Resource Agent

Enclosures

MACROFILMED

JAN 12 1998

DEC 03 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: JL DATE: 9/23/97 APPLICATION: 67-08007

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:
- Gov't. Lots: N P/D
P/U

ADDITIONAL INFORMATION

N/A ADVERTISE REMARK(S)
(Reviewer identify which remarks)

N/A T FLAG CHANGED TO P FLAG

YES NO

- ☐ ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☐ ☒ Overlapping point of diversion.
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ 1992 moratorium:
- ☒ ☐ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☐ Copy to Dam Safety staff: (for any storage)
- ☐ ☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
- NON-PERENNIAL*

NOTE: PER BULL TROUT MAP - not in impact area so N/A

DATE REQUESTED

PROCESSING

APP. NO. 67-

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO:YES NO
☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands
YES NO
☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Other _____
*Copy to J.W.*FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐

Publication dates and paper recorded on application:

Final date for protest 10-20-97

Protests received.

Resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

See below for additional information

Recommended Date or Priority 9/6/97Recommended by: GrayDate: 11/28/97STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:Allow Refill/loss component for instream storage.Although storage amount is minor, dam size is fairly significant.Overlap - None.See Appl. Comments.

No 907

RECEIVED

NOV - 3 1997

WATER RESOURCES
WESTERN REGION

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Washington }ss.

Sarah Boles, being duly sworn,
deposes and says:

That he/she is the clerk of
THE WEISER SIGNAL AMERICAN, a bi-weekly newspaper
published at Weiser, in the County of Washington and State of
Idaho; that said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the adver-
tisement, a copy of which is attached hereto, was published in

said newspaper once a week for two consecutive weeks in
the regular and entire issue of said paper during the period and
time of publication, and was published in the newspaper proper
and not in a supplement; that said paper has been established and
regularly published for more than seventy-eight consecutive weeks
prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with
October 1, 1997, and ending
with the issue of October 8, 1997.

Sarah Boles
Fees, \$ 225.74

Subscribed and sworn to before me this 8
day of October, 1997.

Notary Public, residing at Weiser, Idaho.

My commission expires Feb, 1902.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to
appropriate the public waters of the State of Idaho:

65-13747

US DEPT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE.
BOISE, ID 83705

Source: UNNAMED STREAM
Tributary: LITTLE WILLOW CREEK

Diversion Pt: NWNWNW Sec 17 T 10N R 01W in
WASHINGTON County.

Use: STOCKWATER STORAGE (1.50 AF)
WILDLIFE STORAGE (1.50 AF)
Total Diversion: (1.50 AF)

Date Filed: 9/16/1997

In: WASHINGTON County
T10N R01W S17 NWNW

65-13748

US DEPT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE.
BOISE, ID 83705

Source: UNNAMED STREAM
Tributary: LITTLE WILLOW CREEK

Diversion Pt: NESE Sec 8 T 10N R 01W in WASH-
INGTON County.

Use: STOCKWATER STORAGE (0.80 AF)
WILDLIFE STORAGE (0.80 AF)
Total Diversion: (0.800 CFS)

Date Filed: 9/16/1997

In: WASHINGTON County
T10N R01W S08 NESE

67-08007

US DEPT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE.
BOISE, ID 83705

Source: UNNAMED STREAM
Tributary: NORTH CRANE CREEK

Diversion Pt: NWSWSW Sec 3 T 11N R 01E in
WASHINGTON County.

Use: STOCKWATER STORAGE (0.80 AF)
WILDLIFE STORAGE (0.80 AF)
Total Diversion: (0.80 AF)

Date Filed: 9/16/1997

In: WASHINGTON County
T11N R01E S31 NWSW SWSW

67-08008

US DEPT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE.
BOISE, ID 83705

Source: CABIN CREEK
Tributary: NORTH CRANE CREEK

Diversion Pt: SWSW Sec 5 T 10N R 01E in WASH-
INGTON County.
SESW Sec 5 T 10N R 01E in WASHINGTON
County.

Use: STOCKWATER STORAGE (2.50 AF)
WILDLIFE STORAGE (2.50 AF)
Total Diversion: (2.50 AF)

Date Filed: 9/16/1997

In: WASHINGTON County
T10N R01E S05 SWSW SESW

Permits will be subject to all prior water rights.
Protests may be submitted based on the criteria of
Sec. 42-203A, Idaho Code. Any protest against
the approval of this application must be filed with
the Director, Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho 83705
together with a protest fee of \$25.00 on or before
OCTOBER 20, 1997. The protestant must also
send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 10/2/1997 & 10/9/1997.

MICROFILMED

JAN 12 1998

RECEIVED

66-2S

67-08007

US DEPT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE, ID 83705

Source: UNNAMED STREAM

Tributary: NORTH CRANE CREEK

Diversion Pt: NWSWSW Sec 31 T 11N R 01E in WASHINGTON County.

Use: STOCKWATER STORAGE	(	0.80 AF)
WILDLIFE STORAGE	(	0.80 AF)
Total Diversion:	(	0.80 AF)

Date Filed: 9/16/1997

In: WASHINGTON County
T11N R01E S31

NWSW

SWSW

MICROFILMED
JAN 12 1998