

Section 28, Township 11 N, Range 5 W
 Property boundary shown in red.
 Well shown in purple.
 Areas of use in green

True Point
 of Beginning

50°09'34" W (BASIS OF BEARING)



To the
 point of
 Termination
 COMPLIMENTS OF

Weiser Valley
 Title

THIS SKETCH IS FURNISHED
 TO ASSIST IN PROPERTY
 LOCATION AND THE COMPANY
 DOES NOT GUARANTEE
 ITS ACCURACY


LEGEND

- FOUND 5/8" REBAR
- SET 1/2" REBAR W/CAP MARKED MULLIN 247
- CENTERLINE OF INGRESS-EGRESS EASEMENT
- PREVIOUS SURVEY LINE - AERO GEOMETRICS, INC., 1972
- PREVIOUSLY RECORDED - AERO GEOMETRICS, INC., BOOK OF SURVEYS, PAGE 23, 1979.

APR 14 1995



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	3/4	E-GF10507-12		1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

pump set ~150' TD=160' per owner
 pressure tank 45 psi runs 2 1/2" hoses
 Weiser pump & pipe runs 35 psi avg

MICROFILMED

Section 28, Township 11 N, Range 5 W
 Property boundary sketch
 well shown in blue.
 Area of use in green



LEGEND

- FOUND 5/8" REBAR
- SET 1/2" REBAR W/CAP MARKER MULLIN 2474
- CENTERLINE OF IMPROVEMENTS EASTERN
- PREVIOUS SURVEY LINE ALONG GROUND SURFACE
- PREVIOUSLY RECORDED - AERO GEOMETRIC, N.T.S. 1972
- OF SURVEY, PAGE 23, 1979.

THIS SKETCH IS PREPARED
 TO ASSIST IN PROPERTY
 LOCATION AND THE COMPANY
 DOES NOT GUARANTEE
 ITS ACCURACY

Termination
 point of
 Weiser Valley
 Tile

To the
 point of
 Termination
 COMPLIMENTS OF

MICROFILMED
 JUN 10 1987
 67-7982

MICROFILMED
JUN 10 1997



P/O



P/u, garden

MICROFILMED
JUN 10 1997

67-7982



P/u, home &
lawn



P/u, orchard
(foreground)

MICROFILMED
JUN 10 1997

67-7982

RECEIVED

FEB 02 1995

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.Sarah Bales, being duly sworn,
deposes and says:That he is the clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.Such notice was published in the issue beginning with
January 18, 1995, and ending
with the issue of January 25, 1995.Sarah Bales
Fees, \$ 69.80Subscribed and sworn to before me this 25
day of January, 1995Judith Parsons
Notary Public, Residing at Weiser, Idaho.My Commission Expires 2, 1996No. 324
NOTICE OF APPLICATION
FOR WATER RIGHTThe Following application(s) have been filed to
appropriate the public waters of the State of Idaho:

67-07982

GETTLE, MICHAEL N.
GETTLE, JEANNE M.
1410 E. 9TH ST.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWSW Sec 28 T 11N R 05W in
WASHINGTON County.
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.070 CFS)
Date Filed: 1/5/1995
In: WASHINGTON County
T11N R05W S28 SWSW
1.0 ACRES TOTALPermits will be subject to all prior water rights.
Protests may be submitted based on the criteria of
Sec. 42-203A, Idaho Code. Any protest against
the approval of this application must be filed with
the Director, Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho 83705
together with a protest fee of \$25.00 on or before
FEBRUARY 6, 1995. The protestant must also
send a copy of the protest to the applicant.R. KEITH HIGGINSON, Director
Published: 1/19/1995 & 1/26/1995

96-2S

RECEIVED

FEB 03 1995

WATER RESOURCES
WESTERN REGION

APR 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07982

Priority: January 5, 1995

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.2 AF

This is to certify, that MICHAEL N GETTLE
JEANNE M GETTLE

1410 E 9TH ST
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 5, 1995; and has submitted Proof of Beneficial Use on March 21, 1995. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 28, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	28	SWSW	0.8		0.8

Total number of acres irrigated: 0.8

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

JUN 10 1997

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 67-07982

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights for irrigation use shall provide no more than 0.02 cfs nor more than 3.6 afa for the lands described above.
6. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
7. Domestic use under this right is limited to the total annual diversion volume of 0.6 af.
8. Some or all of the water use authorized by this right is claimed with an earlier priority date on Snake River Basin Adjudication claim no. A67-10736. In the event that claim A67-10736 is decreed as claimed, the Director may amend or revoke this right to eliminate any redundancy of water rights.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2ND day of JUNE, 1997.

Acting for

KARL J. DREHER, Director

RECORDED
JUN 10 1997

RECEIVED

MAR 21 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07982 Telephone No. (208) 549-3121

2. Name(s) of Permit Holder(s): Michael N. Gettle Jeanne M. Gettle

3. Mailing Address: 1410 E 9th St Weiser, ID 83672

4. Source of Water: groundwater If **GROUNDWATER** (well), Date Drilled: mo. approx. yr. 1968

a. Well Driller: unknown Drilling Permit Number: unknown

The well was already drilled when we bought the place in 1986

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.07 cfs OR _____ acre feet

7. Measuring Device Requirement: **(refer to the approval conditions on your permit and respond accordingly)**
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No X

Has the measurement port been installed?

Yes _____ or No _____

8. Fee Enclosed: \$ 50. (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Michael N. Gettle Telephone Number: (208) 549-3121

(208) 549-2420 (work)

Address: 1410 E. 9th St. Weiser, ID 83672

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Michael N. Gettle Date: APR 1 3/26/45 1995
(include your title, if on behalf of company or organization)

Jeanne M. Gettle

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 67-07982

Proposed Priority: January 5, 1995

Maximum Diversion Rate:

0.07 CFS

This is to certify, that **MICHAEL N GETTLE**
JEANNE M GETTLE
1410 E 9TH ST
WEISER ID 83672

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 28, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	28	SWSW	1.0		1.0

Total number of acres irrigated: 1.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1996**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

13th day of March, 1995

[Signature]
for R. Keith Higginson, Director

APR 14 1995

RECEIVED
MAR 07 1995

Ident. No. 67-07982

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: MICHAEL N GETTLE 208-549-3121
Address: 1410 E 9TH ST
WEISER ID 83672
AND/OR
Name: JEANNE M GETTLE 208-549-3121
Address: 1410 E 9TH ST
WEISER ID 83672

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSW Sec. 28, Township 11N, Range 05W
WASHINGTON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.030		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.070 CFS (and/or) AF

6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP AND PIPELINE
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

APR 14 1995

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
11N	05W	28	SWSW 1			1

Total number of acres irrigated: 1

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?
APPLICANT
- b. Who owns the land to be irrigated or place of use?
APPLICANT
- c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Domestic use is for one home.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 50.00 Receipted by _____ #W018487 Date 1/ 5/1995

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

4935

Comments: Date: 1/ 9/1995 User-ID: CHODGES

Subject:
EXISTING SYSTEM

This is an existing system that has been used for irrigation since 1989. A portion of the use may be covered under SRBA claim A67-10736.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JAN 05 1995

WATER RESOURCES
WESTERN REGION

To appropriate the public waters of the State of Idaho

1. Name of applicant Michael N. or Jeanne M. Gattle Phone (208) 549-3121

Post office address 1410 E. 9th St. Weiser, ID 83672

2. Source of water supply groundwater which is a tributary of N/A

3. Location of point of diversion is SW 1/4 of SW 1/4 of Govt. Lot

Sec. 28 Township 11N Range 5W B.M. Washington County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.03 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.07 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well 160' feet deep, 3/4 hp submersible pump, pipe approx. 150 feet from well to house.

b. Height of storage dam none feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? no

e. If well is already drilled, when? approx. 1968; Drilling firm unknown;

Well was drilled for (well owner) Marlin Matthews

APR 14 1995

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

1 year years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. one
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	5W	28											I						I
		28											D						

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? applicant
- Who owns the land to be irrigated or place of use? applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This is an existing system that has been used for irrigation since 1989.
See SRBA claim # A67-10736

APR 14 1995

of True Point
of Beginning



FOUND 5/8" REBAR
SET 1/2" REBAR W/CAP MARKER MULLINS 247
CENTERLINE OF INGRESS-EGRESS TARPING
PREVIOUS SURVEY / LINE ALONG GEOMETRICS. INC. 1972
PREVIOUSLY RECORDED - AERO GEOMETRICS. 474, BOOK
OF SURVEYS. PAGE 23, 1979.

APR 14 1995

To the
point of
Termination


COMPLIMENTS OF

Weiser Valley

Title

THIS SKETCH IS FURNISHED
TO ASSIST IN PROPERTY
LOCATION AND THE COMPANY
DOES NOT GUARANTEE
ITS ACCURACY.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael N. Little
Jeanne M. Little
Applicants

Received by VR Date 1-5-95 Time 11:25am Preliminary check by Cyt
Fee \$ 50.00 Receipted by ~~VR~~ VR # W018487 Date 1-5-95
Publication prepared by At Date 1-11-95 Published in Water Signal
Publication approved At Date 2-3-95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
APR 14 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 2, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MICHAEL N GETTLE
JEANNE M GETTLE
1410 E 9TH ST
WEISER ID 83672

RE: WATER RIGHT NO. 67-07982

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED
JUN 4 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

104 10 157

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 2nd day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07982

MICHAEL N GETTLE
JEANNE M GETTLE
1410 E 9TH ST
WEISER ID 83672


Kari Lynn Townsend
Secretary

67-07982
JUN 19 1997

B/U FIELD EXAM REVIEW

Cindy Zimmerman

Permit #: 67-1982 Name: Yettie Date: 5/28/97 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source _____
_____ Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? As P39
 Overlap(s) A67-10736(dom)

P/U ✓ Amendment Needed? reduce to 0.8 acres P41
 Overlap(s) A67-10736(dom)
 (Gov't use special T's) *P/D & P/U Amend? P37

RATE ✓ Permit/proof fee limits 0.07 / 0.20
✓ Measured Quantity = _____ cfs Theoretical Quantity = _____ cfs

$$\text{irr } 0.8 \text{ ac} \times 0.03 \text{ cfs/ac} = 0.02 \text{ cfs; dom } = 0.02 \text{ cfs}$$

$$\text{(HP) } \frac{8.8 \times 0.70 \times 0.75}{160 + (2.31 \times 35)} = 0.02 \text{ cfs}$$

✓ Recommended capacity 0.02 cfs
✓ Recommended rate 0.02 cfs

VOLUME ✓ Season: (D 1 4.5) 3/15 - 11/15 = 246 days
 Calculations:

$$\text{irr: } 0.8 \text{ ac} \times 4.5 \text{ AF/ac} = 3.6 \text{ AF}$$

$$\text{dom: } 1 \text{ hr} \times 0.6 \text{ AF/hr} = 0.6 \text{ AF}$$

$$\text{Flow limit: } 0.02 \text{ cfs} \times 246 \text{ days/yr.} \times 1.9835 = 9.8 \text{ AF}$$
Recommended volume 0.6 + 3.6 = 4.2 AF

USES ✓ Same Nature of Use? includes domestic P46
_____ Amendment Needed? _____

REMARKS ✓ Multiple p/d's in same 1/4? Use W32 _____
✓ (1) W31 (2) W37

CONDITIONS _____ Measuring Device (R43) or Lockable Controlling Works (R02)
_____ Watermaster Control (R04) - WD # _____
_____ Irrigation rate/annual volume overlap
_____ GW irrigation replaces surface water (050)
_____ GW irrigation supplements surface water (065)
_____ Water Quality
_____ Other _____

PRIORITY App Rod 1/5/95 Due 3/1/96 Rcd 3/21/95
 Receipt# 0032345 Fee OK? (Yes) No
 Order to Reinstate Needed? Yes No Done? _____ Advanced to: _____
 Priority 1/5/95 Examined 9/19/95

COMMENTS: flow limited by capacity

USE	CFS	VOLUME
<u>irr</u>	<u>0.02</u>	<u>3.6</u>
<u>Dom</u>	<u>0.02</u>	<u>0.6</u>
<u>TOTAL</u>	<u>0.02</u>	<u>4.2</u>

SRBA Overlap A67-10736(dom)
 Adjustment Memo ✓
 LICENSE LTR: P49
 #1 AMEND LTR: _____ P38
 #2 AMEND LTR: P42/P47

MEMORANDUM

DATE: May 30, 1997
TO: File No. 67-07982
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

The following adjustments¹ were made on the field report to correct the field headgauged annual volume and to include the permitted domestic use:

F. Flow Calculations.

$$\text{Capacity; HP} = \frac{8.8 \times 0.7 \times 0.75}{160 + (2.31 \times 35)} = \frac{4.62}{240.85} = 0.02 \text{ cfs.}$$

- a. Irrigation = acres x cfs/acre = 0.8 x 0.03 = 0.02 cfs
- b. Domestic, 1 home, internal use only = 0.02 cfs.
- c. Maximum rate of flow, limited to capacity = 0.02 + 0.02 = 0.02 cfs.

G. Volume Calculations.

a. Irrigation.

$$V_{D.R.} = \text{acres} \times \text{AF/acre} = \underline{0.8} \times \underline{4.5} = \underline{3.6} \text{ AF.}$$

$$\begin{aligned} V_{I.R.} &= [\text{Diversion rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 \\ &= 0.02 \times 246 \times 1.9835 \\ &= 9.8 \text{ AF.} \end{aligned}$$

$$V = \text{Smaller of } V_{D.R.} \text{ and } V_{I.R.} = \underline{3.6} \text{ AF.}$$

- b. Domestic = homes x AF/home = 1 x 0.6 = 0.6 AF.
- c. Maximum Annual Volume = a + b = 3.6 + 0.6 = 4.2 AF.

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Irrigation	3/15-11/15	0.02 cfs	<u>3.6</u> AF
<u>Domestic</u>	<u>1/1-12/31</u>	<u>0.02 cfs</u>	<u>0.6</u> AF
Totals:		0.02 cfs	<u>4.2</u> AF

Examiner: Cindy Hodges
Examined: September 19, 1995

MICROFILMED
JUN 10 1997

¹ Adjustments are **bolded and underlined**.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 11 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07982

1. Owner: Jeanne M & Michael N Gettle

Phone No. 549 3121

Current Address: 1410 E 9th St Weiser ID 83672

2. Accompanied by: Jeanne

EXAM DATE: 9-19-95

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: ground water

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	28	11N	SW	Wash.	Site Visit


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	SW	28											.4						.4

FILED
JUN 10 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	3/4	E-GF10507-R		1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pump sit ~150' TD=160' per owner
pressure 45 psi runs 2 1/2" hoses
Weiss pump & pipe name 35 psi avg

1987

E. NARRATIVE/REMARKS/COMMENTS

Single well and pressure system provides water to one home and approximately ^{3/4} ac irrigation. Home and well (w/ lawn) have been in place since ~1968 and are represented on claim No. A67-10736. A garden and orchard have been added to total irrigated area. All irrigation done manually with hoses & sprinklers.

Total irrigated area, garden & orchard = $14,000 \text{ ft}^2 = .4 \text{ ac}$
Domestic use not included.

Overlaps: NONE. No surface water available on this parcel.

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED
JUN 10 1987

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: HP equation

$$\frac{.75 \times 8.8 \times .7}{130 + (35 \times 2.31)} = .02 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .4 \times 4.0^* = 1.6 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 246 \times 1.9835 = 9.75$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.6$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRR</u>	<u>4/1</u> <u>3/15</u>	<u>10/31</u> <u>11/15</u>	<u>.02</u>	<u>1.6 *</u>
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Cindy Hodges

Date

9.21.95

Reviewer

Date



SEAL

* Adjustments made during review of this right for license approval.
See Memo for additional information. 5/28/97

Section 28, Township 11 N. Range 5 W

Property boundary shall be well shown in purple. Areas of use in pink.

67-7982



Weiser Valley Title

THIS SKETCH IS PREPARED TO ASSIST IN THE COMPANY LOCATION AND THE COMPANY DOES NOT GUARANTEE ITS ACCURACY

LEGEND

- FOUND 5/8" REBAR
- SET 1/2" REBAR W/ CAP MARKER MULLIN 2478
- CENTERLINE OF IMPROVED FOREST LANE
- PREVIOUS SURVEY LINE, ALSO GROUND LINES, ALSO PREVIOUSLY RECORDED, ALSO GEOMETRIC, ALSO, BOOK OF SURVEYS, PAGE 23, 1979.



1 MIL
0.03
19
338 MILS
GN
NW
★

SCALE
1000 0 1000 2000
1 2 3 4 5
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

PHOTO ID.
SCALE
P/D
T. R. S.
0/0
INITIALS
PERMIT 67-1982

Survey

180 000 FEET
57.30
03
02

2459A1

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: NONE OTHER APPLICABLE NO: 67-7982

2. OWNER: Gettle Phone: _____
Address: _____

3. WELL LOCATION: Twp 11N, Rge. 6W, Sec. 28, SW 1/4 SW 1/4
County _____ (Provide sketch map and photo on reverse.)

4. DRILLER: W/K Lic. No. _____
When Drilled? 1968

5. WELL CONSTRUCTION: TDE 160' (per owner)
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing U/K ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water U/K ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

RECORDED
JUN 10 1987

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Cxy
Signature of Dept. Representative & Title


9.19.95
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
JUN 10 1997



P/D



P/u, garden

INDEXED
JUN 10 1967

67-7982



P/u, home &
lawn



P/u, orchard
(foreground)

ENCLOSURE
JUN 10 1982

67-7982

March 30, 1995

MICHAEL N GETTLE
JEANNE M GETTLE
1410 E 9TH ST
WEISER ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07982

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

APR 14 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 14, 1995

MICHAEL N GETTLE
JEANNE M GETTLE
1410 E 9TH ST
WEISER ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07982

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

APR 14 1995

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Sarah Bales, being duly sworn,

deposes and says:

That he is the clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
January 18, 1995, and ending
with the issue of January 25, 1995.
Sarah Bales

Fees, \$ 69.80

Subscribed and sworn to before me this 25
day of January, 1995.
Judith Parsons
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 2, 1996

No. 324 NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to
appropriate the public waters of the State of Idaho:

67-07982

GETTLE, MICHAEL N.
GETTLE, JEANNE M.
1410 E. 9TH ST.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWSW Sec 28 T 11N R 05W in
WASHINGTON County.
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.070 CFS)
Date Filed: 1/5/1995
In: WASHINGTON County
T11N R05W S28 SWSW
1.0 ACRES TOTAL

Permits will be subject to all prior water rights.
Protests may be submitted based on the criteria of
Sec. 42-203A, Idaho Code. Any protest against
the approval of this application must be filed with
the Director, Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho 83705
together with a protest fee of \$25.00 on or before
FEBRUARY 6, 1995. The protestant must also
send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director
Published: 1/19/1995 & 1/26/1995

96-2S

RECEIVED

FEB 03 1995

WATER RESOURCES
WESTERN REGION

APR 14 1995

67-07982

GETTLE, MICHAEL N
GETTLE, JEANNE M
1410 E 9TH ST
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: SWSW Sec 28 T 11N R 05W in WASHINGTON County.

Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.070 CFS)

Date Filed: 1/ 5/1995

In: WASHINGTON County
T11N R05W S28 SWSW

1.0 ACRES TOTAL

APR 14 1995