





13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

AUG 10 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph H. Wilson 4-30-94
(Applicant)
Rhyen Wilson 4-30-94

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GAS	16		Rain Flow	1 1/4"
	rpm 1800	(est)			intake 1 1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: lift 0-4' dip. on pool, + max 10' to top of fields

Theoretical for intake to reservoir & pump station (see remarks)

T16 N R1 W

76

59

STOVNE 28.6


10.5 178

AL JAGTIN

16	2
21	14
32	

20.4

4 9.6



planimeter

by
JG

3-21-97

67-07959

1.4
7.0
8.5
17.4



P/O - inlet
pipe buried
from channel



outlet/spillway
Pond about
4' low.



pump
Station
(south end)

67-07959

cyl



POND. view to N.



↑
Portion of P/U
View to W.

View N.
from pump.

67-07959
cyl



RECEIVED

JUN 10 1994

Affidavit of Publication

WATER RESOURCES
WESTERN REGION

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application for Water Right "

67-07959-Ralph H & Phyllis Wilson

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated June 2, 1994

and the last in the issue dated June 9, 1994 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 9th

day of June, 19 94

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07959 ✓
WILSON, RALPH H
WILSON, PHYLLIS
1900 HWY 95
COUNCIL, ID 83612
Source: COOL CREEK

Tributary: WEISER RIVER
Diversion Pt:

NENWNE Sec 22 T 16N R
01W in ADAMS County.

Use:

IRRIGATION (.500 CFS)

IRRIGATION

STORAGE

IRRIGATION

FROM STORAGE

STOCKWATER (.020 CFS)

STOCKWATER

STORAGE

DIVERSION

TO STORAGE (.520 CFS)

Total Diversion: (.520 CFS)

Date Filed: 5/4/1994

In: ADAMS County

T16N R01W S22 NWNE

25.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted, based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before JUNE 20, 1994.

R. KEITH HIGGINSON,

Director

Published: 6/2/1994 &
6/9/1994

JUN 10 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE FLOW)
MEASUREMENT DEVICE AND LOCKABLE)
CONTROLLING WORKS CONDITION OF)
APPROVAL FOR PERMIT NO. 67-07959 IN)
IN THE NAME OF RALPH WILSON AND)
PHYLLIS WILSON)

ORDER

WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install a measuring device and lockable controlling works on the diverting works in a manner that will provide the watermaster suitable control of the diversion of water under this permit; and


WHEREAS, the department has determined that the watermaster does not currently regulate the water in question; and

WHEREAS, the department has determined that the measuring device and lockable controlling works are not necessary for suitable control of the water;

IT IS THEREFORE, HEREBY ORDERED that the condition of approval is changed to read as follows:

After specific notification by the department, the right holder shall install a suitable measuring device or shall enter an agreement with the department to determine the amount of water diverted from power records and shall annually report information to the department.

Dated this 6th day of July, 1995.



L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

AUG 25 1995

RECEIVED

MAY 08 1995

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07959 Telephone No. 208-253-1140

2. Name(s) of Permit Holder(s): RALPH H. & PHYLLIS WILSON

3. Mailing Address: 1900 HWY 95 COUNCIL, IDA. 83612

4. Source of Water: Neuse River If **GROUNDWATER** (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .52 cfs OR 50 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Has the measuring device been installed?

Yes ☒ or No ☐

Yes ☐ or No ☒

Flow Measurement Port: Is a flow measurement port required?

Has the measurement port been installed?

Yes ☐ or No ☒

Yes ☐ or No ☒

8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: RALPH WILSON Telephone Number: 253-1140

Address: 1900 HWY 95 COUNCIL, IDA. 83612

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(include your title, if on behalf of company or organization)

Date: 5-2-95

Phyllis Wilson 5/2/95

MAY 18 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 67-07959

Proposed Priority: May 4, 1994

Maximum Diversion Rate:

0.52 CFS

This is to certify, that RALPH H WILSON
PHYLLIS WILSON
1900 HWY 95
COUNCIL ID 83612

has applied for a permit to appropriate water from:

COOL CREEK

tributary of WEISER RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.50 CFS	
IRRIGATION STORAGE	01/01 to 12/31		10.0 AF
IRRIGATION FROM STORAGE	04/01 to 10/31		10.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	
STOCKWATER STORAGE	01/01 to 12/31		10.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.52 CFS	
	Totals	0.52 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENWNE , Sec. 22, Township 16N, Range 01W
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16N	01W	22	NWNE	25		25

Total number of acres irrigated: 25

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1995.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 67.
4. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this right.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

AUG 10 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07959

CONDITIONS/REMARKS:

6. Stockwater use is for 5 horses, 5 range cattle and 10 sheep.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

8th day of July, 1994.

[Signature]
for R. Keith Higginson, Director

AUG 10 1994

RECEIVED
JUL 01 1994

Ident. No. 67-07959

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: RALPH H WILSON 208-253-1140
Address: 1900 HWY 95
COUNCIL ID 83612
AND/OR
Name: PHYLLIS WILSON 208-253-1140
Address: 1900 HWY 95
COUNCIL ID 83612
2. Source: COOL CREEK Trib. to: WEISER RIVER
3. Location of Point of Diversion: NENWNE Sec. 22, Township 16N, Range 01W
ADAMS County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	10/31	0.500		
IRRIGATION STORAGE	01/01	12/31			10.00
IRRIGATION FROM STORAGE	04/01	10/31			10.00
STOCKWATER	01/01	12/31	0.020		
STOCKWATER STORAGE	01/01	12/31			10.00
DIVERSION TO STORAGE	01/01	12/31	0.520		
5. Total quantity to be appropriated is:
0.520 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
EXISTING SYSTEM - FLUME TO POND, PUMP & PORTABLE PIPELINES
 - b. Height of storage dam 12 feet; active reservoir capacity 10.00
acre-feet; total reservoir capacity 10.00 acre-feet; period of
year when water will be diverted to storage: 1/01 to 12/31 inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

AUG 10 1994

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
16N 01W 22	NWNE 25			25

Total number of acres irrigated: 25

Place of Use: IRRIGATION FROM STORAGE, same as IRRIGATION use

Place of Use: STOCKWATER, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Stockwater use is for 5 horses, 5 range cattle and 10 sheep.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See original
Applicant

Received by LW Date 5/4/94 Time — Preliminary check by SL

Fee \$ 45 Receipted by LW # W17064 Date 12/29/93 *

Publication prepared by SL Date 5-11-94 Published in Adams City Idn

Publication approved SL Date 6-21-94

* See 5/10/94 memo re fee & receipt.
Receipt change completed 5/11/94 per S.O. info.

AUG 10 1994


Comments: Date: 5/10/1994 User-ID: LESTER

Subject:
EXISTING SYSTEM

System built in 1980 by previous owner, Robert D. Wood, but no right filed on it. Applicant has SRBA claim for this but is in process of withdrawing it & seeks to replace claim with new appl. Claim withdrawal cannot be completed now due to SRBA stay issued by judge. Revisions to original application discussed with Ralph W. on 5/10/94 by SL. See LW at Region if need info about claim.

RECEIVED

AUG 10 1994



Council

CITY PARK

COUNCIL

ATH FIELD

Leeks Pond

SEWAGE DISPOSAL PONDS

Pond GOLF COURSE

CEM

GRAVEL PITS

Cool

Creek

Creek

67-7448

Lester

T16N
R1W
S22

NWNE

No govt. lots,
topog. applicant,
info

8/2 5/10/94

8' x 15' Arroyo Creek to I see pond,
pump from pond to acres per original
appl. info.

AUG 10 1994

RECEIVED

MAY 04 1994

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant RALPH H. & PHYLLIS WILSON Phone 208-253-1140
Post office address 1900 HIGHWAY 95 COUNCIL, IDAHO 83612
2. Source of water supply COOL CREEK which is a tributary of WEISER RIVER
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot —
Sec. 22 Township 16 N Range 1 W B.M. ADAMS County; additional
points of diversion if any: —
4. Water will be used for the following purposes:
- * *Added:
irrigating
" from a
stock storage*
- Amount .5 CFS for IRRIGATION purposes from 1 APR to 31 OCT (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 10 A.F. for STORAGE purposes from 1 JAN to 31 DEC (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .02 CFS for STOCK WATER purposes from 1 JAN to 31 DEC (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .52 cfs for DIV to storage purposes from " to " (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .52 CFS and/or (b) 56 A.F./ANNUUM
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. 8" X 15' FLUME FROM COOL CREEK INTO A 1 ACRE POND ABOUT 12' DEEP. DISPERSION IS VIA A GASOLINE POWERED PUMP & 3" PORTABLE PIPES TO FIELD
- b. Height of storage dam 12' feet; active reservoir capacity 10 acre-feet; total reservoir capacity 10 acre-feet; period of year when water will be diverted to storage: 1 JAN to 31 DEC inclusive.
- c. Proposed well diameter is — inches; proposed depth of well is — feet
- d. Is ground water with a temperature of greater than 85°F being sought? OR
- e. If well is already drilled, when? —; Drilling firm —
Well was drilled for (well owner) —
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 years (minimum 1 year).
- * *per telum with Ralph Wilson 5/10/94 - JZ*

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 5 HORSES - 5 COWS - 10 SHEEP
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
16N	1W	22		25															25

Total number of acres to be irrigated 25


10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? RALPH H. & PHYLLIS WILSON
- b. Who owns the land to be irrigated or place of use? RALPH H. & PHYLLIS WILSON
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: THE DAM & DIVERSION WAS COMPLETED IN JUNE 1980 BY THE PREVIOUS OWNER, MR ROBERT D. WOOD OF CAMBRIDGE, IDAHO

AUG 10 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 10 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph H. Wilson 4-30-94
 (Applicant)
Phyllis Wilson 4-30-94

D.O.P. = DATE APPL. FILED

Received by L. Werner Date 5-4-94 Time — Preliminary check by JL
Fee \$ 45⁰⁰ Received by LW # W17064 Date 12-29-93 *
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:


* For 5/10/94 memo of explanation - JL

RECEIVED

AUG 10 1994

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GAS	16		Rain Flow	1 1/4"
	rpm 1800	(est)			Intake 1 1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: lift 0-4' dep. on pool, + max 10' to top of fields

Theoretical for intake to reservoir & pump station (see remarks)

E. NARRATIVE/REMARKS/COMMENTS

1/2 ac x 10' deep pond, used for irrigation storage for ~25 ac. Diversion is ^(~1/8' long) 8" culvert, overflow is 16" culvert back to drainage. Slope of inlet nearly flat. Pond low & creek dry @ exam. Pond constructed in about 1987. Irrigation by pump & 3" handline, runs about 13 nozzles, 5/32" & 9/64", under normal operation.

For flow measurement, a small line was assembled with 6 nozzles (heads), but engine would not start. Theoreticals used for determining flows.

Crop had been hayed at time of exam.
No overlaps. No stockwater uses found.

Several small irrigated areas found, all accessible by portable lines, including 1/2 ac. north of creek.

meas device requirement waived

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Inlet flow - max 2.3 cfs @ full pipe. See computation.

Relift pump - 13 heads (5/32 & 9/64) @ ~ 5 gpm = ⁶⁵~~52~~ gpm = .14

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 18 \times 4 = 72$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .14 \times 214 \times 1.9835 = 59.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

POND VOL : .5 ac Surface x 10' deep (nearly vertical sides) = 5 AF

Note: Volumes for natural & stored irr. are additive because they do not exceed required annual volume.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	4-1	10-31	.14	59.4
IRR STORAGE	1-1	12-31		5.0
IRR FR STORAGE	4-1	10-31		5.0
DIV TO STORAGE	1-1	12-31	.52	
			Totals:	.52 64.4

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy J. Hodges Date 3-21-97

Reviewer _____ Date _____

SEAL

T16 N R1W

STOVNEZ8.6

LONGTIN

Plaster

bag

307-97

656107959

96

8.5
2.5
1.4

16
21
32
25

204



59

76

Culvert Computation Spreadsheet (DRT 4/17/1996)

Data Entered By: Cindy Hodges
3-21-97
Project: Flow Computation for Permit No. 67-07959
RALPH WILSON
Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$$

To Find: Compute Rate of Flow


Data Table

Total Head: 1.00 feet
 Pressure Req'd: 0.00 psi
 Available Head: 1.00 feet
 Pipe Roughness: 80.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80


Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
8.00	20.00	0.97	
10.00	0.00	0.00	
10.00	0.00	0.00	
10.00	0.00	0.00	0.97

Rate of Flow: 2.300 CFS


Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.



P/D - inlet
pipe buried
from channel



outlet/spillway
pond about
4' low.



pump
Station
(south end)

67-07959
cyl



POND. view to N.



↑
Portion of P/U
View to W.

View N.
from pump.

67-107959

cyl





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JULY 7, 1995

RALPH WILSON
PHYLLIS WILSON
1900 HWY 95
COUNCIL ID 83612

RE: Permit No. 67-07959

Dear Permit Holder:

The accompanying order is a "preliminary order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the hearing officer within fourteen (14) days of the service date of this order. The hearing officer will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the agency.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Director. The Director retains the right to review the preliminary order on his own motion.

AUG 25 1995

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

RECEIVED
AUG 25 1995

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl


Enclosure

RECEIVED
AUG 25 1995

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of July, 1995, I mailed a true and correct copy, postage prepaid, of an Order Changing Condition of Approval to the person(s) listed below:

RALPH WILSON
PHYLLIS WILSON
1900 HWY 95
COUNCIL ID 83612



Roberta Loveall
Clerical Specialist

RECEIVED
AUG 25 1995

M E M O R A N D U M

DATE: July 6, 1995

TO: File 67-07959

FROM: Shelley W. Keen *SWK*

RE: Request for relief from measuring device condition

=====

Today Jerry Myers, watermaster in Water District 67, called to say that he has no objection to removing the measuring device and lockable controlling works condition from permit 67-07959. He explained that this permit represents the last diversion on Cool Creek before it enters the Weiser River and that Cool Creek nearly always dries up in July, anyway.

J. Myers
355-2345

RECEIVED
AUG 25 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 16, 1995

GERALD MYERS
WATER DISTRICT 67
HC 70 BOX 2010
MIDVALE ID 83645

RE: Water Right 67-07959/ Ralph and Phyllis Wilson
Request for waiver of measuring device condition

Dear Mr. Myers:

Ralph Wilson, owner of Permit 67-07959, has requested that the department grant him relief from the condition requiring a measuring device and lockable controlling works on his Cool Creek project. A copy of the request and a copy of the permit are enclosed for you to review.

Before responding to Mr. Wilson's request, I would appreciate having your opinion as Watermaster of Water District 67. Your response within the next 14 days would be greatly appreciated.

If you have any questions, please contact me at 208-327-7946 in Boise.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK

Enclosures:

Copy of letter from Ralph Wilson
Copy of Permit 67-07959

RECEIVED
AUG 25 1995

RECEIVED

JUN 07 1995

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
1301 N. ORCHARD ST.
BOISE, IDAHO 83720-9000

RE: PERMIT NO. 67-07959

PLEASE GRANT A WAIVER OF THE
REQUIREMENT FOR A LOCKABLE
MEASURING DEVICE (CONDITION #4
OF THE PERMIT).

1. THIS SITE IS THE LAST BENEFICIAL
USE OF THE COOL CREEK WATER
BEFORE DUMPING INTO THE
WEISER RIVER.
2. THE COOL CREEK RUNS DRY ABOUT
MID JULY.
3. THIS SYSTEM WAS DEVELOPED IN 1982
& HAS BEEN IN USE EACH YEAR
SINCE 1982.

THANK YOU,

MICHAEL J. WILSON

3 JUNE 95

AUG 25 1995

RALPH WILSON

1900 HWY 95

COUNCIL, IDA. 83612

Permit No. 67-07959 Reviewed by [Signature] Date 5-15-95

New Address _____ Proof Made 5-8-95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
May 18, 1995

RALPH H WILSON
PHYLLIS WILSON
1900 HWY 95
COUNCIL ID 83612

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 67-07959

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of your water right permit requires that the permit holder install and maintain a lockable measuring devise (refer to condition # 4 of your permit). This condition must be complied with before the license exam, or you can request in writing, a waiver of the condition.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise, at (208) 334-2190.

Sincerely,

JULIE L. YARERROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

MAY 18 1995

April 30, 1995

RALPH H WILSON
PHYLLIS WILSON
1900 HWY 95
COUNCIL ID 83612

PROOF DUE NOTICE

RE: PERMIT NO. 67-07959

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAY 18 1995





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 11, 1994

RALPH H WILSON
PHYLLIS WILSON
1900 HWY 95
COUNCIL ID 83612

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07959

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Section Manager
Water Right Permits Section

JJ:dc

Enclosures

RECEIVED

AUG 10 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 67-7959 Name: Wilson Date: 7/7/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

- No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

- + 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

- Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

- Water District(~~dem~~) - WD No. 61
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

- Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

- Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st)(V5A PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 27A(Payette R), NA

OWNERSHIP:

- Non land owner - 004 (PD/PU)

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- 0.002(SH, SC, 10 SH)

BENEFICIAL USE DUE:

- 7-1-1995

COMMENTS:

WR0749NP
No. 67-07959

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/07/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RALPH H WILSON	05/04/1994	IRRIGATION	04-01 10-31	0.50 CFS	
C	PHYLLIS WILSON		IRRIGATION STORAGE	01-01 12-31		10.00 AFA
	1900 HWY 95		IRRIGATION FROM STORAGE	04-01 10-31		10.00 AFA
	COUNCIL ID 83612		STOCKWATER	01-01 12-31	0.02 CFS	
	(208) 253-1140		STOCKWATER STORAGE	01-01 12-31		10.00 AFA
			DIVERSION TO STORAGE	01-01 12-31	0.52 CFS	
TOTAL DIVERSION:					0.52 CFS	

Water Source: COOL CREEK

Tributary to: WEISER RIVER

Stage: PERMIT

Point(s) of Diversion:

T16N R01W S22

NENWNE

ADAMS County

Place of use Legal Description for: IRRIGATION

			NE				NW				SW				SE																	
T	R	S	: Lt	Ac	NENE	SWNE	SENE	: Lt	Ac	NENW	NWNW	SWNW	SENW	: Lt	Ac	NESW	NWSW	SWSW	SESW	: Lt	Ac	NENE	NWSE	SWSE	SESE	: Lt	Ac	Lt	Ac	Lt	Ac	: SUM
16N	01W	22	:					:						:						:												25.0
			:			25		:						:						:												25.0
			:					:						:						:												TOTAL ACRES

Place of use location for IRRIGATION FROM STORAGE is the same location as described for: IRRIGATION

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: ADAMS

Other Water Rights with Same Point(s) of Diversion and Source:

67-07959

Other Water Rights Listing Overlapping Place(s) of use:

67-07959

Conditions of Approval:

- 005 - Use of water under this right is subject to control by the watermaster of State Water District No. .
- 01J - A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this right.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Remarks: Stockwater use is for 5 horses, 5 range cattle and 10 sheep.

Dates: App. Received: 105/04/1994 Priority Date: 05/04/1994
Proof Due Date: 107/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

WR0749NP
No. P67-07959

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/07/94
PAGE: 2

Misc: Water District Number: Field Exam Fee:

Comments: Date: 05/10/1994 User-ID: LESTER Subject: EXISTING SYSTEM
System built in 1980 by previous owner, Robert D. Wood, but no
right filed on it. Applicant has SRBA claim for this but is in
process of withdrawing it & seeks to replace claim with new appl.
Claim withdrawal cannot be completed now due to SRBA stay issued
by judge. Revisions to original application discussed with Ralph
W. on 5/10/94 lby SL. See LW at Region if need info about claim.

Audit: 07/07/94 CZIMMERH

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: FL DATE: 5/10/94 APPLICATION: 67-07959

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
☒ P/D
☐ P/U

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☒	☐	Critical groundwater area:
☒	☐	Groundwater management area:
☒	☐	1992 moratorium
☒	☐	Copy to SCA staff (perennial stream, non-pump diversion): <i>Alone from creek</i>
☒	☐	Send dam safety information: <i>-copy to JFW 5/10/94</i>
☒	☐	Send power requirement letter:
☒	☐	Send fish farm requirement letter:
☒	☐	Power residency affidavit:
☒	☐	Power efficiency form:
☒	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒	☐	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

☒ DATE REQUESTED: _____
☒ Additional information on reverse side:

RECEIVED
JUL 01 1994

Department of Water Resources

PROCESSING

APPLICATION

67-07959

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

*withd W.O. 67 but not on
mainstem so no WM comments needed*

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐
☐ ☒
☒ ☐
☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Approve, DM*

Measuring device required:

Measuring port required:

Water delivered by water master? District # *67, Weiser R.*

Special conditions of approval or cover letter:

05(67, Weiser R.), OIE, 18A, 18B

☒ See below for additional information

Recommended Date or Priority *5/4/1994*

Recommended by: *DM*

Date *6/29/94*

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

RECEIVED

JUN 10 1994

Affidavit of Publication

WATER RESOURCES
WESTERN REGION

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application for Water Right"

67-07959-Ralph H & Phyllis Wilson

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated June 2, 1994

and the last in the issue dated June 9, 1994 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Subscribed and sworn to before me this 9th

day of June, 1994

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07959 ✓
WILSON, RALPH H
WILSON, PHYLLIS
1900 HWY 95
COUNCIL, ID 83612
Source: COOL CREEK
Tributary: WEISER RIVER
Diversion Pt:
NENWNE Sec 22 T 16N R
01W in ADAMS County.

Use:
IRRIGATION (.500 CFS) (10.00 AF)
STORAGE (10.00 AF)
IRRIGATION
FROM STORAGE (10.00 AF)
STOCKWATER (.020 CFS)
STOCKWATER (10.00 AF)
STORAGE
DIVERSION
TO STORAGE (.520 CFS)
Total Diversion: (.520 CFS)
Date Filed: 5/4/1994
In: ADAMS County
T16N R01W S22 NWNE
25.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted, based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before JUNE 20, 1994.

R. KEITH HIGGINSON,
Director

Published: 6/2/1994 &
6/9/1994

JUN 10 1994

INTER-DEPARTMENT MEMO — 1

DATE 5-27-94

FROM

Sue

TO

File

SUBJECT

Wilson, 67-7959

Shirley at the Council Leader called & they just received the advertising for 67-7959. they will have to run it on June 24th, 1994.

AUG 10 1994

SIGNATURE

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Steve Hester

Receipt No: W017064

Date: 05/11/94
Time: 10:18:28

Received
From:

WILSON, RALPH OR PHYLLIS

Type of Payment

Program A cct

Amount

ADJUDICATION CLAIM
APPLICATION FEE

0337 0041503 1155
0229 21 0062103 1155

\$30.00
\$45.00

Total

\$75.00

CHECK 5058

Idaho Department of Water Resources

Region: WESTERN

Signature: *[Signature]*

*Receipt change completed & this rec'd. from
Debbie Allen.
Copy given to Linda Werner 5/16/94, original
filed with appl. for permit*

[Stamp]
AUG 10 1994

-82

MEMORANDUM

RECEIVED

MAY 12 1994

WATER RESOURCES
WESTERN REGION

TO: DEBBIE ALLEN

FROM: STEVE LESTER *SL*

DATE: MAY 10, 1994

RE: RECEIPT #W017064 FOR RALPH OR PHYLLIS WILSON

The Wilsons filed a SRBA claim and paid \$75 on 12/29/93 but have replaced the claim with application for permit #67-07959. The claim is in the process of being withdrawn but that transaction remains on hold due to SRBA delays related to the judge's order staying additional action in the adjudication.

The application fee is \$45. Please change \$45 of the above-referenced receipt from its present code to the permit code, 0229/21 62103 1155. The \$30 balance will remain under the SRBA code until the claim withdrawal is completed, at which time a refund from the SRBA fund can be issued.

Please let me know the outcome of this change and if there are problems doing this as suggested.

c: Linda Werner, Western SRBA Staff
Application #67-07959

RECEIVED
AUG 10 1994

W017064

12/29/1993

WILSON, RALPH OR PHYLLIS

ADJUDICATION CLAIM

41503

337

1155

75.00

CHECK

5058

\$75.00

Region: WESTERN

Signature: _____

1994

67-07959

WILSON, RALPH H
WILSON, PHYLLIS
1900 HWY 95
COUNCIL, ID 83612

Source: COOL CREEK

Tributary: WEISER RIVER

Diversion Pt: NENWNE Sec 22 T 16N R 01W in ADAMS County.

Use: IRRIGATION	(.500 CFS)	
IRRIGATION STORAGE		(10.00 AF)
IRRIGATION FROM STORAGE		(10.00 AF)
STOCKWATER	(.020 CFS)	
STOCKWATER STORAGE		(10.00 AF)
DIVERSION TO STORAGE	(.520 CFS)	
Total Diversion:	(.520 CFS)	

Date Filed: 5/4/1994

In: ADAMS County
T16N R01W S22 NWNE

25.0 ACRES TOTAL

AUG 10 1994