

Topographic map showing a section of land with various features and handwritten annotations. The map includes contour lines, roads, and landmarks. Handwritten notes include:


- App: 67-07936
- Spring 4228T
- Weiser 5th Tank
- STK TANK SENW
- STK TANK SWSW
- Grouse
- No govt. lots
- Another new appn will be filed on this

The map is labeled with coordinates: T14N R1E S27 and SEC 34. A scale bar at the bottom indicates distances in miles (0 to 10) and feet (0 to 10,000). The map is oriented with North at the top.

FILED 24 1994

Weldon Branch
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - 04266 to measure flow - closed system.

MICRO-LOG

JUN 25 1999

1 of 1

PLD

Spring

Development

Area.



Plu

Stock

Trough

just

below

Spring

Area.



ARMED
6000

67-07941

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 67-07941

Priority: November 17, 1993

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

2.4 AF

This is to certify, that WELDON BRANCH
3621 N CRANE RD

MIDVALE ID 83645

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 17, 1993; and
has submitted Proof of Beneficial Use on January 14, 1997. An examination indicates
that the works have a diversion capacity of 0.070 cfs of water from:

SPRING

tributary to LITTLE WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.07 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENWNW , Sec. 34, Township 14N, Range 01E
ADAMS County

PLACE OF USE: STOCKWATER

TWN RGE SEC

14N 01E 34

NWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the
watermaster of State Water District No. 67A.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
The water right confirmed by this license is subject to all prior water rights
and shall be administered in accordance with Idaho law and applicable rules of
the Department of Water Resources. Signed and sealed this 13th day of

MAY, 1997.

Acting for

KARL J. DREHER, Director

RECORDED

MAY 25 1997

State of Idaho
Department of Water Resources

RECEIVED

MAY 10 1999

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 67-07941

Date of Priority: November 17, 1993

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

2.4 AF

Comes now

WELDON BRANCH

3621 N CRANE RD

MIDVALE ID 83645

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07941, and requests that the permit be changed as follows:

Source: SPRING

tributary to LITTLE WEISER RIVER

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

STOCKWATER

01/01 to 12/31

0.07 CFS

2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENWNW , Sec. 34, Township 14N, Range 01E
ADAMS County

PLACE OF USE: STOCKWATER

TWN RGE SEC

14N 01E 34

NWNW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Midvale, Id., this 6 day of May, 1998.

Weldon Branch
(Signature)

MICROFILMED

JUN 25 1999

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07941

FOR DEPARTMENT USE ONLY

Preliminary check by SK Fee = \$50.- Received by uw # CD45378 Date 5/16/99


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07941 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the
watermaster of State Water District No. 67A.

Witness my hand this 13TH day of MAY, 1999.


Acting for **KARL J. DREHER, Director**

RECEIVED
JUN 25 1999

RECEIVED

JAN 14 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07941 Telephone No. 208-355-2308
2. Name(s) of Permit Holder(s): Weldon Branch
3. Mailing Address: 3621 North Crane Rd Midvale, Idaho 83645
4. Source of Water: Spring If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): 300 Range Cattle

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>1</u>
	Has the measuring device been installed?	Yes _____ or No <u>1</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>1</u>
	Has the measurement port been installed?	Yes _____ or No <u>1</u>

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Weldon Branch Telephone Number: 208-355-2308

Address: 3621 North Crane Rd Midvale, Idaho 83645

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Weldon Branch Date: 1/10/97
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 67-07941

Proposed Priority: November 17, 1993 Maximum Diversion Rate: 0.07 CFS

This is to certify, that **WELDON BRANCH**
3621 N CRANE RD
MIDVALE ID 83645

has applied for a permit to appropriate water from:

SPRING tributary of **LITTLE WEISER RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: SENWNW , Sec. 34, Twnship 14N, Range 01E
ADAMS County

PLACE OF USE: STOCKWATER
TWN RGE SEC
14N 01E 14 NWNW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1997**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 67A.
5. Stockwater use is for 300 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22nd day of February, 1994.

R. Keith Higginson
for R. Keith Higginson, Director
DEPARTMENT OF WATER RESOURCES

FEB 24 1994

RECEIVED
FEB 08 1994

Ident. No. 67-07941

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WELDON BRANCH 208-355-2308
Address: 3621 N CRANE RD
MIDVALE ID 83645
2. Source: SPRING Trib. to: LITTLE WEISER RIVER
3. Location of Point of Diversion: SENWNW Sec. 34, Township 14N, Range 01E
ADAMS County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.070		
5. Total quantity to be appropriated is:
0.070 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
SPRINGBOX, PIPELINE AND STOCK TANK
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).
8. Place of Use: STOCKWATER

TWN RGE SEC
14N 01E 14

NWNW

RECEIVED
FEB 24 1994

FEB 24 1994

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ _____ Receipted by _____ # _____ Date _____

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECEIVED
FEB 27 1967

FEB 27 1967

RECEIVED

Form 202
10/92

NOV 17 1993

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 67-7941

\$30

To appropriate the public waters of the State of Idaho

1. Name of applicant WELDON BRANCH Phone 355-2308
Post office address 3621 N. Crane Rd. MIOVALE, ID 83645
2. Source of water supply spring which is a tributary of Little Weiser River
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot —
Sec. 34 Township 14N Range 1E B.M. Adams County; additional
points of diversion if any: —
4. Water will be used for the following purposes:
Amount .07 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .07 and/or (b) —
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Sprinklers, pipeline & stock tank
 - b. Height of storage dam — feet; active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet; period of year when water will be diverted to storage:
— to — inclusive.
 - c. Proposed well diameter is — inches; proposed depth of well is — feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? —
 - e. If well is already drilled, when? —; Drilling firm — FEB 24 1994;
Well was drilled for (well owner) —
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
3 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. 300 Range catt
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	16	14					S												—

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above: NONE FOR THIS SPRING

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

FEB 24 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

ILD 24 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Weldon Branch
(Applicant)

Received by JY Date 11-17-93 Time 11:20 AM Preliminary check by g
Fee \$ 30.00 Receipted by JY # W016959 Date 11-17-93
Publication prepared by St Date 12-8-93 Published in Adams City Jdr.
Publication approved St Date 1-11-94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

FEB 24 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 14, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

RE: WATER RIGHTS 67-07936/67-07939/67-07941

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed copies of your Applications for Amendment of Permit, which were approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
JUN 25 1993

CERTIFICATE OF MAILING

I hereby certify that on the 14th day of May, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDERS (Approved Licenses) to the person(s) listed below:

Water Rights 67-07936/67-07939/67-07941

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645


Kari Lynn Townsend
Secretary

REC'D - MAIL
JUN 25 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
JUN 25 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

FILED
APR 4 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 26, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07941

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that your place(s) of use is in a location other than what was described on your permit. Therefore, before a license can be issued, the permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
JUN 25 1999

B/U FIELD EXAM REVIEW

by *Cindy Lou*Permit #: 67-79.4 Name: Branch Date: 3/15/99 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
	<u>✓</u>		
SOURCE		<u>✓</u>	Clarify source _____ Prelim. Order to Void - Source change.
P/D		<u>✓</u>	Amendment Needed? Addn'l 1/4? _____ Legal _____ P39 Same 1/4? _____ W32 _____ P36 Overlap(s) <u>none</u>
P/U	<u>✓</u>		Amendment Needed? <u>Sec. 34 not 14</u> P41 Overlap(s) <u>none</u> (Gov't use special P's) _____ *P/D & P/U Amend? P37
RATE		<u>✓</u>	Permit/proof fee limits <u>0.07</u> / <u>0.07</u> <u>✓</u> Measured Quantity = <u>none</u> cfs Theoretical Quantity = <u>0.07</u> cfs <u>allow permitted</u> (HP) <u>8.8 x 0.70 x</u> <u>_____ + (2.31 x _____) =</u> cfs <u>✓</u> Recommended capacity <u>0.07</u> cfs <u>✓</u> Recommended rate <u>0.07</u> cfs
VOLUME		<u>✓</u>	Season: (<u>_____</u> / <u>_____</u>) <u>1/1 - 12/31</u> = <u>(215)</u> days Calculations: <u>stock = (300 hd x 12 gal x 215 d/y) / 325,890 = 2.4 AF</u> <u>✓</u> Flow limit: <u>0.07</u> cfs x <u>215</u> days/yr. x 1.9835 = <u>29.8</u> AF Recommended volume <u>2.4</u> AF
USES		<u>✓</u>	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS	<u>+</u>		Multiple p/d's in same 1/4? Use W32 _____
CONDITIONS	<u>1</u>		Measuring Device (R43) or Lockable Controlling Works (R02) <u>R04</u> Watermaster Control (R04) - WD # _____ <u>✓</u> Irrigation rate/annual volume overlap <u>✓</u> GW irrigation replaces surface water (050) <u>✓</u> GW irrigation supplements surface water (065) <u>✓</u> Water Quality <u>✓</u> Other _____
PRIORITY	App Rod	<u>11/17/93</u>	Due <u>2/1/97</u> Rcd <u>1/14/97</u> Receipt# <u>0037570</u> Fee OK? (Yes) No <u>\$50</u> Order to Reinstate Needed? <u>NO</u> Done? _____ Advanced to: _____ Priority <u>11/17/93</u> Examined <u>9/15/98</u>

COMMENTS: amend P/U; volume limited by season

USE	CFS	VOLUME
<u>Stock</u>	<u>0.07</u>	<u>2.4</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>
<u>TOTAL</u>	<u>0.07</u>	<u>2.4</u>

SRBA Overlap _____
Adjustment Memo _____
LICENSE _____
#1 AMEND: P41 /P38
#2 AMEND: (P41)(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 14 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07941

1. Owner: Weldon Branch Phone No. (208) 355-2308

Current Address: 3621 N. Crane Rd., Midvale, ID 83645

2. Accompanied by: (Reviewed with Weldon EXAM DATE: 9-15-98

Address: by phone, but he was not Phone No. able to make exam)

Relationship to Permit Holder: _____

3. Source: Spring tributary to Little Weiser River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NW	NW	34	14 N	1E	Adams	Site Visit, map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N	1E	34					S												

MAICROFILMED

2-1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - 04266 to measure flow - closed system.

NO. 12-11122

JUN 2 5 1999

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for a spring development and single stock trough. Weldon stated that this land is under a written lease agreement with a different owner. He intends to keep the water right in his name until he gives up the lease. At that time, the land owner will apply to have the water right transferred to his name.

2. The water system has a spring development, a 2" - 42' long PVC pipeline with a 10' drop, and one stock trough.

3. 300 Range Cattle use the water from about April 1 to Nov. 1 each year.

Have conditions of permit approval been met? ☒ yes ☐ no

WILSON
APR 25 1989

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: *None, Theoretical Cal.:*

Assume ϕ

2" PVC, 42', 10' drop

$$H = H_f + H_c + H_v$$

$$10' = \left(\frac{95 \text{ lbs}}{100'} \times \frac{42'}{1} \right) \left(\frac{34'}{14.7 \text{ psi}} \right) + 100.44 + V^2/2g$$

0.07 cfs, 32 Grm

0.20 90

0.40 186

Head Head
Loss April

0.8' 10'

4.4' 10'

8.9' 10'

The pipe can deliver $> 0.07 \text{ cfs}$

For 300 Head, $Q_{\text{allowed}} = \underline{0.07 \text{ cfs}}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I,R} \text{ and } V_{D,R} = \underline{\hspace{10cm}}$$

2. Volume Calculations for Other Uses:

Stock water

$$AFA = \left(\frac{12 \text{ GPD}}{\text{Head}} \right) \left(\frac{300 \text{ Head}}{1} \right) \left(\frac{210 \text{ Days}}{\text{Ann.}} \right) \left(\frac{AF}{325,850 \text{ Gal.}} \right) = 2.32$$
$$= 2.4 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
stockwater	01/01	12/31	0.07	2.4
		Totals:	0.07	2.4

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

☒ None

Change P.U. as reflected above

Add P.U. as reflected above

Other

Note: The permit shows Plu in Sec. 14 - should be 34.



I. AUTHENTICATION

Field Examiner's Name Van Zomick Date 11-30-98

Reviewer _____ Date _____

SEALED

1532-2499



67-07939

67-07940

67-07941

IDAHO

QUADRANGLE LOCATION

1	2	3	1 Council
			2 Council Mountain
			3 Lone Tree
			4 Indian Valley
			5 Cold Springs Ridge

Inter:


1 of 1

PlD

Spring

Development

Area.



Plu

Stock

Trough

just

below

Spring

Area.



67-07941

67-07941

January 24, 1997

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07941

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

1997-01-24

334-2190

November 30, 1996

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

PROOF DUE NOTICE

RE: PERMIT NO. 67-07941

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1997. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a price extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 22, 1994

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07941

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

FEB 24 1994

67-07941

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645

Source: SPRING

Tributary: LITTLE WEISER RIVER

Diversion Pt: SENWNW Sec 34 T 14N R 01E in ADAMS County.

Use: STOCKWATER (.070 CFS)
Total Diversion: (.070 CFS)

Date Filed: 11/17/1993

In: ADAMS County
T14N R01E S14 NWNW

RECEIVED
FEB 24 1994

RECEIVED

Affidavit of Publication

DEC 27 1993

UNITED STATES
WESTERN REGION

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Proposed Change

No. A 67-13349 AC

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated December 16, 1993

and the last in the issue dated December 23, 1993 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

"Notice" as aforesaid.

Bert J. Rogers

Subscribed and sworn to before me this 23rd

day of December, 1993

[Signature]

Notary Public for Idaho,
Residing at Council, Idaho

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07939

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645
Source: STOCKWATER
Diversion Pt
NWSWNE Sec 25 T 14N R
01E in ADAMS County.
Use:
STOCKWATER (.050 CFS)
Total Diversion: (.050 CFS)
Date Filed: 11/17/1993
In: ADAMS County
T14N R01E S25 SWNE

67-07940

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645
Source: SPRING
Tributary: LITTLE WEISER
RIVER
Diversion Pt
SWSWNW Sec 34 T 14N R
01E in ADAMS County.
Use:
STOCKWATER (.070 CFS)
Total Diversion: (.070 CFS)
Date Filed: 11/17/1993
In: ADAMS County
T14N R01E S34 SWNW

67-07941

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645
Source: SPRING
Tributary: LITTLE WEISER
RIVER
Diversion Pt
SENWNW Sec 34 T 14N R
01E in ADAMS County.
Use:
STOCKWATER (.070 CFS)
Total Diversion: (.070 CFS)
Date Filed: 11/17/1993
In: ADAMS County
T14N R01E S14 NWNW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before JANUARY 3, 1994

R. KEITH HIGGINSON,
Director

Published: 12/15/1993 &
12/22/1993

FEB 24 1994