



67-07935

APPL For PERMIT



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Very low flow into trough -
No practical way to measure flow.

MICROFILMED

APR 1993

1 of 2

P/D

36" Cmp

Spring

Box



P/u

Stock

Trough



MICROFILMED

APR 13 1999

67-07935

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

67-07935-67-07936-67-07937

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated November 18-1993

and the last in the issue dated November 25, 1993 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Subscribed and sworn to before me this 26th

day of November, 1993

Notary Public for Idaho,
Residing at Council, Idaho

RECEIVED

NOV 30 1993

WATER RESOURCES
WESTERN REGION

JAN 20 1994

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07935

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645
Source: SPRINGS

Tributary: LITTLE WEISER RIVER

Diversion Pt:
SWSW Sec 25 T 14N R 01E
in ADAMS County.
Use:

STOCKWATER (.050 CFS)
Total Diversion: (.050 CFS)

Date Filed: 11/4/1993

In: ADAMS County

T14N R01E S25 SWNE

67-07936

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645
Source: SPRINGS

Tributary: LITTLE WEISER RIVER

Diversion Pt:
SWSW Sec 27 T 14N R 01E
in ADAMS County.
Use:

STOCKWATER (.070 CFS)
Total Diversion: (.070 CFS)

Date Filed: 11/4/1993

In: ADAMS County

T14N R01E S27 SWSW
S34 NWNW SWNW

67-07937

HAWKINS, NANCY E
PO BOX 95
FRUITVALE, ID 83620

Source: WEISER RIVER

Tributary: SNAKE RIVER

Diversion Pt:
SESW Sec 2 T 17N R 01W in
ADAMS County.

Use:

RECREATION
STORAGE (15.00 AF)

DIVERSION TO
STORAGE (1.00 AF)

Total Diversion: (15.00 AF)

Date Filed: 11/9/1993

In: ADAMS County

T17N R01W S02 SESW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before DECEMBER 6, 1993.

R. KEITH HIGGINSON,

Director

Published: 11/17/1993 &
11/24/1993

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 67-07935

Priority: November 17, 1993

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

1.6 AF

This is to certify, that WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 4, 1993; and
has submitted Proof of Beneficial Use on January 14, 1997. An examination indicates
that the works have a diversion capacity of 0.050 cfs of water from:

SPRING

tributary to LITTLE WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	1.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWNE , Sec. 25, Township 14N, Range 01E
ADAMS County

PLACE OF USE: STOCKWATER

TWN RGE SEC

14N 01E 25

SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the
watermaster of State Water District No. 67A.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
The water right confirmed by this license is subject to all prior water rights
and shall be administered in accordance with Idaho law and applicable rules of
the Department of Water Resources. Signed and sealed this 17th day of
MARCH, 1999.

Acting for

KARL J. DREHER, Director

MICROFILMED

APR 13 1999

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-07935

IN THE NAME OF WELDON BRANCH

)
) ORDER OF
) REINSTATEMENT
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1997; and,

WHEREAS, the Department notified the permit holder on October 31, 1996, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department sent the permit holder a lapse notice on January 6, 1997, since an acceptable proof of beneficial use or extension of time had not been received; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on January 14, 1997;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 67-07935 is **REINSTATED** with an advance in priority to November 17, 1993.

DATED this 29th day of January, 1997.



L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

FEB 27 1997

RECEIVED

JAN 14 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07935 Telephone No. 208-355-2308

2. Name(s) of Permit Holder(s): Weldon Branch

3. Mailing Address: 3621 North Crane Rd Midvale, Idaho 83645

4. Source of Water: Spring If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____

b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): 200 Range Cattle

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 6.05 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No _____
	Has the measuring device been installed?	Yes _____	or	No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No _____
	Has the measurement port been installed?	Yes _____	or	No _____

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Weldon Branch Telephone Number: 208-355-2308

Address: 3621 North Crane Rd Midvale, Idaho 83645

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Weldon Branch owner Date: 1/10/97
(include your title, if on behalf of company or organization)

MICROFILMED

FFR 0 2 10-

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 67-07935

Proposed Priority: November 4, 1993 Maximum Diversion Rate: 0.05 CFS

This is to certify, that WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645
has applied for a permit to appropriate water from:

SPRINGS tributary of LITTLE WEISER RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

STOCKWATER	01/01 to 12/31	0.05 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSWNE , Sec. 25, Township 14N, Range 01E
ADAMS County

PLACE OF USE: STOCKWATER

TWN RGE SEC

14N 01E 25 SWNE

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1997.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 67A.
5. Two points of diversion are located within SWSWNE, S25, T14N, R01E.
6. Stockwater use is for 200 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28TH day of DECEMBER, 1993.

RECORDED

JAN 20 1994


R. Keith Higginson, Director

RECEIVED

DEC 22 1993

Ident. No. 67-07935

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WELDON BRANCH
Address: 3621 N CRANE RD
MIDVALE ID 83645

208-355-2308

2. Source: SPRINGS

Trib. to: LITTLE WEISER RIVER

3. Location of Point of Diversion:

~~NWSE~~ Sec. 25, Township 14N, Range 01E
SWSNE Sec. 25, Township 14N, Range 01E
ADAMS County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.050		

5. Total quantity to be appropriated is:

0.050 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

STOCK TANKS from 2 springs (interconnected)

b. Height of storage dam feet; active reservoir capacity

acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is inches; proposed depth of well is
feet.

d. Is groundwater with a temperature greater than 85F being sought? NO

e. If well is already drilled, when?

Drilling Firm

Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).

8. Place of Use: STOCKWATER

TWN RGE SEC
14N 01E 25

SWNE

RECEIVED

JAN 20 1994

* d'base updated 11/9/93 per taken with applicant.

-52

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks: ^{located} Two points of diversion ⁱⁿ SWSWNE, S25, T14N, R01E.
Stockwater use is for 200 range cattle.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Weldon Branch
Applicant.

Received by RDH Date 11/4/92 Time 16:01 Preliminary check by RDH SL

Fee \$ 30.00 Receipted by RDH # W016922 Date 11/4/92

Publication prepared by AT Date 11-10-93 Published in Adams Cty Leader

Publication approved AT Date 12-10-93


* O'base updated 11/9/93 -SL

RECORDED

JAN 20 1994

2-PIDS IN SWSWNE, S25 T14N R1E
200 HD RANGE CATTLE

APPL FOR PERMIT





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 26, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07935

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

APR 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of March, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07935

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645


Kari Lynn Townsend
Secretary

MICROFILMED

APR 13 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 13 1999

B/U FIELD EXAM REVIEW

by *Cindy Lou*

Permit #: 67-7935 Name: Branch Date: 3/15/99 ✓ Lots ✓

NAME Chng Same ☒ Or Address Change? _____

SOURCE ☒ Clarify source Spring
☒ Prelim. Order to Void - Source change.

P/D ☒ Amendment Needed? Addn'l ¼¼? Legal (single spring) P39
Same ¼¼? W32 P36
Overlap(s) none

P/U ☒ Amendment Needed? _____ P41
Overlap(s) none
(Gov't use special ¶s) *P/D & P/U Amend? P37

RATE ☒ Permit/proof fee limits 0.05 / 0.05
☒ Measured Quantity = none cfs Theoretical Quantity = 0.05 cfs
allow permitted
(HP) 8.8 x 0.70 x
+ (2.31 x) = _____ cfs
☒ Recommended capacity 0.05 cfs
☒ Recommended rate 0.05 cfs

VOLUME ☒ Season: (/) 1/1 - 12/31 = (215) days
Calculations:
stock : (200 x 12 x 215) / 325850 = 1.6
nd * gpd x dpy
☒ Flow limit: 0.05 cfs x 215 days/yr. x 1.9835 = 21.3 AF
Recommended volume 1.6 AF

USES ☒ Same Nature of Use? _____ P46
☒ Amendment Needed?

REMARKS Multiple p/d's in same ¼¼? Use W32 _____

CONDITIONS ☒ Measuring Device (R43) or Lockable Controlling Works (R02)
R04 Watermaster Control (R04) - WD # _____
☒ Irrigation rate/annual volume overlap
☒ GW irrigation replaces surface water (050)
☒ GW irrigation supplements surface water (065)
☒ Water Quality
☒ Other _____

PRIORITY App Red 11/4/93 Due 1/1/97 Rcd 1/14/99
Receipt# C037520 Fee OK? Yes No *50
Order to Reinstate Needed? Yes/No Done? 1/29/97 Advanced to: 11/17/93
Priority 11/17/93 Examined 9/16/98

COMMENTS:

USE	CFS	VOLUME
Stock	0.05	1.6
TOTAL	0.05	1.6

SRBA Overlap none
Adjustment Memo
LICENSE
~~#1 AMEND: /P30~~
~~#2 AMEND. (R) P42 (C) P47~~

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 02 1998
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07935

1. Owner: Weldon Branch Phone No. (208) 355-2308

Current Address: 3621 N Crane Rd, Midvale, ID 83645

2. Accompanied by: (Reviewed with Weldon EXAM DATE: 9-16-98

Address: on phone, but he would Phone No. _____

Relationship to Permit Holder: not be on exam)

3. Source: Spring tributary to Little Weiser River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	NE	25	14N	1E	Adams	Site Visit, map


2. Place(s) of Use: SWNE is correct Indicate Method of Determination Site Visit, map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N	1E	25			~~SW~~ S														

MICROFILMED

APR 13 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 120 ft

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Very low flow into trough -
No practical way to measure flow.

MICROFILMED

APR 3 1993

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for 2 single spring development and 2 single stock trough. They planned to develop 2 springs and 2 troughs for this permit, but only developed one due to lack of water at the other location he planned to use.
2. A spring was developed with perfor pipe, gravel pack and a 36" corr spring box w/ metal lid. A 2" PVC pipe, 52' long with 12' of head conveys the water to a single rect. metal stock trough.
3. 200 Ranso Cattle use the water from about April 1 to Nov. 1 each year.
4. The water development is located on 120 Acres of private land adjacent to U.S. Forest Service land.
5. There is only one pt. of diversion, not 2 as shown in permit. The owner only found one good spring; the other one was not developed. (see 1.)

Have conditions of permit approval been met? ☒ yes

☐ no

MICROFILMED
APR 13 1999

Additional Computation Sheets Attached

Measured Method: *None*, Theoretical Cal: :

2nd PUC, 52', 12' drop

$$H = H_f + H_c + H_v$$

$$12' = \left[\left(\frac{15 \text{ psi} \times 52'}{100'} \right) + 10\% \text{ H}_f \right] \left[\frac{34'}{14.7 \text{ psi}} \right]$$

<u>Assume ϕ</u>	<u>Head Loss</u>	<u>Head Avail.</u>
0.05 cfs, 236pm	0.6'	12'
0.10 45"	1.4	12'
0.20 90	6.8	12'
0.30 135	10.1	12'

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

The pipe can deliver more than 0.05 cfs
For 200 stock, $Q_{\text{allowed}} = 0.05 \text{ cfs}$

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{10cm}}$$

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} =$$

2. Volume Calculations for Other Uses:

Stockwater

$$AFA = \left(\frac{12 \text{ GPD}}{\text{Head}} \right) \left(\frac{200 \text{ Head}}{\text{Ann.}} \right) \left(\frac{AIF}{325,850 \text{ Gal.}} \right) = 1.55$$

$$= 1.6 \text{ AIF-A}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
stock water	01/01	12/31	0.05	1.6
Totals:			0.05	1.6

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

Note: only one
pt. of diversion,
not two

I. AUTHENTICATION


Field Examiner's Name Don Zandich, Date 11-30-98

Reviewer _____ Date _____

SEAL

MICROFILMED


APR 13 1999



SCALE 1:24 000

67-07935
67-07936

67-07939
67-07940
67-07941



CONTOUR INTERVAL 40 FEET

MICROFILMED

APR 13 1999

QUADRANGLE LOCATION

- 1 Council
- 2 Council Mountain
- 3

Improve
Unimpr
Trail

Inter

1 of 2

P/D

36" Cmp

Spring

Box



P/u

Stock

Trough



MICROFILMED

APR 13 1999

67-07935

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 67-07935 Reviewed by [Signature] Date 1-23-97

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

stock

Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
____ Ground water source
____ Drilling permit required?
____ Copy in the file? Drilling Permit No. _____
____ Amount paid for permit _____ Correct?
____ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50- Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
____ Installed?
____ Waiver requested?

PRIORITY CALCULATION

Date proof received 1-14-97
Date proof due 1-1-97 - _____
No. of days late 13 = 13
Priority Date 11-4-93 + 308
New Priority Date 11-17-93 321

7-11-17-93

DEFICIENCIES OR ACTION ITEMS

Reinstate & advance priority to Nov. 17, 1993.
Proof acceptable

DATA ENTRY

New Address [X] Proof Made 1-14-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
January 29, 1997

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07935

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof was submitted after the proof due date of January 1, 1997. Please note that the priority date has been advanced to November 17, 1993.

Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, contact the **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Region

[Faint handwritten notes and stamps]

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 6, 1997

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

LAPSE NOTICE

RE: PERMIT NO. 67-07935

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1996. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

100-11120

JAN 17 1997

CERTIFICATION OF MAILING
I hereby certify that on 1/6/97
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.


October 31, 1996

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

PROOF DUE NOTICE

RE: PERMIT NO. 67-07935

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1993

WELDON BRANCH
3621 N CRANE RD
MIDVALE ID 83645

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07935

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

JAN 20 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 67-7935 Date: 12/22/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - NA
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - Permit No. _____, P99
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. 67A
Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10(WQ) & 07A-042 (req)
044 (N 1000 Spr)
Irrigation - 803(if GW use SW 1st)(+5A do POU comp.), NA
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R), NA
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement - 020
OTHER CONDITIONS: -
REMARKS: - 1. Woz(200 RC) 2. 2 P/D in SWSWNE, S25, T14N, R1E.
BENEFICIAL USE DUE: - 1-1-1997
COMMENTS: - 1. Dis Desc

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

WR0749NP
No. P67-07935

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/22/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WELDON BRANCH 3621 N CRANE RD MIDVALE ID 83645 (208) 355-2308	11/04/1993	STOCKWATER	01-01 12-31	0.05 CFS	
TOTAL DIVERSION:					0.05 CFS	

Water Source: SPRINGS

Tributary to: LITTLE WEISER RIVER

Stage: PERMIT

Point(s) of Diversion: T14N R01E S25 SW SW NE

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE			
T	R	S	: Lt Ac	T	R	S	: Lt Ac	T	R	S	: Lt Ac	T	R	S	: Lt Ac
14N	01E	25	:				:				:				:

Pou County: ADAMS

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 005 - Use of water under this right is subject to control by the watermaster of State Water District No. 67A.

Remarks: Two points of diversion are located within SWSWNE, S25, T14N, R01E.
Stockwater use is for 200 range cattle.

Dates: App. Received: 11/04/1993 Priority Date: 11/04/1993
Proof Due Date: 01/01/1997 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 67A Field Exam Fee:

Comments: Date: 12/22/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
Two springs to two stock tanks, interconnected system.

Audit: 12/22/93 ZIMMERMA

DEC 22 1993

Department of Water Resources

PROCESSING

APPLICATION NO.

67-07935

YES NO

In form for advertising:

Statewide advertising: { > 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

~~YES~~ NO

✓

✓

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

67A

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 12-6-93

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Approve, Dm*

Measuring device required: N/A

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

05 (67A, Little Weiser R), 26A (Allow 3 yrs)

See below for additional information

Recommended Date or Priority 11/4/1993

Recommended by: 

Date 12/21/1993

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

501
RECEIVED

DEC 14 1993

WATER RESOURCES
WESTERN REGION

December 12, 1993

David R. Tuthill *Dr*
Manager, Western Regional Office
Idaho Department of Water Resources
Boise, ID 83705-5082

Dear Mr. Tuthill:

RE: Applications for water rights Nos. 67-7935 and 67-7936 in the name of
Weldon Branch.

After reviewing these applications for water rights, I recommend they be
approved as requested.

Sincerely,
David J. Birchard
David J. Birchard
Watermaster 67A

Copy: Weldon Branch
3621 N. Crane Rd.
Midvale, ID 83645

RECEIVED

JAN 20 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 12, 1993

DAVE BIRCHARD WATERMASTER
BOX 52
INDIAN VALLEY ID 83632

Dear Mr. Birchard:

Re: Applications for Water Rights Nos. 67-7935 and 67-7936 in
the Name of Weldon Branch

Dear Mr. Birchard:

Enclosed are a copies of the above-referenced applications for
water right.

Please review the applications and return any comments you
might have within two weeks. If you have questions or need
information, feel free to contact this office.

Sincerely,

A handwritten signature in cursive script, reading 'David R. Tuthill, Jr.'.

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

Enclosure: Copies of Applications

RECEIVED
NOV 15 1993

JAN 20 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1993

Mr. Weldon Branch
3621 N. Crane Rd.
Midvale, ID 83645

RE: Applications for Permit

Dear Mr. Branch:

Enclosed are three applications for permit to complete the stockwater filing that we discussed today in our telephone conversation. As you can see, I included two springs in SWSWNE S.25 on application no. 67-07935, and similarly lumped two other springs in SWSWSW S.27 for filing no. 67-07936. Those two applications will be processed without any delay.

The enclosed material is to establish three other water right permits on three separate springs. Water right procedures require that all developments that are not physically interconnected be covered under separate rights when obtaining new water right permits.

The fee for each new filing is \$30 or \$90 total. Please review the documents. If you are satisfied with them, return the signed applications with payment to me as soon as possible.

Let me know if I can provide additional information.

Sincerely,

A handwritten signature in cursive script that reads "Steve Lester".

Steve Lester
Water Rights Supervisor

Enclosure: Water Right Applications (2)

RECEIVED
JAN 20 1994

CONVERSATION MEMORANDUM

DATE 11/9/93
FILE 67-07935
67-07936NAME OF PARTY Weldon BranchEMPLOYEE Steve Lester

RE: _____

Cannot include multiple developments on 1 Appl. unless sources are physically interconnected (Admin Memo - Appl. #58).

Mr. Branch said that the following are physically interconnected by pipeline:

2 pld in SWSWNE S.25 = 67-07935

2 pld in SWSWSE S.27 = 67-07936

The other three springs shown in the above 2 original filings are not interconnected ~~by~~ with any nearby springs.

Prepare & mail 3 new Appl. (#90) for these springs.

Done

Nov 16 1993

67-07935

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645

Source: SPRINGS

Tributary: LITTLE WEISER RIVER

Diversion Pt: SWSWNE Sec 25 T 14N R 01E in ADAMS County.

Use: STOCKWATER (.050 CFS)
Total Diversion: (.050 CFS)

Date Filed: 11/ 4/1993

In: ADAMS County
T14N R01E S25 SWNE

RECORDED
INDEXED

JAN 20 1994

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

67-07935-67-07936-67-07937

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated November 18-1993

and the last in the issue dated November 25, 1993 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Subscribed and sworn to before me this 26th

day of November, 1993

Notary Public for Idaho,
Residing at Council, Idaho

RECEIVED

NOV 30 1993

WATER RESOURCES
WESTERN REGION

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07935

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645
Source: SPRINGS

Tributary: LITTLE WEISER RIVER

Diversion Pt:
SWSWNE Sec 25 T 14N R 01E
in ADAMS County.

Use:

STOCKWATER (.050 CFS)

Total Diversion: (.050 CFS)

Date Filed: 11/4/1993

In: ADAMS County

T14N R01E S25 SWNE

67-07936

BRANCH, WELDON
3621 N CRANE RD
MIDVALE, ID 83645
Source: SPRINGS

Tributary: LITTLE WEISER RIVER

Diversion Pt:

SWSWSW Sec 27 T 14N R 01E
in ADAMS County.

Use:

STOCKWATER (.070 CFS)

Total Diversion: (.070 CFS)

Date Filed: 11/4/1993

In: ADAMS County

T14N R01E S27 SWSW

S34 NWNW SWNW

67-07937

HAWKINS, NANCY E
PO BOX 95
FRUITVALE, ID 83620
Source: WEISER RIVER

Tributary: SNAKE RIVER

Diversion Pt:

SESW Sec 2 T 17N R 01W in
ADAMS County.

Use:

RECREATION

STORAGE (15.00 AF)

DIVERSION TO

STORAGE (1.00 AF)

Total Diversion: (15.00 AF)

Date Filed: 11/9/1993

In: ADAMS County

T17N R01W S02 SESW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Air & W

JAN 20 1994