

67-07914

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

FILED

MAY 25 1993

Carl L. Blessinger
(Applicant)

67-7914

5 4

8 9

10 11

12 13

14 15

16 17

18 19

20 21

22 23

24 25

26 27

28 29

30 31

32 33

34 35

36 37

38 39

40 41

42 43

44 45

46 47

48 49

50 51

52 53

54 55

56 57

58 59

60 61

62 63

64 65

66 67

68 69

70 71

72 73

74 75

76 77

78 79

80 81

82 83

84 85

86 87

88 89

90 91

T 712

A

45.1

6

18.2

E

12

F

63

C

7.8

D

16.5

B

1.8

22.6

4.3

10.1

37.3

T10 N R

AW

8 9

17 16

1-2 41

1-2 11

1-2 07

MAY 1967

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles, being duly sworn,

deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Feb. 17, 1993, and ending
with the issue of Feb 24, 1993.

Sarah Boles

Fees, \$ 51.98

Subscribed and sworn to before me this 24
day of February, 19 93.

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 19 99

No. 211 NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appro-
priate the public waters of the State of Idaho:

63-11982 ✓

BLESSINGER, CAROL
2053 COVE RD.
WEISER, ID 83672.
Source: SPRING
Tributary: WEISER RIVER
Diversion Pt: SESWNE Sec 9 T 10N R 04W in WASH-
INGTON County.
Use: STOCKWATER (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 1/26/1993
In: WASHINGTON County
T10N R04W S09 SWNE


The permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of
Water Resources, Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before March 8, 1993.

R. KEITH HIGGINSON, Director
Published: 2/18/1993 & 2/25/1993

104-2S

FILED
MAY 25 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 gallon bucket ; Spring #1 = .01 " RATE OF FILL OVER
Spring #2 = .01 cfs " " 60 SECOND TO FILL
A 5 gallon bucket



TANKS

#2 #1

↓ ↓

Collection ↑ ↑
Boxes #2 #1
(pds)

PERMIT 67-07914 INIT *RS*
T. R. S. Q/Q
16N 4W 9 SE SWNE
NOV 07 1996



VIEW OF THE SOURCE.
THE SPRING BEGINS IN
THIS DRAW AND SEEPS
DOWN TO THE COLLECTION
BOX (PICT #2). FROM
THE COLLECTION BOX THE
WATER IS GRAVITY FED
THROUGH A $\frac{3}{4}$ " LINE TO
THE STOCK TANK.

PHOTO THREE-



PHOTO FOUR-

MICROFILMED
NOV 07 1996



VIEW OF STOCK TANK #1
LOCATED ON THE EAST
SIDE OF THE PROPERTY.

6

PHOTO ONE-



VIEW OF Collection box
#2. The WATER SEEPS
FROM A SMALL COLLECTION
OF SPRINGS LOCATED AROUND
THE box INTO A $\frac{3}{4}$ " LINE
THAT, THROUGH GRAVITY, FEEDS
A STOCK TANK.

PHOTO TWO-

MICROFILMED
NOV 07 1996



VIEW OF STOCK TANK #
LOCATED IN THE MIDDLE
THE PROPERTY.

PHOTO FIVE-

>

PHOTO SIX-

MICROFILMED
NOV 17 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07914

Priority: January 26, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.5 AF

This is to certify, that CAROL BLESSINGER

2053 COVE RD

WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 26, 1993; and has submitted Proof of Beneficial Use on December 9, 1993. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWNE, Sec. 9, Township 10N, Range 04W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 04W 9

SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion are located within SESWNE, S09, T10N, R04W.

MICROFILMED


NOV 6 7 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07914

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of OCTOBER, 1976.


Acting for KARL J. DREHER, Director

MICROFILMED

NOV 6 7 1983

RECEIVED

OCT 15 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 67-07914

Date of Priority: January 26, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.5 AF

Comes now

CAROL BLESSINGER

2053 COVE RD

WEISER ID 83672

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07914, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to **SINKS**

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

STOCKWATER

01/01 to 12/31

0.02 CFS

0.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWNE , Sec. 9, Township 10N, Range 04W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 04W 9

SWNE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at

Weiser, Idaho

, this

16th

day of

October

, 19 *96*.

MICROFILMED

NOV 07 1996

Carol Blessinger
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07914

FOR DEPARTMENT USE ONLY

Preliminary check by KCT Fee = \$50.00 Received by KCT # CD36757 Date 10-15-96


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07914 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion are located within SESWNE, S09, T10N, R04W.

Witness my hand this 17TH day of OCTOBER, 1996


KARL J. DREHER, Director

MICROFILMED
NOV 6 7 1996

RECEIVED
OCT 22 1993

Department of Water Resources

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50.00
Date 12/9/93
Receipt No. 0029189
Received by [Signature]

RECEIVED

DEC 09 1993

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 67-07914 Telephone No. 549-0026
- Name(s) of Permit Holder(s): Carol Blessinger
- Post Office Address: 2053 Cove Rd. Weiser, ID 83672
- Source of Water: Ground Spring
 - If ground water, well driller's name: _____ Date drilled: _____
 - Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
- Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater X 175 head mixed stock (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 3/4 gal per minute cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No
OR
Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Carol Blessinger 549-0026
Name Telephone No.
2053 Cove Rd. Weiser, ID 83672
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10-15-93
Date

Carol Blessinger
Signature (and title if on behalf of a company or organization)

JAN 20 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07914

Proposed Priority: January 26, 1993 Maximum Diversion Rate: 0.02 CFS
This is to certify, that **CAROL BLESSINGER**
2053 COVE RD
WEISER ID 83672
has applied for a permit to appropriate water from:

SPRING

tributary of **WEISER RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: SESWNE , Sec. 9, Township 10N, Range 04W
WASHINGTON County

PLACE OF USE: STOCKWATER
TWN RGE SEC

10N 04W 9 SWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1994**.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 67.
4. Stockwater use is for 175 head of mixed stock.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

9th day of April, 1993.

[Signature]
for R. Keith Higginson, Director

RECEIVED
MAY 25 1993

RECEIVED

JAN 26 1993

Form 202
10/92

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Western Regional Office

To appropriate the public waters of the State of Idaho

RECEIVED

JAN 27 1993

Ident. No.

67-7914

63-11982

1. Name of applicant Carol L. Blessinger Phone 549-0026

Post office address 2053 Cove Rd, Weiser, ID 83672

2. Source of water supply Spring which is a tributary of Weiser River

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot

Sec. 9 Township 10 N Range 4 W B.M. Washington County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .02 for STOCKWATER purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .02 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Underground pipe to trough.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

Existing
_____ years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. 100 Sheep, 50 Cattle + 25 Horses
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	4W	9			5														—

Total number of acres to be irrigated —

10. Describe any other water rights used for the same purposes as described above. None


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MAY 25 1993

67-07914

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gene L. Blasing
(Applicant)

MAY 25 1999

Received by YM Date 1-27-93 Time 1:50 pm Preliminary check by LG
Fee \$ 30.00 Received by [Signature] # C026600 Date 1-26-93
Publication prepared by GG Date 2-10-93 Published in Weiser Signal
Publication approved [Signature] Date 3-22-93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.


c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MAY 25 1993

67-7914



5 4

8 9

22.6

4.3

10.1

37.3

45.1

8.8

7.8

16.5

11.2

6.3

18.2

TIO N R

8 9

17 16

2-24)

T 637

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Small Boles, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Feb. 17, 1993, and ending
with the issue of Feb. 24, 1993.
Small Boles

Fees, \$ 51.98

Subscribed and sworn to before me this 24
day of February, 1993.
[Signature]
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1999

No. 211 NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appro-
priate the public waters of the State of Idaho:

63-11982 ✓
BLESSINGER, CAROL
2053 COVE RD.
WEISER, ID 83672
Source: SPRING
Tributary: WEISER RIVER
Diversion Pt: SESWNE Sec 9 T 10N R 04W in WASH-
INGTON County.
Use: STOCKWATER (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 1/26/1993
In: WASHINGTON County
T10N R04W S09 SWNE

The permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of
Water Resources, Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before March 8, 1993.
R. KEITH HIGGINSON, Director
Published: 2/18/1993 & 2/25/1993

104-2S

RECEIVED
MAY 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 18, 1996

CAROL BLESSINGER
2053 COVE RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07914

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment. Should you have any questions regarding these documents, please contact me.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

NOV 6 7 1996

MEMORANDUM

DATE: October 7, 1996

TO: File 67-07914

FROM: Shelley W. Keen *swk*

RE: Phone call from Carol Blessinger

Today I returned a call from Carol Blessinger at 208-549-0944 to discuss the licensing amendment request I sent her. After I answered her questions, she said she would complete the amendment application and mail it in.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 25, 1996

CAROL BLESSINGER
2053 COVE RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07914

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

NOV 27 1996

B/U FIELD EXAM REVIEW
Cindy Zimmerman

Permit #: 67-7914 Name: Blossinger Date: 9/25/96 ✓ Lots

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source (2) springs sinks
Prelim. Order to Void ✓ Source change.

P/D ✓ Amendment Needed? 2 p/d's in same 1/4 1/4 1/4 P39
Overlap(s) none

P/U ✓ Amendment Needed? P41
Overlap(s) none
(Gov't special #'s) *P/D & P/U Amend? P37

RATE ✓ Permit/fee limits 0.02 / 0.20
✓ Measured Q= 0.02 cfs/Theoretical Q= cfs
allow permitted 0.02 cfs.
stock = 27 horses + 60 Sheep.

 ✓ Recommended capacity 0.02 cfs
✓ Recommended rate 0.02 cfs

VOLUME ✓ Season: (/) 1/1 - 12/31 = 365 days
Calculations:
stock $\left[(27.4 \times 12 \text{ gal/da}) + (60 \text{ gal} \times 2 \text{ gal/da}) \right] \times 365 \text{ da} = 325,850$
 $= 5(324 + 120 = 444) \times 365 = 325,850 = 0.5 \text{ AF}$
Flow limit: $0.02 \times 365 \times 1.9835 = 14.5 \text{ AF}$
Recommended volume 0.5 AF

USES ✓ Same Nature of Use? P46
 Amendment Needed?

REMARKS ✓ Multiple p/d's in 1/4? W32 SES W NE
~~0.02/175~~

CONDITIONS on permit but exam says springs trib to sink. ∴ not under WMA jurisdiction.

Measuring (R01)/Locking (R02) Devices
Watermaster Control (R04) - WD #
Irrigation rate/volume overlap
GW irrigation replaces surface water (050)
GW irrigation supplants surface water (065)
Water Quality
Other

PRIORITY App Rcd 1/26/93 Due 5/1/94 Rc'd 12/9/93
Receipt# 6029189 Fee OK? (Yes) No
Order to Reinstate Needed? Yes (No) Done?
If Yes, Advanced? Yes/No to:
Priority 1/26/93 Examined 7/29/94

COMMENTS::

USE	CFS	DIV VOL	SRBA Overlap <u>None</u>
<u>Stock</u>	<u>0.02</u>	<u>0.5</u>	Adjustment Memo <u> </u>
<u> </u>	<u> </u>	<u> </u>	LICENSE LTR: <u>P49</u>
<u> </u>	<u> </u>	<u> </u>	#1 AMEND LTR: <u>P39/P38</u>
<u> </u>	<u> </u>	<u> </u>	#2 AMEND LTR: <u>P42/P47</u>
<u>TOTAL</u>	<u>0.02</u>	<u>0.5</u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 20 1995

Department of Water Resources
Permit No. 167-07914

A. GENERAL INFORMATION

1. Owner: CAROL BLESSINGER Phone No. 549-0944
Current Address: 2053 LOVE RD WEISER ID 83672
2. Accompanied by: MR BLESSINGER EXAM DATE: 7-29-94
Address: SAME Phone No. SAME
Relationship to Permit Holder: HUSBAND
3. Source: SPRINGS tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-04415 * NEIGHBOR IN SAME 1/4 1/4
2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	NE	9	10N	4W	WASH	QUADS - FIELD EXAM

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4W	9			S													25	

MICROFILMED

NOV 07 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibrated Date
						NOV 07 1936

2. Measurements: 5 gallon bucket ; Spring #1 = .01 → RATE OF FILL OVER
Spring #2 = .01 CES " " 60 SECOND TO FILL
A 5 gallon bucket

E. NARRATIVE/REMARKS/COMMENTS

THESE TWO SPRINGS ARE SET UP EQUALLY, WITH COLLECTION BOXES THAT ARE BURIED WITH GRAVEL FILTERS. THESE COLLECTION BOXES DRAW WATER FROM NEIGHBORING SPRINGS. SPRING #1 HAS SPRINGS THAT COME, SEEPING, DOWN THE DRAW UNTILL THE COLLECTION BOX. SPRING #2 HAS A CLUSTER OF TIGHT SPRINGS THAT FILL ITS' BOX.

FROM THE TWO SPRINGS THE WATER IS GRAVITY FED INTO THE BOXES AND THEN DIRECTED INTO A 3/4" PIPE TO THE TWO STOCK TANKS

NEITHER OF THE SPRINGS HAD A FLOW THAT WAS OVER .01 CFS. USING A 5 GAL BUCKET MEASUREMENT THE TIMED RATE OF FILL WOULD HAVE EASILY BEEN OVER 60 SEC. (EXHIBIT 9 = .01 CFS)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 27 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Spring # 1 = .01 cfs

Spring # 2 = .01 cfs

.02 cfs
CAPACITY

NEED; EXHIBIT 15A

27 HORSES = .02 cfs

60 SHEEP = .02 cfs

.04 (allow only system cap.)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ NA

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

(EXHIBIT 15)

Volume stockwater; 27 HORSES $\times 12 \text{ gal/day} \times 365 \text{ } \div .325856 = .4 \text{ AFA}$
60 SHEEP $\times 2 \text{ gal/day} \times 365 \text{ } \div .325856 = .13 \text{ AF}$
.53 AF

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock Water	1-1	12-31	.02 cfs	.53 AFA
Totals:			.02 cfs	.53 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Dave F. [Signature] Date 8-12-94

Reviewer _____ Date _____

SEAL

MICROFILMED

NOV 07 1995

07/1986

2216


TANKS

#2 #1
↓ ↓

Collection ↑
BOXES #2 #1
(pds) ↑

2266

PERMIT 67-07814 INIT *PH*
T. R. S. Q/Q MED
16N 4W 9 SE SHINE
NOV 07 1996



VIEW OF THE SOURCE
THE SPRING BEGINS IN
THIS DRAW AND SEEPS
DOWN TO THE COLLECTION
BOX (PICT #2). FROM
THE COLLECTION BOX THE
WATER IS GRAVITY FED
THROUGH A $\frac{3}{4}$ " LINE
THE STOCK TANK.

PHOTO THREE-



PHOTO FOUR-

MICROFILMED

NOV 27 1996



VIEW OF STOCK TANK #,
LOCATED ON THE EAST
SIDE OF THE PROPERTY.

6

PHOTO ONE-



VIEW OF COLLECTION BOX
#2. THE WATER SEEPS
FROM A SMALL COLLECTION
OF SPRINGS LOCATED AROUND
THE BOX INTO A 3/4" LINE
THAT, THROUGH GRAVITY, FEEDS
A STOCK TANK.

PHOTO TWO-

MICROFILMED
NOV 07 1995



View of stock tank #2
located in the middle of
the property.

PHOTO FIVE-

>

PHOTO SIX-

MICROFILMED
1997 11 13

December 14, 1993

CAROL BLESSINGER
2053 COVE RD
WEISER ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07914

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

[Handwritten signature]
JAN 20 1994

DAVID CRAIG EXCAVATION

Route 1 Box 10
MIDVALE, IDAHO 83645

355-2391 • David
355-2601 • Karson

STATEMENT

DATE	7-25-92
NUMBER	

Carol Blessinger
2053 Cove Rd.
Weiser Id. 83645

TERMS:

PLEASE DETACH AND RETURN WITH YOUR REMITTANCE

\$ 1600.00

DATE	CHARGES AND CREDITS	BALANCE
	STOCK WATER BALANCE FORWARD	
	Springs Development	
	Box & Lid 640" PVC Galv Pipe	
	& Fittings Rubber Tire	
	Backhoe & Labor	\$1600.00
	Springs producing	
	3/4 gal per min.	
	Thank you	
	Dave	

DAVID CRAIG EXCAVATION

Thank You PAY LAST AMOUNT
IN THIS COLUMN

JAN 20 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 25, 1993

Carol Blessinger
2053 Cove Rd
Weiser, ID 83672

Re: Permit No. 67-07914

Dear Permit Holder:

Returned is the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, it is unacceptable as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater (well) source.
2. The rate of diversion must be .04 cfs or 4.0 AF or less.

As you can see, you do not meet requirement #1 since you use a spring (surface) for your source. Therefore, a license examination fee of \$50 applies to each permit. I have enclosed a copy of the Instructions for the Proof of Beneficial Use for your convenience.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Senior Secretary

Enclosure

RECORDED COPY

JAN 20 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 9, 1993

CAROL BLESSINGER
2053 COVE RD
WEISER ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07914

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Chapman".

BRENDA L. CHAPMAN
Water Resource Agent

BLC:cz

Enclosures

RECEIVED

MAY 25 1993

MEMORANDUM

DATE: April 5, 1993
TO: File No. 67-07914
FROM: Cindy Zimmerman
SUBJECT: Renumbered.

=====

This water right was originally given the number 63-11982.
It is located within Twn. 10N, Rng. 04W, which is in Basin 67.

RECEIVED

MAY 25 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

FEBRUARY 10, 1993

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 8, 1993.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MAY 25 1993

63-11982

BLESSINGER, CARCL
2053 COVE RD
WEISER, ID 83672

Source: SPRING

Tributary: WEISER RIVER

Diversion Pt: SESWNE Sec 9 T 10N R 04W in WASHINGTON County.

Use: STOCKWATER (.020 CFS)
 Total Diversion: (.020 CFS)

Date Filed: 1/26/1993

In: WASHINGTON County
 T10N R04W S09 SWNE

MAY 25 1993