





THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

Copies Of These Maps Can Be Obtained
At Bonneville Blue Print, Boise Idaho

Reed
lowe
(vacant)
adjacent

Hwy 95

WATER
hookup

Office
Area
concrete floor

grass

PARKING

Processing
Area

9600 sq ft

WASH
DRAIN TO
SEWER
(meter)

Finish
Area

3,000 gal.
STORAGE
TANK

Loading
Area


2" Sewer
line

APPELTON CANYE

67-07909




Control Pond
Adjacent



VIEW OF WELL. LOCATED
ON THE N. END OF THE
PROPERTY.

PHOTO ONE-



VIEW OF THE 3000 GAL
STORAGE TANK THAT WE
PROPERTY USES FOR
DAILY ACTIVITIES.

PHOTO TWO-




VIEW OF HEAT → Freeze
Processing TANK. HERE
WATER IS USED TO
HEAT/FREEZE THE
PRODUCT IN THE PRODUCTION
PROCESS.

PHOTO THREE-



WASTE SYSTEM. ALL
WATER & WASTE IS
DUMPED THROUGH THIS
HOLE & WASHED TO THE
SEWER SYSTEM. A MAN
HAS BEEN PLACED HERE
TO DEMONSTRATE HOW
MUCH WATER IS LEAVING
THE SYSTEM. -

PHOTO FOUR-



View to the south of the
P/U.

PHOTO FIVE-



View of W.B. Properties
Production Plant. View is on
Appleton Rd. looking NW.

PHOTO SIX-

RECEIVED

DEC 21 1993

Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 30.00
Date 12/21/93
Receipt No. C029276
Receipt by DW

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07909 Telephone No. 208-549-1102
2. Name(s) of Permit Holder(s): W.B. PROPERTIES
3. Mailing Address: P.O. BOX 110 Weiser, Idaho 83672
4. Source of Water: GROUND WATER

If GROUNDWATER, Well Driller's Name: Frank Shelly #326 Date Drilled: 11-17-93

OPTIONAL:

Pump horsepower: 7-1/2 Pressure (psi): 80 Dynamic pumping level (ft.):

5. Extent of Use (as authorized by the permit):

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation (No. of acres) Other Commercial

6. Total rate and/or volume for which proof is submitted 0.13 cfs OR acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes x No Installed? Yes No

OR

Flow Measurement Port: Required? Yes x No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Dean J. Davies 208-549-1102
Name Telephone No.

#1 Appleton Lane Weiser, Idaho 83672
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 20 1994

12-17-93
Date

[Signature]
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07909

Proposed Priority: January 29, 1993 Maximum Diversion Rate: 0.13 CFS

This is to certify, that **WB PROPERTIES**
PO BOX 110

WEISER ID 836720110

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.13 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 29, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

11N 05W 29 NWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1994**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Construction of the well must comply with Idaho well construction standards.
5. Place of use is located within Lots 1 & 2, Loafer Lane and Alley, Perch Addition.
6. Commercial use is for a produce processing plant.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

4th day of August, 1993.

R. Keith Higginson
for R. Keith Higginson, Director

APPROVED

AUG 30 1993

MORATORIUM HOLD -
DO NOT ADVERTISE

JAN 28 1993

RECEIVED
6/85
JUL 16 1993

Department of Water Resources
Western Regional Office

67-07909

Ident. No. 67-

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant WB Properties Phone (208) 549-1102
Post office address P.O. Box 110 Weiser, ID 83672
2. Source of water supply Ground Water which is a tributary of N/A
Lots 1-2 -- Loafer Lane & Alley, Perch Addition
3. Location of point of diversion is 1/4 of NE NW 1/4 of SE 1/4, Govt. Lot City of Weiser
Sec. 29 Township 11 N Range 5 W B.M. Washington County; additional
points of diversion if any: (Changes per attached map)
4. Water will be used for the following purposes:
Amount .135 for Commercial purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .135 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Underground 3" pipeline with 5 HP
Submersible Pump.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8" inches; proposed depth of well is 100' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

AUG 3 1993

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Commercial use for processing plant.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	5W	29					X									C			

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? WB Properties
- b. Who owns the land to be irrigated or place of use? WB Properties
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____



12. ~~Remarks:~~ WB Properties and Appleton Produce Co. are owned by the same individuals.

The water will be used by Appleton Produce Co.

Comments - Property also known as Lots 1 and 2, Loater Lane and Alley, Peach

Remarks - Addition

* 82-5/19/93



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

Copies Of These Maps Can Be Obtained At Bonneville Blue Print, Boise Idaho

1993

[illegible]

Application for permit to appropriate the public waters of
WB Properties

(Applicant)

Received by MM Date 1-29-93 Time 1:22pm Preliminary check by Cy4
Fee \$ 30⁰⁰ Received by Jed # W0015874 Date 1-29-93
Publication prepared by ST Date 5/27/93 Published in Weiser Signal
Publication approved ST Date 7-7-93 6/3 & 6/16/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

AUG 30 1993

SD-0420-2
ADD COMMENT

Idaho Department of Water Resources
Modify Comment

Date: 07/12/93
Time: 09:05:20

Water Right Number: 67-07909

Comment Date: 7/12/1993 User ID: HODGES

Subject: CORPORATE OFFICERS

WB Properties Corporate Officers:

Pres - C Robert Woods

VP - Russell Birch

Sec - Nola Woods

(ENTER=Add) (Gold4=Prev) (Gold5=Next) (Gold7=Return to Comment Selection)

AUG 8 C 1993

Permit No. 67-07909

1. Owner: WB PROPERTIES Phone No. 549-1102

Current Address: P.O. Box 110 WELSER ID 836770110

2. Accompanied by: DEAN DAVIES EXAM DATE: 7-29-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: EMPLOYEE

3. Source: GROUND WATER tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-02384A * NEIGHBORS WR #; DIFFERENT

2. Other water rights with the same point of diversion: NONE P/D: P/D

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached
(required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Flow meter out put : THEORETICAL ; $7\frac{1}{2} \times 8.8 \times .70 = 46.2$
Avg: 31 gal/min = .076 cfs $(2.3 \times 100) + 80 = 310$
148.4 = .15 cfs

E. NARRATIVE/REMARKS/COMMENTS

WB PROPERTIES HAS A $7\frac{1}{2}$ HP MOTOR SUBMERGED IN A 125' WELL WITH AN 8" CASING. THE WELL PUMPS AT A DYNAMIC LEVEL OF 100' WITH 60PSI OF PRESSURE. THE STATIC WATER LEVEL IS @ 33' AND THE DRAIN DOWN @ 67'. WELL LOGS WERE FOUND TO CONFIRM THESE FIGURES.

THE WELL WATER IS ONLY USED IN LIMITED CAPACITY. THE MAJORITY OF THE WATER COMES FROM THE CITY HOOD UP. WATER FROM THIS WELL IS USED ONLY IN THE MAIN BUILDING AND ONLY FOR WASH-UP, CLEAN-UP. IN THE STORAGE FACILITY, THAT FEEDS THE HEAT/COOL SYSTEM.

THERE ARE 4 WASH AREAS THAT ARE USED BY @ 40 EMPLOYEES. THE 3,000 GAL TANK IS EMPTIED, FILLED THREE TIMES DAILY. THE FINISH AREA IS ALSO WASHED DOWN SEVERAL TIMES A DAY AS WELL AS THE DRAIN TO THE SEWER WHICH REQUIRES CONTINUOUS MONITORING & WATER SUPPLEMENT.

THE SYSTEM DISCHARGE IS MONITORED VIA THE SEWER METER. THE ^{MONTHLY} REPORT DISPLAYS FLOW FROM THE METER AND ALSO GIVES A DAILY AVERAGE OF GALLONS THAT ARE NEEDED FOR OPERATION. IN THE CASE OF THIS SYSTEM OUTFLOW = INFLOW. THEREFORE, THE COMPUTATIONS DERIVED FROM THE SEWERS' METER SHOULD BE VALID IN THE DETERMINATION OF A FLOW AND VOLUME FOR THIS PERMIT. THE PLANT MGRER SAID THAT IT WAS OPEN VIRTUALLY EVERY DAY (SAT-SUN ONLY CLEAN-UP) AND THAT JUNE'S FIGURES ARE CONSISTANT FOR THE YEAR.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

SYSTEM CAPACITY; THEORETICAL. $7\frac{1}{2} \times 8.8 \times .70 = \frac{46.2}{(2.3 \times 100) + 80} = \frac{46.2}{310} = .15 \text{ cfs}$

NEED; COMMERCIAL = 33,814 gal/day = .07 cfs (allow)
(NEED IS EQUAL TO Avg gal USE PER DAY)

* SEE ATTACHED PLANT MONITORING REPORT *

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ NA

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

Volume = COMMERCIAL; $33,814 \text{ gal/day} \times 30 \times 12 = 12,173,040 / 325850 = 37 \text{ AFA}$
FROM ATTACHMENT (ONION PROCESSING PLANT) MONITORING REPORT

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	11	12-31	.07 cfs	37 AFA
Totals:			.07 cfs	37 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name

Dave Gray

Date

8-12-94

Reviewer

Date

SEAL

CITY OF WEISER, IDAHO
 UNION PROCESSING PLANT MONITORING REPORT

Re: 67-07909
 Exam

JUNE 1991

DATE	ISCO FLOW METER GALLONS PER DAY	PCD MG/L	ECG LBS.	T.S. MG/L	T.S. LBS.	T.S.S. MG/L	T.S.S. LBS.	SEWER PLANT INF. PCD MG/L	SEWER PLANT INF. TSS. MG/L
1.	52,238								
2.	50,782								
3.	53,282	3,033	1,655			320	155	117	53
4.	53,610								
5.	35,804	3,850	1,721			276	128	129	74
6.	6,109								
7.	49,429								
8.	48,520	4,750	1,958			320	132	121	76
9.	51,612								
10.	54,630	4,500	1,937			320	153	149	74
11.	40,282								
12.	338	2,325	781			252	85	83	77
13.	21,827								
14.	43,912								
15.	45,752	2,630	1,044			172	83	79	70
16.	52,112								
17.	46,894	4,150	1,804			216	98	94	77
18.	50,073								
19.	34,959	2,963	1,337			235	39	35	39
20.	19,232								
21.	43,025								
22.	12,694	2,570	958			684	102	88	35
23.	41,891								
24.	45,458	2,625	917			292	102	84	63
25.	42,856								
26.	3,142	1,980	724			240	82	60	63
27.	8,057								
28.	46,364								
29.	54,422	2,670	1,052			224	87	77	34
30.	50,050								
31.	49,282	2,300	1,377			235	69	73	69

TOTAL	1,164,410	43.41 gals min	16,777	0	0	3,388	1,345	1,236	142
MAX.	54,630		4,750	ERR	ERR	320	155	149	76
MIN.	338		1,330	ERR	ERR	172	83	79	70
AVER.	38,814		1,280.52	ERR	ERR	261	102	88	35

Billing, \$1250/1st 1000# BGL or part thereof
 + \$1.55/# from 1001# to 1500#
 + \$1.90/# from 1501# to 2000# \$1,790.31
 + \$2.75/# from 2001# to 3000#

Signed
 GARY E. STENDER WATER Supt.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 67-07909
2. OWNER: WB Properties Phone: 549-1102
Address: P.O. Box 110 Weiser Id 836720110
3. WELL LOCATION: Twp 11N, Rge. 5W, Sec. 29, NW 1/4 SE 1/4
County WASHINGTON (Provide sketch map and photo on reverse.)
4. DRILLER: FRANK SHELLY Lic. No. 326
When Drilled? 11-16-93
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 43 ft. Method Drilled AIR-ROTARY
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving GREAT
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 13 ft. Water Temperature 56.0 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☒ Industrial / Commercial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No


If yes, is there a check-valve present? ☐ Yes ☒ No


Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____


Signature of Dept. Representative & Title


Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Use Typewriter
or
Ball Point Pen

1. DRILLING PERMIT NO.


Other IDWR No. 67-07909

2. OWNER:

Name W B Properties
Address PO, 110
City Wieser State ID Zip 83664

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



T. 11 North ☒ or South ☐
R. 5 East ☐ or West ☒
Sec. 29 1/4 NW 1/4 SE 1/4
Gov't Lot _____ County Wash

Address of Well Site 1 Appleton Lane

(Give at least Direction + Distance to Road or Landmark)

Lot No. _____ Block No. _____ Subd. Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other Industrial washdown

5. TYPE OF WORK

☐ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
<u>grout</u>	<u>0</u>	<u>20</u>	<u>35</u>	<u>Over Bore</u>

Was drive shoe seal tested? ☒ NO How? Air

8. CASING/LINER:

Diameter	From	To	Gauge	Casing	Liner	Steel	Plastic	Welded	Threaded
<u>8</u>	<u>1</u>	<u>43</u>	<u>20</u>	☒		☒	☐	☒	☐

Final location of shoes 43

Top Packer or Headpipe _____ Bottom Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method none
☐ Screens Type _____ Material _____

From	To	Slot Size	Number	Diameter	Tele/Pipe Size	Casing	Liner
						☐	☐
						☐	☐
						☐	☐
						☐	☐

10. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time
<u>130</u>	<u>67</u>	<u>100</u>	<u>3 HRS</u>

Temperature of water 56 Was a water analysis done? Yes ☐ No ☒

By whom? _____

Water Quality (odor, etc.) good

Bottom Hole Temperature 56

11. STATIC WATER LEVEL:

13 ft. below surface Dep'n artesian flow found _____
Artesian pressure _____ lb. Describe access port Sand Seal
Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	GPM	SWL
<u>12</u>	<u>0</u>	<u>20</u>	<u>Brown sandy clay</u>		<u>0</u>
<u>8</u>	<u>20</u>	<u>3</u>	<u>Blue clay</u>		<u>0</u>
<u>8</u>	<u>3</u>	<u>125</u>	<u>Blue claystone fine</u>	<u>130</u>	

Date: Started 11-16-93 Completed 11-17-93

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name: Frank Shalley Firm No. 326
Firm Official: Frank Shalley Date Nov 20-93
and
Supervisor or Operator: Frank Shalley Date Nov 20-93
(Sign once if Firm Official & Operator)



VIEW OF WELL. LOCATED
ON THE N. END OF THE
PROPERTY.

PHOTO ONE-




VIEW OF THE 3000 GAL
STORAGE TANK THAT WB
PROPERTIES USES FOR
DAILY ACTIVITIES.

PHOTO TWO-



VIEW OF HEAT → Freez.
Processing TANK. HERE
WATER IS USED TO
HEAT / FREEZE THE
PRODUCT IN THE PRODUCT
PROCESS.

PHOTO THREE-



WASTE SYSTEM. ALL
WATER & WASTE IS
DUMPED THROUGH THIS
HOLE & WASHED TO THE
SEWER SYSTEM. A M
HAS BEEN PLACED HERE
TO DEMONSTRATE HOW
MUCH WATER IS LEAVING
THE SYSTEM. -

PHOTO FOUR-



View to the south of the
P/U.

PHOTO FIVE-



View of W.B. Property
Production Plant. View is of
Appleton Rd. looking NW.

PHOTO SIX-

IDADO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Use Typewriter
or
Ball Point Pen

1. DRILLING PERMIT NO. 67-93-W-0088-000
Other IDWR No. 67-157909

2. OWNER:
Name W B Properties
Address PO, 110
City Wieser State IL Zip 8366

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



T. 11 North ☒ or South ☐
 E. R. 5 East ☐ or West ☒
 Sec. 29, 1/4 NW 1/4 SE 1/4
10 acres 40 acres 160 acres
 Gov't Lot _____ County Wash

Address of Well Site Appelton Lane

(Give at least Direction + Distance to Road or Landmark)

Lot No. _____ Block No. _____ Subd. Name _____

4. PROPOSED USE:

- ☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other Industrial

5. TYPE OF WORK

- ☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

- ☐
- Mud Rotary
- ☒
- Air Rotary
- ☐
- Cable
- ☐
- Other

7. SEALING PROCEDURES:

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
grout Cement	0	20	35	Over Bore

Was drive shoe seal tested? ☒ YES ☐ NO How? Air

8. CASING/LINER:

Diameter	From	To	Gauge	Casting	Liner	Steel	Plastic	Welded	Threaded
8	41	43	250	✓		☒	☐	☒	☐
						☐	☐	☐	☐
							☐	☐	☐
							☐	☐	☐

Final location of shoes 43

Top Packer or Headpipe _____ Bottom Tailpipe _____

9. PERFORATIONS/SCREENS none

- ☐ Perforations Method _____
- ☐ Screens Type _____ Material _____

From	To	Slot Size	Number	Diameter	Tele/Pipe Size	Casting	Liner
						☐	☐
						☐	☐
						☐	☐
						☐	☐

10. WELL TESTS:

- ☐
- Pump
- ☐
- Bailer
- ☒
- Air
- ☐
- Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time
130	100 67	100	3 HRS

Temperature of water 56 Was a water analysis done? Yes ☐ No ☒

By whom?

Water Quality (odor, etc.) Good

Bottom Hole Temperature 156

11. STATIC WATER LEVEL:

13 ft. below surface Depth artesian flow found _____
Artesian pressure _____ lb. Describe access port Sahi Seal

Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Frank Sholey Firm No. 326
Firm Official Frank Sholey Date Nov 20-9
and
Supervisor or Operator Frank Sholey Date Nov 20-9
(Sign once if Firm Official & Operator)

January 7, 1994

WB PROPERTIES
PO BOX 110
WEISER ID 836720110

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07909

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

JAN 20 1994

Permit No. 67-07909 Reviewed by J. A. Date 1-5-74

TYPES OF USE

Compte rendu

Correct Uses? 112 <

If not, complete calculation below.

Surface water source

✓ Ground water source

UES Drilling permit required?

70 Copy in the file? Drilling Permit No. 67-93-W-0088-000

Zoo. Amount paid for permit *yes* Correct?

no Well log in the file?

MEASURING DEVICE

1125 Required?

Required?

50.00 Amount Submitted

Installed?

OKS Correct?

Waiver requested?

Date proof received

Date proof due (-)

No. of days late _____ = _____

No. of days late _____ = _____

Priority Date / +

New Priority Date

Proof acceptable

New Address _____

Proof Made 12-21-93



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 5, 1993

WB PROPERTIES
PO BOX 110
WEISER ID 836720110

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07909


Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

AUG 30 1993

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 67-7909 Date: 7/30/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

GROUNDWATER:

+ 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>

Drilling Permit:

Included w/permit - P99 Permit No. _____
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A(IRR)-46B-P23 (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

Water District - WD No. _____
Surface water - 005 or 005-01J-P08(+.2)
or 005-01H-P01(-.2 w/pump); NMR
Groundwater - P05 (if well has not been drilled)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B (1, Blank or Other)
Trust - 051-052-053-P74 (Consumptive Uses)
Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition (005) &....

Boise (63) - 05A (req), 11E (non-domestic use)
Payette (65) - 047-P04, _____ -P_____
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 (WQ/Choose One) & 010, 042 (req),
002-P06(MD), 07A(Special), 044(Policy 5G)
Power - 03A, 17K, 025, 027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G or 17M; 18B-P09
Mining - 06A, 010, or 09E-P10 & 054 (req)
Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10'Size)
Rec/Wildlf/Aesthetic - 027-if +½ A. pond (Non-Consumptive)
Domestic (surface - 021 - Boise River upstream from L Peak
restricted areas) 27A - Payette River & main tributaries

OWNERSHIP:

Non land owner - 004

PROTESTED:

Hearing agreement - 020

REMARKS:

① Comm. use is for processing plant.
② P10 located w/ 1112, Hooper Ln & Alley, Perch Add.

OTHER CONDITIONS:

BENEFICIAL USE DUE:

8-1-1994

COMMENTS:

① Corp off. ② LHO desc.

WR0749NP
No. P67-07909

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/30/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WB PROPERTIES PO BOX 110 WEISER ID 836720110 (208) 549-1102	01/29/1993	COMMERCIAL	01-01 12-31	0.13 CFS	
TOTAL DIVERSION:					0.13 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T11N R05W S29 NW SE

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE						
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
11N	05W	29	:															:
			:															:

Pou County: WASHINGTON

Other Water Rights Listing Overlapping Place(s) of use:
67-02384A

Conditions of Approval:

- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 46B - Construction of the well must comply with Idaho well construction standards.

Remarks: Place of use is located within Lots 1 & 2, Lcafer Lane and Alley, Perch Addition.
Commercial use is for a produce processing plant.

Dates: App. Received: 01/29/1993 Priority Date: 01/29/1993
Proof Due Date: 08/01/1994 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 07/12/1993 User-ID: HODGES Subject: CORPORATE OFFICERS
WB Properties Corporate Officers:
Pres - C Robert Woods
VP - Russell Birch
Sec - Nola Woods

Date: 07/30/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION

WR0749NP
No. P67-07909

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/30/93
PAGE: 2

=====

Comments: Date: 07/30/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
8" by 100' well, underground 3" pipeline with 5 hp submersible
pump.

Audit: 07/30/93 ZIMMERMA

MORATORIUM - DO NOT ADVERTISE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: gk DATE: 2/9/93 APPLICATION: 67-07909
WB Prop.

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:
no P/D
no P/U

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☒	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☒	Field report attached:
☒	☒	Critical groundwater area:
☒	☐	Groundwater management area:
☒	☐	1992 moratorium
☐	☐	Diversion within interim protected river area
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

RECEIVED
JUL 16 1993

Department of Water Resources

DATE REQUESTED: _____
Additional information on reverse side:

PROCESSING

APPLICATION NO.

67-07909

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☒ ☐

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other WATER

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest JUNE 21, 1993

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

46

See below for additional information

Recommended Date or Priority 1/29/1993Recommended by: Dnr Date 7/9/93

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Unclear ~~if~~ if commercial use is existing or not, or
 possibly served by ~~another~~ a municipal source.

FW overlap w/ 67-2384A - 30 AC under Weiser Irrig
 from Crane Creek.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 5, 1993

TO: WATER RIGHT APPLICANT(S)

RE: WATER RIGHT APPLICATION(S) BEING HELD DUE TO MORATORIUM

Dear Interested Party:

An Application(s) for Permit for a water right(s) in your name has been held due to a moratorium declared by the director of this department on May 15, 1992. The moratorium was established because of limited water supplies caused by another year of drought.

The water supply situation in your area has improved this year. The director rescinded the moratorium in your area on April 30, 1993. Processing of your application(s) can now proceed. I will assume that you want to proceed with the application unless this office hears from you by May 14, 1993. You can contact me or other staff by calling (334-2190) or writing to the above address.

Sincerely,

A handwritten signature in cursive script that reads "Steve Lester".

Steve Lester
Water Rights Supervisor

RECEIVED
AUG 30 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 9, 1993

C ROBERT WOODS
WB PROPERTIES
PO BOX 110
WEISER ID 83672

RE: Application for Permit

Dear Mr. Woods:

Your application for permit to appropriate groundwater for commercial use was received 1/29/93. According to the information you provided, commercial use is for a processing plant. There are no other water rights on file for this use at this location.

Due to continued drought and the need to protect existing water rights and water supplies, the Director of this agency declared a moratorium on 5/15/92, concerning certain water right applications proposing new uses of public water. Commercial uses from groundwater which divert in excess of 0.04 cfs (18 gpm) or 2500 gallons per day are not approvable under the moratorium. Your application cannot be processed for possible approval until the moratorium ends. Delays related to department decisions do not affect the date of priority or seniority of an application.

This office will hold your application pending future developments in the water supply situation, and will inform you of any changes. If you have a need to appropriate water prior to the approval of this permit, you might be able to locate someone with a valid water right with available water to sell or lease for your needs. If so, an Application for Transfer of Water Right must be filed at this office to legally change the right(s) prior to any sale or lease.

Please feel free to contact me if you have questions.

Sincerely,

Cindy Hodges

Cindy Hodges
Sr. Water Resource Agent

RECEIVED
AUG 30 1993

MR4001NP
(00-21)IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS MICROFICHE BY PLACE OF USEDATE: 01/11/92
PAGE: 3621

TRP	RNG	SECT	TRACT	LOT	ACRES	WATER-USE-CODE	WATER RIGHT NO.	LAST NAME	O	STG	PRIORITY DATE	WATER SOURCE
TTN	05W	29	SE NE	40.0	01,43	67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER	
			NE NE	1.0	01	67-07459	YORK	C	L	09/10/1979	GROUNDWATER	
			MM MM	40.0	01	03-07001	MC GINNIS	C	P	02/21/1968	SNAKE RIVER	
			MM MM	1.0	01,43	67-07880	PANIKE	C	A	12/18/1991	GROUNDWATER	
			SW MM	25.0	01,43	67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER	
			SE MM	30.0	01,43	67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER	
			NE SW	20.0	01,43	67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK	
			MM SW		43	67-02314	PANIKE	C	L	06/21/1963	GROUNDWATER	
			MM SW	20.0	01,43	67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK	
			MM SW	1.0	01	67-04201	MYERS	C	S	06/01/1948	GROUNDWATER	
			SW SW	40.0	01,43	67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER	
			SW SW			67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK	
			SW SW		43	67-04184	JOSEPH	C	S	04/15/1968	GROUNDWATER	
			SW SW		43	67-04189	ETHEL	C	S	05/01/1969	GROUNDWATER	
			SW SW	1.0	01	67-04192	MILLIGAN	C	S	08/01/1962	GROUNDWATER	
			SW SW				MILLIGAN	C	S			
			SW SW		43	67-04291	CITY OF WEISER	C	S	06/01/1950	GROUNDWATER	
			SE SW	40.0	01,43	67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER	
			SE SW	40.0	01,43	67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK	
			SE SW				SNOW	C	S			
			SE SW		43	67-04205	STOVER	C	S	03/12/1974	GROUNDWATER	
			SE SW		43	67-04308	DITZLER	C	S	07/01/1970	GROUNDWATER	
			NE SE	5.0	01	67-02278	HAND	C	D	09/28/1959	MONROE CREEK	
			NE SE	40.0	01,43	67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK	
			NE SE				SNOW	C	S			
			NE SE	5.0	01	67-07003	HAND	C	D	08/15/1967	MONROE CREEK	
			MM SE	30.0	01,43	67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK	
			MM SE				SNOW	C	S			
			SW SE	40.0	01,43	67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER	
			SW SE	40.0	01,43	67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK	
			SE SE	20.0	01,43	67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK	
			SE SE				SNOW	C	S			
			SE SE	30.0	01	03-07001	MC GINNIS	C	P	02/21/1968	SNAKE RIVER	
			NE NE	40.0	01,03,02,55	67-02097B	IDAHO INDUSTRIAL I	C	L	05/11/1918	JEKINS CREEK	
			NE NE	40.0	01	67-04250	INSTITUTE CANAL CO	C	S	06/01/1918	WEISER RIVER	
			MM NE	10.0	01	03-07001	MC GINNIS	C	P	02/21/1968	SNAKE RIVER	
			MM NE		01,03,02,55	67-02097B	IDAHO INDUSTRIAL I	C	L	05/11/1918	JEKINS CREEK	
			MM NE	8.0	01	67-04250	INSTITUTE CANAL CO	C	S	06/01/1918	WEISER RIVER	
			SW NE	40.0	01,03,02,55	67-02097B	IDAHO INDUSTRIAL I	C	L	05/11/1918	JEKINS CREEK	
			SW NE		01,43	67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER	
			SW NE	7.0	01	67-04250	INSTITUTE CANAL CO	C	S	06/01/1918	WEISER RIVER	
			SW NE	7.0	01	67-07023	SCHOOL DISTRICT NO	C	L	01/15/1969	GROUNDWATER	
			SE NE	10.0	01	03-07001	MC GINNIS	C	P	02/21/1968	SNAKE RIVER	
			SE NE		01,03,02,55	67-02097B	IDAHO INDUSTRIAL I	C	L	05/11/1918	JEKINS CREEK	
			SE NE	20.0	01,43	67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER	
			SE NE	40.0	01	67-04250	INSTITUTE CANAL CO	C	S	06/01/1918	WEISER RIVER	
			SE NE	2.0	01	67-07023	SCHOOL DISTRICT NO	C	L	01/15/1969	GROUNDWATER	
			NE NE		01,03,02,55	67-02097B	IDAHO INDUSTRIAL I	C	L	05/11/1918	JEKINS CREEK	

67-07909

WB PROPERTIES
PO BOX 110
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: NWSE Sec 29 T 11N R 05W in WASHINGTON County.

Use: COMMERCIAL (.135 CFS)
Total Diversion: (.135 CFS)

Date Filed: 1/29/1993

In: WASHINGTON County
T11N R05W S29 NWSE

CONFIDENTIAL
AUG 30 1993

JUL 02 1993

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }Sarah Bales, being duly sworn,
deposes and says:That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.Such notice was published in the issue beginning with
June 2, 1993, and ending
with the issue of June 9, 1993.Sarah Bales
Fees, \$ 173.48Subscribed and sworn to before me this 9
day of June, 1993.[Signature]
Notary Public, Residing at Weiser, Idaho.My Commission Expires 1-2, 1994No. 231
NOTICE OF APPLICATION
FOR WATER RIGHTThe Following application(s) have been filed to appro-
priate the public waters of the State of Idaho:

03-07053

KEITHLY, CLYDE R.
1907 W. FLAMINGO #100
NAMPA, ID 83651
Source: SNAKE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 4 (NENWNW) Sec 17 T 10N R
05W in WASHINGTON County.
Use: IRRIGATION (.600 CFS)
Total Diversion: (.600 CFS)
Date Filed: 5/18/1993
In: WASHINGTON County
T10N R05W S08 SWSE SESE
30.0 ACRES TOTAL

67-07901

RISENHOOVER, ROBERT
RISENHOOVER, SUE
P.O. BOX 576
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SESW Sec 1 T 10N R 04W in WASH-
INGTON County.
Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 7/7/1992
In: WASHINGTON County
T10N R04W S01 NESW NWSW SWSW SESW
20.0 ACRES TOTAL

67-07908

FORD RANCH INC.
RT. 1 BOX 236
CAMBRIDGE, ID 83610
Source: BEAVER CREEK
Tributary: RUSH CREEK
Diversion Pt: NWSE Sec 4 T 15N R 03W in WASH-
INGTON County.
Use: IRRIGATION STORAGE (80.00 AF)
IRRIGATION FROM STORAGE (80.00 AF)
IRRIGATION (.900 CFS)
Total Diversion (.900 CFS)
Date filed: 8/25/1992
In: WASHINGTON County
T15N R03W S09 NENE NWNE SWNE SENE
NENW NESE
S10 NWSW SWSW SESW
S15 NENW
200.0 ACRES TOTAL

67-07909

WB PROPERTIES
PO BOX 110
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NWSE Sec 29 T 11N R 05W in WASH-
INGTON County.
Use: COMMERCIAL (.135 CFS)
Total Diversion: (.135 CFS)
Date Filed: 1/29/1993
In: WASHINGTON County
T11N R05W S29 NWSE

67-07920

WAKAGAWA, SHO
WAKAGAWA, CHISATO
1595 W. 7TH
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENWNW Sec 36 T 11N R 06W in
WASHINGTON County.
Use: IRRIGATION (.100 CFS)
Total Diversion (.100 CFS)
Date Filed: 5/10/1993
In: WASHINGTON County
T11N R06W S36 NWNWPermits will be subject to all prior water rights. Pro-
tests may be submitted based on the criteria of Sec. 42-
203A, Idaho Code. Protests must be filed with the
Director, Dept. of Water Resources, Western Region,
2735 Airport Way, Boise, Idaho 83705 on or before
JUNE 21, 1993.R. KEITH HIGGINSON, Director
Published: 6/2/1993 & 6/9/1993

30-2S

AUG 30 1993