

67-7880

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



RECEIVED
JAN 20 1934

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Bush
(Applicant)

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM

9011 00512

Indian Head Rd

14 150'

23' 45' 8"

120' 5"

T
A
Y
E

S
T.

ACREAGE = Less than 1/2 ABE

RECORDED

JAN 20 1994



VIEW OF P/U. THE
ARE POP-UP SPRINK
IN THE LAWN

PHOTO ONE--



VIEW OF WELL : CASING

PHOTO TWO--

JAN 20 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

AFFIDAVIT OF PUBLICATION

RECEIVED

JAN 31 1992

STATE OF IDAHO, }
County of Washington } ss.Sarah Bales, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
January 2, 1992, and ending
with the issue of January 9, 1992.

Sarah Bales
Fees, \$ 53.60

Subscribed and sworn to before me this 9
day of January, 1992.

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 165
NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07880 ✓st

PANIKE, JOHN
1865 STATE ST.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENWNW Sec 29 T 11N R 05W in
WASHINGTON County.
Use: IRRIGATION (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.060 CFS)
Date Filed: 12/18/1991
In: ADA County BLM
T11N R05W S29 NWNW
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before JANUARY 20, 1992.

R. KEITH HIGGINSON, Director
Published 1/2/1992 & 1/9/1992

90-2S

JAN 20 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07880

Priority: December 18, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that JOHN PANIKE

1865 STATE ST

WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 18, 1991; and has submitted Proof of Beneficial Use on May 19, 1992. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 29, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 05W 29

NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lots 1, 2 and 3, Block 1, Rolling Hill Addition.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of JANUARY, 1994.

Acting for R. Keith Higginson, Director

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
DEC 29 1993
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07880

Date of Priority: December 18, 1991 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

Comes now JOHN PANIKE
1865 STATE ST
WEISER ID 83672

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-07880, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC O.K.	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 29, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 05W 29

NWSW

O.K.

NE NWSW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Weiser, Idaho, this 27th day of December, 1993.

RECEIVED

John Panike
(Signature)

JAN 20 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07880

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = 20⁰⁰ Receipted by DW # 0028331 Date 12/29/93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07880 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lots 1, 2 and 3, Block 1, Rolling Hill Addition.
6. Domestic use is for 1 home.

Witness my hand this 10TH day of JANUARY, 1994.

R. Keith Higginson
Acting for R. Keith Higginson, Director

JAN 20 1994

RECEIVED
APR 22 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Amt. of Fee \$ 70.00
Date 5-14-92
Receipt No. 202628
Received by 118**RECEIVED**
MAY 19 1992

Department of Water Resources

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07880 Telephone No. 549-1543
2. Name(s) of Permit Holder(s): JOHN PANIKE
3. Post Office Address: 1865 STATE ST. WEISER, IDA. 83672
4. Source of Water: GROUND WATER
- a. If ground water, well driller's name: R.L. SELVES Date drilled: 10-4-91 to 10-8-91
- b. Pump horsepower: 1 1/2 Pressure (psi): 25 lbs. Dynamic pumping level (ft.): 80 feet

5. Extent of Use:

Domestic ONE (No. of households)Irrigation ONE (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 25 gallons per minute .06 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly: 4/22/92

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

8. Fee Enclosed: \$
- 50.00
- (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

JOHN PANIKE
Name549-1543
Telephone No.1865 STATE STREET WEISER, IDAHO 83672
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4/22/92
DateJohn Panike
Signature (and title if on behalf of a company or organization)

JAN 20 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07880

Proposed Priority: December 18, 1991 Maximum Diversion Rate: 0.06 CFS

This is to certify, that **JOHN PANIKE**
1865 STATE ST
WEISER ID 83672

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 29, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	29	NWNW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1993.
2. Subject to all prior water rights.
3. Place of use is located within Lots 1, 2 and 3, Block 1, Rolling Hill Addition.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of March, 1992

[Signature]
for R. Keith Higginson, Director

[Stamp]

JAN 20 1994

DEC 10 1991

Ident. No. 67-07880

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant PANIKE
John R. Panike Phone 208-549-1543
Post office address 1865 State St WEISER, Idaho 83672

* 2. Source of water supply GROUNDWATER which is a tributary of _____

* 3. Location of point of diversion is NE NW NW 1/4 of 1/4 of 1/4 Govt. Lot _____

Sec. 29 Township 11N Range 5W B.M. WASHINGTON County; additional
Lot #1 Block #1 Rolling Hills Addition WEISER, Idaho
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

* Amount .02 for IRRIGATION purposes from 3/15 to 10/31/91 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .06 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

UNDER GROUND SPRINKLERS

b. Height of storage dam NONE feet; active reservoir capacity _____ acre-feet; total

reservoir capacity NONE acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 6" inches; ~~proposed~~ depth of well is 120 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no its 58°

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

complete years (minimum 1 year).

* New standard irrigation season.
* confirmed info with applicant + county assessor's
office 12/16/91 (telephone conv.) in

JAN 20 1994

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- ☒ Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
			~~Lot #1 Block #1 Rolling Hill addition Wetsar, Idaho~~																~~1/4 acre~~
			~~Lot #2 Block #1 " " " "~~																~~1/4~~
			~~Lot #3 Block #1 " " " "~~																~~1/4~~
* 11N	5W	29																	1
								D											

Total number of acres to be irrigated 3/4 acre
1 ACRE

10. Describe any other water rights used for the same purposes as described above NOWHERE

- Who owns the property at the point of diversion? John Pawlke
- Who owns the land to be irrigated or place of use? John Pawlke
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

JAN 20 1994



Produced and published by the Geological Survey


Orthophotograph prepared from 1:76,000-scale aerial photograph taken August 3, 1974

Projection and 10,000-foot grid ticks Idaho coordinate system, west zone (transverse Mercator) 1000-metre Universal Transverse Mercator grid, zone 11. 1927 North American datum

Photoimagery transformed by scanning techniques which may produce double or mismatched images: use the mean of image position for map point

T1W
R5W
SEC 29

★
GN
19°
338 MILS
0°03'
1 MIL




JAN 20 1984

UTM GRID AND 1974 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

THIS MAP COMPLIES WITH
FOR SALE BY U.S. GEOLOGICAL SURVEY, DF

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Paul
(Applicant)

Received by MM ^{NO FEE} Date 12-10-91 Time 11:16 am Preliminary check by lw
Fee \$ 30 Receipted by LH # W013953 Date 12/18/91
Publication prepared by GG Date 12-23-1991 Published in Weiser Signal
Publication approved at Date 2-7-92
1/2 & 1/9/1992

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

JAN 20 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 10, 1994

JOHN PANIKE
1865 STATE ST
WEISER ID 83672

RE: WATER RIGHT NO. 67-07880

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in dark ink, appearing to be 'J. Johnson', written over the printed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JAN 20 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 20, 1993

JOHN PANIKE
1865 STATE ST
WEISER ID 83672

RE: WATER RIGHT NO. 67-07880

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with this information, please contact me as soon as possible.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JAN 20 1994

WR0749NP
No. L67-07880

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/16/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN PANIKE 1865 STATE ST WEISER ID 83672 (208) 549-1543	12/18/1991	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
TOTAL DIVERSION:					0.04 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T11N R05W S29 NW SW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE									
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:		
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
11N	05W	29	:					:					:					:						:	

Pou County: WASHINGTON

Other Water Rights Listing Overlapping Place(s) of use:
67-02384A 67-04201

Remarks: Place of use is located within Lots 1, 2 and 3, Block 1, Rolling
Hill Addition.
Domestic use is for 1 home.

Dates: App. Received: 12/18/1991 Priority Date: 12/18/1991
Proof Due Date: 04/01/1993 Proof Made Date: 05/19/1992
Exam Made Date: 06/23/1993 Exam Sent to S.O.: 11/18/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 04/22/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 12/16/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 67-7880 Date 12-16-93 Brenda Chapman

NAME	Yes	No	
	☐	☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? _____ Advanced to: _____
	☐	☒	Order to Reinstate Needed?
	☐	☒	Incorrect Fee for rate recommended?
SOURCE	☐	☒	Changes? Clarification of Originally Intended source _____
	☐	☒	Notice of Intent to Void - Source change.
P/D	☒	☐	Amendment Needed? <u>Change to NWSW</u>
	☐	☒	Overlap(s) _____
P/U	☒	☐	Amendment Needed? <u>Change to NWSW</u>
	☐	☒	Overlap(s) _____
TOTAL CFS	☐	☒	Measurement done? _____
	☐	☐	<u>THEORETICAL ONLY</u>
	☐	☐	Theoretical $(8.8 \times .70 \times 1.5) = .05$ $(.95 + 2.31 \times 40)$
	☐	☐	Allowable Amount: <u>DOMESTIC @ .04</u>
	☐	☐	Capacity of System: <u>.05</u>
TOTAL VOLUME			Season of Use: <u>NA</u>
	☐	☒	Calculations: <u>1 Domestic @ 1.2</u>
			Flow limit: _____ x _____ x 1.9835 = _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Special Overlap _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring/Locking Devices
	☐	☒	W/Master Control
	☐	☒	Irrigation Overlap
	☐	☒	Water Quality
		☒	Water Dist
			App Rec'd
			Exam Made

COMMENTS: Delete irrigation use Amend P/D
Reduce rate and P/U

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	1ST AMEND LETTER <u>P37</u>
_____	_____	_____	2ND AMEND LETTER <u>P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 03 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-67880

1. Owner: JOHN PANIKE Phone No. 549-1543

Current Address: 1865 STATE STREET WEISER IDA 83672

2. Accompanied by: Mrs. PANIKE EXAM DATE: 6-24-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: GROUND WATER tributary to TUA -

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-07001 NORTHWEST FARM CREDIT *SEE REMARKS

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SW	29	11n	5w	ADAMS	Adams, Adams Id.


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11n	5w	29																	12

20 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	—	1 1/2	—	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical = 1hp - dyn. 73' - 35psi (avg)

JAN 20 1994

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A 1 1/2 hp motor to pump water from a 95' dynamic water level. The well is 110' deep; has a static of 73'. The well discharges 15,000 gpm (1/2 acre) with pop up sprinklers.

NOTE: THE IRRIGATION COMPONENT OF THIS PERMIT SHOULD BE DELETED AS THERE IS ONLY EVIDENCE OF A DOMESTIC / ~~1/2~~ ACRE OF LAWN NEED.

* THERE ARE NO OWNERS ON THIS SAME PLOT. THIS PLOT ONLY OPERATES ON THIS PERMIT'S PROPERTY.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
JAN 20 1984

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\text{Theoretical} = \frac{1.5 \times 8.8 \times .70}{95 + (2.3 \times 35 \text{ psi})} = \frac{9.24}{175.5} = .05 \text{ cfs}$$

Allow .04
For
Domestic
with
1/2 acre of lawn

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{NA}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Domestic = Allow 1.2 AFA Domestic / 1/2 ACRE OF LAWN.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
1 DOMESTIC	1-1	12-31	.04	1.2 AFA
Totals:			.04	1.2 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

SEE REMARKS
(NOTE:)

I. AUTHENTICATION

Field Examiner's Name [Signature] Date 7-13-93

Reviewer Date

SEAL

JAN 20 1994


SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM

9011 GULF COURSE

INDIAN HEAD RD

N 150'

W



ACREAGE = 1.85 Than 1/2 ACR

S

JAN 20 1994



and published by the Geological Survey


graph prepared from 1:76,000-scale
graph taken August 3, 1974

nd 10,000-foot grid ticks: Idaho coordinate
t zone (transverse Mercator)
Universal Transverse Mercator grid,
927 North American datum

ry transformed by scanning techniques
roduce double or mismatched images;
n of image position for map point

PERMIT 62-61880 INIT DS
T. R. S. Q/Q
P/D 1/1 SW29 1/1
SCALE
PHOTO ID.

UTM GRID AND 1974 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



SCALE 1:24,000

THIS MAP COMPLIES WITH NATIONAL MAP /
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORAD

Copies Of These Maps
At Bonneville Blue P

MAY 1994
JAN 20 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: WR # 167-07880
2. OWNER: JOHN PANIKE Phone: 549-1543
Address: 1865 STATE ST. LUBER IDA 83622
3. WELL LOCATION: Twp 11N, Rge. 5W, Sec. 29, 11W 1/4 11W 1/4
County _____ (Provide sketch map and photo on reverse.)
4. DRILLER: R.L. SEIVES Lic. No. _____
When Drilled? 10-4-8-91
5. WELL CONSTRUCTION:
Casing Diameter 6" inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing NA ft. Method Drilled LABIE
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving GOOD
Auger to a depth of NA ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 73' ft. Water Temperature 58° °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

JAN 20 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☐ No


If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____


Signature of Dept. Representative & Title

7-1392

6-24-93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

JAN 20 1994



VIEW OF P/U. THERE
ARE POD-UP SPRINKLER
IN THE LAWN

PHOTO ONE-



VIEW OF WELL : CASING

PHOTO TWO-

RECEIVED

JAN 20 1994

May 22, 1992

JOHN PANIKE
1865 STATE ST
WEISER ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07880

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED 5-23-92

JAN 20 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 67-07880 Reviewed by Klg Date 4/22/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

domestic - 1
irrigate - 1
Correct Uses? yes

SOURCE OF WATER

 Surface water source
2 Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 67-91-W-048
35 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

needs a \$50 Defense exam fee

proof acceptable

DATA ENTRY

New Address _____

Proof Made 5/19/92
5/22/92 Klg

OCT 17 1991

State of Idaho
Department of Water Resources

Department of Water Resources
Western Regional Office

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) John Panike
2. Mailing Address 1865 STATE ST.
WEISER, IDA 83672 Telephone 549-7543 or 2332 ^{work}
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location N/E 1/4 N/W 1/4, or Gov't Lot No. _____
Sec. 30, Twp. 11 N, Rge. 5W, County Washington
Street Address of Well Site SAME
Lot, block and subdivision _____
4. Proposed use of well:
☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
() Non-Domestic: Any beneficial use not included within the definition of domestic.
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
A. ☒ New well () Deepen () Replace - See Condition 9
B. Proposed Surface Diameter 6" Proposed Maximum Depth 70'
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date 9-27-91 10-4-91
7. Anticipated Well Driller H. J. Schaeff #487
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature John Panike Date 10-10-91
Title OWNER
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 10-17-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Robert B. Whitney
Signature of Authorized Department Representative

S. Agent
Title

Receipt No. W013807 Received by JH Fee \$3500 Date 10-17-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date JAN 20 1994

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 22, 1992

John Panike
1865 State Street
Weiser, ID 83672

Re: Permit No. 67-07880

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted to this office. It indicates the total rate of diversion to be 25 gallons per minute or 0.06 cfs. When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 0.06 cfs. is \$50. Note the back of the enclosed instruction sheet/fee schedule.

Please return the proof and fee to me as soon as possible. Upon receipt of the proof form and fee, we will continue processing your proof by notifying the region that a field exam is needed.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
JAN 20 1994

JAN 20 1994

April 6, 1992

Pamela Skaggs:

In reference to your letter
April 2 in regard to Permit
Approval Notice 67-07880

You state we are to complete
Farm "Instructions for Proof of
Beneficial use" and "Proof
of Beneficial use".

These forms were not
included with the letter
you sent. Please send forms.

Thank you
Mrs. John R. Parke
1865 State St.
Weiser, Idaho

RECEIVED

APR 7 1992

83672

RECEIVED

Department of Water Resources

JAN 20 1994

Forms mailed 4/13/92 C.H. Osley



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 2, 1992

JOHN PANIKE
1865 STATE ST
WEISER ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07880

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosures

RECEIVED
JAN 20 1994

JAN 20 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

AFFIDAVIT OF PUBLICATION

RECEIVED

JAN 31 1992

STATE OF IDAHO, } ss.
County of Washington }Sarah Boles, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
January 2, 1992, and ending
with the issue of January 9, 1992.
Sarah Boles

Fees, \$ 53.60

Subscribed and sworn to before me this 9
day of January, 1992

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 165
NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07880 st

PANIKE, JOHN
1865 STATE ST.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENWNW Sec 29 T 11N R 05W in
WASHINGTON County.
Use: IRRIGATION (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.060 CFS)
Date Filed: 12/18/1991
In: ADA County BLM
T11N R05W S29 NWNW
1.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before JANUARY 20, 1992.

R. KEITH HIGGINSON, Director
Published 1/2/1992 & 1/9/1992

90-2S

JAN 20 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

DECEMBER 23, 1991

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 20, 1992.

Yours truly,

GAIL GARRETT
Secretary

Encl.

JAN 26 1992

67-07880

PANIKE, JOHN
1865 STATE ST
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: NENWNW Sec 29 T 11N R 05W in WASHINGTON County.

Use: IRRIGATION (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.060 CFS)

Date Filed: 12/18/1991

In: ADA County *BLM*
T11N R05W S29 NWNW

1.0 ACRES TOTAL