

40.60

N 82° 54' E

20.28 20

41

40.58

40.60

2

30

N 64° 2' E

40.62

3

40.64

4

N 82° 54' E

20.32 20

40

53.30

N 29° 5' 20"

4

23.60

3

11.50

34

2

TIN RSW
5.30 i 5.31

AUG 22 1991


MAP REVISED
PER 6/14/91
TELECON WITH
APPLICANT
FL




galloway
canal
TIIN
Railroad
Tracks

67-07867
REVISED
MAPS PER
TELECON &
ADD'L INFO

NO gut luts
D N'k N'g S. 31

R5W






Site Between Pyram & Butteport & Between W. 7th & W. 6th

N.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 Inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

APR 17 1991

Department of Water Resources
Western District Office

Edana Adams wife
(Applicant)
Ed Phillips husband

RECEIVED

JUN 28 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles, being duly sworn,

deposes and says:

That he is the clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

June 20, 1991, and ending
with the issue of June 27, 1991.

Yuan Boles

Fees, \$ 50.36Subscribed and sworn to before me this 27

day of June, 1991.

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 128
NOTICE OF AMENDED APPLICATION
FOR PERMIT
NO. 67-07867 ✓

Notice is hereby given that application No. 67-07867
in the name of Edna Adams was filed on 4/17/1991 for
the diversion of .10 cfs from groundwater with a point
of diversion within the T11N R5W Sec. 30 NENWSW
to be used for irrigation purposes from 3/15 to 11/15
and for domestic purposes from 1/1 to 12/31 within
portions of T11N R5W Sec. 30 NWSW.

The applicant now proposes to amend the application
by changing the point of diversion to T11N R5W Sec.
31 NENE and NWNE (single point on 1/41/4 line). Place
of use changed to T11N R5W Sec. 31 NENE and NWNE,
total of 2 acres and 1 home.

Any protest against the approval of the proposed amend-
ment must be filed with the Department of Water Re-
sources, Western Idaho, 2735 Airport Way, Boise,
Idaho 83705 on or before July 8, 1991.

R. Keith Higginson
Director

Published in the Weiser Signal on 6/20 and 6/27/1991
34-2S

MICROFILMED
AUG 22 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Sarah Boles, being duly sworn,
deposes and says:

That he is the clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 2, 1991, and ending
with the issue of May 9, 1991.

Sarah Boles
Fees, \$ 48.74

Subscribed and sworn to before me this 9
day of May, 1991

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 118 NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07867

ADAMS, EDNA
694 W. BUTTERFIELD
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENWSW Sec 30 T 11N R 05W
Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.100 CFS)
Date Filed: 4/17/1991
In: T11N R06W S30 NWSW
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before MAY 20, 1991.

R. KEITH HIGGINSON, Director
Published 5/2/1991 & 5/9/1991


20-2S

*error o.k'd by
nam young
6-4-91 AT*

MICROFILMED

AUG 22 1991

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

NA Aerial Photo Attached
(required for irrigation of 10+ acres)

✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: SPRINKLER HEAD; $\frac{5}{32}$ " HEADS, 50psi, 8 HEADS = Exhibit 9 = 5.15 gal/min
 $8 \times 5.15 = 41.2 \text{ gal/min} = 41.2 \div 448.8 = .09 \text{ cfs}$

MICROFILMED



VIEW OF WELL, LOCATED
ON THE WEST SIDE OF THE
PROPERTY.

LIMES COME DIRECTLY OUT
FOR A SPIGOT & FOR HAND-
LIMES IN THE GARDEN

PHOTO ONE-

>

VIEW TO THE NORTH.



PHOTO TWO-

RECEIVED
JUN 10 1987

PHOTO THREE-

>

VIEW OF THE PL. HOUSES TO SPREAD WATER THE
LAWN & GARDEN



PHOTO FOUR-

67-07867

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07867

Priority: April 17, 1991

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

9.6 AF

This is to certify, that EDNA ADAMS
694 W BUTTERFIELD
WEISER ID 83672

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 17, 1991; and
has submitted Proof of Beneficial Use on June 8, 1993. An examination indicates
that the works have a diversion capacity of 0.090 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	9.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.08 CFS	9.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 31, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	31	NENE 1	NWNE 1		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED
JUN 10 1997


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 67-07867

CONDITIONS OF APPROVAL AND REMARKS

6. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for the use of existing rights used for supplemental purposes.
7. Place of use located within Blocks 13 and 14, Harrison Tract Addition.
8. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of MAY, 19 97.


Acting for KARL J. DREHER, Director

MICROFILMED

RECEIVED

JUN 08 1993

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 6-8-93
Receipt No. C027223
Receipt by ju

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07867 Telephone No. 208-549-0242
2. Name(s) of Permit Holder(s): Edna Adams
3. Mailing Address: 694 West Butterfield, Weiser Idaho 83672
4. Source of Water: Well

If GROUNDWATER, Well Driller's Name: Dallas Drilling Date Drilled: 9-5-91

OPTIONAL:

Pump horsepower: 1 HP Pressure (psi): 65 Dynamic pumping level (ft.): 30' 40'

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 10.10 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 50 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Edward T. Gillespie Telephone No. 549-0242
W. Butterfield
694 W. Weiser Idaho
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

Date 6/7/93 Signature (and title, if on behalf of a company or organization) Edna Adams JUL 02 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07867

Proposed Priority: April 17, 1991 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **EDNA ADAMS**
694 W. BUTTERFIELD
WEISER, ID 83672

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENE	Sec. 31, Township 11N, Range 05W
NWNE	Sec. 31, Township 11N, Range 05W
WASHINGTON County	

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	31	NENE 1	NWNE 1		2
Total number of acres irrigated:						2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 2, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. Domestic use is for 1 home.
7. Single point of diversion located on or near line between NENE and NWNE, S31, T11N, R05W.
8. Place of use within Blocks 13 and 14, Harrison Tract Addition, Weiser.

MICROFILMED

AUG 22 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07867

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

2nd day of August, 1991.


R. Keith Higginson, Director

for

MADE BY

AUG 22 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Amend: adventure
since diff. part
section

AMENDED * To appropriate the public waters of the State of Idaho

8/6/91

1. Name of applicant Edna Adams Phone 549-0242

Post office address 1694 W. Butterfield, Weiser, Ida 83672

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of A/W NE $\frac{1}{4}$ of SW NE $\frac{1}{4}$, Govt. Lot _____

Sec. 31 30 Township 11 N Range 5 W B.M. Washington County; additional

points of diversion if any: NWNS S. 31 T11N R5W

4. Water will be used for the following purposes:

Amount .04 for domestic purposes from 4/1 to 12/31 (both dates inclusive)

Amount .06 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated is (a) .10 for household domestic + 2 acres irrigation, and/or (b) _____

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump systems

pipeline & sprinklers (basic systems)

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 40' feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is:

2 yrs. years (minimum 1 year).

* per taken with applicant & applicant's husband;
per revised maps. 8/6/91

RECEIVED
APR 22 1991
APR 17 1991

Department of Water Resources
Western Regional Office

8. Description of proposed uses (irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 household
- e. Other; describe fully. 2 acres irrigation

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
~~11N~~	~~5W~~	~~30~~									D								~~domestic~~
~~11N~~	~~5W~~	~~30~~									2ac								~~irrigation~~
																			2
11N	5W	31	1	1															2 *
			D	D															

Total number of acres to be irrigated 2 acres

10. Describe any other water rights used for the same purposes as described above.

no

11. a. Who owns the property at the point of diversion? Edna Adams
- b. Who owns the land to be irrigated or place of use? same
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Edna Adams - wife
Edward Gallispie - husband

12. Remarks: Block 13 & 14, Harrison Tract Addition, City of Weiser
Single point of diversion on line between NENE & NUNE 531
Dilling permit pending 67-91-W-017 711N 12SW.

Duplicate remarks

SL 6/14/91
PER telecon with *
applicant & per reversal maps

AUG 22 1991

40.60

20.28 20

40.58

40.60

40.62

40.64

20.32 20

53.50

23.60

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

40

40.62.44

23.50

23.60

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50

23.50


TIN RSW

5.30 i 5.31


AUG 22 1991

20.5

67-07867
REVISED
MAPS PER
TELECON &
ADD'L INFO



Site Between Plover & Battleground & Between W. 7th & W. 6th



11N
5W



Produced and published by the Geological Survey

Orthophotograph prepared from 1:76,000-scale
aerial photograph taken August 3, 1974

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)
1000-metre Universal Transverse Mercator grid,
zone 11. 1927 North American datum

Photoimagery transformed by scanning techniques
which may produce double or mismatched images
use them with caution


UNFILMED
AUG 22 1991
19°
0°03' 1 MIL
338 MILS

100
E

See
Revised
maps

N.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 Inches equal 1 mile.

BE IT KNOWN, that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

APR 17 1991

Department of Water Resources
Western Regional Office

*Edana Adams wyl
(Applicant)
Ed Phillips husband

Received by st Date 4-17-91 Time _____ Preliminary check by GH
Fee \$ 200.00 30.00 Received by LW # W010227 Date 4-17-91
Publication prepared by GG Date 4-24-91 Published in Weiser Signal
5/2 & 5/9/91
Publication approved st Date 7-8-91 6/20 & 6/27 AMENDED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MAILED
AUG 22 1991

HR4001NP
(0D-21)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS MICROFICHE BY PLACE OF USE

DATE: 02/09/91
PAGE: 3547

TRP	RNG	SECT	TRACT	LOT	ACRES	WATER-USE-CODE	WATER RIGHT NO.	LAST NAME	0	STG	PRIORITY DATE	WATER SOURCE
11N	05W	30	SH NW 1 4 1 4									
			SH NW	15.0	01		67-02231	THOMPSON	C	L	06/20/1953	GROUNDWATER
			SH NW	10.0	01		67-02341	BRECHBIEL	C	L	04/28/1960	GROUNDWATER
			SH NW	10.0	01		67-07749	BARTOSCHEK	C	P	08/25/1988	GROUNDWATER
			SH NW	20.0	01		67-07750	THOMPSON	C	P	08/29/1988	GROUNDWATER
			SH NW	2	01		67-07771	WILKINS	C	P	06/28/1989	GROUNDWATER
			SE NW	10.0	01		67-02097B	IDAHO INDUSTRIAL I	C	L	05/11/1918	JENKINS CREEK
			SE NW	30.0	01,03,02,55		67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER
			SE NW	30.0	01,43		67-04250	INSTITUTE CANAL CO	C	S	06/01/1918	WEISER RIVER
			SE NW	39.0	01		67-07749	BARTOSCHEK	C	P	08/25/1988	GROUNDWATER
			NE SW	40.0	01,43		67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK
			NE SW					SNOW	C			
			NE SW	1.0	01		67-07360	HUNT	C	L	09/22/1977	GROUNDWATER
			NW SW	40.0	01,43		67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK
			NW SW					SNOW	C			
			NW SW	2.0	01,04,43		67-04241	LANGLEY	C	S	03/07/1938	SPRINGS
			NW SW					LANGLEY	C			
			NW SW	1.0	01		67-04268	SMITH	C	S	01/01/1940	WASTE WATER
			SW SW	40.0	01,43		67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER
			SW SW	40.0	01,43		67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK
			SW SW					SNOW	C			
			SW SW	43	43		67-04188	PATTERSON	C	S	01/01/1938	GROUNDWATER
			SE SW	40.0	01,43		67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER
			SE SW	40.0	01,43		67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK
			SE SW					SNOW	C			
			SE SW	43	43		67-07730	CAMPBELL	C	P	03/30/1988	GROUNDWATER
			NE SE	20.0	01,43		67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK
			NE SE					SNOW	C			
			NE SE	01	01		67-04067	ADAMS	C	S	08/10/1973	GROUNDWATER
			NE SE					ADAMS	C			
			NE SE	5.0	01		67-04250	INSTITUTE CANAL CO	C	S	06/01/1918	WEISER RIVER
			NE SE	7.0	01,04		67-07797	RANEY	C	P	10/06/1989	GROUNDWATER
			NW SE	30.0	01,43		67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK
			NW SE					SNOW	C			
			NW SE	01	01		67-04067	ADAMS	C	S	08/10/1973	GROUNDWATER
			NW SE					ADAMS	C			
			NW SE	1.4	01,22,43		67-07555	KITTAMS	C	L	01/12/1982	GROUNDWATER
			NW SE					KITTAMS	C			
			SW SE	40.0	01,43		67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER
			SW SE	40.0	01,43		67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK
			SW SE					SNOW	C			
			SW SE	4.0	01		67-07022	SCHOOL DISTRICT NO	C	L	01/15/1969	GROUNDWATER
			SE SE	40.0	01,43		67-02169	WEISER IRRIGATION	C	L	12/18/1936	WEISER RIVER
			SE SE	1.0	01		67-02260	CHAMBERLIN	C	L	05/29/1957	GROUNDWATER
			SE SE	40.0	01,43		67-02384A	WEISER RIVER IRRIG	C	L	04/09/1920	CRANE CREEK
			SE SE					SNOW	C			
			SE SE	1.0	43		67-04183	KRAUTZ	C	S	05/01/1966	GROUNDWATER
			SE SE					KRAUTZ	C			
			SE SE	1.0	01		67-04535	EDMONDSON	C	S	01/01/1900	GROUNDWATER
			SE SE					MURRAY	C			
			SE SE	1.0	01		67-04563	EDMONDSON	C	S	01/01/1900	GROUNDWATER
			SE SE					EDMONDSON	C			

AUG 22 1991

HR4002NP
(00-22)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

DATE: 02/09/91
PAGE: 890

TRP	RNG	SECT	TRACT	LOT	WATER USE CODE	WATER RIGHT NO.	LAST NAME	Q	STG	PRIORITY DATE	POD FLAG	WATER SOURCE
11N	05H	23	SH	NH	01.43	67-04318	COLE	C	S	06/01/1960		GROUNDWATER
		24	SE	NH	04	67-02064	HAND	C	L	10/13/1911		OATHAN SPRING
		27	SH	NH	43.04	67-07030	HAND	C	L	07/16/1969		GROUNDWATER
		28	NE	NH	01	67-07801	SLYTER	C	P	10/10/1989		MONROE CREEK
							SLYTER	C				
			NH	NH	43	67-04347	RANDALL	C	S	01/01/1890		GROUNDWATER
			NH	NH	01.43	67-07761	SEVENTH DAY ADJUTANT	C	P	06/21/1989		GROUNDWATER
			NH	NH	43.01	67-07769	SEVENTH DAY ADJUTANT	C	A	08/01/1989		GROUNDWATER
			NE	NH	43.04	67-07030	HAND	C	L	07/16/1969		GROUNDWATER
			NH	NH	01	67-02191	HAND	C	D	08/23/1949		MONROE CREEK
			NH	NH	01	67-02278	HAND	C	D	09/28/1959		MONROE CREEK
			NH	NH	01	67-07003	HAND	C	D	08/15/1967		MONROE CREEK
			NH	NH	01.04.43	67-07213	HAND	C	L	07/16/1974		GROUNDWATER
			NE	NH	01	67-07459	YORK	C	L	09/10/1979		GROUNDWATER
			SE	NH	40	67-02320	CITY OF WEISER	C	L	01/01/1964		GROUNDWATER
			NH	NH	43	67-02314	PANINE	C	L	06/21/1963		GROUNDWATER
			NH	NH	01	67-04201	MYERS	C	S	06/01/1948		GROUNDWATER
			NH	NH	43	67-04184	JOSEPH	C	S	04/15/1968		GROUNDWATER
			NH	NH	43	67-04189	EISENBARTH	C	S	05/01/1969		GROUNDWATER
			NH	NH	01	67-04192	HILLIGAN	C	S	08/01/1962		GROUNDWATER
			SH	SH	43	67-04291	CITY OF WEISER	C	S	06/01/1950		GROUNDWATER
			SE	SH	43	67-04205	STOVER	C	S	03/12/1974		GROUNDWATER
			SE	SH	43	67-04308	DITZLER	C	S	07/01/1970		GROUNDWATER
			NE	SE	01	67-00724	MONROE CREEK IRRIG	C	D	04/01/1888		MONROE CREEK
			NE	SE	01	67-07003	HAND	C	D	08/15/1967		MONROE CREEK
			SE	SE	01	67-07023	SCHOOL DISTRICT NO	C	L	01/15/1969		GROUNDWATER
			NE	NE	01	67-04067	ADAMS	C	S	08/10/1973		GROUNDWATER
			NE	NH	43	67-04211	ZEILER	C	S	06/01/1915		GROUNDWATER
			NH	NH	01	67-02341	BRECHTEL	C	L	04/28/1960		GROUNDWATER
			NH	NH	01	67-02206	THOMPSON	C	L	07/19/1951		GROUNDWATER
			NH	NH	01	67-02231	THOMPSON	C	L	06/20/1953		GROUNDWATER
			NH	NH	01	67-04268	SMITH	C	S	01/01/1940		WASTE WATER
			NH	NH	01	67-07750	THOMPSON	C	S	08/29/1988		GROUNDWATER
			NH	NH	01	67-07771	WILKINS	C	P	06/28/1989		GROUNDWATER
			NH	NH	01	67-07749	BARTOSCHEK	C	P	08/25/1988		GROUNDWATER
			NH	NH	01	67-07360	HUNT	C	L	09/22/1977		GROUNDWATER
			NH	NH	01.04.43	67-04241	LANGLEY	C	S	03/07/1938		SPRINGS
			NH	NH	01.04.43	67-04497	LANGLEY	C	S	04/12/1958		SPRINGS
			NH	NH	01.04.43	67-04188	ROHAN	C	S	01/01/1938		GROUNDWATER
			SH	SH	43	67-07730	PATTERSON	C	S	03/30/1988		GROUNDWATER
			SE	SE	01.04	67-07797	CAMPBELL	C	P	10/06/1989		GROUNDWATER
			NE	NE	01.22.43	67-07555	RANEY	C	P	01/12/1982		GROUNDWATER
			NH	SE	01	67-07022	KITTANS	C	L	01/15/1969		GROUNDWATER
			SE	SE	01	67-02260	SCHOOL DISTRICT NO	C	L	05/29/1957		GROUNDWATER
			SE	SE	43	67-04183	CHARBERLIN	C	L	05/01/1966		GROUNDWATER
			SE	SE			KRAUTZ	C	S			

RECEIVED

AUG 22 1991

AFFIDAVIT OF PUBLICATION

RECEIVED

JUN 28 1991

STATE OF IDAHO, }
County of Washington } ss.Sarah Boles, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 20, 1991, and ending
with the issue of June 27, 1991.

Sarah Boles
Fees, \$ 50.36

Subscribed and sworn to before me this 27
day of June, 1991.

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 128
NOTICE OF AMENDED APPLICATION
FOR PERMIT
NO. 67-07867 ✓

Notice is hereby given that application No. 67-07867
in the name of Edna Adams was filed on 4/17/1991 for
the diversion of .10 cfs from groundwater with a point
of diversion within the T11N R5W Sec. 30 NENWSW
to be used for irrigation purposes from 3/15 to 11/15
and for domestic purposes from 1/1 to 12/31 within
portions of T11N R5W Sec. 30 NWSW.

The applicant now proposes to amend the application
by changing the point of diversion to T11N R5W Sec.
31 NENE and NWNE (single point on 1/41/4 line). Place
of use changed to T11N R5W Sec. 31 NENE and NWNE,
total of 2 acres and 1 home.

Any protest against the approval of the proposed amend-
ment must be filed with the Department of Water Re-
sources, Western Idaho, 2735 Airport Way, Boise,
Idaho 83705 on or before July 8, 1991.

R. Keith Higginson
Director

Published in the Weiser Signal on 6/20 and 6/27/1991
34-2S

RECORDED
AUG 22 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles, being duly sworn,

deposes and says:

That he is the clerk of THE WEISER SIGNAL, a weekly newspaper published at Weiser, in the County of Washington and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Weiser; that the advertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for two consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not in a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with May 2, 1991, and ending with the issue of May 9, 1991.

Sarah Boles

Fees, \$ 48.74

Subscribed and sworn to before me this 9 day of May, 1991.

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 118 NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07867

ADAMS, EDNA
694 W. BUTTERFIELD
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENWSW Sec 30 T 11N R 05W
Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.100 CFS)
Date Filed: 4/17/1991
In: T11N R06W S30 NWSW
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 20, 1991.

R. KEITH HIGGINSON, Director
Published 5/2/1991 & 5/9/1991

20-2S

*error o.k'd by
norm young
6-4-91 AT*

RECORDED

AUG 22 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

EDNA ADAMS
694 W BUTTERFIELD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07867

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

JUN 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of May, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07867

EDNA ADAMS
694 W BUTTERFIELD
WEISER ID 83672


Kari Lynn Townsend
Secretary

JUN 10 1997

MICROFILMED

JUN 10 1997

B/U FIELD EXAM REVIEW

Cindy Zimmerman

Permit #: 67-7867 Name: Adams Date: 5/28/97 ✓ Lots

NAME	<u> </u>	<u>✓</u>	Or Address Change?	
SOURCE	<u> </u>	<u>✓</u>	Clarify source <u> </u> Prelim. Order to Void - Source change.	
P/D	<u> </u>	<u>✓</u>	Amendment Needed? <u>delete NENG</u> P39 Overlap(s) <u>none</u>	
P/U	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u> P41 Overlap(s) <u>Surface water</u> (Gov't use special TS) <u> </u> *P/D & P/U Amend? P37	
RATE	<u> </u>	<u>✓</u>	Permit/proof fee limits <u>0.10</u> / <u>0.20</u> <u>✓</u> Measured Quantity = <u>0.09</u> cfs Theoretical Quantity = <u> </u> cfs <u>measured sprinkler hoses. 2ac x 0.03 cfs/ac = 0.06 cfs</u> (HP) <u>8.8 x 0.70 x 1</u> <u>+ dom = 0.02, = 0.08 cfs</u> <u>*16 + (2.31 x 50) = 0.05 cfs</u> <u>* per well log: static = 6'; dynamic = static + 10'</u> <u>✓</u> Recommended capacity <u>0.09</u> cfs <u>✓</u> Recommended rate <u>0.08</u> cfs	
VOLUME	<u> </u>	<u>✓</u>	Season: <u>(D / 4.5)</u> <u>3/15-11/15 = 246</u> days Calculations: <u>irr = 2.0 x 4.5 = 9.0</u> <u>+ dom = 0.6</u> } <u>9.6</u>	
	<u> </u>	<u>✓</u>	Flow limit: <u>0.06</u> cfs x <u>247</u> days/yr. x 1.9835 = <u>29.3</u> AF Recommended volume <u>9.6</u> AF	
USES	<u> </u>	<u>✓</u>	Same Nature of Use? <u> </u> P46 Amendment Needed? <u> </u>	
REMARKS	<u> </u>	<u>✓</u>	Multiple p/d's in same 1/4? Use W32 <u> </u> <u>✓</u> ① PD ② PU ③ WBS/I	
CONDITIONS	<u> </u>	<u>+</u>	Measuring Device (R43) or Lockable Controlling Works (R02) Watermaster Control (R04) - WD # <u> </u> <u>R52</u> Irrigation rate/annual volume overlap <u>050</u> GW irrigation replaces surface water (050) <u> </u> GW irrigation supplements surface water (065) <u> </u> Water Quality <u> </u> Other <u> </u>	
PRIORITY	App Rod <u>4/17/91</u> Receipt# <u>002773</u> Order to Reinstate Needed? Yes/No <u>Done?</u> Priority <u>4/17/91</u>	Due <u>8/2/93</u> Fee OK? <u>(Yes) No</u> Examined <u>7/28/94</u>	Rc'd <u>6/8/93</u> Advanced to: <u> </u>	

COMMENTS:

USE	CFS	VOLUME
<u>irr.</u>	<u>0.06</u>	<u>9.0</u>
<u>Dom</u>	<u>0.02</u>	<u>0.6</u>
<u> </u>	<u> </u>	<u> </u>
<u>TOTAL</u>	<u>0.08</u>	<u>9.6</u>

SRBA Overlap none
Adjustment Memo ✓
LICENSE LTR: P49
#1 AMEND LTR: /P38
#2 AMEND LTR: P42/P47

MEMORANDUM

DATE: May 28, 1997
TO: File No. 67-07867
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

The following adjustments¹ were made on the field report to reflect the maximum allowable rate of flow for in-house domestic use:

F. Flow Calculations.

a. Irrigation.

$$\begin{aligned}F_{M.R.} &= [8 \times (5/32" \text{ nozzles @ } 50 \text{ psi})] / 448.83 \\&= (8 \times 5.15 \text{ gpm}) / 448.83 \\&= 41.2 / 448.83 \\&= 0.09 \text{ cfs.}\end{aligned}$$

$$F_{I.R.} = \text{acres} \times \text{cfs/acre} = 2 \times 0.03 = 0.06 \text{ cfs.}$$

$$F = \text{Smaller of } F_{M.R.} \text{ and } F_{I.R.} = 0.06 \text{ cfs.}$$

b. Domestic = **0.02** cfs.

c. Maximum rate of diversion = a + b = 0.06 + 0.02 = **0.08** cfs.

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Irrigation	3/15-11/15	0.06 cfs	9.0 AF
Domestic	1/1-12/31	<u>0.02</u> cfs	0.6 AF
Totals:		<u>0.08</u> cfs	9.6 AF

Examiner: Dave Gray
Examined: July 28, 1994

¹ Adjustments are **bolded and underlined**.

MICROFILMED
JUN 10 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 20 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07867

1. Owner: EDNA ADAMS Phone No. 549-0242

Current Address: 694 W BUTTERFIELD WEISER ID 83672

2. Accompanied by: Ed Gillispe EXAM DATE: 7-28-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: HUSBAND

3. Source: GROUNDWATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-02381A +4 X SEE REMARK

2. Other water rights with the same point of diversion: 67-04193 +4

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	31	11N	5W	WASHINGTON	QUADS - FIELD EXAM


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	5W	31	1	1														2	

MICROFILMED
JUN 10 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: SPRINKLER HEAD; 5/32" HEADS, 50psi, 8 HEADS = Exhibit 9 = 5.15 gal/min
8 x 5.15 = 41.2 gal/min = 41.2 / 448.8 = .09 cfs

MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM HAS A 10" WELL WITH A 1 HP SUBMERSIBLE. THE WELL IS 50' WITH A 35' STATIC WATER LEVEL AND A 40' DYNAMIC PUMPING LEVEL. (ACCORDING TO THE OWNER; WHEN LOGS ARE UNAVAILABLE) THE SYSTEM IS USED IN THE HOME VIA A 1/2" LINE FROM THE P/d. THE SYSTEM IS USED ON THE LAWN (SPIGOTS → HOSES → SPRINKLERS), THE GARDEN, AND ON TWO SMALL PASTURES. THE PASTURES ARE IRRIGATED BY HAND LINES (WEST PASTURE) AND BY GATED PIPE (EAST PASTURE). THE OWNER MAY RUN 8 HAND LINES AT 50 PSI. THE LINES HAVE 5/32" HEADS THAT PRODUCE 5.1 GAL/MIN. THE P/d ON THE PERMIT IS INCORRECT. THE WELL IS IN THE NENE 1/4 1/4 OF 31. THERE IS NOT A P/d IN THE NENE 1/4 1/2 OF 31.

* NOTE - OTHER RIGHTS ARE NEIGHBORS IN THE SAME 1/4 1/2 WITH DIFFERENT P/d's : PH's.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 10 1997

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

IRRIGATION: 8 HEADS @ 50 PSI. $\frac{5}{32}$ " HEADS = .09 CFS NEED 2 ACRES x .03 = .06 CFS

DOMESTIC = .04 CFS

Allow to system capacity of .09 CFS

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2. \times 4.5 = 9 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 246 \times 1.9835 = 29 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9 \text{ AFA}$

2. Volume Calculations for Other Uses:

DOMESTIC; LAWN COVERED BY IRRIGATION COMPONENT:
.6 AFA (DOMESTIC WITH NO LAWN)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.06 CFS	9 AFA
DOMESTIC	1-1	12-31	.04 CFS *	.6 AFA
Totals:			.09 CFS *	9.6 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Dave Gray

Date 8-5-94

Reviewer


Date

SEAL

* Adjustments made during review of this report for license approval.
 See Memo for additional information. 5/28/97 cty

MICROFILMED


JUN 10 1997



Produced and published by the Geological Survey

Orthophotograph prepared from 1:76,000-scale
 aerial photograph taken August 3, 1974

Projection and 10,000-foot grid ticks: Idaho coordinate
 system, west zone (transverse Mercator)
 1000-metre Universal Transverse Mercator grid,
 11 1007



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: UNKNOWN OTHER APPLICABLE NO: _____
2. OWNER: Edna Adams Phone: 549-0242
Address: 694 W. Butterfield Weiser ID
3. WELL LOCATION: Twp 4N, Rge. 5W, Sec. 31, NW 1/4 NE 1/4
County WASHINGTON (Provide sketch map and photo on reverse.)
4. DRILLER: Ed Parks Drilling Lic. No. _____
When Drilled? 9-5-91
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing NA ft. Method Drilled NA
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 17 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
JUN 10 1997

MICROFILMED
JUN 10 1997

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

Signature of Dept. Representative & Title

Inspection Date

7-28-94

REMARKS:

How far away from the well is this source?

If yes, what Type?

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there evidence of Chemigation? ☐ Yes ☒ No

POSSIBLE CONTAMINATION SOURCES:

9.

8.



VIEW OF WELL. LOCATED
ON THE WEST SIDE OF THE
PROPERTY.

LINES COME DIRECTLY OUT
FOR A SPIGOT & FOR HAND-
LINES IN THE GARDEN

PHOTO ONE-

>



VIEW TO THE NORTH.

PHOTO TWO-

MICROFILMED
JUN 10 1997

Permit 67-07867

Photos taken 7-28-94

Pg 2 of 2

PHOTO THREE-

VIEW OF THE PL. HOUSE TO SPICERS WATER THE
LAWN & GARDEN




PHOTO FOUR-

UNFILMED
JUN 10 1997

June 11, 1993

EDNA ADAMS
694 W. BUTTERFIELD
WEISER ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07867

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUL 02 1993

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTRY
67-91-W-0017-000	0	EDNA ADAMS 694 W BUTTERFIELD WEISER, ID 83672 (208) 549-0242	11N	05W	30	NW SW		WASHINGTON

Subdivision Location and Description: Geographic Location:
Subdivision Name: HARRISON TRACT ADDITION Accuracy Code: N
Well Site Address: Lot(s):
City, State: Block(s): 013 014
Lat: N
Long: W

Proposed Use of Well: Irrigation Proposed Casing Diameter: 6 In. Proposed Depth: 40 Ft.

Well Use Comments:

Driller License No: 0445 Firm Name: DALLAS DRILLING & PUMP CO INC
Official: JOHNNY L GOFF

Permit Status:	Permit	Verbal Issue Date:	Date Received:	Date Approved:	Proposed Start Date:	Extension Date:	Extension Expiration:	Receipt No.	Receipt Date	Fee
			04/17/1991	04/17/1991	04/05/1991			W013227	04/18/1991	\$ 230.00

Specific Conditions:
Permit Remarks: Note that the legal description on the water right does not match the drilling permit legal. The legal description on the water right is NENE AND NWNE SEC. 31, T11N, R03W.

WELL DRILLER'S LOG REPORT

Drilling Permit No: 67-91-W-0017-000 Water Right No: 67-07867
Injection Permit No:

Nature of Work:	NEW WELL	Construction Method:	ROTARY AIR	Number of Monitor Wells:	
Casing Diameter:	6 In.	Static Water Level:	6 Ft.	Actual Start Date:	09/05/1991
Depth of Casing:	40 Ft.	Temperature:	59 F.	Well Finish Date:	09/05/1991
Total Depth:	50 Ft.	Production Rate:	30.00 GPM	Log Received Date:	11/14/1991
Screen Installed?	No			Certification Date:	11/11/1991
				Field Inspection Date:	
				Inspector:	

Well Log Remarks: PERFORATIONS: #600 FROM 21 TO 26 FT.
#800 FROM 34 TO 39 FT. KNIFE USED.
SURFACE SEAL 18 FT. GPM 30+

Form 235-1
3/89

Drilling Permit No. 67-91-W-017
Water Permit No. 67-07867
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources
Water Resources Division

APR 17 1991

1. Applicant Edna Adams

2. Address 694 W. Butterfield

Mexico, Idaho 83672 Telephone 5490242

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 SW 1/4, or Gov't lot No. _____

Sec. 30, Twp. 11N, Rge. 5W, County Washington

Lot, block and subdivision Block 13 & 14 of Harrison Tract

4. Proposed use of well: (Check all that apply) Addition to City of

☒ Domestic () Stockwater () Monitoring Water
No. of households 1 No. of livestock _____

☒ Irrigation 2 acres () Industrial () Municipal

() Injection () Other, Specify _____

5. Well construction information:

☒ New well () Deepen () Replace

Proposed surface diameter 6" Maximum depth 40'

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date 4/5/91

7. Well Driller (if known) Dallas Drilling & Pump Co.

Address 505 So 18th St Payette, Idaho 83661

8. Applicant's signature Edna Adams

Title husband

Date 3/28/91

JUL 02 1993

May 31, 1993

EDNA ADAMS
694 W. BUTTERFIELD
WEISER ID 83672

PROOF DUE NOTICE

RE: PERMIT NO. 67-07867

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED
JUL 02 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 9, 1991

EDNA ADAMS
694 W. BUTTERFIELD
WEISER, ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07867

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not

MICROFILMED
AUG 22 1991

diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosure

RECEIVED
AUG 22 1991

AUG 22 1991

NOTICE OF AMENDED APPLICATION FOR PERMIT

NO. 67-07867

Notice is hereby given that application No. 67-07867 in the name of Edna Adams was filed on 4/17/1991 for the diversion of .10 cfs from groundwater with a point of diversion within the T11N R5W Sec. 30 NENWSW to be used for irrigation purposes from 3/15 to 11/15 and for domestic purposes from 1/1 to 12/31 within portions of T11N R5W Sec. 30 NWSW.

The applicant now proposes to amend the application by changing the point of diversion to T11N R5W Sec. 31 NENE and NWNE (single point on 1/41/4 line) Place of use changed to T11N R5W Sec. 31 NENE and NWNE, total of 2 acres and 1 home.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before July 8, 1991.

R. Keith Higginson
Director

Published in the Weiser Signal on 6/20 and 6/27/1991

RECEIVED

AUG 22 1991

ACTION REQUIRED

6/4/91

FROM:

Steve

TO:

Joe & Gail

Need to reactivate as amended application.

Please give to Gail or Sam or you make
changes in tagging the # into Appalis (noting
the amendment of this application).

Thanks,
JK

C

P.O. Box 709-18 East Idaho — Weiser, Idaho 83672
Phone 549-1717

State of Idaho Dept. of Water
1300 N. Orchard St.
Statehouse
Boise, ID 83720

**YOUR VALLEY
NEWS
ON
MONDAYS
AND
THURSDAYS**

NOTE: SEE CODE DESCRIPTION AT BOTTOM OF STATEMENT FOR CHARGE CLASSIFICATION

DATE	C O D E	LINES-INCHES OR JOB NO.	DESCRIPTION	R A T E	CHARGES	CREDITS	BALANCE
					BALANCE FORWARD		
5/9/91 LE 16106					48.74		201.30

[illegible]

AUG 22 1991

PAY THIS AMOUNT

(JB-PR) JOB PRINTING (CI) CIRCULATION
(MI) MISCELLANEOUS (CL) CLASSIFIED
(NA-AD) NATL. ADVER. (NE) NEWS
(LE-AD) LEGAL ADVER. (CS) CASH

A charge of 1 1/2 per cent per month (18 per cent annually, will be added to all accounts after 30 days. (Minimum charge, \$1.00)

CONVERSATION MEMORANDUM

DATE 6/4/91
FILE 67-07867NAME OF PARTY Edna Adams 549.0242EMPLOYEE Steve LasterRE: LEGAL DESCRIPTION

Applicant called today to advise status of application is informal me that assessor's office indicates her property is ID S. 31. A subsequent phone conversation with applicant's husband (Ed Gillispie, also signed application) ~~confirmed~~ confirmed that site is between Pioneer & Butterfield (run E-W) $\frac{1}{2}$ W. 7th & W. 6th (Run N & S).

Using orthophoto, city map, & street intro, located site ID S. 31 ON line NENE - NWNE.
Due to this, indicate Domestic ID both & 1 acre irrigation ID each.

Amend application based on this ^{info} intro & advertise.

Recommend no fee be charged for amendment.

Applicant's original map showed more or less correct street intro & maps in region could have been used to verify this. I think that the more correct review procedure would have included verifying plat & plan with applicant's map, city map, and topo or orthophoto. I do not see the basis for orthophoto that indicates site ID S. 30 (orthophoto with blue ink, yellow highlighter).

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

APRIL 24, 1991

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 20, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

RECEIVED

AUG 22 1991

67-07867

ADAMS, EDNA
694 W. BUTTERFIELD
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: NENWSW Sec 30 T 11N R 05W

Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.100 CFS)

Date Filed: 4/17/ 1991

In: T11N R05W S30 NWSW

2.0 ACRES TOTAL

RECORDED
INDEXED

AUG 22 1991