

DAVE STUBS
466-8929

20.4

CROA

C-108
WHITEMAN
C-82

C-129
H. BOTT
C-48

TOM GROSSEN
C-130
E. PEARSON
C-130

C-15
M. HUEY
C-15

C-53
GROSSEN

GREEN

C-19
BARKER

B. DUNHAM

R. DUNHAM

NOT FILMED
JUL 15 1991

- 1-6.0
- 2-37.6
- 3 19.5
- 4 7.0
- 5 8.5
- 6 12.4
- 7 2.4
- 8 19.0
- 9 1.9
- 10 22.1
- 11 29.7
- 12 22.5
- 13 14.1
- 14 2.0
- 15 3.4
- 16 10.6
- 222.60

- 1-6
- 2 37
- 3 19
- 4 7
- 5 9
- 6 12
- 7 2
- 8 16
- 9 1
- 10 2
- 11 2
- 12 2
- 13 1
- 14 1
- 15 1
- 16 1
- 17 1
- 18 1
- 19 1
- 20 1
- 21 1
- 22 1
- 23 1
- 24 1
- 25 1
- 26 1
- 27 1
- 28 1
- 29 1
- 30 1
- 31 1
- 32 1
- 33 1
- 34 1
- 35 1
- 36 1
- 37 1
- 38 1
- 39 1
- 40 1
- 41 1
- 42 1
- 43 1
- 44 1
- 45 1
- 46 1
- 47 1
- 48 1
- 49 1
- 50 1
- 51 1
- 52 1
- 53 1
- 54 1
- 55 1
- 56 1
- 57 1
- 58 1
- 59 1
- 60 1
- 61 1
- 62 1
- 63 1
- 64 1
- 65 1
- 66 1
- 67 1
- 68 1
- 69 1
- 70 1
- 71 1
- 72 1
- 73 1
- 74 1
- 75 1
- 76 1
- 77 1
- 78 1
- 79 1
- 80 1
- 81 1
- 82 1
- 83 1
- 84 1
- 85 1
- 86 1
- 87 1
- 88 1
- 89 1
- 90 1
- 91 1
- 92 1
- 93 1
- 94 1
- 95 1
- 96 1
- 97 1
- 98 1
- 99 1
- 100 1


North Fork
Gray's Cr. →

34

35

151 ACRES

Gray's
Creek



T15N

T14N

3

2

#2 P10 Area
Gray Co.

Indian
Cem

Little
Wash
River

Gray's
Creek
Ditch

Gray's
Creek

Water from
Little Wash River

MICROFILM

RECEIVED

MAY 14 1991

Department of Water Resources
Western Regional Office

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

67-07866 Tom & Norma R Grossen

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2)

consecutive weeks, the first publication of the

same being made in the issue dated May 2, 1991

and the last in the issue dated May 9, 1991 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 10th

day of May, 1991

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07866

GROSSEN, TOM
GROSSEN, NORMA R.
P.O. BOX 72
INDIAN VALLEY, ID 83632
Source: LITTLE WEISER RIVER
Tributary: WEISER RIVER
Source: GRAYS CREEK
Tributary:

LITTLE WEISER RIVER
Diversion Pt:
NESENE Sec 3 T 14N R 01W
SESWNW Sec 23 T 14N R 01W
SWSNW Sec 23 T 14N R 01W
Use: IRRIGATION (3.000 CFS)
Total Diversion: (3.000 CFS)
Date Filed: 4/15/1991

In:
T14N R01W S02 Lot 4 (NWNW)
S03 Lot 1 (NENE)
T15N R01W S34 SESE
S35 SWSW
SESW

151.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 20, 1991.

R. KEITH HIGGINSON,
Director

Published 5/2/1991 &
5/9/1991

RECEIVED

JUL 15 1991

2.5RB - 1800 RPM

SINGLE VOLUTE

Max. Impeller Dia.
Non-overloading

HP	Full Motor Load 1.0 S.F.	Full Motor Load 1.15 S.F.
25	12.88"	
20	12.44"	12.75"
15	11.50"	11.88"
10	10.31"	10.62"
7.5	9.50"	9.94"

Performances shown are for cool water, horizontal frame configuration with packing. Other mounting styles or liquids may require horsepower and/or performance adjustments.

Feet x .305 = Meters

Inches x 25.4 = Millimeters


GPM x .227 = Cubic Meters/Hour

GPM x 3.785 = Liters/Minute

HP x .746 = KW

25RB18.eps
(1/99)

Speed	Impeller Dia	Style	Solids Dia	N _S	Suction	Discharge	No. Vanes
1770	Various	Enclosed	0.38"	605	4.0	2.5	7

**3RB - 1800 RPM**

SINGLE VOLUTE

Max. Impeller Dia.
Non-overloading

HP	Full Motor Load 1.0 S.F.	Full Motor Load 1.15 S.F.
30	12.81"	12.88"
25	11.80"	12.62"
20	11.12"	11.62"
15	10.44"	10.75"
10	9.00"	9.56"

Performances shown are for cool water, close-coupled electric configuration with packing. Other mounting styles or liquids may require horsepower and/or performance adjustments.

Feet x .305 = Meters

Inches x 25.4 = Millimeters


GPM x .227 = Cubic Meters/Hour

GPM x 3.785 = Liters/Minute

HP x .746 = KW

3RB18.eps
(1/99)

Speed	Impeller Dia	Style	Solids Dia	N _S	Suction	Discharge	No. Vanes
1775	Various	Enclosed	0.50"	918	5.0	3.0	7





Cornell Pump Company • Portland, Oregon

I-A-3-30


REV.6/99

500 GPM sprinkler w/ MIGAS. 10' lift
65 PSI 10' lift





Page Fort West Base Modification



MICROFILMED
JUN 9 2 2001

T500

34	35
3	2

1 NHCL
5.2

17
148.1

1 NHCL
2.1

5 NHCL
7.4

18
95.4

15.5

22
12.4

11 NHCL
21.5

19
43.5

20
50.7

21
5.5

T637


12
2.6
HEL


2
5.8

14
1.5

MICROFILM
MAR 8 5 2013


67-7866





MEASUREMENT LOCATION

19 9'96



P/u

67-78660

126 ac claimed in A67-00432
including 6 ac. S.34 SESE and 40 ac.
S.3 NENE.

3
28.4
FH/15
T-248
A. LEGG

6 acres are
other area than
application

3 acres are
same area
as application

MICHAEL
JUL 15 1991

E SHAW

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 67-07866

Priority: April 15, 1991

Maximum Diversion Rate: 1.21 CFS
Maximum Diversion Volume: 554.0 AF

It is hereby certified that TOM GROSSEN Or NORMA R GROSSEN
PO BOX 72
INDIAN VALLEY ID 83632 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 15, 1991; and have
submitted Proof of Beneficial Use on March 23, 1993. An examination indicates that the works have a
diversion capacity of 1.21 cfs of water from:

SOURCE

LITTLE WEISER RIVER

Tributary: WEISER RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/15 to 10/31	1.21 CFS	554.0 AF

LOCATION OF POINT OF DIVERSION:

LITTLE WEISER RIVER NE¼SW¼NW¼ Sec. 23, Twp 14N, Rge 01W, B.M., ADAMS County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N 01W 2						35.0											35.0
						L 4											
14N 01W 3	3.0																3.0
	L 1																
15N 01W 34															32.0		32.0
15N 01W 35									40.0	40.0							80.0

Total Acres: 150

CONDITIONS OF APPROVAL

1. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 67A.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED
JUN 05 2003

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 67-07866

4. The issuance of this right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 27th day of April, 2003.


for **KARL J. DREHER**
Director

RECEIVED
APR 22 2003
WATER RESOURCES
WESTERN REGION

RECEIVED

APR 25 2003

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

Department of Water Resources

(For Licensing Purposes)

WATER RIGHT NO. 67-07866

Date of Priority: April 15, 1991

Maximum Diversion Rate: 1.21 CFS

Maximum Diversion Volume: 554.0 AF

Comes now TOM GROSSEN Or NORMA R GROSSEN
PO BOX 72

INDIAN VALLEY ID 83632 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07866, and requests that the permit be changed as follows:

Source: LITTLE WEISER RIVER

Tributary: WEISER RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/31	1.21 CFS	554.0 AF

LOCATION OF POINT OF DIVERSION:


LITTLE WEISER RIVER NE $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 23, Twp 14N, Rge 01W, B.M., ADAMS County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N 01W 2						35.0											35.0
14N 01W 3	3.0					L 4											3.0
15N 01W 34	L 1														32.0		32.0
15N 01W 35									40.0	40.0							80.0

Total Acres: 150

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 22 day of APRIL, 2003.


(Signature)

MICROFILMED
JUN 05 2003

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 67-07866

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = 50⁰⁰ Received by JFW # W030374 Date 4/22/03


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07866 with the following:

CONDITIONS OF APPROVAL

1. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 67A.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.

Witness my hand this 28th day of April, 2003.


for **KARL J. DREHER**
Director

MICROFILMED
JUN 05 2003

RECEIVED
MAR 23 1993
Department of Water Resources
Western Regional Office

RECEIVED
APR - 5 1993

For Office Use Only
Amt. of Fee \$ 150
Date 3-23-93
Receipt No. 0016054
Received by JS

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07866 Telephone No. 256-4419
2. Name(s) of Permit Holder(s): Tom & Norma Grossen
3. Post Office Address: PO BOX 72, INDIAN VALLEY, ID 83632
4. Source of Water: LITTLE WEISER RIVER, TRIB. TO WEISER RIVER
 - a. If ground water, well driller's name: _____ Date drilled: _____
 - b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>151</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 0.0 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? ☒ Yes ☐ No	Installed? ☒ Yes ☐ No	<u>WEIR (PORTABLE)</u>
	OR		
Flow Measurement Port:	Required? ☐ Yes ☐ No	Installed? ☐ Yes ☐ No	
8. Fee Enclosed: \$ 150 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>JAME AS ABOVE</u>	Telephone No. _____
Name	
Address	

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-23-93
Date

Tom Grossen
Signature (and title if on behalf of a company or organization)

RECEIVED

MAY 25 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07866

Proposed Priority: April 15, 1991 Maximum Diversion Rate: 3.00 CFS

This is to certify, that **TOM GROSSEN**
NORMA R. GROSSEN
P.O. BOX 72
INDIAN VALLEY, ID 83632

has applied for a permit to appropriate water from:

LITTLE WEISER RIVER tributary of **WEISER RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 07/15	3.00 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SESWNW	Sec. 23, Township 14N, Range 01W
SWSNW	Sec. 23, Township 14N, Range 01W
	ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	01W	2	LOT 4(NWNW)	34			34
		3	LOT 1(NENE)	3			3
15N	01W	34	SESE	34			34
		35	SWSW	40	SESW	40	80

Total number of acres irrigated: 151

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 67A.
5. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Microfilm

JUL 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07866

CONDITIONS/REMARKS:

8. Single point of diversion located on or near line between SESWNW and SWSNW, S23, T14N, R01W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

21st day of June, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUL 15 1991

To appropriate the public waters of the State of Idaho

1. Name of applicant TOM OR NORMA R. GROSSEN Phone 256-4419
- Post office address P.O. Box 72 INDIAN VALLEY, IDAHO 83632
LITTLE WEISER RIVER WEISER RIVER
2. Source of water supply GRAY'S CREEK ** which is a tributary of LITTLE WEISER RIVER **
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ Govt. Lot —
23 14N 1W
- Sec. 3 Township 14N Range 1W B.M. ADAMS ** County; additional
points of diversion if any: SESWNW, SWSNW S. 23 T14N R1W Adams Co.
4. Water will be used for the following purposes:
- Amount 3.0 for IRRIG purposes from MAR 15 to JUL 15 *** (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3.0 and/or (b) 604
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. LITTLE WEISER R. DIVERSION VIA
GRAY'S DITCH, SPRINKLERS OR GRAVITY FLOW.
GRAY'S CREEK DIVERSION
INTO SPRINKLERS OR GRAVITY FLOW.
- b. Height of storage dam — feet; active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet; period of year when water will be diverted to storage:
— to — inclusive.
- c. Proposed well diameter is — inches; proposed depth of well is JUL 15 1991 feet
- d. Is ground water with a temperature of greater than 90°F being sought? —
7. Time required for the completion of the works and application of the water to the proposed beneficial use is

3 years (minimum 1 year).
 ** Deleted per letter from applicant dated 6/19/1991. DER
 * per orthophoto, pld listed as 2 points with 3 legal descriptions.
 no storage intended per application; per discussion with applicant

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	1W	2						34											34
14N	1W	3	3																3
15N	1W	34															34		34
15N	1W	35										40	40						80

Total number of acres to be irrigated 151

10. Describe any other water rights used for the same purposes as described above. NONE
67-00432 67-04083 67-00096 67-02022B 67-02385

- Who owns the property at the point of diversion? RON CROCKET (S. 23 P. 10) *
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A USE of existing Grays Cr. Ditch so access with a problem. *

12. Remarks: Single point of diversion on line between SE SWNW and SW SE NW S. 23 T14N R1W.

JUL 15 1991

* per Helen Tom Grosser 4/22/91

1000 ft 103.5 B 01.30

14N 13
5.2 53

1000 ft

1000 ft

1000 ft

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

JUL 15 1937

1000 ft 103.5 B 01.30


1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

1000 ft 103.5 B 01.30

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Tom Goren
(Applicant)

Received by Rdh Date 4-15-91 Time 16:12 Preliminary check by SL
Fee \$ 85.00 Receipted by Rdh # W 013212 Date 4-15-91
Publication prepared by GG Date 4-24-91 Published in Adams County Leader
Publication approved st Date 5-21-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

JUL 15 1991

C-106
WHITEMAN
C-82

DAVE STUBS
466-8929

C-129
H. BOTT
C-48
148 1/2

TOM GROSSEN
C-130
E. PEARSON
C-130

M. HUEY
C-15
C-15

C. SALE

C-19
BARKER

C-53
GROSSEN

GREEN

B. DUNHAM

B. DUNHAM

CROP

- 23 1-6.
- 2. 37.
- 3 19.
- 4. 7.
- 5. 9.
- 6 12.
- 7. 2.
- 8. 10.
- 9. 11.
- 19. 2.
- 15. 3.
- 118.

FLW7

- 10. 27
- 11 29
- 12 22
- 13 14
- 16 10.
- 104

100/
118.

222.

- 1-6.0
- 2-37.6
- 3 19.5
- 4 7.0
- 5 8.5
- 6 12.4
- 7. 2.4
- 8. 19.0
- 9. 1.9
- 10. 22.1
- 11. 29.7
- 12. 22.5
- 13. 14.1
- 14. 2.0
- 15. 3.4
- 16. 10.6

222.60

JUL 15 1991

DAVE STUBS
466-8929

20.4

CROP

2.3 1-6.
2.37.
3 19.
4. 7.
5. 9.
6 12.
7. 2.
8. 10.
9. 11.
10. 2.
11. 3.
118.

FLAT

10.27
11.29.
12.22.
13.14
16.10.
104.

104/
118.
222.

C-106
WHITEMAN
C-82

C-129
H. BOTT
C-48

TOM GROSSEN
C-130
E. PEARSON
C-130

C-15
M. HUEY
C-15

C-15
PEARSON
C-130

C. SALE

C-18
BARKER

C-53
GROSSEN

GREEN

B. DUNHAM

JUL 15 1991

1-6.0
2-37.6
3 19.5
4 7.0
5 8.5
6 12.4
7. 2.4
8. 18.0
9. 1.9
10. 22.1
11. 29.7
12. 22.5
13. 14.1
14. 2.0
15. 3.4
16. 10.6

222.60

North Fork
Grape Creek

151 ACRES

Grape Creek

NE 1/4

PIR Farm
Grape Creek

Indian Cem

Little
Woods
River

Ditch

Grape
Creek

Water from
Little Woods River

Ind

Woods

RECEIVED

MAY 14 1991

Department of Water Resources
Western Regional Office

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

67-07866 Tom & Norma R Grossen

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2)

consecutive weeks, the first publication of the

same being made in the issue dated May 2, 1991

and the last in the issue dated May 9, 1991 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 10th

day of May 19 91

Notary Public for Idaho,
Residing at Council, Idaho

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07866

GROSSEN, TOM

GROSSEN, NORMA R.

P.O. BOX 72

INDIAN VALLEY, ID 83632

Source: LITTLE WEISER RIVER

Tributary: WEISER RIVER

Source: GRAYS CREEK

Tributary:

LITTLE WEISER RIVER

Diversion Pt:

NESENE Sec 3 T 14N R 01W

SESWNW Sec 23 T 14N R 01W

SWSNW Sec 23 T 14N R 01W

Use: IRRIGATION (3,000 CFS)

Total Diversion: (3,000 CFS)

Date Filed: 4/15/1991

In:

T14N R01W S02 Lot 4 (NWNW)

S03 Lot 1 (NENE)

T15N R01W S34 SESE

S35 SWSW

SES

151.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 20, 1991.

R. KEITH HIGGINSON,
Director

Published 5/2/1991 &

5/9/1991

NOT RECORDED

JUL 15 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 29, 2003

TOM GROSSEN
NORMA R GROSSEN
PO BOX 72
INDIAN VALLEY ID 83632

RE: License No. 67-7866 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

JUN 05 2003


CERTIFICATE OF SERVICE

I hereby certify that on April 29, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

67-7866

TOM GROSSEN
NORMA R GROSSEN
PO BOX 72
INDIAN VALLEY ID 83632

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", is written over a horizontal line.

Kari Lynn Townsend
Secretary

MICROFILMED
JUN 05 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 11, 2003

TOM GROSSEN
NORMA R GROSSEN
PO BOX 72
INDIAN VALLEY ID 82632

RE: Water Right Permit 67-7866

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received the amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you have been misplaced, a new one is enclosed. Please note that the filing fee is \$50.00.

If you have any questions regarding this matter, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:klt

Enclosure

*4/22/03
Tom Grossen in
to see John Westra-
filing amendment.
KW*

*Tom Grossen
wants this matter
held in abeyance
until he can
come into the
office & discuss.
KW
3/28/03*

MICROFILMED
JUN 05 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 19, 2003

TOM GROSSEN
NORMA R GROSSEN
PO BOX 72
INDIAN VALLEY ID 83632

RE: Water Right Permit No. 67-07866

Dear Permit Holders:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

✓ **Point of Diversion – Change 10 acre tract description**

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

JUN 05 2003

3-5-03
Mr. Grossen wanted
me to change source to
Hayes Cr. - told
him we could not
do that - he is going
to discuss w/you
Heaves who is working
on transfer w/Mr.
Grossen.
KW

Comment Report

67-7866

1. kwalker 1/22/2003 Point of Diversion

Comment: Examiner recommended pd in SENW. In discussing this right with Lori Graves I found she had GPSd the diversion to Grays Creek Ditch and found it was located in the SESWNW. I have recommended we license this right with the GPSd diversion point.

2. kwalker 2/18/2003 Rate of Flow

Comment: I discussed this right with Cindy Yenter who did the measurement of the flume of this system. Cindy remembered that the flow in the flume was measured at full capacity so the flume will be the limiter of the rate of flow under this right.

3. ANDREGG 4/5/1993 Proof of Beneficial Use Rcvd

Comment: Proof of Beneficial Use Rcvd

MICROFILMED

JUN 05 2003

LICENSE REVIEW CHECKLIST

Permit No. 67-7866 Date: 1-22-03 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: change

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): none per exam-

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 3.0 cfs

Fee Limit 3.0 cfs

Measured 1.21 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 1.21 ←

Water Uses OK

Change (P46)

Season of Use per new Standards

3-15 10-31

Irrigation 1.21 cfs 554 af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 1.21 cfs 554 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power: (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

1.21 cfs x 1.9835 x 231 days = 554.4 af (vs) 150 acres x $\frac{4.0}{3.0}$ (FHR) = 600.0 af

~554.0

Remarks: _____

Additional Conditions 67A Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes If yes, explain why below.

no

SRBA Claim?

NO - not req'd

Adjust memo _____

Amend Letters _____ P87, S06

Second Amendment Notice _____ S06

topo T57

Rt. limited to this since this is all flume can carry across Deep Creek.

RECEIVED

FEB 5 - 2003

Department of Water Resources

MEMORANDUM

DATE: 2/4/2003

FROM: Lori Graves

TO: Kay Walker

RE: Tom Grossen Permit No. 67-7866

Hi Kay,

I visited with Tom Grossen January 27, 2003 to discuss the details of water right 67-7866. He diverts with two identical 25 hp pumps out of Greys Creek Ditch. I called Gilbert with Farm Commercial Irrigation Company in Weiser, where Tom purchased the pumps, and he supplied me with a pump curve indicating that the designed capacity for each pump is 500 gpm. This is based on 65 psi and 10 feet of lift for a sprinkler irrigation system.

The permit lists two possible diversion points. Based on a gps reading that I took for the Greys Creek Ditch diversion last summer, the correct p/d should be listed as the NESWNW S23 T14N R1W.

With regards to the other permits (67-752~~4~~ and 67-7525), they involve Steward Ditch, which is used for gravity irrigation. I'll have to get a ditch measurement this next summer since there are no pumps involved.

Thanks Kay.

*Please let me know when
the permit is issued. Thanks.*

MICROFILMED
JUN 05 2003

FAX**TO: LORI GRAVES** 334-2348 F.**FROM: GILBERT BALL** 549-1907**RE: PUMP CURVE FOR CORNELL 25HP 1800 RPM MODEL 3RB****LORI: PLEASE FIND PUMP CURVE FOR ABOVE DESCRIBED MODEL. SAY
HELLO TO JAN.****GILBERT**

FCI

MICROFILMED

JUN 05 2003

2.5RB - 1800 RPM

SINGLE VOLUTE

**Max. Impeller Dia.
Non-overloading**


HP	Full Motor Load 1.0 S.F.	Full Motor Load 1.15 S.F.
25	12.88"	
20	12.44"	12.75"
15	11.50"	11.88"
10	10.31"	10.62"
7.5	9.50"	9.94"

Performances shown are for cool water, horizontal frame configuration with packing. Other mounting styles or liquids may require horsepower and/or performance adjustments.

Feet x .305 = Meters
Inches x 25.4 = Millimeters
GPM x .227 = Cubic Meters/Hour
GPM x 3.785 = Liters/Minute
HP x .746 = KW

25RB18.eps
(1/99)

Speed	Impeller Dia	Style	Solids Dia	N _s	Suction	Discharge	No. Vanes
1770	Various	Enclosed	0.38"	605	4.0	2.5	7

**3RB - 1800 RPM**

SINGLE VOLUTE

**Max. Impeller Dia.
Non-overloading**


HP	Full Motor Load 1.0 S.F.	Full Motor Load 1.15 S.F.
30	12.81"	12.88"
25	11.88"	12.62"
20	11.12"	11.62"
15	10.44"	10.75"
10	9.00"	9.56"

Performances shown are for cool water, close-coupled electric configuration with Packing. Other mounting styles or liquids may require horsepower and/or performance adjustments.

Feet x .305 = Meters
Inches x 25.4 = Millimeters
GPM x .227 = Cubic Meters/Hour
GPM x 3.785 = Liters/Minute
HP x .746 = KW

3RB18.eps
(1/99)

Speed	Impeller Dia	Style	Solids Dia	N _s	Suction	Discharge	No. Vanes
1775	Various	Enclosed	0.50"	918	5.0	3.0	7

**Cornell Pump Company • Portland, Oregon****I-A-3-30**

500 GPM sprinkler system
65 PSI 10' lift
JUN 15 2003

REV.6/99

RECEIVED

NOV 08 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7866

1. Owner: TOM & NORMA GROSSEN Phone No. 256-4419

Current Address: PO BOX 72, INDIAN VALLEY ID 83632

2. Accompanied by: RICHARD KRETTEN EXAM DATE: 9/19/96 *

Address: 1000 W INDIAN VALLEY RD CAMBRIDGE ID 83610 Phone No. _____

Relationship to Permit Holder: B LITTLE WEISER WATERMASTER

3. Source: LITTLE WEISER RIVER tributary to WEISER RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: several

C. DIVERSION AND DELIVERY SYSTEM

* previous exam started in 1994, not completed.

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	23	14N	1W	ADAMS	USGS Quad Map

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N	1W	2						44											35
		3		41				35											3
15N	1W	34															32		32
		35										40	40						80

JUN 05 2003

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

see attached
and map in file
67-07524

Scale: 1" = _____

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pigmy Meters						

2. Measurements: see Measurement Notes

E. NARRATIVE/REMARKS/COMMENTS

Permit developed for ~~Supplemental water to the decreed~~
~~and storage water rights on 112 acres and~~ for new irrig-
ation. Lands were subsequently placed in
Federal Wheat & Feed Grain Program and were not
being irrigated at time of exam. All development was
under sprinkler, as all lands are situated above the ditch.
Water is delivered via the Grays Creek Ditch from the
Little Weiser River. Flows enter the property in NESE
Sec 3, where they may be split into two ditches.
The distribution system is common to other lands
with decreed & storage rights. For lands north of Grays
Ck, flows are transported across creek in a flume.

It is limited to diversion prior to
June 15 (floodwaters). It not typically
delivered after wmr is called due to
late priority.

See 67-07524 for overview map.

Measurement was made on
capacity of flume used to transport
Little Weiser water across Grays
Creek to property.

Property remains enrolled in wheat
feed grain program until 2003 per
Nancy Reed @ Adams Cty CPFA office.

(New water, not supplemental, per Cindy Hodges.)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 05 2003

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

1.21 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 150 \times 4 = 600$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.21 \times 214 \times 1.9835 = 513.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 513.6$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrig	4/1	10/31	1.21	513.6
Totals:			1.21	513.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION


Field Examiner's Name Dave Grey + Cindy Hodges by g Date 10/29/99

Reviewer _____ Date _____

SEAL
MICROFILMED
JUN 05 2003

MICROFILMED
JUN 05 2003





MICROFILMED
JUN 05 2003

T500

34	35
3	2

17
148.1

11 HEL 19
21.5 43.5

20
50.7

21
5.5

22
12.4

MICROFILM

11/10/50

12
2.6
HEL


T637

2
5.8

14

67-7866

Wheat & Feed Grain



Pearson place

~114ac

436, 432

.52, .90

7866



Grays Ck ditch,

North of Grays Ck &

one field S. of creek.



MEASUREMENT LOCATION

UNCLASSIFIED
JUL 15 2003



P/u

1778/10

April 9, 1993

TOM GROSSEN
NORMA R. GROSSEN
P.O. BOX 72
INDIAN VALLEY ID 83632

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07866

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAY 25 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 67-07866 Reviewed by KLg Date 4/6/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
NA Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
1.50 Amount Submitted
yes Correct?
yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date ✓

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 3/23/93
4/9/93 KLg

May 19, 1992

TOM GROSSEN
NORMA R. GROSSEN
P.O. BOX 72
INDIAN VALLEY ID 83632

RE: Water Right No. 67-07866

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

RECEIVED

MAY 25 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

RECEIVED
MAY 19 1993

MAY 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 24, 1991

TOM GROSSEN
NORMA R. GROSSEN
P.O. BOX 72
INDIAN VALLEY, ID 83632

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07866

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

REPROFILMED
JUL 15 1991

APPLICATION FOR PERMIT REVIEW

Application #: 67-7866
Date: 6-20-91

Reviewer: Pam Skaggs *CS*

- ✓ Existing:
 - ✓ No - 26A-P17
 - Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
 - Groundwater:
 - GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)
 - LT. 0.2 cfs - N/A
 - Drilling Permit:
 - Approved w/permit - P99
 - Not included - 046-P23(All GW, even existing wells)
- ✓ Location:
 - ✓ Water Districts - WD No. 6.7A
 - ✓ Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - (1, Blank or Other)
 - Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
 - Non Trust - 048-049 or Irr & Dom)
 - River Basins:
 - (Surface Water) Water District Control Condition &...
 - Boise (63) - 05A & 11E
 - Payette (65) - 047-P04, 059-P71
 - SNAKE (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - Use:
 - Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
 - Power - Use Power Review
 - Mining - 06A or 010, 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
 - ✓ Ownership:
 - ✓ Non land owner - 004
 - Protested:
 - Agreement - 020
- ✓ Beneficial Use Due Date: - 07-01-1994
- Other Conditions Recommended

JUL 15 1991

Form No. 202a.
10/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 4/22/91 APPLICATION: 67-07866

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) y P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	Diversion within interim protected river area
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

within W.D. # 67-A

PROCESSING

APPLICATION NO. 67-07866

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest May 20, 1991

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DRT

Measuring device required:

Measuring port required:

Water delivered by water master? District # 67A, Little Weiser River

Special conditions of approval or cover letter:

OIE 04, 26A (Allow 3 years), 05 (67A, Little Weiser River), The season of diversion is limited to the period from March 15 through July 15.

See below for additional information

Recommended Date or Priority 4/15/91

Recommended by: DRT

Date 6/20/91

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Overlap. See attached info. Recommend 2.98 cfs allowable.

2 SEPARATE DIVERSIONS:

1 from Gray, Creek.

1 from Little Weiser R. (Gray's Cr. ditch) to deliver flow to land N. of Gray's Creek via flume or siphon (v. injecting River flow into creek & then diverting from creek).



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 20, 1991

Little Weiser Water District
c/o Whitney Voerman
P.O. Box 57
Indian Valley, ID 83632

Re: Application for Permit No. 67-7866 in the Name of Tom &/or
Norma R. Grossen

Dear Protestant:

This office acknowledges receipt of the withdrawal of protest
against the above-referenced application.

The Department now will continue to process the application.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

CC: Tom & Norma R. Grossen
Issaac Ward (Chairman, Little Weiser Water Dist.)

RECEIVED
JUL 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 20, 1991

Little Weiser Irrigation District
c/o John Schwenkfelder
HC 68 Box 2420
Cambridge, ID 83610

Re: Application for Permit No. 67-7866 in the Name of Tom &/or
Norma R. Grossen

Dear Protestant:

This office acknowledges receipt of the withdrawal of protest
against the above-referenced application.

The Department now will continue to process the application.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

CC: Tom & Norma R. Grossen

RECEIVED

JUL 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

June 19, 1991

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

William H. Foster, Chartered
P.O. Box 69
Grangeville, ID 83530

Re: Application for Permit #67-7866 in the Name of Tom &/or
Norma Grossen

Dear Mr. Foster:

We are in receipt of your letter dated June 5, 1991, in which you requested to intervene in the above-referenced application for permit on behalf of Gray's Creek Ranches. Please be advised that we did receive two timely protests in this matter, one from the Little Weiser Irrigation District, and the other from the Little Weiser Water District. However, both protests have since been withdrawn and there are no outstanding protests on the application. Therefore, the request for intervention must be denied.

The elements of concern expressed in your letter have been reviewed with respect to the approvability of this application. Accordingly, I will address each of the items in turn.

Your first concern is that the application shows no plan for diversion which can be ascertained from the documents submitted. Please find enclosed a copy of the application for permit. Note that in response to the protests, the applicant has deleted from the application the Gray's Creek source of water and the associated point of diversion. Diversion from the Little Weiser River is intended to be through Gray's Creek Ditch.

Your second concern is that the applicant fails to attach lease, easement or license to divert at a point within the boundaries of another party's lands. Because an existing diversion system is proposed to be used, this office assumes that an easement is already in place. If there is no easement in place, the applicant will have to arrange for an easement prior to diverting under this water right. Issuance of a water right permit does not grant easement.

Your third concern is that the applicant fails to give a legal description of the point of diversion, describing only a 20 acre area, and the attachments fail to locate the exact point of diversion. Idaho Water law requires that the point of


RECEIVED
JUL 15 1991

diversion be located to the nearest 40 acre tract. As stated above, in this case the point of diversion has been described as the point of diversion for Gray's Creek ditch, an existing ditch which diverts from the Little Weiser River.

Your letter indicates that the amount of water claimed would affect the Gray's Creek Ranches' priority, which is July 1, 1883. One condition of approval associated with any water right issued by this agency is that such rights are subject to all prior water rights. Thus, the above-referenced water right application for which the date of priority is April 15, 1991, can be diverted only if prior water rights such as those owned by Gray's Creek Ranches are satisfied.

I have reviewed the other information in the file, and I am forwarding the application to our state office with a recommendation that a permit be issued, subject to the conditions that the water right be subject to control by the watermaster of Water District 67A, and that the applicant provide a system for measuring the water. I have also recommended that the season of use be limited to the period between March 15 and July 15, which signifies the typical period of spring runoff. I hope that this information has directly responded to the concerns addressed in your letter, and would be happy to respond to any further questions or comments in this regard.

Sincerely,



DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

Encl.

cf: Tom and Norma R. Grossen

NOTED
JUL 15 1991

RECEIVED

JUN 18 1991

Department of Water Resources
Western Regional Office

W I T H D R A W A L

TO WHOM IT MAY CONCERN:

I hereby withdraw my protest of
Application For Water Right to Appropriate the Public
Water of the State of Idaho, No. 67-7866.

Signed at Cambridge, Idaho

this 15 day of June 1991.

Little Weiser Irrigation Dist.
Protestant

ATTEST:

John W. Schenckel - Chairman

RECEIVED

JUL 15 1991

RECEIVED

JUN 19 1991

Department of Water Resources
Western Regional Office

June 19, 1991

David Tuthill
Western Regional Office
2735 Airport Way
Boise, Idaho 83705

To Whom it may concern:

The 67-A Water District will withdraw it's protest of water right claim number 67-7866 by Tom and Norma Grossen upon clairifation of the following points.

1. sources of water and amounts from each for this claim
2. right to use the Grays Creek Ditch for delivery of said water
3. start and stop dates for water since it is floodwater

Please send the requested information to Issac Ward, Chairman
67-A Water District.

Sincerely,

Whitney Voermans

Whitney Voermans
Sec.- Tres. 67-A

RECEIVED

JUN 15 1991

6-19-91
RECEIVED
JUN 19 1991
DEAR MR. DAVID TUTTILL:

I WOULD LIKE TO ANSWER
THE THREE POINTS ON THE
LETTER DATED 6-19-91 ~~(6-19-91)~~
FROM WHITNEY VOERMANS.

1. TO CLARIFY THE POINT OF
DIVERSION PLEASE DROP
THE GRAYS CREEK DIVERSION
& WE WILL TAKE ~~THE~~ THE
WATER FROM LITTLE WEISER
RIVER VIA GRAYS CREEK DITCH.
2. WE HAVE 269 SHARES IN
THE GRAYS CREEK DITCH WHICH
SHOULD BE MORE THAN AMPLE
TO BACK THE WATER ~~WATER~~ FILMED
3. I ASSUMED I COULD JUST ~~JUST~~
IRRIGATING WHEN THE WATER
WAS AMPLE TO COVER THE
RIGHT PAION TO OUR RIGHT.

PAGE 1

I WOULD STOP IRRIGATING
WHEN THE 67-A WATER -
MASTER SAID I SHOULD STOP
SO THE NEXT PERIOD RIGHT
CAN BE COVERED.

SINCERELY,

Tom Mosen

RECEIVED

JUL 15 1991

WM. H. FOSTER, CHARTERED

LAWYER

323 WEST MAIN

GRANGEVILLE, IDAHO 83530

P. O. BOX 69

AREA CODE 208
983-6137

RECEIVED

JUN 10 1991

June 5, 1991

Department of Water Resources
Western Regional Office

RECEIVED

JUN 07 1991

Department of Water Resources

Mr. R. Keith Higginson, Director
Department of Water Resources
1301 N. Orchard Street
State House Mail
Boise, ID 83720-9000

Dear Sir:

Please enter Grays Creek Ranches' request for intervention in re Tom Grossen's application #67-7866.

The basis for intervention is:

The application fails to comply with requirements of an application for appropriation of water resources, in that:

1. Shows no plan for diversion which can be ascertained from the documents submitted,
2. Fails to attach lease, easement or license to divert at a point within the boundaries of another party's lands,
3. Fails to give legal description of the point of diversion, Item 3 describing only a twenty acre area, and the attachments fail to locate the exact point of diversion,

and the amount of water claimed would material affect Grays Creek Ranches' priority, that is July 1, 1883.

Grays Creek Ranches would appreciate a notice of the date of any hearing on Mr. Grossen's application.

Very truly yours,

WM. H. FOSTER, Chartered

By

WM. H. Foster

WHF:grf

cc: Grays Creek Ranches

RECEIVED

JUL 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 5, 1991

Little Weiser Irrigation District
c/o John Schwenkfelder
HC 68 Box 2420
Cambridge, ID 83610

Re: Application for Permit No. 67-7866 in the Name of Tom &/or
Norma R. Grossen

Dear Protestant:

Enclosed is a Withdrawal of Protest Form for the
above-referenced application. Please complete and return to
this office.

There is still another protest against this application so we
will keep it with our protested files.

Sincerely,

A handwritten signature in cursive script that reads "David R. Tuthill, Jr.".

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

CC: Tom & Norma Grossen

RECEIVED

JUL 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

June 13, 1991

CECIL D. ANDRUS

GOVERNOR

Whitney Obermans ^{VOERMANS}
P.O. Box 57
Indian Valley, ID 83632

R. KEITH HIGGINSON

DIRECTOR

Re: Application for Permit No. 67-7866 in the Name of Tom &/or
Norma R. Grossen

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference. At such a conference, the following are the principle items the Department can consider in either approving or denying an application or permit (Section 42-1203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

If this office can be of further assistance, please contact us.

Sincerely,

David R. Tuthill

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT/st

CC: Issac Ward

RECEIVED
JUL 15 1991

RECEIVED
MAY 20 1991

Department of Water Resources
Water Right Division

P.O. Box 57
Indian Valley, Id.
May 17, 1991

R. Keith Higginson, Director
Dept. of Water Resources
2735 Airport Way
Boise, Id. 83705

Dear Mr. Higginson:

On behalf of the Little Boise Water
District 67-A, I'm writing this
letter of protest concerning the water
right application no. 67-07866. by
Tom + Norma Grossen of Indian
Valley, Id.

We would like a hearing to
provide more information on this
water right application.

Please notify Isaac Ward,
chairman of water district concerning
this matter.

Thank you.

RECEIVED

JUL 15 1991

Address:

Isaac Ward
HC 68 Box 2180
Cambridge, Id.
83610

Sincerely,
Whitney Chermans
Sec. - Treas.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

June 13, 1991

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

Tom &/or Norma Grossen
P.O. Box 72
Indian Valley, ID 83632

Re: Application for Permit No. 67-7866

Dear Applicant:

Enclosed is a copy of another protest filed against the issuance of a permit pursuant to the above-referenced application. The Department suggests that you contact the protestant(s) and attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for a conference. At such a conference, the following are the principle items the Department will review (per Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

Please contact this office if you have questions regarding this procedure.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

Enclosure: Copy of protest(s)

RECEIVED

JUL 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 23, 1991

Bill Foster, Esq.
P.O. Box 69
Grangeville, ID 83530

Re: Application for Permit #67-7866

Dear Mr. Foster:

Enclosed is a copy of the above-mentioned application that you requested. Also enclosed is a copy of the portion of the Idaho Water Law Handbook that applies to water appropriation.

At the time I spoke with you I wasn't sure if there would be a charge for these or not. Due to the number of copies please remit \$1.75.

If you have any further questions, please don't hesitate to call this office.

Sincerely,

A handwritten signature in cursive script that reads 'Sue Taylor'.

Sue Taylor
Secretary, Office Coordinator

Encl.

RECEIVED

JUL 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 17, 1991

Tom &/or Norma Grossen
P.O. Box 72
Indian Valley, ID 83632

Re: Application for Permit No. 67-7866

Dear Applicant:

Enclosed is a copy of a protest(s) filed against the issuance of a permit pursuant to the above-referenced application. The Department suggests that you contact the protestant(s) and attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for a conference. At such a conference, the following are the principle items the Department will review (per Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

Please contact this office if you have questions regarding this procedure.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

Enclosure: Copy of protest(s)

MICROFILMED

JUL 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

May 17, 1991

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

Little Weiser Irrigation Dist.
c/o John Schwenkfelder
HC 68 Box 2420
Cambridge, ID 83610

Re: Application for Permit No. 67-7866 in the Name of Tom &/or
Norma R. Grossen

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference. At such a conference, the following are the principle items the Department can consider in either approving or denying an application or permit (Section 42-1203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

If this office can be of further assistance, please contact us.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT/st

JUL 15 1991

RECEIVED

MAY 16 1991

Department of Water Resources
Western Regional Office

LITTLE WEISER IRRIGATION DISTRICT
May 10, 1991

As chairman of the Little Weiser Irrigation District I hereby protest the notice of application #67-07866 for water rights filed by Tom and Norma Grossen on April 15, 1991 pertaining to the Little Weiser River and Grays Creek.

Sincerely,

John W. Schwenkfelder
John Schwenkfelder
Chairman

MAIL ROOM

JUL 15 1991

SPECIAL NOTE: _____

Application No. 67-7866

PROTEST INFORMATION SHEET

Protestant - Name(s)

Little Weiser Irrigation District (Withdrawn)

Little Weiser Water Dist. (Whitney ~~Voerman~~)

Chairman - Isaac Ward

Address c/o John Schwenkfelder, HC 68 Box 2420, Cambridge, ID
83610

P.O. Box 57, Indian Valley, ID 83632

HC 68 Box 2180, Cambridge, ID 83610

Attorney - Name & Address _____

Date Filed 4-15-91

Protest Date 5-20-91
5-16-91

Issues _____

Applicant - Attorney - Name & Address _____

Dates: _____

Acknowledgement letters: _____

Hearing Notice: _____

Hearing Date: _____

N. T. Grosse Application
Overlap Info

4/22/91
SL

Numerous other rights use the Grays Creek Ditch originating in S. 23 and diverting Little Wisconsin River water to be delivered to lands north of the river. Grays Ck. Ditch is therefore not a Grays Creek diversion.

The only rights relevant to the application and involving this ditch are shown below. No rights from Grays Creek for the same land were found.

① 67-00432 for .90 cfs -

The decree did not specify acres/QC. The SRBA claim covers the same tracts listed in the decreed right. Based on A67-00432, 6 other acres in S. 34 but the same acres in S. 3 are found in 67-00432 and the application (see attached copy of map from A67-00432).

Therefore, 3 acres in NENE S. 3 already have $5/8$ " per acre per decree. These acres are eligible for an additional $3/8$ ".

The application can be approved for

$$148 \text{ ac. at } .02 \text{ cfs/acre} = 2.96$$

$$3 \text{ " " } (.375)(.02) \text{ cfs/acre} = .0225$$

$$\text{TOTAL} = 2.9825 = 2.98$$

MICROFILMED

JUL 15 1991

CFS
+ Ditch loss
⇒ Allow 3.0.

- continued - DWR
4/19/91

- ② 67-04083 includes the same acres in S. 3. However, the stat claim should not impact the amount of water that can be applied in new application. The claim lists Mid Fk. Weiser River as source but this is clearly Little Weiser River upon reviewing the claim.
- ③ 67-07524 is a permit in the applicant's name & includes the same Grays Ck. ditch plus in S. 23 but is for other land.
- ④ 67-00096 & -02022B are other rights on land in S. 35 but use water from Fall Ck. ^{same} and Little Fall Creek.
- ⑤ 67-02385 provides water to some of the same land but involves storage water in C. Bear Ross Res. via the Little Weiser Irrig. District.
- ⑥ The applicants filed other SRBA claims using Little Weiser R. water via Grays Ck. ditch but these are for other land per decree & per SRBA claims.
(67-00453, 00459, 00427, 00436B)

RECEIVED
JUL 15 1991

126 ac claimed in A67-00432

including 6 ac. 5.39 FERG and 40 ac.

5.3. NEWS.

3
28.4
FH/15
T-248
A. LEGG

6 acres are
other area than
application

3 acres are
same area
as application

F. GROSSEN

E. SHAW

JUL 15 1991

!p

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

APRIL 24, 1991

Adams County Leader
P.O. Box 23
Council, ID 83612

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 20, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

JUL 15 1991

67-07866

GROSSEN, TOM
GROSSEN, NORMA R.
P.O. BOX 72
INDIAN VALLEY, ID 83632

Source: LITTLE WEISER RIVER
Source: GRAYS CREEK

Tributary: WEISER RIVER
Tributary: LITTLE WEISER RIVER

Diversion Pt: NESENE Sec 3 T 14N R 01W
 SESWNW Sec 23 T 14N R 01W
 SWSENW Sec 23 T 14N R 01W

Use: IRRIGATION (3.000 CFS)
 Total Diversion: (3.000 CFS)

Date Filed: 4/15/ 1991

In: T14N R01W S02 Lot 4 (NWNW)
 S03 Lot 1 (NENE)
 T15N R01W S34 SESE
 S35 SWSW SESW

151.0 ACRES TOTAL

RECORDED

JUL 15 1991