



11N 6W

SWNW Sec 26


67-07863 JUL 15 1991

Obtained
se Idaho

OLDS FERRY SE. IDAHO, OREG SCALE 1:25,000

IDAHO, W ZONE
OREG, S ZONE

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



JAN 20 1994



970000

4900000

44 15 00

117 00 00

PERMIT 67-07863 INIT DY 9000
 T. R. S. Q/Q
 P/D 1/16 low 26 swamp
 SCALE _____
 PHOTO ID. _____

CLDS FERRY SE. IDA.-OREG SCALE 1:24000


IDAHO. 2 ZONE
 OREG. 3 ZONE
 JTM ZONE 11


TRANS. MERC PROJ.

ORTHO PHOTOQUAD. PHOTO DATE 7-1-74

JAN 20 1994

Be Obtained
 ise Idaho





VIEW OF WELL & PIPE LEADING TO
OPEN DITCH. WELL CAN ALSO RUN
ROAD LINES AS ARE PRESENTED IN
PICTURE #1.

PHOTO ONE-



VIEW TO THE NORTH/EAST

PHOTO TWO-

BAI

JAN 20 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07863

Priority: September 8, 1992

Maximum Diversion Rate:

0.27 CFS

Maximum Diversion Volume:

61.7 AF

This is to certify, that GREGORY K BROWN
DONNA R BROWN

978 INDIANHEAD RD
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 22, 1991; and has submitted Proof of Beneficial Use on September 8, 1992. An examination indicates that the works have a diversion capacity of .930 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.27 CFS	61.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 26, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	26	SWNW	13.7		13.7

Total number of acres irrigated: 13.7

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

JAN 20 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07863

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of DECEMBER, 1993.

Acting for


R. Keith Higginson, Director

JAN 20 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-07863	)	
	)	
IN THE NAME OF GREGORY AND DONNA BROWN	)	ORDER OF
	)	REINSTATEMENT

This matter having come before the Idaho Department of Water Resources (Department), the Department finds as follows:

FINDINGS OF FACT

1.. On June 20, 1991, the Director of the Department of Water Resources issued Permit No. 67-07863 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before July 1, 1992.

2.. On April 30, 1992, the Department sent a proof due notice to the permit holder.

3.. On July 7, 1992, the Department sent a lapse notice to the permit holder.

4.. On September 8, 1992, the permit holder submitted Proof of Beneficial Use to the Department.

5.. Section 42-218a.2., Idaho Code, authorizes the Department to reinstate a lapsed permit, with the priority date advanced to the date that proof of beneficial use was received, upon submittal of evidence clearly establishing the extent of beneficial use prior to the proof due date and a showing of reasonable cause why the proof was submitted late.

6.. The permit holder has submitted evidence to confirm that water has been put to beneficial use prior to the proof due date. Evidence includes a well log dated May 4, 1991. Evidence also includes an affidavit from a neighbor testifying to the fact that the well was used for irrigation.

7.. The permit holder stated, in correspondence to the Department, that they had the well tested by someone they thought was a certified water right examiner. When they filed the proof of beneficial use along with this report, they thought they had complied with the necessary requirements.

MICROFILMED

DEC 09 1992

CONCLUSIONS OF LAW

1. The permit holder has submitted proof of beneficial use along with supporting evidence which establishes that water was in fact beneficially used as identified on the permit.

2. The permit holder has shown sufficient cause why the proof of beneficial use was not submitted in a timely manner.


3. The permit can be reinstated with the date of priority advanced to the date proof of beneficial use was received by the Department.

ORDER

IT IS HEREBY ORDERED that Permit No. 67-07863 is REINSTATED.

IT IS FURTHER ORDERED that the date of priority of this permit is advanced to September 8, 1992.

Dated this 19th day of November, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

DEC 09 1992

RECEIVED

SEP 8 1992

RECEIVED

AUG 31 1992

Department of Water Resources

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 700.00

Date 9-9-92

Receipt No. 0025439

Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07863 Telephone No. 549-3600

2. Name(s) of Permit Holder(s): GREGORY K + DONNA R. BROWN

3. Mailing Address: 978 Indianhead Rd. Weiser Idaho 83672

4. Source of Water: Ground water

If GROUNDWATER, Well Driller's Name: FRANK Shelly Date Drilled: 5-4-91

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 20 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted. 40 cfs OR _____ acre/feet 250 g/m

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? X Yes _____ No

OR

Flow Measurement Port: Required? X Yes _____ No Installed? _____ Yes X No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

GREG BROWN 549-3600
Name Telephone No.

978 Indianhead Rd. Weiser Idaho 83672
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-28-92
Date

[Signature]
Signature (and title, if on behalf of a company or organization)

DEC 09 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07863

Proposed Priority: March 22, 1991 Maximum Diversion Rate: 0.40 CFS
This is to certify, that GREGORY K. BROWN
DONNA R. BROWN
978 INDIANHEAD RD.
WEISER, ID 83672

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.40 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNW Sec. 26, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	26	SWNW	20		20


Total number of acres irrigated: 20

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1992.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of June, 1991.

for 
R. Keith Higginson, Director

JUN 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GREGORY K. BROWN 208-549-3600
Address: 978 INDIANHEAD RD.
WEISER, ID 83672

AND/OR

Name: DONNA R. BROWN 208-549-3600
Address: 978 INDIANHEAD RD.
WEISER, ID 83672

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: SWNW Sec. 26, Township 11N, Range 06W
WASHINGTON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.400		

5. Total quantity to be appropriated is:
0.400 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, GRAVITY IRRIGATION

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 60
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION

MICROFILMED

JUL 15 1991

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
11N 06W 26	SWNW 20			20

Total number of acres irrigated: 20

10. Describe any other water rights used for the same purposes.
WEISER IRRIG DIST

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

SUPPLEMENTAL WATER. *Data entered in comments to
3/20/91*
Drill permit pending: 67-91-W-012

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Suzanne K. Brown
Applicant

Received by gyl Date 3-22-91 Time 1020 Preliminary check by lw

Fee \$ 45.00 Receipted by gyl # W0813140 Date 3-22-91

Publication prepared by GG Date 3-27-91 Published in Weiser Signal

Publication approved st Date 5-7-91 ^{4/4 & 4/11/91}

UNRECORDED

JUL 15 1991



11N 6W

SWNW Sec 26

67-07863 JUL 15 1991

OLDS FERRY SE. IDA.-OREG SCALE 1:24000

IDAHO. W ZONE —
OREG. S ZONE —

Obtained
se Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 30, 1993

GREGORY K BROWN
DONNA R BROWN
978 INDIANHEAD RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07863

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the printed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JAN 20 1994

JAN 20 1994

WR5809NP
No. L67-07863

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/16/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GREGORY K BROWN	09/08/1992	IRRIGATION	03-15 11-15	0.27 CFS	61.7 AFA
C	DONNA R BROWN					
	978 INDIANHEAD RD			TOTAL DIVERSION:	0.27 CFS	61.7 AFA
	WEISER ID 83672					
	(208) 549-3600					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.93 CFS

Point(s) of Diversion: T11N R06W S26 SW NW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE												
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		
11N	06W	26	:					:					:					:					:	13.7
TOTAL ACRES																							13.7	

Pou County: WASHINGTON

Other Rights: WEISER IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
67-07863

Other Water Rights Listing Overlapping Place(s) of use:
03-02006 03-07005 67-02169 67-02384A 67-07314 67-07863

Conditions of Approval:

- 803 - The right holder shall use the full allotment of his surface
- water right, to the extent it is available, in conjunction with
- groundwater diverted pursuant to this right.
- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	03/22/1991	Priority Date:	09/08/1992	(Priority Date Advanced.)
	Proof Due Date:	07/01/1992	Proof Made Date:	09/08/1992	(Proof Received Late.)
	Exam Made Date:	06/24/1993	Exam Sent to S.O.:	11/18/1993	
	Licensed Date:				

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 03/26/1991 User-ID: WHITE Subject: PENDING DRILLING PERMIT 67-91-W-012

Date: 07/07/1992 User-ID: VAULT Subject: Lapse Notice Sent

WR5809NP
No. L67-07863

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/16/93
PAGE: 2

=====

Comments: Date: 07/07/1992 User-ID: VAULT Subject: Lapse Notice Sent
Lapse Notice Sent

Date: 08/31/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Date: 09/01/1992 User-ID: GUSTAFSO Subject: 10 DAY CALL UP
PROOF RETURNED - NEEDS A FEE

Date: 09/09/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 12/15/93 CHAPMAN

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM		
		NE		NW		SW		SE		NE		NW		SW		SE				
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		Lt	Ac
L6707863	T11N R06W S26	GROUNDWATER								13								13		
	:																	:		
0302006	SNAKE RIVE :									03								:		
A0302006	SNAKE RIVE :									03								:		
0307005	SNAKE RIVE :									10				01				:		
6702169	WEISER RIV :	40	40	40	40	:	40	40	40	40	:	40	40	40	40	:	40	40	40	:
6702384A	CRANE CREE :	40	40	40	40	:	40	40	26	36	:	02				:	35	18		:
6704209	GROUNDWATE :																	01	:	
6704491	GROUNDWATE :													01				:		
6707311	GROUNDWATE :																	32	:	
6707314	GROUNDWATE :									06				30				:		
A6707314	GROUNDWATE :									06				30				:		
6707603	GROUNDWATE :																	02	:	
A6707603	GROUNDWATE :																	02	:	
6707860	GROUNDWATE :	40	03		28	:													:	
6707863	GROUNDWATE :									20								:		
A6710279	CRANE CREE :	40	40	40	40	:	40	40	40	40	:	40	40	40	40	:	40	40	40	:
A6710280	WEISER RIV :	40	40	40	40	:	40	40	40	40	:	40	40	40	40	:	40	40	40	:
A6710535	GROUNDWATE :																	09	:	

LICENSE REVIEW CHECKLIST

Permit # 67-7863 Date 12-15-93 Brenda Chapman

NAME Yes No Or Address Change?

PRIORITY DATE Advance? Done Advanced to:
 Order to Reinstate Needed?
 Incorrect Fee for rate recommended?

SOURCE Changes? Clarification of Originally
 Intended source
 Notice of Intent to Void - Source change.

P/D Amendment Needed?
 Overlap(s)

P/U Amendment Needed?
 Overlap(s)

TOTAL CFS Measurement done?
 13.7 x .02 = .27
 at "OPSI" = 1.43 CFS
 Theoretical (8.8 x .70 x 10 HP) = .93
 43 + 2.31 x 10
Allowable Amount: Limit @ .02 acre = .27 CFS
Capacity of System: .93

TOTAL VOLUME Season of Use: 0/4.5 3-15 to 11-15
 Calculations:
 13.7 acres @ 4.5 = 61.7
 Flow limit: .27 x 246 x 1.9835 = 131.7

USES Change(s) in Nature of Use?
 Amendment Needed?

REMARKS Multiple P/Ds in 1/4 1/4?
803 Special Overlap Weiser Irr District
 Other

CONDITIONS Measuring/Locking Devices
 W/Master Control Water Dist
R32 Irrigation Overlap App Rec'd
 Water Quality Exam Made

COMMENTS: Reduce acres & rate

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>.27</u>	<u>61.7</u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 03 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07863

1. Owner: GREGORY K. BROWN & Donna R. Brown Phone No. 549-3600

Current Address: 978 INDIANHEAD RD WEISER ID. 83672

2. Accompanied by: GREGORY BROWN EXAM DATE: 6-24-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: GROUNDWATER tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-07314, 67-0738A, 67-07469, 03-07025, 03-07066

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	26	11N	6W	WASHINGTON	Quads, Aerials, Owner Id.

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11n	6w	26							13.7										13.7

JAN 20 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

* SEE ATTACHMENT											
------------------	--	--	--	--	--	--	--	--	--	--	--

Scale: 1" = _____

☒ Copy of USGS Quadrangle/Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	BAIDAR	10	37536 X47	BERKLEY	4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A-						

2. Measurements: THEORETICAL → 12hp, 15' dynamic Opri (open ditch)

JAN 20 1994

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A 10 hp motor with a Berkeley pump to irrigate 13.7 acres. The well is 48' and has a 12' static level; a 43' dynamic level (well log). The casing is 12". The system pumps through a 4" line to an open ditch. From the ditch the owner irrigates through 1" siphon tubes.

* The overlaps are neighbors in the same $\frac{1}{4}$ $\frac{1}{4}$. They ARE different PLU's; have different Pld's.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

JAN 20 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{10 \times 8.8 \times .70}{43 + (2.3 \times 0.05)} = \frac{61.6}{43} = 1.4 \text{ cfs}$$

IRRIGATION NEED =

$$13.7 \times .02 = .28 \text{ cfs}$$

OR
.3 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 14 \times 4.5 = 63 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .3 \times 245 \times 1.9835 = 146 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 63 \text{ AFA}$$

2. Volume Calculations for Other Uses:

NA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.3 cfs	63 AFA
Totals:			.3 cfs	63 AFA

2. Recommended Amendments

____ Change P.D. as reflected above

____ Add P.D. as reflected above

☒ None

____ Change P.U. as reflected above

____ Add P.U. as reflected above

____ Other

I. AUTHENTICATION

Field Examiner's Name

Date 7-13-93


Reviewer

Date


SEAL

JAN 20 1994

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



JAN 20 1991



970000

4900000

44 15 0

PERMIT 67-07063 INIT 02 9000
 T. R. S. 0/0
 P/D 1/1 6/26 SWNW
 SCALE _____
 PHOTO ID. _____

117 00 00

OLDS FERRY SE. IDA.-OREG SCALE 1:24000

IDAHO. W ZONE —

OREG. S ZONE ---


UTM ZONE 11

TRANSV MERC PROJ

ORTHOPHOTOQUAD. PHOTO DATE 7-1-74

JAN 20 1994

ie Obtained
 ise Idaho



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: WR# 67-07863

2. OWNER: Gregory K. Brown for Donna R. Brown Phone: 549-3160
Address: 978 Indianhead Rd. Weiser, IDA 83677

3. WELL LOCATION: Twp 11N, Rge. 6W, Sec. 26, SW 1/4 NW 1/4
County WAHWAH TOWNSHIP (Provide sketch map and photo on reverse.)

4. DRILLER: FRANK SHELLEY Lic. No. _____
When Drilled? 5-4-91

5. WELL CONSTRUCTION:

Casing Diameter 12" inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing N/A ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe THERE IS NOT A CASING CAP.
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 12' ft. Water Temperature N/A °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

JAN 20 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☐ No


If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____


 Signature of Dept. Representative & Title

7-13-93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


RECEIVED

JAN 20 1994



VIEW OF WELL : PIPE LEADING TO
OPEN DITCH WELL CAN ALSO RUN
HAND LINES AS ARE PRESENTED IN
PICTURE #1.

PHOTO ONE-



VIEW TO THE NORTH/EAST

PHOTO TWO-

JAN 20 1994

November 20, 1992

GREGORY K. BROWN
DONNA R. BROWN
978 INDIANHEAD RD.
WEISER ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07863

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
DEC 09 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 67-07863

Reviewed by Klg

Date 9/1/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

irrigate - 20
yes Correct Uses?

SOURCE OF WATER

Surface water source
Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 67-91-W-0012
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received 9/8/92 251
Date proof due 7/1/92 - 182
No. of days late = 69
Priority Date 3/22/91 + 81
New Priority Date _____

Beyond the 60 day
Simple Reinstatement
advance priority to
9/8/92

DEFICIENCIES OR ACTION ITEMS

need to ~~inspect~~ inspect & needs a fee
need more info

proof acceptable

DATA ENTRY

New Address _____

Proof Made 9/8/92
11/20/92 Klg

RECEIVED

NOV 18 1992

Department of Water Resources

17 NOVEMBER 1992

STATE OF IDAHO
DEPT. OF WATER RESOURCES
BOISE, IDAHO

DEAR SIRs:

IN MAY OF 1991, WE HAD OUR WELL DRILLED TO USE FOR IRRIGATION THAT YEAR, BUT WE RAN OUT OF MONEY AND COULD NOT COMPLETE THE PROJECT.

BECAUSE 'NO FUNDS' IS NOT A VALID REASON TO FILE FOR AN EXTENSION WE DID NOT DO SO.

THIS SUMMER WE FOUND AN EXTRA IRRIGATION PUMP AND HAD IT INSTALLED ON A TEMPORARY BASIS SO WE COULD HAVE THE WELL TESTED AND ALSO IRRIGATE WHEN THE DITCH WATER WAS GONE.

WHILE VISITING WITH RAY BATTEN AT B2M, HE TOLD ME HE WAS A CERTIFIED WATER TESTER, SO I HAD HIM MEASURE THE WELL FOR US, THINKING THAT WOULD SOLVE THE PROBLEM. THAT IS THE REASON FOR THE LATE FILING OF THE BENEFICIAL USE STATEMENT.

THANK YOU,



GREG BROWN
978 INDIANHEAD RD.
WEISER, IDAHO 83672

RECORDED

DEC 09 1992

RECEIVED

NOV 18 1992

November 12, 1992

Department of Water Resources

To Whom It May Concern:

We, Hugh L. and Beth D. Mack, own the adjoining property to Greg Brown, where the irrigating well was drilled. We verify that the well was used to irrigate his corn field.

Sincerely,

Hugh L. Mack

Hugh L. Mack

Beth D. Mack

Beth D. Mack

RECEIVED

DEC 09 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1992

Gregory and Donna Brown
978 Indianhead Rd
Weiser, ID 83672

Re: Permit No. 67-07863

Dear Permit Holder:

On September 9, 1992, the Department corresponded with you and explained the need to supply further information in order to reinstate your water right permit. I have enclosed a copy of that letter for your convenience. Since you failed to submit the proof of beneficial use in a timely manner, it lapsed on July 1, 1992, and is of no further force nor effect. This information is necessary in order to reinstate your permit so that you have a valid water right and can continue to divert the water. If you do not submit this information, you will be illegally diverting the water.

I will hold the file for an additional 20 days to allow you to submit this information. If, at the end of the 20 days, the Department has received no response, we will prepare your file for film and destroy and you will lose your water right permit.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECORDED

DEC 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 9, 1992

Gregory and Donna Brown
978 Indianhead Rd
Weiser, ID 83672

RE: Permit No. 67-07863

Dear Permit Holder:

The Department received your proof of beneficial use statement for the above referenced permit on September 9, 1992. The permit lapsed on July 1, 1992, so the 60-day late period during which the permit can be readily reinstated has passed.

Because you failed to file the proof of beneficial use in a timely manner, and pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can be reinstated only if you submit the following:

- a) Two pieces of evidence to show that beneficial use of the water did commence and to show the extent of the use of water during the authorized permit period from the time the permit was issued until the proof due date, and
- b) Reasonable cause why the proof of beneficial use was filed late.

Your proof of beneficial use statement along with any information which may have been submitted with it, will remain on file in this office for 60 days to allow you an opportunity to assemble and submit the additional required information.

You should also be aware, that since the proof was filed late, your priority date has been penalized. Provided you supply the requested information, your priority date of March 22, 1991 will be advanced to September 9, 1992.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

RECORDED

DEC 09 1992

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 1, 1992

Gregory and Donna Brown
978 Indianhead Road
Weiser, ID 83672

Re: Permit No. 67-07863

Dear Permit Holder:

Returned is the proof of beneficial use you submitted to this office. In order for the Department to complete processing, further information is required. You failed to complete #6 (total rate and/or volume). Your permit was issued for 0.40 cfs.

When the total rate or volume is 0.04 or greater, a license examination fee applies. A license examination fee based on a rate of 0.40 cfs is \$100. I have enclosed an instruction sheet and fee schedule for your convenience.

Since the permit lapsed on July 1, 1992, it is of no further force nor effect. In order to reinstate the permit, it will be necessary for you to return the properly completed form and fee by September 5, 1992. Should you fail to do so, the Department will be required to obtain proof that the water right was being beneficially used.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECORDED

DEC 09 1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

✓
RW

[illegible]

Drilling Permit No. 7-91-W-012
Water Right Permit No. 67-07863
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT



Department of Water Resources

1. Applicant (please print) Gregory K. Brown
2. Mailing Address 978 Indianhead Rd. Weiser ID 83672
Telephone 549-3600

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 NW -1/4, or Gov't Lot No. _____
Sec. 26, Twp. 11N, Rge. 06W, County Washington
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic. IRRIG

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12 Proposed Maximum Depth 60'

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date 4-1-91

Anticipated Well Driller Sateline Drilling
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Gregory K. Brown Date 3-22-91

Title Owner

(Owner Firm Representative Office)

MICROFILMED
DEC 09 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 3/22/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules & Regulations.

SPECIFIC CONDITIONS:

10. No water may be diverted from this well for irrigation until permit 67-07863 is approved.

Dan R. Tuttle
Signature of Authorized Department Representative

3/22/91
Title

Receipt No. W013140 Received by GU Fee 200.00 Date 3-22-91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

DEC 09 1992

horizontal and vertical distances from the end of the pipe to a point in the flowing stream of water. Figure 63 shows




Figure 63. Rate of flow from a horizontal pipe can be estimated from the distance x .

one way to make these measurements.

The point, P , may be located at the outer surface of the stream rather than at the center, if desired. In such a case,

the vertical measurement must be made from the top of the stream at the open end of the pipe. When brooming or spreading of the flow occurs, the center of the falling stream can be located more reliably than can a point on the surface.

Table XII gives rates of flow from several sizes of standard steel pipe, for various values of the horizontal distance, X , and with the vertical distance fixed at 12 inches.

The discharge pipe should be a straight length at least 5 ft long, so that the open end is at least this distance from the nearest elbow, bend, or valve.

Table XII—Discharge from Horizontal Pipe Flowing Full, in gpm

Distance X in inches, at 12" drop	Pipe diameter					
	2"	3"	4"	5"	6"	8"
6	21	46	80	125	181	312
7	24	54	93	146	211	364
8	28	61	106	167	242	416
9	31	69	119	188	272	468
10	35	77	133	208	302	520
11	38	84	146	229	332	572
12	42	92	159	250	362	624
15	52	115	199	313	453	780
20	70	154	265	417	604	1040

References

1. THEIS, C. V., "The Significance and Nature of the Cone of Depression in Ground-Water Bodies," *Economic Geology* (1938) Vol. XXXIII, No. 8, pp 889-902, Economic Geology Publishing Company, Urbana, Illinois.
2. ANDERSON, KEITH E., "Water Well Handbook," 2nd Edition (1963), pp. 145-154, Missouri Water Well Drillers Association, Rolla, Missouri.
3. SLICHTER, CHARLES S., "Approximate Methods of Measuring the Yield of Flowing Wells," Water Supply Paper 110 (1904) pp. 37-42, U. S. Geological Survey, Washington.
4. LAWRENCE, F. E. and BRAUNWORTH, P. L., "Fountain Flow of Water in Vertical Pipe," *Transactions*, (1906) Vol. 57, p. 264, American Society of Civil Engineers, New York.

GREG BROWN -

5" ALUM PIPE

8/27/92 - 11:45 AM

X DIST = 12"

APPROX FLOW = 250 GPM

DEC 09 1992

Rm Sath
B2M IRRIGATION

July 7, 1992

GREGORY K. BROWN
DONNA R. BROWN
978 INDIANHEAD RD.
WEISER ID 83672

LAPSE NOTICE

RE: PERMIT NO. 67-07863

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 7/7/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg

RECEIVED

DEC 09 1992

April 30, 1992

GREGORY K. BROWN
DONNA R. BROWN
978 INDIANHEAD RD.
WEISER ID 83672

PROOF DUE NOTICE

RE: PERMIT NO. 67-07863

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MICROFILMED

DEC 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 24, 1991

GREGORY K. BROWN
DONNA R. BROWN
978 INDIANHEAD RD.
WEISER, ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07863

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

MICROFILMED

JUL 15 1991

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JUL 15 1991

No. 114

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Sarah Boles

, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

April 4, 1991, and ending
with the issue of April 11, 1991.

Sarah Boles
Fees, \$ 103.82

Subscribed and sworn to before me this 11

day of April, 1991

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 114 NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07856

TERRY, JOHN J.
TERRY, NORDELLE
1064 OLDS FERRY RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: T11N R6W Sec. 14 SWNE and NWSE
Use: IRRIGATION (4,000 CFS)
Total Diversion: (4,000 CFS)
Date Filed: 2/25/1991
In: T11N R06W S14 SWNE SENE SENW NESW
SWSW SESW NESE NWSE
SWSE

200.0 ACRES TOTAL

67-07863

BROWN, GREGORY K.
BROWN, DONNA R.
978 INDIANHEAD RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWNW Sec 26 T 11N R06W
Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 3/22/1991
In: T11N R06W S26 SWNW
20.0 ACRES TOTAL

67-07864

SMITH, DAN C.
SMITH, VERLA
2061 WEISER RIVER RD.
WEISER, ID 83672
Source: POND
Tributary: WEISER RIVER
Diversion Pt: NESENE Sec 6 T 10N R 04W
Use: IRRIGATION (.960 CFS)
Total Diversion: (.960 CFS)
Date Filed: 3/18/1991
In: T10N R04W S06 Lot 1 (NENE) SENE
48.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 22, 1991.

R. KEITH HIGGINSON, Director
Published 4/4/1991 & 4/11/1991

12-2S

702151001

67-07863

BROWN, GREGORY K.
BROWN, DONNA R.
978 INDIANHEAD RD.
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: SWNW Sec 26 T 11N R 06W

Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)

Date Filed: 3/22/ 1991

In: T11N R06W S26 SWNW

20.0 ACRES TOTAL

RECEIVED

JUL 15 1991

Assessor