

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald Sewer
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	^{model} Motor Serial No.	Pump Make	^{model} Pump Serial No. or Discharge Size
	NO TAG	3	M4H02S-20	STA RITE	20P4H02S-35

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						

2. Measurements: 5 gal / 15 sec = 20 gpm ≈ 0.04 CFS

DEC 03 1993



PERMIT 67-7861 INIT RI
T. R. S. Q/Q
P/D 2N 5W 27 SWSE
SCALE
PHOTO ID. 1153 Weiser North

26881x

MICROFILMED
DEC 03 1993



PHOTO ONE-

View easterly of well house. Home is to the right of photo.



PHOTO TWO- well and pressure tank in well house

MINNESOTA
DEC 03 1993



PHOTO THREE-

View westerly of home.



PHOTO FOUR-

Back and side lawn. Hoses used for
sprinkler irrigation.

RECEIVED
DEC 03 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07861

Priority: February 28, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that RONALD FOWLER

1305 LONG RD

WEISER ID 83672

has complied with the terms and conditions

of the permit, issued pursuant to Application for Permit dated February 28, 1991; and has submitted Proof of Beneficial Use on March 6, 1992. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 27, Township 12N, Range 05W
WASHINGTON County

PLACE OF USE: DOMESTIC

TWN RGE SEC

12N 05W 27

SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The total combined rate of diversion under this right and Right No. 67-07291 shall not exceed .04 cfs nor a combined volume of 1.2 af.
6. The diversion facility for this right is a well and pump.

MICROFILMED

DEC 03 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07861

CONDITIONS/REMARKS:

7. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 1ST
day of NOVEMBER, 1993.

Acting for  R. Keith Higginson, Director

RECORDED

DEC 03 1993

RECEIVED

MAR 6 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESOFFICE USE ONLY
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Receipt by _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07861 Telephone No. 208 549 0547
2. Name(s) of Permit Holder(s): RONALD FOWLER
3. Mailing Address: 1305 Long Rd Weiser Id 83672
4. Source of Water: Well

If **GROUNDWATER**, Well Driller's Name: DALLAS DRILLING INC Date Drilled: 5-21-1990

OPTIONAL:

Pump horsepower: 3 HP Pressure (psi): 40-60 Dynamic pumping level (ft.): 350

5. Extent of Use (as authorized by the permit):

Domestic ✓ (No. of households) 4 Stockwater W (No. and type of stock)
Irrigation 0 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted
- .04
- cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Ronald Fowler Telephone No. 549 0547
Address 1305 Long Rd Weiser Id. 83672

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 3-4-92Signature (and title, if on behalf of a company or organization) Ronald Fowler

MAY 21 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07861

Proposed Priority: February 28, 1991 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **RONALD FOWLER**
1305 LONG RD.
WEISER, ID 83672

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE Sec. 27, Township 12N, Range 05W
WASHINGTON County

PLACE OF USE: DOMESTIC
TWN RGE SEC

12N 05W 27 SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of May, 1991.

for 
R. Keith Higginson, Director

RECORDED

JUN 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant RONALD FOWLER Phone 549-0547

Post office address 1305 Long Rd Weiser ID 83872

2. Source of water supply Well which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of SE 1/4, Govt. Lot _____

Sec. 27 Township 12N Range 5W B.M. Washington County; additional points of diversion if any: _____

* 4. Water will be used for the following purposes:

Amount .07 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Domestic purposes from 12/31 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .01 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

* 5. Total quantity to be appropriated is (a) .10 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Drilled well for irrigation, domestic, (1 home), and commercial uses.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____

_____ to _____ inclusive.

c. Proposed well diameter is 8" (lw) inches; proposed depth of well is 400 (lw) feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 21 (lw) years (minimum 1 year). currently used for domestic.

* confirmed changes with applicant 3/5/91. Irrigation is for small garden. Commercial use is for small sprout operation in house basement. Applicant states that it is for irrigation + commercial use

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald Sawyer
(Applicant)

Received by JFW Date 2/28/91 Time 5:00 PM Preliminary check by W
Fee \$ 30⁰⁰ Received by JFW # W013065 Date 2/28/91
Publication prepared by GG Date 3-13-91 Published in Weiser Signal
3/20 & 3/27/91
Publication approved AT Date 4-10-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
JUN 10 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1993

RONALD FOWLER
1305 LONG RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07861

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
DEC 03 1993

DATE: 10/27/93
PAGE: 1

Stage: LICENSE

Audit: 10/27/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 67-7861 Date 9-30-93 Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u> / </u>	Or Address Change?
PRIORITY DATE	<u> </u>	<u> / </u>	Advance? <u> </u> Memo to Advance <u> </u>
	<u> </u>	<u> / </u>	Order to Reinstate Needed?
	<u>-NA-</u>	<u> </u>	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u> / </u>	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u>	<u> / </u>	Notice of Intent to Void - Source change.
P/D	<u> </u>	<u> / </u>	Amendment Needed? <u> </u>
	<u> </u>	<u> / </u>	Overlap(s) <u> </u>
P/U	<u> </u>	<u> / </u>	Amendment Needed? <u> </u>
	<u> </u>	<u> / </u>	Overlap(s) <u> </u>
TOTAL CFS	<u> </u>	<u> / </u>	Disagree/Measurement <u>5 GAL BUCKET</u>
Examiner used pressure tank PSI - not w/ well head	<u> / </u>	<u> / </u>	<u>5/15 = 20 gpm = .04 CFS</u>
	<u> / </u>	<u> </u>	Theoretical $(8.8 \times .70 \times 3 \text{ HP}) = .05$
	<u> / </u>	<u> </u>	Capacity <u>.05</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>Permit limit @ .04</u>
TOTAL VOLUME	<u> </u>	<u> / </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>1 DOMESTIC = 1.2</u>
	<u> </u>	<u> / </u>	Flow limit: <u>.04</u> x 365 x 1.9835 = <u>28.9</u>
	<u> </u>	<u> </u>	Season <u>Year Around</u>
USES	<u> </u>	<u> / </u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u> / </u>	Amendment Needed? <u> </u>
REMARKS	<u> / </u>	<u> / </u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> / </u>	<u> / </u>	Special Overlap <u>W26 (67-07291)</u>
	<u> / </u>	<u> / </u>	Other <u> </u>
CONDITIONS	<u> </u>	<u> / </u>	Measuring/Locking Devices Misc/Dates
	<u> </u>	<u> / </u>	W/Master Control Water Dist
	<u> </u>	<u> / </u>	Irrigation Overlap <u>2-28-91</u> App Rec'd
	<u> </u>	<u> / </u>	Water Quality <u>5-25-93</u> Exam Made
COMMENTS:	<u>Commercial use is so diminutive & is amply covered under domestic</u>		

RECOMMENDED	CFS	DIV VOL
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

LICENSE /
AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 09 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7861

1. Owner: Ronald Fowler Phone No. 549-0547

Current Address: 1305 Long Road, Weiser, ID 83672

2. Accompanied by: Ron Fowler EXAM DATE: 5/25/93

Address: Same Phone No. _____

Relationship to Permit Holder: Applicant

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: many - See attached Overlap Sheets

2. Other water rights with the same point of diversion: many - See attached Overlap Sheets

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	27	12N	5W	Washington	Quad. map.


2. Place(s) of Use:

Indicate Method of Determination Same as PLD

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12N	5W	27															D		
																	Common		

DEC 03 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	model Motor Serial No.	Pump Make	model Pump Serial No. or Discharge Size
	NO TAG	3	M4H02S-20	STA RITE	20P4H02S-35

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 Gallon Bucket						

2. Measurements: 5 gal / 15 sec = 20 gpm ≈ 0.04 CFS

DATE: 12/03/93

RECEIVED

DEC 03 1993

E. NARRATIVE/REMARKS/COMMENTS

OVERLAPS - P/O Same QR, but different P/O
P/U Same QR, but different P/U

The measured flow from the spigot west of the well house was slightly greater than 0.04 cfs. Along with the home and lawn irrigation, Mr. Fowler has a commercial bean sprout operation in the basement of the garage or storage building. Large, clear plastic drums are used to grow the sprouts. They continually rotate, and according to Mr. Fowler ~~each~~ The small spray ~~nozzles~~ in each drum water every ~~10~~⁴⁰ minutes for ~~20~~¹⁰ seconds. He stated the flow to be approximately 0.3 gpm, but he's not positive.

Since his flow at present is adequately serving his domestic and commercial needs, recommend licensing as requested for 0.04 cfs. The addition of commercial use may, if possible or required, need to be added to license.

$$Q = \frac{(8.8 \times 0.7)(3)}{(5+64) \times 2.31} = 0.12 \text{ (Theo)}$$

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

DEC 03 1993

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

5 gallon bucket

20 gpm = 0.04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$V(\text{internal}) = 0.6 \text{ AFA}$

$V(\text{external}) = 0.6 \text{ AFA}$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.04	~~0.12~~ 1.2
Totals:			0.04	~~0.12~~ 1.2

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other


I. AUTHENTICATION

Field Examiner's Name Rick Collingwood Date 6/8/93

Reviewer _____ Date _____

SEAL

DEC 03 1993



PERMIT 67-7861 INIT RC
T. R. S. Q/Q
P/D 12N 5W 27 SWSE
SCALE _____
PHOTO ID. 1153 Weiser North

26801 x

RECEIVED

DEC 03 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 67-7861

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 12N, Rge 5W, Sec. 27, SW 1/4 SE 1/4 or Lot _____.

2. Owner: Ronald Fowler

Address 1305 Long Road, City Weiser, St ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No ☒

4. Access Port:	Yes _____ No ☒	Static Water Level:	<u>0</u>
Pressure Gauge:	Yes _____ No ☒	Casing Diameter:	<u>8"</u>
Flowing:	Yes ☒ No _____	Temperature:	<u>61°F</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

DEC 03 1993




PHOTO ONE-

View easterly of well house. Home is to the right of photo.



PHOTO TWO-

well and pressure tank in well house

MINNEAPOLIS
DEC 03 1993



PHOTO THREE-

View westerly of home.



PHOTO FOUR-

Back and side lawn. Hoses used for
sprinkler irrigation.

REC'D
DEC 03 1993

March 13, 1992

RONALD FOWLER
1305 LONG RD.
WEISER ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07861

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAY 21 1992

Permit No. 67-07861 Reviewed by Ulg Date 3/6/92

proof acceptable

Proof Made 3/6/92
3/13/92 Klg

3/89

Drilling Permit No. 67-90-W-003

Water Permit No. _____

Injection Permit No. _____

RECEIVED

MAR 03 1990

State of Idaho
Department of Water ResourcesDepartment of Water Resources
Western Regional Office**DRILLING PERMIT****RECEIVED**

MAR 13 1990

Department of Water Resources

1. Applicant Ronald L Fowler
2. Address 1305 Long Road Ureter, IDA 83672
Telephone 549-0547
- (X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 27, Twp. 12 N, Rge. 5 W, County Washington,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
- (X) Domestic () Stockwater () Monitoring
No. of households _____ No. of livestock _____
- () Irrigation () Industrial () Municipal
- () Injection () Other, Specify _____
5. Well construction information:
- () New well (X) Deepen () Replace
- Proposed surface diameter 8 Maximum depth unknown (400)
- Anticipated bottom hole temperature:
- (X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 3-5-90
7. Well Driller (if known) John L. of Dallas Drilling
Address 505 South 18th Payette
8. Applicant's signature Ronald Fowler
- Title owner
- Date _____

MAY 21 1992

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 12th day of March, 1990.



Signed Robert B. Whitney
Title Sr Agent For Regional Mgr.

Receipt No. W010748 Received by ZH Fee \$10.00 Date 3-8-90

EXTENSION OF DRILLING PERMIT

Approval Date _____ Extension approved by MAY 21 1992
This extension is good for 60 days beyond the above extension approval date.

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Ronald Fowler</u> Address <u>1305 Long Road</u> <u>Weiser, Idaho 83672</u> Owner's Permit No. <u>67-90-W-003</u>	7. WATER LEVEL Static water level <u>0</u> feet below land surface. Flowing? ☒ Yes ☐ No G.P.M. flow <u>10</u> Artesian closed-in pressure <u>7</u> p.s.i. Controlled by: ☒ Valve ☒ Cap ☐ Plug Temperature <u>61</u> °F. Quality <u>no test</u> <i>Describe artesian or temperature zones below.</i>																																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">60+</td> <td style="text-align: center;">370</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	60+	370	2																															
Discharge G.P.M.	Pumping Level	Hours Pumped																																				
60+	370	2																																				
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other <u>food processing</u> (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes/No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>14</td> <td>0</td> <td>7</td> <td>brown clay</td> <td></td> </tr> <tr> <td>14</td> <td>7</td> <td>14</td> <td>sand & boulders</td> <td>X</td> </tr> <tr> <td>14</td> <td>14</td> <td>38</td> <td>grey clay</td> <td></td> </tr> <tr> <td>8</td> <td>38</td> <td>385</td> <td>grey clay</td> <td></td> </tr> <tr> <td>8</td> <td>385</td> <td>395</td> <td>white sand</td> <td>X</td> </tr> <tr> <td>8</td> <td>395</td> <td>400</td> <td>grey clay</td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yes/No	From	To	14	0	7	brown clay		14	7	14	sand & boulders	X	14	14	38	grey clay		8	38	385	grey clay		8	385	395	white sand	X	8	395	400	grey clay	
Bore Diam.	Depth		Material	Water Yes/No																																		
	From	To																																				
14	0	7	brown clay																																			
14	7	14	sand & boulders	X																																		
14	14	38	grey clay																																			
8	38	385	grey clay																																			
8	385	395	white sand	X																																		
8	395	400	grey clay																																			
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	 RECEIVED JUN 21 1990 Idaho Department of Water Resources Western Regional Office																																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <u>pvc liner</u> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>8 inches</td> <td>1 feet</td> <td>40 feet</td> </tr> <tr> <td>480 pvc inches</td> <td>6 inches</td> <td>0 feet</td> <td>400 feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? <u>pvc liner</u> ☒ Yes ☐ No <u>steel</u> ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Isaw Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>200 perforations</td> <td>380 feet</td> <td>400 feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>38</u> _____ seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☒ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	250 inches	8 inches	1 feet	40 feet	480 pvc inches	6 inches	0 feet	400 feet									Number	From	To	200 perforations	380 feet	400 feet											
Thickness	Diameter	From	To																																			
250 inches	8 inches	1 feet	40 feet																																			
480 pvc inches	6 inches	0 feet	400 feet																																			
Number	From	To																																				
200 perforations	380 feet	400 feet																																				
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location.  Subdivision Name _____ <u>May 21 1992</u> Lot No. _____ Block No. _____ County <u>Washington</u> SW SE 27 12N N ☐ S ☐ R. 5W E ☐ W ☐	10. Work started <u>5/21/90</u> finished <u>5/21/90</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>Dallas Drilling & Pump Co., Inc.</u> Firm Name <u>505 So. 18th St.</u> Firm No. _____ <u>Payette, Idaho 83661</u> Date <u>#445</u> Address _____ Signed by (Firm Official) <u>Johnny L. Goff</u> and _____ (Operator) <u>Johnny L. Goff</u>																																					

February 28, 1992

RONALD FOWLER
1305 LONG RD.
WEISER ID 83672

PROOF DUE NOTICE

RE: PERMIT NO. 67-07861

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1992.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MAY 21 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 17, 1991

RONALD FOWLER
1305 LONG RD.
WEISER, ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07861

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
JUN 10 1991

No 112

RECEIVED

MAR 29 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles

being duly sworn,

deposes and says:

That he is the *clerk* of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for *two* consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
March 21, 19*91*, and ending

with the issue of *March 28*, 19*91*

fees, \$ *144.32*

RECEIVED

APR 01 1991

Department of Water Resources
Register Office

Subscribed and sworn to before me this

day of *March*, 19*91*

Notary Public, Residing at Weiser, Idaho.

My Commission Expires *1-1*, 19*98*

No. 112 NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07857

RAFTER HL FARMS INC.
732 HALE RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESW Sec 25 T 11N R 06W
Use: IRRIGATION (.700 CFS)
Total Diversion: (.700 CFS)
Date Filed: 2/28/1991
In: T11N R06W S25 NESW SESW.
35.0 ACRES TOTAL

67-07858

DICK, GAROLD D.
DICK, CAROL M.
802 OLDS FERRY RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWSE Sec 16 T 11N R06W
Use: IRRIGATION (1.160 CFS)
Total Diversion: (1.160 CFS)
Date Filed: 3/1/1991
In: T11N R06W S16 NWSE SWSE
58.0 ACRES TOTAL

67-07859

HAUN, FREDRIC
HAUN, KENET
WILSON, SANDRA
WILSON, PHILLIP
757 HALE RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENWNW Sec 28 T 11N R 06W
Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)
Date Filed: 3/8/1991
In: T11N R06W S28 NWNW
40.0 ACRES TOTAL

67-07860

MAREINA AND HODGES
757 HALE RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESWNW Sec 25 T 11N R 06W
NENENE Sec 26 T 11N R 06W
Use: IRRIGATION (2.140 CFS)
Total Diversion: (2.140 CFS)
Date Filed: 3/8/1991
In: T11N R06W S25 SWNW
S26 NENE NWNE SENE
107.0 ACRES TOTAL

67-07861

FOWLER, RONALD
1305 LONG RD
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWSE Sec 27 T 12N R 05W
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/28/1991
In: T12N R05W S27 SWSE

The permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 8, 1991.

R: KEITH HIGGINSON, Director

67-07861

FOWLER, RONALD
1305 LONG RD.
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: SWSE Sec 27 T 12N R 05W

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 2/28/ 1991

In: T12N R05W S27 SWSE

UNRECORDED
JUN 10 1991