





REVISED P/D
SWNE
NWSE

ADDITIONAL DRILLING
PERMIT FEES PAID
FOR 2 wells 4-1-91.
See revised 67-91-Z-002/003



P/O per appointment 4-1-91
office visit - 82
= 2 wells 1730"
4904

Drill permit 67-91-Z-003

Drill permit 67-91-Z-004

Drill permit 67-91-Z-002

MICROFILMED
JUL 15 1991

NOTE = ORIGINAL map
showed wells in SWNE, NWSE, SWSE
3 or 4 wells.

Steve Lester


Map for WR 67-7856

& corresponding
Drilling Permits.

Note: Copies of the D.P. have
been given to Rob.

lt forms

Revised
4-3-91
SL



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of WashingtonSarah Boles, being duly sworn,

deposes and says:

That he is the clerk of
 THE WEISER SIGNAL, a weekly newspaper published at
 Weiser, in the County of Washington and State of Idaho; that
 said paper has been and is in general circulation in the
 county aforesaid, and in the vicinity of Weiser; that the ad-
 vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for two consecu-
 tive weeks in the regular and entire issue of said paper dur-
 ing the period and time of publication, and was published in
 the newspaper proper and not in a supplement; that said
 paper has been established and regularly published for more
 than seventy-eight consecutive weeks prior to the date of
 first publication of said advertisement.

Such notice was published in the issue beginning with

April 4, 1991, and endingwith the issue of April 11, 1991.Sarah BolesFees, \$ 103.82Subscribed and sworn to before me this 11day of April, 1991.

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993No. 114
NOTICE OF APPLICATION
FOR WATER RIGHTThe following application(s) have been filed to appropriate
the public waters of the State of Idaho:67-07856 ✓TERRY, JOHN J.
TERRY, NORDELLE
1064 OLDS FERRY RD.
WEISER, ID 83672Source: GROUNDWATER
Diversion Pt: T11N R6W Sec. 14 SWNE and NWSE
Use: IRRIGATION (4.000 CFS)
Total Diversion: (4.000 CFS)
Date Filed: 2/25/1991
In: T11N R06W S14 SWNE SENE SENW NESW
SWSW SESW NESE NWSE
SWSE

200.0 ACRES TOTAL

67-07863

BROWN, GREGORY K.
BROWN, DONNA R.
978 INDIANHEAD RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWNW Sec 26 T 11N R06W
Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 3/22/1991
In: T11N R06W S26 SWNW
20.0 ACRES TOTAL

67-07864

SMITH, DAN C.
SMITH, VERLA
2061 WEISER RIVER RD.
WEISER, ID 83672
Source: POND
Tributary: WEISER RIVER
Diversion Pt: NESENE Sec 6 T 10N R 04W
Use: IRRIGATION (.960 CFS)
Total Diversion: (.960 CFS)
Date Filed: 3/18/1991
In: T10N R04W S06 Lot 1 (NENE) SENE
48.0 ACRES TOTALThe permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 22, 1991.R. KEITH HIGGINSON, Director
Published 4/4/1991 & 4/11/1991

12-2S

JUL 15 1991

255

Weiser
Warm Springs


58

2196

Pld
#2 15HP


Pld
#1 10HP

PERMIT 67-07856 INIT DF
T. R. S. Q/Q
P/D 11N 6W 14 #1 10HP NWSE
SCALE — #2 15HP SWNE
PHOTO ID.



NOV 1967
200 70 137

11/6W 14





Well #1 - 10 HP

VIEW OF WELL. THIS WELL
IS LOCATED IN THE NWSE
1/4 1/4 OF SEC. 14.

PHOTO ONE-



VIEW OF WELL #2. IT IS
A 15 HP THAT PUMPS INTO
A SPILLWAY THAT FEEDS IT
EITHER TO A DITCH OR
BURIED LINE THAT CARRIES
IT TO OTHER SPILLS.

PHOTO TWO-

200 20 127



VIEW OF SYSTEM IN USE.
THE CANALS AS SHOWN, USES
SIPHON TUBES TO IRRIGATE.

PHOTO THREE--



VIEW OF A P/U.

PHOTO FOUR--

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07856

Priority: February 25, 1991

Maximum Diversion Rate:

3.80 CFS

Maximum Diversion Volume:

855.0 AF

This is to certify, that JOHN J TERRY
NORDELLE TERRY

1064 OLDS FERRY RD
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 25, 1991; and has submitted Proof of Beneficial Use on May 5, 1993. An examination indicates that the works have a diversion capacity of 3.850 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	3.80 CFS	855.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 14, Township 11N, Range 06W
NWSE , Sec. 14, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	14	SWNE 25	SENE 5	SENW 25	
			NESW 20	SWSW 5	SESW 30	
			NESE 5	NWSE 38	SWSE 37	190

Total number of acres irrigated: 190

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.


19920137

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-C7856

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15th
day of August, 1997.


Acting for KARL J. DREWES, Director



101-10-PL-11

AUG 20 1997

RECEIVED

MAY 05 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 175.00

Date 5-5-93

Receipt No. C027401

Receipt by JW

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07856 Telephone No. 549-0353
2. Name(s) of Permit Holder(s): John & NorDelle Terry
3. Mailing Address: 1064 Olds Ferry Rd, Weiser, ID 83622
4. Source of Water: ground

If GROUNDWATER, Well Driller's Name: Frank Shelley Date Drilled: April, 91

OPTIONAL:
Pump horsepower: 10 HP Pressure (psi): open Discharge Dynamic pumping level (ft.): 15 HP

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 200 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 4.0 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No ☒ Installed? _____ Yes ☒ No ☒

OR
Flow Measurement Port: Required? _____ Yes ☒ No ☒ Installed? _____ Yes ☒ No ☒

8. Fee Enclosed: \$ 175.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Jack Terry Telephone No. 549-0353

Address 1064 Olds Ferry Rd.

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 5/4/93

Signature (and title, if on behalf of a company or organization) [Signature]

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE)
FLOW MEASUREMENT PORT OR) ORDER
MEASURING DEVICE CONDITION)
OF APPROVAL FOR PERMIT NO. 67-07856)
IN THE NAME OF JOHN AND NORDELLE TERRY)


WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install a flow measurement port or other device to facilitate the measurement and determination of the rate of diversion by the department; and

WHEREAS, the department has determined that the rate of diversion for certain ground water uses can be estimated by the department without the use of an installed flow measurement port; and,

WHEREAS, the department has determined that the rate of flow for the above captioned permit can be estimated without the use of a flow measurement port;

IT IS THEREFORE, HEREBY ORDERED that this condition of approval requiring the installation of a flow measurement port or other device for the above captioned permit is REMOVED.

Dated this 6th day of May, 1993.



L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

JUL 02 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07856

Proposed Priority: February 25, 1991 Maximum Diversion Rate: 4.00 CFS
This is to certify, that JOHN J. TERRY
NORDELLE TERRY
1064 OLDS FERRY RD.
WEISER, ID 83672

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	4.00 CFS

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	NWSE	Sec. 14, Township 11N, Range 06W
	SWNE	Sec. 14, Township 11N, Range 06W WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	14	SWNE 25	SENE 5	SENE 30	
			NESW 20	SWSW 5	SESW 30	
			NESE 5	NWSE 40	SWSE 40	200

Total number of acres irrigated: 200

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of June, 1991.

MICROFILMED

JUL 15 1991

for

R. Keith Higginson
R. Keith Higginson, Director

Ident. No. 67-07856

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JOHN J. TERRY 208-549-0353
Address: 1064 OLDS FERRY RD.
WEISER, ID 83672

AND/OR

Name: NORDELLE TERRY 208-549-0353
Address: 1064 OLDS FERRY RD.
WEISER, ID 83672

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

SWNE

~~SWSE~~

NWSE

Sec. 14, Township 11N, Range 06W
Sec. 14, Township 11N, Range 06W
WASHINGTON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	4.000		

5. Total quantity to be appropriated is:

4.000 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
WELLS & PUMPS

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 100 *
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

8. Description of proposed uses:

MICROFILMED

JUL 15 1991

* Per attached drilling permits 3-5-91 GH

** 2 wells, 1 in SWNE & 1 in NWSE per applicant's office visit
to mark sites 4-1-91 11:10 a.m., prior to advertising. Amended
appl. does not require \$20 fee. \$165 balance per 2 drilling
permits being paid today. Newspaper contacted and advertisement

changed -

7

11-1-91

noted 4-1-91

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
11N 06W 14	SWNE 25	SENE 5	SENEW 30	
	NESW 20	SWSW 5	SESW 30	
	NESE 5	NWSE 40	SWSE 40	200

Total number of acres irrigated: 200

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT


c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

~~3 points of diversion located in the SWSE, S14, T11N, R6W.~~

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.



Applicant

Received by SC ^{Yls.} Date 2/26/91 Time 2:00 Preliminary check by gH
Fee \$ 105⁰⁰ Receipted by SC # C019740 Date 2/25/91
Publication prepared by GG Date 3-27-91 Published in Weiser Signal
Publication approved _____ Date _____
4/4 & 4/11/91

MICROFILMED

JUL 15 1991


*dateless
revised per
applicant
4/1/91
v.s.t.
off.
82*



REVISED P/D
SWNE
NWSE

ADDITIONAL DRILLING
PERMIT FEES PAID
FOR 2 wells 4-1-91.

See revised 67-91-2-002/003



P/O per application 4-1-91
office visit
= 2 wells

MICROFILMED

JUL 15 1991

NOTE = ORIGINAL MAP
showed wells in SWNE, NWSE, SWSE
3 or 4 wells.


Steve Lester

Map for WR 67-7856

& corresponding
Drilling Permits.

Note: Copies of the P.P. have
been given to Rob.

lt for MS



Received
4-3-91
JL

This map is for actual well
locations for well permits
67-7856
JUL 13 1991
John S. Pringle

Revised map shows wells in
it

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles, being duly sworn,
deposes and says:

That he is the clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
April 4, 1991, and ending
with the issue of April 11, 1991.

Sarah Boles
Fees, \$ 103.82

Subscribed and sworn to before me this 11
day of April, 1991.

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 114 NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07856

TERRY, JOHN J.
TERRY, NORDELLE
1064 OLDS FERRY RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: T11N R6W Sec. 14 SWNE and NWSE
Use: IRRIGATION (4.000 CFS)
Total Diversion: (4.000 CFS)
Date Filed: 2/25/1991
In: T11N R06W S14 SWNE SENE SENW NESW
SWSW SESW NESE NWSE
SWSE

200.0 ACRES TOTAL

67-07863
BROWN, GREGORY K.
BROWN, DONNA R.
978 INDIANHEAD RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWNW Sec 26 T 11N R06W
Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 3/22/1991
In: T11N R06W S26 SWNW
20.0 ACRES TOTAL

67-07864
SMITH, DAN C.
SMITH, VERLA
2061 WEISER RIVER RD.
WEISER, ID 83672
Source: POND
Tributary: WEISER RIVER
Diversion Pt: NESENE Sec 6 T 10N R 04W
Use: IRRIGATION (.960 CFS)
Total Diversion: (.960 CFS)
Date Filed: 3/18/1991
In: T10N R04W S06 Lot 1 (NENE) SENE
48.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before APRIL 22, 1991.

R. KEITH HIGGINSON, Director
Published 4/4/1991 & 4/11/1991

12-2S

JUL 15 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 4, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOHN J TERRY
NORDELLE TERRY
1064 OLDS FERRY RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07856

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED

AUG 20 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07856

JOHN J TERRY
NORDELLE TERRY
1064 OLDS FERRY RD
WEISER ID 83672


Kari Lynn Townsend
Secretary

NOTED 10/10/97

MEMORANDUM

TO: File 67-07856

FROM: Sharla Curtis

DATE: July 28, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 67-07856 are based on the following:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T11N, R6W, S14 - SWNE (25 acres), SENE (5 acres),
SENW (25 acres), NESW (20 acres),
SWSW (5 acres), SESW (30 acres),
NESE (5 acres), NWSE (38 acres), SWSE (37 acres)
TOTAL: 190 acres

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	3.80 cfs	855.0 afa
------------	--------------	----------	-----------

The number of acres per $\frac{1}{4}$ for irrigation of more than 5 acres are rounded to the nearest whole number. The total number of acres then is 190; the rate and volume have been calculated accordingly.

Examiner: Dave Gray
Exam Date: July 28, 1994

RECORDED
AUG 20 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-07856

DATE 7/25/97

REVIEWER: SHARLA

NAME	Change	OK	Address Change
—	—	☒	<u>No</u>
SOURCE	—	☒	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	☒	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	☒	Amendment required <u>No</u>
			Amendment required <u>No</u>

Does map agree with written description? ☒ yes ☐ no

OVERLAPS ☐ P/D ☐ P/U

RATE OF DIV

Permitted Rate

4.0 cfs

Fee limit

4.0 cfs \$17500

Measured

— cfs

Theoretical

2.58 cfs

2.90 ex. calc's

Recommended Total Div Rate 3.8 cfs

ANNUAL VOLUME/
NATURE OF USES

Use

Div.

Volume Calculation

190 x 4.5 = af

— af

— af

— af

SUBTOTAL 855.0 af

pipeflow 1" pipe (tubes) ☒
2 5 fps V = .03 cfs x 150 =
4.5 cfs

Flow rate 3.8 cfs x 246 days x 1.983% = 1850.9 af

Total volume recommended 855.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS ☐ Watermaster Control WD#

☐ GW Measurement/Measuring Device

B2 Overlap

☐ Use-specific conditions

Advancement of Priority Date Required ☐ yes ☒ no

SRBA Claim Filed NA

1st Amend Letter NA

Adjustment Memo

2nd Amend Letter NA

acres rounded
volume/rate

@ 40' lift
1.54
2.31
3.85
1.22

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 20 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07856

1. Owner: JOHN J. TERRY AND NORDELLIE TERRY Phone No. 549-0353

Current Address: 1064 Olds Ferry Rd WEISER ID 83672

2. Accompanied by: JACK TERRY EXAM DATE: 7-28-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: GROUNDWATER tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-00655 + 7 *SEE REMARKS

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	14	11N	6W	WASH	Quads - FIELD EXAM
			SW	NE	14	11N	6W	WASH	" "

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	6W	14			25	5			25		20		5	30	5	38	36	5	189.5

MOORE FILMED

AUG 20 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 submers.	—	10	—	—	4"
#2 submers.	—	15	—	—	4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: #1 60 1" TUBES / THEORETICAL $\frac{10 \text{ HP} \times 8.8 \times .70}{(2.3 \times .05) + 53} = \frac{61.6}{53} = 1.16$

#2 90 1" TUBES / THEORETICAL $\frac{15 \text{ HP} \times 8.8 \times .70}{(2.3 \times .05) + 53} = \frac{92.4}{53} = 1.74$

AUG 20 1937

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES TWO WELLS TO IRRIGATE 189.4 ACRES. WELL #1 IS A 10 HP WITH A 12" CASING. THE WELL LOG COULD NOT BE FOUND BUT WATER LEVELS AND WELLS IN THE SAME AREA INDICATE STATIC LEVELS OF @ 16' AND DRAW DOWNS OF @ 35'. THEREFORE, A DYNAMIC EQUIVALENT OF 53' (WELL #2 LOG) CAN BE ASSUMED AS FAIRLY ACCURATE.

WELL #2 IS ALSO A 12" WELL, BUT IT HAS A 15 HP. WELL LOGS DISPLAYED A WATER LEVEL OF 16' WITH A DRAWDOWN OF 37'. THE WELL IS 65' AND AS WELL #1 DISCHARGES FROM A 4" PIPE INTO A OPEN DITCH.

THE PUMP IRRIGATES WITH Siphon TUBES. HE MAY RUN 60 FROM THE 10 HP AND 90 FROM THE 15 HP. THE DITCHES ARE HEAVILY Silted AND THE CROSS-SECTIONS UN-EVEN.

* A FLOW CANNOT BE DETERMINED FROM ANY TIME-FILL THEREFORE, A FORMULA THAT USES THE NUMBER OF TUBES (CONSIDERED AS ORIFICES) HAS BEEN DEVELOPED. CONSIDERING THE INCONSISTENCY OF THE THEORETICAL EVALUATIONS, THIS FORMULA SHOULD PROVE ACCURATE.

* ALL OTHER WIR #'S ARE NEIGHBORS IN THE SAME 1/4 1/4.

DISCHARGE FROM TUBES; FORMULA = $Q = 5 \pi R^2 \rightarrow (R = \frac{\text{DIAM.}}{12} \div 2)$
3.14
1" PIPE
5 FT/SEC EST.
IN FEET

THEREFORE; $5 (3.14) \cdot R = (\frac{1}{12} \div 2)$

$5 (3.14) (.042)^2$ THEN: 15 HP WITH 90 1" TUBES:

$5 (3.14) (.0018)$

$90 \times .028 \text{ CFS} = 2.52 \text{ CFS}$

$5 (.005652)$

for 1" pipe $Q = .028 \text{ CFS}$

10 HP WITH 60 1" TUBES:

$60 \times .028 \text{ CFS} = 1.68 \text{ CFS}$

Have conditions of permit approval been met? ☒ yes ☐ no

TOTAL Output = 4.2 CFS

WATER LINES

AUG 20 1937

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

(1" TUBES) Pipe Flow Formula: 15 HP: 2.52 cfs = 4.2 TOTAL
10 HP: 1.68 cfs OUTPUT.

NEED: 189.5 ACRES
x .02

= 3.79 cfs

THEORETICALS: 10 HP = 1.16 cfs
15 HP = 1.74 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 189.5 \times 4.5 = 852.75 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3.79 \text{ cfs} \times 245 \times 1.9835 = 1841 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 852.75 \text{ AFA}$$

2. Volume Calculations for Other Uses:

NA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	3.79 cfs	852.75 AFA
Totals:			3.79 cfs	852.75 AFA

2. Recommended Amendments

____ Change P.D. as reflected above

____ Add P.D. as reflected above

☒ None

____ Change P.U. as reflected above

____ Add P.U. as reflected above

____ Other

I. AUTHENTICATION

Field Examiner's Name

1 Dave Gray

Date

9-12-94

Reviewer

Date

SEAL

NOT RECORDED

AUG 20 1994



255
98 71

Weiser Warm Springs

2196

Pld
#2 15HP →

Pld
#1 10HP

PERMIT 67-67856 INIT DL
T. R. S. Q/Q
P/D 11N 6W 14 #1 10HP NWSE
SCALE — #2 15HP SWNE
PHOTO ID. _____

972000

MICROFILMED
AUG 20 1937

213

2135

361

6W 14

8
29.8

SE NW

25 ACRES
12
19.7

SW NE 25 ACRES
15
29.5
#2
dirt ditch

SE NE
5 ACRES

NE SE 5 ACRES

NW SE
30 ACRES

SW SE SW
30 ACRES

SW SE
36.5 ACRES

SWSW
5 ACRES

T 928

T 800

1A 1
23 2

AUG 20 1937

237.0

27.1

7.0

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Well #1
10 HP

1. DRILLING PERMIT NO: NA OTHER APPLICABLE NO: 67-07856

2. OWNER: JOHN T. TERRY & NORDELL TERRY Phone: 549-0353
Address: 1064 Old Ferry Rd. N. W. Id 83672

3. WELL LOCATION: Twp 11N, Rge. 6W, Sec. 14, NW 1/4 SE 1/4
County WASHINGTON (Provide sketch map and photo on reverse.)

4. DRILLER: SHENLY Lic. No. 376
When Drilled? ?

5. WELL CONSTRUCTION:

Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 16' WELL LOGS IN SAME 1/4 1/4 ft. Water Temperature N/A °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

RECORDED
AUG 20 1997

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No


If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:



Signature of Dept. Representative & Title

7-28-94

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

ENCLOSURE
AUG 2 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

#2
15HP

1. DRILLING PERMIT NO: 67-07-856 OTHER APPLICABLE NO: 67-07856

2. OWNER: JOHN J. TERRY AND NORDEINE TERRY Phone: 549-0353
Address: 1064 Olds Ferry Rd WELLS ID 83672

3. WELL LOCATION: Twp 11N, Rge. 6W, Sec. 14, SW 1/4 NE 1/4
County WASHINGTON (Provide sketch map and photo on reverse.)

4. DRILLER: FRANK SHELLEY Lic. No. 376
When Drilled? April 5-91

5. WELL CONSTRUCTION:

Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 57 ft. Method Drilled Rotary - Air
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of N/A ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 16' ft. Water Temperature 55 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 26 1997

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No


If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:


Signature of Dept. Representative & Title

7-28-94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


RECEIVED
AUG 20 1997



Well #1 - 10 HP

VIEW OF WELL. THIS WELL
IS LOCATED IN THE NWSE
1/4 1/4 OF SEC. 14.


PHOTO ONE-



VIEW OF WELL #2. IT IS
A 15 HP THAT PUMPS INTO
A SPILLWAY THAT FEEDS IT
EITHER TO A DITCH OR
BURIED LINE THAT CARRIES
IT TO OTHER PLOTS.

PHOTO TWO-

WELL #2
AUG 20 1994



VIEW OF SYSTEM IN USE.
THE OWNER, AS SHOWN, USES
SIPHON TUBES TO IRRIGATE.

PHOTO THREE-



VIEW OF A P/U.

PHOTO FOUR-

0
176-000000
AUG 20 1994

June 3, 1993

JOHN J. TERRY
NORDELLE TERRY
1064 OLDS FERRY RD.
WEISER ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07856

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUL 02 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 67-07856 Reviewed by Klg Date 5/6/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

4/6/94 Copy in the file? Drilling Permit No. 67-91-2-0002-002

35/35/35 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

175 Amount Submitted

yes Correct?

MEASURING DEVICE

waive Required?

✓ Installed?

✓ Waiver requested?

PRIORITY CALCULATION

Date proof received NA

Date proof due -

No. of days late =

Priority Date +

New Priority Date

DEFICIENCIES OR ACTION ITEMS

need clarification of 2 # of wells drilled as
test wells & # used as irrigation
proof acceptable

DATA ENTRY

New Address

Proof Made 5/5/93
6/2/93 Rln



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 6, 1993

John and Nordelle Terry
1064 Olds Ferry Rd
Weiser, ID 83672

Re: Permit No. 67-07856

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use filed in connection with the above referenced permit. Unfortunately, the Department cannot accept the proof of beneficial use until further information is received.

At the same time you applied for your water right permit, you also applied for and received three drilling permits. Each of the drilling permits was issued as a test well permit and you were subsequently charged \$35 for each drilling permit. Each of the permits was conditioned to read "This drilling permit is for a test well. If this well is retained and completed as an irrigation well, an additional \$165 fee is due to the Department."

The Department has only been able to locate well drilling reports for two wells. Therefore, first of all, did you drill all three wells? Secondly, the well logs indicate that you are using both wells for irrigation purposes and that neither well was used strictly as a test well. Is this correct? If only one well is being used for irrigation purposes, which well?

In any case, for each of the three wells that is drilled and being used for irrigation purposes, you need to submit an additional \$165 to upgrade your drilling permit from a domestic permit to an irrigation drilling permit. The fee for a domestic drilling permit is \$35 and the fee for an irrigation drilling permit is \$200. Thus you owe the Department the difference of \$165 for EACH drilling permit that is being used for irrigation purposes.

The Department will hold your file for an additional 30 days to allow you time to submit the requested information and fees. In the mean time, if you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

JUL 02 1993

April 30, 1993

JOHN J. TERRY
NORDELLE TERRY
1064 OLDS FERRY RD.
WEISER ID 83672

PROOF DUE NOTICE

RE: PERMIT NO. 67-07856

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUL 02 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Jack Terry
Address Olds Terry Rd, Boise, Ida
Drilling Permit No. 67-91-Z-002
Water Right Permit No. 67-07-856

7. WATER LEVEL

Static water level 16' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 55 °F. Quality good
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.

500

Pumping Level

53

Hours Pumped

3

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>12.30</u> inches	<u>12</u> inches	<u>2</u> feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☒ Torch ☐ GunSize of perforation 1/4 inches by 4 inches

Number	From	To
<u>600</u> perforations	<u>37</u> feet	<u>57</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 1/2Placed from 28 feet to 45 feetSurface seal depth 18 Material used in seal: ☐ Cement/grout☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
18	0	18	Brown sticky clay		X
12	18	26	Brown sticky clay		X
~~12~~	~~26~~	~~45~~	~~Brown gravel & sand~~		~~X~~
12	26	55	Brown gravel & sand		X
12	55	55	Blue shale		

RECEIVED
MAY - 3 1991Department of Water Resources
Western Regional Office

RECEIVED

JUL 02 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

2

1991

1. WELL OWNER

Name Jack Terry
Address Old Hwy. Wieser Ida
Drilling Permit No. 67-91-2-003
Water Right Permit No. 67-07-B56

7. WATER LEVEL

Static water level 14 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 55 °F. Quality good
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M. Pumping Level Hours Pumped

1000 65 3

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☒
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____Thickness Diameter From To
35 inches 12 inches + 58 feet 73 feet
35 inches 12 inches + 1 feet 48 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun
Size of perforation 1/4 inches by 4 inchesNumber From To
800 perforations 71 feet 46 feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel _____Placed from 25 feet to 35 feetSurface seal depth 18 Material used in seal: ☐ Cement/grout☒ Bentonite ☐ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depth

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
18	0	12	Brown Clay		☒
12	18	24	Brown Clay		☒
12	24	70	Brown Sand Gravel	☒	
12	70	74	Brown Consolidated gravel	☒	
12	74	77	Blue Shale		☒

RECEIVED
MAY - 3 1991Department of Water Resources
Western Regional Office

JUL 02 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 25, 1991

JOHN J. TERRY
NORDELLE TERRY
1064 OLDS FERRY RD.
WEISER, ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07856

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
JUN 15 1991

APPLICATION FOR PERMIT REVIEW

Application #: 67-7856
Date: 6-18-91

Reviewer: Pam Skaggs *CS*

- ✓ Existing:
- ✓ No - 26A-P17
 - Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
 - ✓ Groundwater:
 - ✓ GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)
 - LT. 0.2 cfs - N/A
 - ✓ Drilling Permit:
 - Approved w/permit *as test wells* - P99
 - Not included *already approved* - 046-P23 (All GW, even existing wells)
 - ✓ Location:
 - Water Districts - WD No. _____
 - Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - _____ (1, Blank or Other)
 - Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr
 - Non Trust - 048-049 or Irr & Dom)
 - River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 05A & 11E
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - Use:
 - Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
 - Power - Use Power Review
 - Mining - 06A or 010, 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
 - Ownership:
 - Non land owner - 004
 - Protested:
 - Agreement - 020
 - ✓ Beneficial Use Due Date: - 07-01-1993
 - Other Conditions Recommended _____

RECEIVED
JUL 15 1991

Form No. 202a.
10/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: gyl DATE: 3-5-91 APPLICATION: 67-07856 ^{Terry}

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:

☒ P/D

☒ P/U

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Diversion within interim protected river area
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
MAY 29 1991

Department of Water Resources

DATE REQUESTED: _____

☒ Additional information on reverse side:

mark slots in forwarding revised map & info about drilling permits to Reg. 82 4-1-91
no fee for 7 production wells now fully paid. 82

PROCESSING

APPLICATION NO. 67-07856

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest April 22, 1991

Protest dates, resolution of protest recorded on application:

Recommendations attached: approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

264 (2 yrs), Drilling permit issued

See below for additional information

Recommended Date or Priority 2/25/1991Recommended by: DnrDate 5/22/91

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

P/a overlap: well in SWSE decreed ~~water~~ 67-00655 for irrigationP/a overlap: groundwater for irrigation: 67-00655, 67-02313, 67-07540, 67-02246, 67-07784 various owners - some duplication of class application.As per drilling permit conditions if any test well becomes a production well, additional \$165.00 due Department for balance of drill permit fee.
There are 4 wells on map & only 3 drill permits.

Paid at
S.O.
4-1-91
5 initial
Refund for
13.91-2-004
02/14/91



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 19, 1991

Ray & Al Saito
Saito Brothers Partnership
1272 W. First Street
Weiser, ID 83672

Re: Application for Permit #67-7856 in the Name of John &/or
Nordelle Terry

Gentlemen:

Thank you for your letter of April 17, 1991, regarding the
above-referenced application for permit. At this time we are
not considering your letter as a protest to the application.

Regarding the concerns expressed in you letter, any water
rights filed previous to this application are considered senior
rights and are entitled to the water first.

If you have any further questions or concerns, please call this
office. If you would like to protest this application you must
do so in writing on or before April 22, 1991.

Sincerely,

A handwritten signature in cursive script that reads 'David R. Tuthill, Jr.'.

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

MICROFILMED

JUL 15 1991

April 17, 1991

David Tuthill, Manager
State of Idaho, Department of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705

RE: Water permit no. 67-07856

Dear Sir:

We understand that the wells for water permit no. 67-07856 are intended for secondary use to back up drought shortages.

We would like it to be known that during the irrigation period, if the volume of water in our wells decreases, we will ask the wells under permit no. 67-07856 be shut off.

If for any reason the wells on permit no. 67-07856 become a primary source when our irrigation system is operating, causing our wells to drop in volume, we will protest.

Sincerely yours,

Al Saito
Ray Saito

Ray & Al Saito
Saito Brothers Partnership
1272 W. First Street
Weiser, Idaho 83672

MAILED

JUL 13 1991

RECEIVED
APR 18 1991

Department of Water Resources
BOISE, IDAHO 83725

7/90

Drilling Permit No. 69-91-Z-002Water Right Permit No. 67-2856

Injection Permit No. _____

SITE
A

*See revised
drilling permits per
office visit by
4-1-91*

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) John J. Terry
2. Mailing Address 1064 Olds Ferry Road
Weiser, ID 83672 Telephone 549-0353
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 14, Twp. 11N, Rge. 6W, County Washington
Street Address of Well Site 1064 Olds Ferry Road
Lot, block and subdivision _____

4. Proposed use of well:

TEST WELL

- ☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions; mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

() Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth 100'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

MICROFILMED

JUL 15 1991

6. Construction Start Date March 1991
7. Anticipated Well Driller Gallus or State line (Frank Kelly)
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature X Date 2-25-91

Title Owners Representative
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**

Date 2-25-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

This Drilling Permit is for a Test Well. If this well is retained and completed as an irrigation well an additional \$165.00 fee is due to the Department.

Signature of Authorized Department Representative [Signature]

MANAGER
GROUNDWATER PROTECTION SECTION
Title [Signature]

Receipt No. C019740 Received by SC Fee 35.00 Date 2/25/91

RECEIVED
JUL 15 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

7/90

Drilling Permit No.

67 003
67-91-2-003SITE
8

Water Right Permit No.

67-7856

Injection Permit No.

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) John J. Terry2. Mailing Address 1064 Olds Ferry Rd.Weiser, ID 83672 Telephone 549-0353☒ Well Owner () Well Operator () Other, specify _____3. Proposed well location NW 1/4 SE 1/4, or Gov't Lot No. _____Sec. 14, Twp. 11N, Rge. 6W, County WashingtonStreet Address of Well Site 1064 Olds Ferry Road

Lot, block and subdivision _____

4. Proposed use of well:

- ☒ **TEST WELL**
Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

() Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9B. Proposed Surface Diameter 12" Proposed Maximum Depth 100'

C. Anticipated bottom hole temperature: _____

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date March 19917. Anticipated Well Driller Dallas or Stateline (Frank Skelley)

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature [Signature] Date 2-25-91Title Owner's Rep.

(Owner, Firm Representative, Other)

MICROFILMED

JUL 15 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

Date

2-25-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

This Drilling Permit is for a Test Well. If this well is retained and completed as an irrigation well an additional \$165.00 fee is due to the Department.

Signature of Authorized Department Representative



Title

 MANAGER
GROUNDWATER PROTECTION SECTION

Receipt No. C019740

Received by SC

Fee

35.00

Date

2/25/91

EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

JUL 15 1991

This extension is good for 60 days beyond the above extension approval date.

7/90

Drilling Permit No. 67-91-2-004Water Right Permit No. 67-7856

Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) John J. Terry
2. Mailing Address 1064 Olds Ferry Road
Weiser, ID 83672 Telephone 549-0353
- () Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 14, Twp. 11N, Rge. 6W, County Washington Co.
Street Address of Well Site 1064 Olds Ferry Road
Lot, block and subdivision _____
4. Proposed use of well:
TEST WELL
☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- () Non-Domestic: Any beneficial use not included within the definition of domestic.
- () Injection
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. ☒ New well () Deepen () Replace - See Condition 9
- B. Proposed Surface Diameter 12" Proposed Maximum Depth 100'
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date March 1991
7. Anticipated Well Driller Dallas or Stateline (Frank Skelly)
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature X [Signature] Date 2-25-91
- Title Owner
(Owner, Firm Representative, Other)

RECEIVED
JUL 15 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

Date

2-25-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

This Drilling Permit is for a test well. If this well is retanked and completed as an irrigation well an additional \$165.00 Fee is due to the Department.

[Signature]
Signature of Authorized Department Representative

MANAGER
GROUNDWATER PROTECTION SECTION
[Signature]
Title

Receipt No. C019740 Received by SC Fee 35.00 Date 2/25/91

RECORDED
JUL 15 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 1, 1991

The Weiser Signal
Box 709
Weiser, ID. 83672

RE: Application for Permit No. 67-07856

To whom it may concern:

This letter confirms the telephone conversation earlier today for the above water right application filed by John and Nordelle Terry. The points of diversion are changed to T11N R6W S. 14 SWNE and NWSE. Please show these new diversion points in the advertisement.

Thank you for your help. Please contact me at 334-2190 if questions occur.

Sincerely,

Steve Lester
Sr. Water Resource Agent

RECEIVED

JUL 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MARCH 27, 1991

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 22, 1991.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

JUL 15 1991

67-07856

TERRY, JOHN J.
TERRY, NORDELLE
1064 OLDS FERRY RD.
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt:	NWSE	Sec 14 T 11N R 06W
	SWSE	Sec 14 T 11N R 06W

Use: IRRIGATION	(4.000 CFS)
Total Diversion:	(4.000 CFS)

Date Filed: 2/25/ 1991

In: T11N R06W S14	SWNE	SENE	SENW	NESW
	SWSW	SESW	NESE	NWSE
	SWSE			

200.0 ACRES TOTAL

MICROFILMED

JUN 15 1991