

13N

20

3W

PIP
X
mu

MICROFILMED

JAN 17 1991

Carol Dale
(Applicant)

Affidavit of Publication

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for ^{two} consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Wed., Oct. 3, 1990, and ended Wed., Oct. 10, 1990.

Stuart Dopf

Subscribed and sworn to before me
this 15th day of

OCTOBER, 1990

Bh Soules

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho:

67-07852 ✓ *ST*

DALE, CAROL C.

HC 70 BOX 2120

MIDVALE, ID 83645

Source: GROUNDWATER

Diversion Pt: SWSENE Sec

28 T 13N R 3W

Use: STOCKWATER (.070 CFS)

Total Diversion: (.070 CFS)

Date Filed: 9/17/1990

In: T13N R3W S28 SENE

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before OCTOBER 22, 1990.

R. KEITH HIGGINSON,

Director

Published 10/3/1990 & 10/10/1990


RECEIVED
OCT 16 1990

Department of Water Resources
Western Regional Office

MICROFILMED

JAN 17 1991

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical pipe flow equation

MICROFILMED
AUG 20 1937



2564T

2870T

2721T

218T

DITCH

2641T

289T

22

2970T

2564T

2702T

2709T

2862T

3031T

3052T

2732T

2924T

3071T

2866T

2791T

13N3W S28

67-7852

2849T

2797T

2911T

3050T

2978T

3011T

3125T

3052T

3152T

3141T

AUG 20 1937

3416T

3346T

3290T

5

4

3

3311T

3052T

Creek



UNCLASSIFIED
AUG 20 1997

67-7852

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07852

Priority: September 17, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.7 AF

This is to certify, that CAROL C DALE

HC 70 BOX 2120

MIDVALE ID 83645

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 18, 1989; and has submitted Proof of Beneficial Use on December 9, 1991. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSENE, Sec. 28, Township 13N, Range 03W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

13N 03W 28

SENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of July, 1997.

Acting for KARL J. DREHER Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-07852 Telephone No. 355-2361

Name(s) of Permit Holder(s): Carol C. Dale

Post Office Address: HC 70 Box 2120

Source of Water: MIDVALE, ID 83645. - groundwater

If ground water, well driller's name: developed spring Date drilled: 6/89

Extent of Use: with Backhoe

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater 70 (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .07 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Same as permit holder
Name Telephone No.

Address

NOT RECORDED

DEC 27 1991

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Dec 6 1991 Carol C. Dale
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07852

Proposed Priority: September 17, 1990 Maximum Diversion Rate: 0.07 CFS

This is to certify, that **CAROL C. DALE**

HC 70 BOX 2120

MIDVALE, ID 83645

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	04/01 to 12/01	0.07 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SWSENE Sec. 28, Township 13N, Range 03W WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

13N 03W 28

SENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1992.**
2. Subject to all prior water rights.
3. Stockwater use is for 70 dairy cows.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31 day of December, 1990.



for R. Keith Higginson, Director

MICROFILMED

JAN 17 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 67-07852

RECEIVED

OCT 18 1989

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant LAROL E. DALE Phone 208-355-2361

Post office address HC 70 Box 2120 Medvale, Idaho 83645

2. Source of water supply ground water which is a tributary of spring NA

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 28 Township 13 N. Range 3 W. B.M. Washington County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 107# for stock water purposes from April 1 to Dec 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) _____ and/or (b) 1
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. none

b. Height of storage dam none feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 3 ft inches; proposed depth of well is 6 ft feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water for domestic official use is

1 day years (minimum 1 year).

JAN 17 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 70 Dairy cows
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13N	3W	28				S													

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Carol Dale
- b. Who owns the land to be irrigated or place of use? _____
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

JAN 17 1961

3W

13N 20 PIP
A

RECEIVED
JAN 17 1951

Carol Dale
(Applicant)

no record
Received by Y.S. C. Wong Date 6/13/90 Time 10:50 am Preliminary check by RW
Fee \$ \$30.00 Receipted by RW # W012733 Date 9-20-90
Publication prepared by GG Date 9-26-90 Published in Upper County News Reporter
Publication approved st Date 10-23-90
10/04 & 10/11/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JAN 17 1991

Affidavit of Publicatio

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Wed., Oct. 3, 1990, and ended Wed., Oct. 10, 1990.

Stuart Dopf

Subscribed and sworn to before me

this 15th day of

OCTOBER, 1990

B. J. Soules

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notice

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho:

67-07852

DALE, CAROL C.

HC 70 BOX 2120

MIDVALE, ID 83643

Source: GROUNDWATER

Diversion Pt: SWSENE Sec.

28 T 13N R 3W

Use: STOCKWATER (000 CFS)

Total Diversion: (070 CFS)

Date Filed: 9/17/1990

In: T13N R3W S28 SE NE

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before OCTOBER 22, 1990.

R. KEITH HIGGINSON,

Director

Published 10/3/1990 & 10/10/1990

RECEIVED
OCT 13 1990

Department of Water Resources
Western Region Office

MICROFILMED

JAN 17 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 25, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CAROL C DALE
HC 70 BOX 2120
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07852

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 25th day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07852

CAROL C DALE
HC 70 BOX 2120
MIDVALE ID 83645


Kari Lynn Townsend
Secretary

MEMORANDUM

TO: File 67-07852

FROM: Sharla Curtis

DATE: July 21, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 67-07852 are based on the following:

H. RECOMMENDATIONS

Stockwater	1/1 - 12/31	0.02 cfs	0.7 afa
------------	-------------	----------	---------

The examiner states that the collection system runs all year and the volume has been calculated based on year-round flow. The season has been adjusted accordingly.

Source -

Permit was for groundwater. Examiner recommends calling it a spring that sinks. The examiner's photo appears to show a system that collects shallow ground water.

The difference between a spring and groundwater is subtle in many cases. In this case, the distinction does not, in my opinion, warrant changing the right.

S.W. Keen
7-22-97

Examiner: Cindy Hodges
Exam Date: June 13, 1996

100-100000
AUG 29 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-57252

DATE 7/2/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.07</u> cfs
Fee limit	<u>.20</u> cfs <u>\$50.00</u>
Measured	<u>—</u> cfs
Theoretical	<u>.04</u> cfs

Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

<u>Stock</u>	Volume Calculation
<u>—</u>	<u>~~.7~~</u> af
<u>—</u>	<u>.7</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>~~.7~~</u> af

Flow rate — cfs X — days X 1.9835 = — af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions
 Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA

1st Amend Letter NA

Adjustment Memo NA

2nd Amend Letter NA

*volume calc
as noted
200*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 08 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7852

1. Owner: Carol Dale Phone No. 355-2361

Current Address: HC 70 Box 2120 Midvale ID 83645

2. Accompanied by: Doris Dale EXAM DATE: 6-13-96

Address: _____ Phone No. _____

Relationship to Permit Holder: wife

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	NE	28	13N	3W	Wash	Site Visit, Map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13N	3W	28				S													

APPROVED
AUG 20 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

 Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

 Aerial Photo Attached (required for irrigation of 10+ acres)

 Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical pipe flow equation

E. NARRATIVE/REMARKS/COMMENTS

2" upright ~~water~~ culvert, 4" perforated collection,
1 1/4" overflow to stock trough; 2" discharge & overflow
to drainage. Runs all year.

total head = 10' 130' pipe

Max ³⁰ ~~10~~ range cows. Water not used in dairy.

Source listed as groundwater is a natural developed
Spring - amend permit

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
AUG 20 1967

F. FLOW CALCULATIONS

 Additional Computation Sheets Attached

Measured Method:

Pipeflow computation - .04 cfs

max flow for 30 head = .02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

S/30 range = 0.7 AF (from tables)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCKWATER	4/1	12/1	~~.04~~ .02	0.7
Totals:			.02	0.7

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy J. Hodges Date 12/31/96

Reviewer _____ Date _____

SEAL

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
12/31/96
Project: Flow Computation for Permit No. 67-07852
Dale
Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 10.00 feet
Pressure Req'd: 0.00 psi
Available Head: 10.00 feet
Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
aluminum - joint length 20' = 125, joint length
30' = 130, joint length 40' = 132, joint length
50' = 134, new riveted steel = 100
old riveted steel = 100, old cast iron = 95,
old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.20	130.00	10.07	
10.00	20.00	0.00	
10.00	0.00	0.00	
10.00	0.00	0.00	10.07

Rate of Flow: 0.038 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.


455 19 11/12

2866

3850

188

131



67-7852

100-100000
100-100000

December 12, 1991

CAROL C. DALE
HC 70 BOX 2120
MIDVALE ID 83645

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07852

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 27 1991

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 67-07852 Reviewed by KRG Date 12/11/91

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source - developed spring
NA Drilling permit required?
less than 15 / Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late	<u> </u>	= <u> </u>
Priority Date	<u> </u>	+ <u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

proof accepted

DATA ENTRY

New Address

Proof Made 12/13/91 KRG

CAROL C. DALE
HC 70 BOX 2120
MIDVALE ID 83645

138226
October 31, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 67-07852

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

RECEIVED
DEC 27 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 2, 1991

CAROL C. DALE
HC 70 BOX 2120
MIDVALE, ID 83645

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-07852

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JAN 17 1991

Application #: 67-7852
Date: 12-18-90

Date: 12-18-90

No		-	26A-P17
Complete in 1 year		-	P16
Yes			
Proof not submitted		-	P16
Proof submitted		-	N/A
Groundwater:			
GT. 0.7 cfs		-	01G-P03, 01C-P03(existing well)
LT. 0.7 cfs		-	N/A
Drilling Permit: ~~NA~~ 6'			
Approved w/permit		-	P99
Not included		-	046-P23(All GW, even existing wells)
Location:			
Water Districts		-	WD No. <u>67</u>
Surface water		-	005, 005-01H-P01(LT.7 w/pump) 005-01J-P08(GT.7)
Groundwater		-	P05
Irrigation Districts		-	023
Canal Co. Areas		-	023
Drainage Districts		-	024
Boise Front (63)		-	058 (Groundwater)
Swan Falls Flag		-	<u> </u> (1 or Blank)
Trust		-	051-052-053-P74(Cons.), 041(DCMI)
Non Trust		-	048-049
River Basins:			
(Surface Water)			Water District Control Condition &....
Boise (63)		-	11D-P72
Payette (65)		-	047-P04, 059-P71
Snake (01, 02 & 03)		-	11A-P04(01), 061-P07(02/03 No W.D.Cond.)
Use:			
Fish Propagation		-	002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power		-	(less than 25cfs P18), 01F-P19, 08A(Req.), 017K, 017G-017M(Choose One), 025
Mining		-	06A, 006, 09E-P10, 010, 54
Storage		-	18A-P09(In W.D.), 18B-P09(Size)
Domestic		-	021(restricted areas)
Ownership:			
Non land owner		-	004
Protested:			
Agreement		-	020
Minimum Stream Flow:			
Overlapping uses		-	029-P20
Beneficial Use Due Date:		-	<u>01-01-1992</u>
Other Conditions Recommended			

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 7-11-90 APPLICATION: 67-07852

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

Overlapping place of use: (Describe source & relationship to present application on the back.)

Overlapping point of diversion:

Field check required: Field check by: _____

Field report attached:

Critical groundwater area:

Groundwater management area:

Send dam safety information:

Send power requirement letter:

Send fish farm requirement letter:

Power residency affidavit:

Power efficiency form:

Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)

Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
OCT 26 1990

Department of Water Resources

Need Fee 30 DATE REQUESTED: 8-7-90 Fee Requested

Additional information on reverse side: RWD 9-17-90 per Request
of Letter dated 9-13-90

67-07852

PROCESSING

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Don Approve*

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 9/17/1990 (day fee rec'd)Recommended by: *Don*

Date

10/24/1990STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 13, 1990

Carol C. Dale
HC 70 Box 2120
Midvale, ID 83645

RE: Application for Permit

Dear Mr. Dale:

This will acknowledge receipt of the above referenced application for permit to appropriate water from a well in Washington county. All applications must be accompanied by the appropriate filing fee before they can be processed by this office.

In a telephone conversation with Mrs. Dale on August 7, 1990 I requested a filing fee of \$30.00 be remitted to this office in order that your application could be processed.

To date our records do not indicate that the fee has been received. Please send the \$30.00 fee to my attention at this office within 30 days to avoid rejection of your water right application.

If you have any questions or concerns, please feel free to contact me at 334-2190.

Sincerely,

Robert B. Whitney
Robert B. Whitney
Sr. Water Resource Agent

MICROFILMED

JAN 17 1991

RECEIVED

SEP 18 1990

Department of Water Resources
Western Regional Office

Dear Mr. Whitney,

*I received this letter, written by Joe Carlson last week. I don't remember receiving such a letter, ^{that he requires} but I do want the water rights up to date. Would you relay this message to him or who ever will straighten this out for me
Thank you. Carol Dale*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 7, 1990

Carol and Doris Jean Dale
HC 70, Box 2120
Midvale, ID 83645

RE: Snake River Basin Adjudication (SRBA)
Washington County Receipt #C012390, \$70.00

Dear Claimants:

In our letter to you of July 12, 1990, you were offered some options to record your water right. Since we have not received anything further from you, the refund process has been initiated with the State Auditor's Office for the fees you paid. You should receive your check in the near future.

You may resubmit your claim by paying the filing fee plus a late fee of \$50.00, received within two years.

Sincerely,

A handwritten signature in cursive script that reads "John D. Carlson".

John D. Carlson
Adjudication Supervisor

JDC:sf:ref:west

MAILED

JAN 17 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

SEPTEMBER 26, 1990

Upper County News Reporter
P.O. Box 98
Cambridge, ID 83601

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 22, 1990.

Yours truly,

GAIL GARRETT
Secretary

Encl.

INDEXED

JAN 17 1991

67-07852

DALE, CAROL C.
HC70 BOX 2120
MIDVALE, ID 83645

Source: GROUNDWATER

Diversion Pt: SWSENE Sec 28 T 13N R 03W

Use: STOCKWATER (.070 CFS)
Total Diversion: (.070 CFS)

Date Filed: 9/17/ 1990

In: T13N R03W S28 SENE

NOTED

JAN 17 1991