


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T19N R1E Sec 31




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mary Henry 12-5-84
(Applicant)

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



PROCESSED

JAN 20 1994



PHOTO ONE-



PHOTO TWO-

JAN 20 1994



PHOTO THREE-

>

PHOTO FOUR-

RECEIVED
JAN 20 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07828

Priority: December 11, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that MEREDITH HENRY
MARY HENRY

3437 HWY 95

COUNCIL ID 83612

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 11, 1989; and has submitted Proof of Beneficial Use on April 17, 1991. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

UNNAMED STREAM

tributary to WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 31, Township 19N, Range 01E
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
19N	01E	31	NWSE	0.3		0.3

Total number of acres irrigated: 0.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. No water shall be diverted under this right after June 15 of each year without prior approval of the watermaster.


JAN 20 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07828

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of JANUARY, 1994.

Acting for


R. Keith Higginson, Director

MAILED
JAN 20 1994

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07828

Date of Priority: December 11, 1989

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.2 AF

Comes now

MEREDITH HENRY

3437 Hwy 95
~~HC 64 BOX 3450~~

MARY HENRY

COUNCIL ID 83612

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-07828, and requests that the permit be changed as follows:

Source: **UNNAMED STREAM**

tributary to **WEISER RIVER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 31, Township 19N, Range 01E
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
19N	01E	31	NWSE	0.3		0.3

Total number of acres irrigated: 0.3

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 3437 Hwy 95, this 27th day of December, 1993.




(Signature)

JAN 20 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07828

FOR DEPARTMENT USE ONLY

Preliminary check by BE Fee = 20⁰⁰ Received by DW # C029334 Date 1/30/93 ✓


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07828 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. No water shall be diverted under this right after June 15 of each year without prior approval of the watermaster.

Witness my hand this 10TH day of JANUARY, 1994.


Acting for R. Keith Higginson, Director

JAN 20 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-7828 IN)
THE NAME OF MEREDITH & MARY HENRY) ORDER
_____)

WHEREAS, on April 18, 1990, the Department of Water Resources issued Permit No. 67-7828 with a condition of approval which states:


A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit;

and;

WHEREAS, the Department of Water Resources has determined that the compliance with this condition of approval is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit No. 67-7828 is REMOVED.

Dated this 22nd day of April, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

JUN 10 1991

RECEIVED

APR 17 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Received by _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 67-07828 Telephone No. 397-2574
- Name(s) of Permit Holder(s): Meredith or Mary HENRY
- Post Office Address: HC 64 Box 3450 Council, ID. 83612
- Source of Water: Unnamed Creek
 - If ground water, well driller's name: _____ Date drilled: _____
 - Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
- Extent of Use:

Domestic _____ (No. of households)	Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock)	Other <u>Small house & less here</u>
- Total rate and/or volume for which proof is submitted 0.04 cfs to less acre/feet
- Refer to the approval conditions on your permit and respond accordingly:

LOCKABLE
Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

OR
Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
- Fee Enclosed: \$ 0 (See License Examination Fee Schedule)
- Person to contact to accompany the Department representative during the field examination:

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature (and title if on behalf of a company or organization)

4-15-91
Mary Henry
Request - Please remove Request ~~device~~ for lockable device.
Thank you!

JUN 10 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07828

Proposed Priority: December 11, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **MEREDITH HENRY**
MARY HENRY
HC 64 BOX 3450
COUNCIL, ID 83612

has applied for a permit to appropriate water from:

UNNAMED STREAM

tributary of **WEISER RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 10/31	0.04 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NESW Sec. 31, Township 19N, Range 01E
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
19N 01E 31	NESW 2			2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1991**.
2. Subject to all prior water rights.
3. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 67.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. No water shall be diverted under this permit after June 15 of each year without prior approval of the watermaster.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of April, 1990.

FILED

APR 19 1990

for 
R. Keith Higginson, Director

30.00

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant MEREDITH & MARY HENRY Phone 208-347-2374
Post office address HC 64, Box 3450, Council, ID 83612
2. Source of water supply UNNAMED STREAM which is a tributary of WEISER R
3. Location of point of diversion is _____ 1/4 of NE 1/4 of SW 1/4, Govt. Lot _____
Sec. 31 Township 19N Range 1E B.M. ADAMS County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for IRRIGATION purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. HEADGATE & OPEN DITCH
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the _____ is
1 years (minimum 1 year).

MICROFILMED

APR 19 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
19N	1E	31									2.0								2.0

Total number of acres to be irrigated 2.0

10. Describe any other water rights used for the same purposes as described above. _____


N/A

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: THIS APPLICATION IS MADE TO REPLACE APPROVED PERMIT 67-7435 WHICH FOR SOME REASON WAS LAPSED.

RECORDED

APR 19 1990



4879

57' 30"

4978

4977

4976

4975

T19N
RIE

S-31


MICROFILMED

4974
APR 19 1990

55'

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T19N R1E Sec 31



MICROFILMED
APR 19 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mary Henry 12-5-84
(Applicant)

Received by Ms. Date 12/11/89 Time 1:20pm Preliminary check by GG
Fee \$ 30⁰⁰ Receipted by JD # W007051 Date 12-11-89
Publication prepared by GG Date 12-27-89 Published in Adams County Leader
Publication approved JD Date 2/3/90
1/3 & 1/10/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

APR 19 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 10, 1994

MEREDITH HENRY
MARY HENRY
3437 HWY 95
COUNCIL ID 83612


RE: WATER RIGHT NO. 67-07828

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JAN 20 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

12-30-93
New Address
3437 Hwy 95
MEREDITH HENRY
MARY HENRY
HC 64 BOX 3450
COUNCIL ID 83612

December 15, 1993

RE: WATER RIGHT NO. 67-07828

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with this information, please contact me as soon as possible.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MINORCUM

JAN 20 1994

DATE: 12/14/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MEREDITH HENRY	12/11/1989	IRRIGATION	04-01 10-31	0.02 CFS	1.2 AFA
C	MARY HENRY					
	HC 64 BOX 3450			TOTAL DIVERSION:	0.02 CFS	1.2 AFA
	COUNCIL ID 83612					
	(208) 347-2574					

Stage: LICENSE

Point(s) of Diversion Capacity: 0.02 CFS

Point(s) of Diversion: T19N R01E S31 NE SW

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE																																								
			NENE		NWNE		SWNE		SENE					NENW		NWNW		SWNW		SENW					NESW		NWSW		SWSW		SESW					NESE		NWSE		SWSE		SESE																		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM																	
19N	01E	31	:									:									:							:																	:	0.3														
			:									:									:									:									:									:									:	TOTAL ACRES	:	0.3

Pou County: ADAMS

Other Water Rights with Same Point(s) of Diversion and Source:
67-07828

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 67.
- R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: No water shall be diverted under this right after June 15 of each year without prior approval of the watermaster.

Dates: App. Received: 12/11/1989 Priority Date: 12/11/1989
Proof Due Date: 05/01/1991 Proof Made Date: 04/17/1991
Exam Made Date: 06/23/1993 Exam Sent to S.O.: 11/18/1993
Licensed Date:

Misc: Water District Number: 67 Field Exam Fee: N (Not Required)

Audit: 12/14/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 67-7828 Date 12-10-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐
	☐ ☒	Order to Reinstate Needed?
	<u>-NA-</u>	Incorrect Fee for rate recommended?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source
	☐ ☒	Notice of Intent to Void - Source change.
P/D	☐ ☒	Amendment Needed? ☐
	☐ ☒	Overlap(s) ☐
P/U	☒ ☐	Amendment Needed? ☐
	☐ ☒	Overlap(s) ☐
TOTAL CFS	☒ ☐	Measurement done? <u>5 GAL BUCKET</u>
	☐ ☐	<u>5/37 SEC = .02 CFS</u>
	☐ ☐	<u>Only .3 acre irrigated</u>
	☐ ☐	Theoretical $8.8 \times .70 \times$
	☐ ☐	$+ 2.31 \times$
	☐ ☐	Capacity <u>.02</u>
	☐ ☐	Allowable Amount: <u>.02</u>
TOTAL VOLUME		Season of Use: <u>C/4.0 (4-1 to 10-31)</u>
	☒ ☐	Calculations: <u>(EXAMINER USED WRONG SEASON)</u>
		<u>.3 X 4 = 1.2</u>
		Flow limit: <u>.02</u> x 2.14 x 1.9835 = <u>8.4</u>
USES	☐ ☒	Change(s) in Nature of Use? ☐
	☐ ☒	Amendment Needed? ☐
REMARKS	☐ ☒	Multiple P/Ds in 1/4 1/4? ☐
	☐ ☒	Special Overlap ☐
	☐ ☒	Other ☐
CONDITIONS	<u>Removed</u>	Measuring/Locking Devices
	<u>B04</u>	W/Master Control <u>67</u>
	<u>R31</u>	Irrigation Overlap <u>12-11-89</u>
	☐ ☒	Water Quality ☐
		Water Dist App Rec'd Exam Made

COMMENTS: Reduce acres and rate; Amend P/U

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>.02</u>	<u>1.2</u>	1ST AMEND LETTER <u>P41</u>
<u></u>	<u></u>	<u></u>	2ND AMEND LETTER <u>P47</u>
<u></u>	<u></u>	<u></u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 03 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07828

1. Owner: MEREDITH 1/2 MARY HENRY Phone No. 347-2574

Current Address: HL 64, Box 3450 Council IDAHO 83612

2. Accompanied by: MARY HENRY EXAM DATE: 1-23-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: UNNAMED STREAM tributary to WEISER RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-04032, 67-04030

2. Other water rights with the same point of diversion: 67-04032, 67-04030

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	31	19N	1E	Adams	Quartz, Hunt, Burns Id.

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N	1E	31														.3			.3

RECEIVED

JAN 20 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
—	FRANKLIN	1	1103095418	BERKELY	3/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon Bucket	Plastic	ROUND	—	—	5gal	—

2. Measurements:

5 gal bucket ; 2x 37 sec

SEE: Exhibit 10 - Water Handbook

Theoretical

1 hp, 60' / ft, 30 psi

JAN 20 1994

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM PUMPS WATER FROM AN UNARMED STREAM TO IRRIGATE
.3 ACRES. ALTHOUGH THE PROPERTY IS 2 ACRES, ONLY .3 IS IRRIGATED.
WATER IS PUMPED 60' FROM THE WICK TO THE PUMP BOX WHERE THE
1 HP PUTS WATER THROUGH A 3/4" DISCHARGE THAT MAKES RUN
2 SPRINKLERS AT A TIME. ALL SPIGOTS ARE LOCATED AT THE
PUMP HOUSE SITE. HOSES ARE MOVED AROUND TO IRRIGATE

Have conditions of permit approval been met? ☒ yes ☐ no

MICHAEL MCD

JAN 20 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\text{Theoretical } \frac{1 \times 8.8 \times .70}{60 \times (2.3 \times 50)} = \frac{6.16}{129} = .05 \text{ cfs}$$

Need = "less than 1/2 acre"

$$5 \text{ gal bucket @ } 37 \text{ sec} = \text{Exhibit 10 Handbook} = .02 \text{ cfs}$$

Allow .02 cfs
as minimum

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .3 \times 4.5 = 1.4 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 183 \times 1.9835 = 7.3 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.4 \text{ AFA}$$

2. Volume Calculations for Other Uses:

10A-

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	10-31	4-1	.02 cfs	1.4 AFA
Totals:			.02 cfs	1.4 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name [Signature] Date 7-13-93

Reviewer [Signature] Date

SEAL

tu



3 ACRES OF LAWN IRRIGATE

3

PROOF

JAN 20 1994

Permit 167-078272

PHOTOS TAKEN 10-25-93

1 of 2




PHOTO ONE-



RECEIVED

JAN 20 1994

Permit 67-67828

Photos taken 6-23-93

pg 01
2 of 2




PHOTO THREE-

>

PHOTO FOUR-

[Handwritten signature]
JAN 20 1994

May 19, 1992

MEREDITH HENRY
MARY HENRY
HC 64 BOX 3450
COUNCIL ID 83612

RE: Water Right No. 67-07828

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

MICROFILMED

JAN 20 1994

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

JAN 20 1994

April 23, 1991

MEREDITH OR MARY HENRY
HC 64 BOX 3450
COUNCIL ID 83612

Dear Mr. and Mrs. Henry:

Re: Permit No. 67-7828

The department received the proof of beneficial use form and noted your request for removing the lockable device condition. Enclosed is an order which removes that condition.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

UNRECORDED

JUN 10 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 67-7828

Date 4-19-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- NO Required?
-0- Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- Yes Measuring device or access port required?
☐ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

request waiver

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

LB

138160
February 28, 1991

MEREDITH HENRY
MARY HENRY
HC 64 BOX 3450
COUNCIL, ID 83612

PROOF DUE NOTICE

RE: PERMIT NO. 67-07828

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED
JUN 10 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 19, 1990

MEREDITH HENRY
MARY HENRY
HC 64 BOX 3450
COUNCIL, ID 83612

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07828

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
APR 19 1990

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Appli

Shaffer, Duane & Ilene M-67-07828-Henry, Meredith & Mary as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated January 4, 1990

and the last in the issue dated January 11, 1990 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 12th

day of January 19 90

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07823

SHAFER, DUANE C.
SHAFER, ILENE M.
P. O. BOX 336
COUNCIL, ID 83612

Source: LESTER CREEK

Tributary: WEISER RIVER

Diversion Pt: NWNE Sec 26 T 16N R 01W

Use: IRRIGATION (.700 CFS)

IRRIGATION STORAGE (10.00 AF)

IRRIGATION FROM STORAGE (10.00 AF)

STOCKWATER STORAGE (1.40 AF)

STOCKWATER FROM STORAGE (1.40 AF)

Total Diversion (.700 CFS) (10.00 AF)

Date Filed: 12/12/1989

In: T16N R01W S26

NWNE SWNE NENW SENW

36.0 ACRES TOTAL

67-07828

HENRY, MEREDITH

HENRY, MARY

HC 64 BOX 3450

COUNCIL, ID 83612

Source: UNNAMED STREAM

Tributary: WEISER RIVER

Diversion Pt: NESW Sec 31 T

18N R 01E

Use: IRRIGATION (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 12/11/1989

In: T18N R01E S31 NESW

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JANUARY 22, 1990.

R. KEITH HIGGINSON,
Director

Published 1/04/1990 & 1/11/1990

MICROFILMED

APR 1 1990

67-07828

HENRY, MEREDITH
HENRY, MARY
HC 64 BOX 3450
COUNCIL, ID 83612

Source: UNNAMED STREAM

Tributary: WEISER RIVER

Diversion Pt: NESW Sec 31 T 19N R 01E

```

Use: IRRIGATION      ( .040 CFS)
      Total Diversion: ( .040 CFS)

```

Date Filed: 12/11/1989

In: T19N R01E S31 NESW

2.0 ACRES TOTAL

REPRODUCED

APR 19 1990