


SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM




RECEIVED

JAN 20 1994



View of buried collection bar
: pipeline to P/u.

PHOTO ONE-



P/u around 60ft from
the P/U

PHOTO TWO-

RECEIVED

JAN 20 1994

Tension / #2 sec 18



P/U of Tension #2 (see map)

PHOTO ONE-

>

PHOTO TWO-

JAN 20 1994

#3 ~~ABES~~ ^{Tensor} Sec 17 / Buried Headbox



View of Flt.

PHOTO ONE-



Head box: These are all buried underground & in in the far distance

PHOTO TWO-

PHOTOGRAPHED

JAN 20 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07808

Priority: October 16, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.3 AF

This is to certify, that WAYNE CADA
2000 E VICTORY RD
MERIDIAN ID 83642

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated October 16, 1989; and
has submitted Proof of Beneficial Use on December 3, 1991. An examination indicates
that the works have a diversion capacity of .030 cfs of water from:

SPRINGS

tributary to TENNISON CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWNW , Sec. 17, Township 11N, Range 01W
NESENW , Sec. 18, Township 11N, Range 01W
NESWNW , Sec. 19, Township 11N, Range 01W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11N 01W	17	SWNW
	18	SENW
	19	SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. Stockwater use is for 100 range cattle.

RECORDED

JAN 20 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07808

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of DECEMBER, 1993.

Acting for R. Keith Higginson, Director

RECEIVED

JAN 20 1994

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
DEC 14 1993
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07808

Date of Priority: October 16, 1989

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 1.3 AF

Comes now
2000 E VICTORY RD
MERIDIAN ID 83642

WAYNE CADA

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07808, and requests that the permit be changed as follows:

Source: SPRINGS tributary to TENNISON CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:
SWSWNW , Sec. 17, Township 11N, Range 01W
NESENW , Sec. 18, Township 11N, Range 01W
NESWNW , Sec. 19, Township 11N, Range 01W
WASHINGTON County

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
11N	01W	17
		18
		19

SWNW
SENW
SWNW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Hon, this 11 day of December, 1993.

RECORDED

Wayne Cada
(Signature)

JAN 20 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07808

FOR DEPARTMENT USE ONLY

Preliminary check by RC Fee = \$20⁰⁰ Received by DW # 4029285 Date 11-22-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 67-07808 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. Stockwater use is for 100 range cattle.

Witness my hand this 28TH day of DECEMBER, 1993.

R. Keith Higginson
Acting for R. Keith Higginson, Director

JAN 20 1994

RECEIVED
DEC 03 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07808 Telephone No. 888-48362. Name(s) of Permit Holder(s): Wayne Cada3. Post Office Address: 2000 E. Factory Meridian Idaho 836424. Source of Water: Spring

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater X 100 cows (No. and type of stock) Other _____6. Total rate and/or volume for which proof is submitted .03 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes XNo

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes XNo8. Fee Enclosed: \$ NA (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Name

Same as permit holder

Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

12-3-91

Signature (and title if on behalf of a company or organization)

Wayne Cada

DEC 27 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07808

Proposed Priority: October 16, 1989

Maximum Diversion Rate:

0.03 CFS

This is to certify, that **WAYNE CADA**
2000 E. VICTORY RD.
MERIDIAN, ID 83642

has applied for a permit to appropriate water from:

SPRINGS

tributary of **TENNISON CREEK**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

STOCKWATER

01/01 to 12/31

0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSENE Sec. 19, Township 11N, Range 01W
SNNWNE Sec. 19, Township 11N, Range 01W
SWSNW Sec. 19, Township 11N, Range 01W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11N 01W 19

NWNE

SENE

SENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 67.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

23rd day of **January**, 19 **90**.

for **R. Keith Higginson, Director**

RECORDED & INDEXED

MAR 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant WAYNE CADA Phone 888-4836
385-7183
Post office address 2000 E. VICTORY RD., MERIDIAN, ID 83642
2. Source of water supply SPRINGS (3) which is a tributary of TENNISON CK.
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 19 Township 11N Range 1W B.M. WASHINGTON County; additional
points of diversion if any: SWNWNE, SUSENW, SEC. 19, TWP. 11N, RGE. 1W,
4. Water will be used for the following purposes:
Amount .03 for STOCKWATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. SPRING HEAD BOXES WITH
PIPELINE TO STOCK TANK.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water for proposed beneficial use is
3 years (minimum 1 year).

MICROFILMED

MAR 14 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 100 HD. STOCK
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>11N</u>	<u>1W</u>	<u>19</u>		<u>5</u>		<u>5</u>				<u>5</u>									

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? II

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

MAR 14 1954

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. J. Ayres
(Applicant)

Received by [Signature] Date 10-16-89 Time 8:30 Preliminary check by [Signature]
Fee \$ 30 Received by [Signature] # W006242 Date 10-16-89
Publication prepared by GG Date 11-8-89 Published in Weiser Signal
Publication approved [Signature] Date 12-18-89 11/16 & 11/23/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAR 14 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1993

WAYNE CADA
2000 E VICTORY RD
MERIDIAN ID 83642


RE: WATER RIGHT NO. 67-07808

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

DEC 30 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 14, 1993

WAYNE CADA
2000 E VICTORY RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 67-07808

Dear Mr. Cada:

We received the signed licensing amendment for the above referenced permit; however, the \$20.00 filing fee for the amendment was not enclosed. For your reference, I will enclose a copy of the original amendment notice letter.

Please return the \$20.00 fee within 14 days to prevent any further undue delay in licensing this permit. Since I am handling the review procedure, please send the check to my attention and it will help expedite the process.

Thank you for your assistance and if you have any questions, please contact me.

Sincerely,

Brenda L. Chapman

BRENDA L. CHAPMAN
Water Resource Agent

Enclosures

RECEIVED

JAN 20 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 10, 1993

WAYNE CADA
2000 E VICTORY RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 67-07808

Dear Water Right Holder(s):

I previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JAN 20 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 23, 1993

WAYNE CADA
2000 E VICTORY RD
MERIDIAN ID 83642

RE: WATER RIGHT NO. 67-07808

Dear Mr. Cada:

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. We have amended the permit to reflect the correct points of diversion and places of use. In addition, the right will be split into parts A through C, one for each of the three separate developments. If the springs are interconnected via a pipeline, splitting the right into parts will not be necessary. Please let me know if they are or are not connected.

Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

BRENDA L. CHAPMAN
Water Resource Agent

Enclosure

RECEIVED
NOV 23 1993

WR0749NP
No. L67-07808

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/22/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WAYNE CADA 2000 E VICTORY RD MERIDIAN ID 83642 (208) 888-4836	10/16/1989	STOCKWATER	01-01 12-31	0.03 CFS	1.3 AFA
TOTAL DIVERSION:					0.03 CFS	1.3 AFA

Water Source: SPRINGS

Tributary to: TENNISON CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T11N R01W S17 SW SW NW
S18 NE SE NW
S19 NE SW NW

Place of use Legal Description for: STOCKWATER

NE												NW				SW				SE													
		NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE	
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
11N	01W	17	:												S																		
11N	01W	18	:													S																	
11N	01W	19	:												S																		

Pou County: WASHINGTON

~~Non-Irrigation Use: STOCKWATER FOR 100 RANGE~~

Other Rights: NONE

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 67.

Remarks: Stockwater use is for 100 range cattle.

Dates: App. Received: 10/16/1989 Priority Date: 10/16/1989
Proof Due Date: 02/01/1992 Proof Made Date: 12/03/1991
Exam Made Date: 06/22/1993 Exam Sent to S.O.: 07/08/1993
Licensed Date:

Misc: Water District Number: 67 Field Exam Fee:

Comments: Date: 12/04/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Date: 12/13/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 11/22/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 67-7808 Date 11-22-93 Brenda Chapman

NAME Yes No Or Address Change?

PRIORITY DATE ✓ Advance? Memo to Advance
 ✓ Order to Reinstate Needed?
 ✓ Incorrect Fee for rate recommended?

SOURCE ✓ Changes? Clarification of **Originally Intended** source
 ✓ Notice of Intent to Void - Source change.

P/D ✓ Amendment Needed? Add 2 points
 ✓ Overlap(s)

P/U ✓ Amendment Needed? Add 2 sections
 ✓ Overlap(s)

TOTAL CFS -NA- Disagree/Measurement NONE Done
 Give .03 because takes 3 springs
 to come up with that amount to provide
 System Capacity .03 the needed
 Allowable Amount: 100 cattle .02 .02

TOTAL VOLUME ✓ Disagree/Measurement
 100 Cattle = 1.3 (NOT 1.4)
 Flow limit: .02 x 365 x 1.9835 = 14.4
 Season

USES ✓ Change(s) in Nature of Use?
 ✓ Amendment Needed?

REMARKS ✓ Multiple P/Ds in 1/4 1/4?
 ✓ Special Overlap
 ✓ Other

CONDITIONS ✓ Measuring/Locking Devices
 ✓ W/Master Control 67 Water Dist
 ✓ Irrigation Overlap 10-16-89 App Rec'd
 ✓ Water Quality 6-22-93 Exam Made

COMMENTS: Amend P/D and P/U

RECOMMENDED	CFS	DIV VOL
<u>Stockwater</u>	<u>.02</u>	<u>1.3</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

LICENSE

AMEND P37 CUSTOM

2ND AMEND P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 09 1993

Department of Water Resources

67-7808

A. GENERAL INFORMATION

Permit No. 67-07809

1. Owner: WAYNE CARA Phone No. 888-4836

Current Address: 2000 E Victory Rd, MERIDIAN, ID 83642

2. Accompanied by: Bill Hoyle EXAM DATE: 6-22-93

Address: same Phone No. same

Relationship to Permit Holder: employee

3. Source: Spring tributary to Tamison Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		NE	SW	NW	19	11W	1W	WASHINGTON	Quads; Owner Id.
2		NE	SE	NW	18	11W	1W	WASHINGTON	" "
3		SW	SW	NW	17	11N	1W	WASHINGTON	" "


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11W	1W	19							S										
11N	1W	18								S									
11N	1W	17							S										

JAN 20 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
None					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements: None Gravity fed system - each spring less than .02 cfs.

JAN 20 1994

JAN 20 1994

E. NARRATIVE/REMARKS/COMMENTS

This system uses a spring a spring box and a water trough. The three tanks are all similar with a buried spring box which contains the spring. The spring box then has a dike that gravity feeds the trough. The system capacity for each spring is less than .02 cfs. Would 100 head use these springs collectively.

Have conditions of permit approval been met? ☒ yes ☐ no

PROCESSED

JAN 20 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

need = 100 Range (TABLE 6)
stockwater .03 cfs

* system capacity of each of the three springs does not exceed .02 cfs, however, collectively all springs exceed .03 cfs.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ NA

$V = \text{Smaller of } V_{I.R} \text{ and } V_{D.R} =$ _____

2. Volume Calculations for Other Uses:

stockwater → (TABLE 6)
100 Range cattle 1.4 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1-1	12-31	.03 cfs	1.4 AFA
Totals:			.03 cfs	1.4 AFA

2. Recommended Amendments


☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Dave [Signature] Date 7-7-93


Reviewer _____ Date _____

SEAL



PERMIT 67-07808 INIT 04
 T. R. S. Q/Q
 P/D 11x 1w 19 SWNW
 SCALE 18 SE NW
 PHOTO ID. 17 SWNW


67-2387



JAN 20 1994
 Improved Road
 Unimproved Road
 Trail
 ROAD LEGEND
 ○ Interstate Route ○ U.S. Route ○ State Route

Mapped, edited, and published by the Geological Control by USGS and USC&GS
 Topography by photogrammetric methods from aerial photographs taken 1969. Field checked 1970
 Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)
 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue. 1927 North American datum
 Fine red dashed lines indicate selected fence lines

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



JAN 20 1964

GENERAL INFO

CONV DATE: 6-22-93

NAME: CADA

PHONE #: 888-4836

PERMIT #: 67-07808

LOCATION OF WELL: ^{E of} WEISES

CASING SIZE: NA

HP: NA

DYNAMIC:

STATIC:

DEPTH:

Spring to head box.

PSI:

ACRES IRRIGATED: —

SPRINKLER INFO:

TYPE:

SIZE:

LENGTH:

OPERATING:

STOCK: 100 head

DOMESTICS: NA

OTHER USES: NA

OTHER RTS USED:

DIRECTIONS:

see other chan

EXAM DATE:

RECEIVED

JAN 20 1994

Tension
~~ABS~~ 600 ft Ranch



View of barrel collection bar
 : pipeline to P/U.

PHOTO ONE-



P/U around 600 ft from
 the P/U

RECEIVED

JAN 20 1968

Tension / #2 Sec 18

P/W of Tension #2 (see map)




PHOTO ONE-

>

PHOTO TWO-


JAN 20 1994

#3 ~~ABES~~ ^{Tenney} Sec 17 / Buried Headbox



View of M.

PHOTO ONE-



Head box; there are all
kinds of things at the
bottom of the lake.

PHOTO TWO-

62-00862-0000

JAN 20 1994

December 12, 1991

WAYNE CADA
2000 E. VICTORY RD.
MERIDIAN ID 83642

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07808

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

DEC 27 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 67-07808

Date 12/11/91

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit? If no, indicate below.
yes Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
NA Drill permit req'd?
 Copy in file? Drill permit no.
 Amt paid for drilling permit? Correct?
 Well log in file?

LICENSE EXAMINATION FEE

NA Required?
 Amount submitted?
 Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	<u> </u>
Date proof due	<u> </u>	<u>-</u>
No. of days late	<u> </u>	<u>=</u>
Priority date	<u> </u>	<u>+</u>
NEW PRIORITY DATE	<u> </u>	<u>=</u>

DATA ENTRY

ADDRESS CHANGE

PROOF MADE 12/13/91 KLG

138294
November 30, 1991

WAYNE CADA
2000 E. VICTORY RD.
MERIDIAN ID 83642

PROOF DUE NOTICE

RE: PERMIT NO. 67-07808

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
DEC 27 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 24, 1990

WAYNE CADA
2000 E. VICTORY RD.
MERIDIAN, ID 83642

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07808

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MicroFILMED

MAR 14 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }Sarah Bales, being duly sworn,
deposes and says:That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.Such notice was published in the issue beginning with
November 16, 1989, and ending
with the issue of November 23, 1989.

Fees, \$ 194.54

Subscribed and sworn to before me this 23
day of November, 1989.

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

The Following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07784

H J H CO.
C/O CARL HENNINGS
1005 W. 2ND ST.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWNW Sec 14 T 11N R 06W
Use: IRRIGATION (.960 CFS)
Date Filed: 10/04/1989
In: T11N R06W S11 NWSW
S14 SENW
48.0 ACRES TOTAL

67-07802

WINEGAR, REX M.
970 JONATHAN RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SESENE Sec 16 T 11N R 06W
Use: IRRIGATION (.920 CFS)
Date Filed: 10/19/1989
In: T11N R06W S09 SESE
S16 NENE SENE
46.0 ACRES TOTAL

67-07804

SMITH, ESTHER M.
727 OLDS FERRY RD.
WEISER, ID 83672
Source: WASTE WATER
Tributary: HOG CREEK
Diversion Pt: LOT 1 (NENE) Sec 19 T 11N R 06W
Use: IRRIGATION (.200 CFS)
IRRIGATION STORAGE (5.00 AF)
IRRIGATION FROM STORAGE (5.00 AF)
DIVERSION TO STORAGE (.200 CFS)
Date Filed: 9/12/1989
In: T11N R06W S19 Lot 1 (NENE) Lot 2 (NWNE)
12.0 ACRES TOTAL

67-07806

CRAIG, SHELLEY
CRAIG, KARSON
RT. 1 BOX 5
MIDVALE, ID 83645
Source: GROUNDWATER
Diversion Pt: NWNESW Sec 8 T 11N R 03W
Use: IRRIGATION (.060 CFS)
Date Filed: 10/23/1989
In: T11N R03W S08 NESW
2.0 ACRES TOTAL

67-07807

HILL, R. GLENN
HILL, JEAN M.
1452 WEISER RIVER RD.
WEISER, ID 83672
Source: UNNAMED STREAM
Tributary: MONROE CREEK
Diversion Pt: NWNE Sec 33 T 11N R 05W
Use: IRRIGATION (.150 CFS)
Date Filed: 9/20/1989
In: T11N R05W S33 NWNE
5.0 ACRES TOTAL

67-07808

CADA, WAYNE
2000 E. VICTORY RD.
MERIDIAN, ID 83642
Source: SPRINGS
Tributary: TENNISON CREEK
Diversion Pt: SWNWNE Sec 19 T 11N R 01W
SWSENE Sec 19 T 11N R 01W
SWSENE Sec 19 T 11N R 01W
Use: STOCKWATER (.030 CFS)
Date Filed: 10/16/1989
In: T11N R01W S19 NWNE SENE SENW

67-07809

CADA, WAYNE
2000 E. VICTORY RD.
MERIDIAN, ID 83642
Source: SPRINGS
Tributary: SOUTH CRANE CREEK
Diversion Pt: NWSWSW Sec 23 T 11N R 02W
NESWSW Sec 16 T 11N R 02W
SWSWNE Sec 22 T 11N R 02W
Use: STOCKWATER (.030 CFS)
Date Filed: 10/16/1989
In: T11N R02W S16 SWSW
S22 SWNE
S23 SWSWThe permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before DECEMBER 4, 1989.R. KEITH HIGGINSON, Director
Published 11/16/1989 & 11/23 1989

67-07808

CADA, WAYNE
2000 E. VICTORY RD.
MERIDIAN, ID 83642

Source: SPRINGS

Tributary: TENNISON CREEK

Diversion Pt:

SWNWNE	Sec 19	T 11N	R 01W
SWSENE	Sec 19	T 11N	R 01W
SWSENE	Sec 19	T 11N	R 01W

Use: STOCKWATER

(.030 CFS)

Date Filed: 10/16/1989

In: T11N R01W S19

NWNE

SENE

SENE

RECORDED
MAR 14 1990