



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

7  
33 40  
6 12  
16  
○

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*Rex M. Winger*  
(Applicant)

MAR 14 1990

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**RECEIVED**  
MAR 8 1993

Department of Water Resources

**A. GENERAL INFORMATION**

Permit No. 67-07802


1. Owner: Rex Winegar Phone No. 549-1178  
Current Address: 920 Jonathan Rd. Weiser, Ida. 83672
2. Accompanied by: Davis Winegar EXAM. DATE: 6-16-92  
Address: same Phone No. same  
Relationship to Permit Holder: son/employee
3. Source: groundwater tributary to -NA-

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: 67-67755 Winegar, 67-62384A Weiser River Terr.  
67-64313 - Winegar ☐ Copies Attached
2. Other water rights with same point of diversion: 67-07255 Winegar, 67-64313 Winegar  
NO OTHER GW rights ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = \_\_\_\_\_

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MAY 18 1995


COPY

R-GW.

9

T.  
H  
N.

16



(1958)

From Exam for  
67-02255 showing  
where water is pumped

from Warm  
Springs Creek

Subdivisions = Three

Area = 60 acres.

Q = 50 inches.

Q = by calculation.

REPRODUCTION  
MAY 18 1995

PERMIT 67-07802 INIT Don

T. R. S. Q/Q

P/D 11n 6w 16 Sosone

SCALE \_\_\_\_\_

PHOTO ID. \_\_\_\_\_

(GRID overlay)  
16 acres

49.2  
Acres  
under  
67-7676

Land  
under  
Permit  
# 67-07802

A  
43.4


C  
33.2

MAY 18 1995

PERMIT 01-07802 INIT [Signature]  
T. R. S. Q/Q  
P/D 110 600 16 5050  
SCALE \_\_\_\_\_  
PHOTO ID. \_\_\_\_\_

↑  
Plu PH

MAY 18 1995



9 10.  
16 15

A 43.4

C 33.2

MAY 18 1995

67-7802



View of well. THIS PUMPS  
INTO SPRING CREEK : THEN IS  
PUMPED TO P/U. SOUTH OF PROP.



View to the North.  
On the right is Johnathan  
Rel. : well 67-7676 on  
left is land covered by  
THIS system.

RECORDED

MAY 18 1995

67- 7802.



View to the North/West. From Left  
to right you go FROM LAND in  
SECTION 16 TO LAND IN SECTION 9.

MICROFILMED

MAY 18 1995

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 67-07802

Priority: October 19, 1989

Maximum Diversion Rate:

0.69 CFS

This is to certify, that REX M WINEGAR  
PATRON APT #219  
1581 E TEMPLE WAY  
LOS ANGELES CA 90024

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 19, 1989; and has submitted Proof of Beneficial Use on March 29, 1990. An examination indicates that the works have a diversion capacity of 0.690 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
|-----------------------|----------------------|--------------------------|----------------------|

|            |                |          |  |
|------------|----------------|----------|--|
| IRRIGATION | 03/15 to 11/15 | 0.69 CFS |  |
|------------|----------------|----------|--|

LOCATION OF POINT(S) OF DIVERSION:

Injection  
Rediversion

SENE , Sec. 16, Township 11N, Range 06W  
SENE , Sec. 16, Township 11N, Range 06W  
SENE , Sec. 16, Township 11N, Range 06W  
WASHINGTON County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 11N        | 06W        | 9          | SESE 7       |              |              | 7            |
|            |            | 16         | NENE 36.4    | SENE 6       |              | 36.4         |

Total number of acres irrigated: 43.4

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all other water rights and may be forfeited by five years of non-use.
3. Modifications to or variations from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Water diverted under this right is exchanged by injecting water diverted under this right into Warm Springs Creek at the point point of injection described above, and diverting an equal amount from Warm Springs Creek at the point of rediversion described above.
5. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
6. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.

MAY 18 1995

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE


WATER RIGHT NO. 67-07802


CONDITIONS/REMARKS:

7. This right when combined with Right 67-02255 and all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 195.3 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2<sup>ND</sup> day of MAY, 1995.

Acting for

  
R. Keith Higginson, Director



NOT RECORDED  
MAY 18 1995

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-07802 Telephone No. 549-1178

Name(s) of Permit Holder(s): Rex M. Winegar

Post Office Address: 970 Jonathan Rd. Weiser Id 83672

Source of Water: Groundwater

If ground water, well driller's name: Frank Shelly, Stateline Drilling Date drilled: July 1986

Extent of Use:  
Domestic \_\_\_\_\_ (No. of households) Irrigation 46 (No. of acres)  
Stockwater \_\_\_\_\_ (No. and type of stock) Other \_\_\_\_\_

Total rate and/or volume for which proof is submitted 0.92 cfs \_\_\_\_\_ acre/feet

Show date water was first diverted and beneficially used under this permit: Aug '88

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐ Will install weir  
OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

Fee Enclosed: \$ 100 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

See above

Name

Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 26 1990

2/13/90  
Date

Rex M Winegar  
Signature (and title if on behalf of a company or organization)

State of Idaho  
Department of Water Resources

# Permit To Appropriate Water

NO. 67-07802

Proposed Priority: October 19, 1989 Maximum Diversion Rate: 0.92 CFS

This is to certify, that **REX M. WINEGAR**  
970 JONATHAN RD.  
WEISER, ID 83672

has applied for a permit to appropriate water from: **GROUNDWATER**  
and a permit is **APPROVED** for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.92 CFS                 |

LOCATION OF POINT(S) OF DIVERSION: SESENE Sec. 16, Township 11N, Range 06W  
WASHINGTON County

PLACE OF USE: IRRIGATION

| <u>TWN RGE SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|--------------------|--------------|--------------|--------------|--------------|
| 11N 06W 9          | SESE 7       |              |              | 7            |
| 16                 | NENE 33      | SENE 6       |              | 39           |

Total number of acres irrigated: 46

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.92 cfs.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this

17<sup>th</sup> day of January, 1990

RECEIVED

MAR 14 1990

for

*R. Keith Higginson*  
R. Keith Higginson, Director

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Rex M. Winegar Phone 549-1178  
Post office address 970 Jonathan Rd., Weiser, ID 83672
2. Source of water supply Groundwater which is a tributary of \_\_\_\_\_
3. Location of point of diversion is SE  $\frac{1}{4}$  of SE  $\frac{1}{4}$  of NE  $\frac{1}{4}$ , Govt. Lot \_\_\_\_\_  
Sec. 16 Township 11N Range 6W B.M. Washington County; additional  
points of diversion if any: \_\_\_\_\_

4. Water will be used for the following purposes:

1024 Amu .92  
Amount 7.20 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 7.20 Amu and/or (b) \_\_\_\_\_  
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well, pump,  
pipeline, sprinklers

b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total  
reservoir capacity \_\_\_\_\_ acre-feet; period of year when water will be diverted to storage:  
\_\_\_\_\_ to \_\_\_\_\_ inclusive.

c. Proposed well diameter is 12" inches; proposed depth of well is 28' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is  
1 years (minimum 1 year).

RECORDED

MAR 14 1990

- a. Hydropower; show total feet of head and proposed capacity in KW. \_\_\_\_\_
- b. Stockwatering; list number and kind of livestock. \_\_\_\_\_
- c. Municipal; show name of municipality. \_\_\_\_\_
- d. Domestic; show number of households. \_\_\_\_\_
- e. Other; describe fully. \_\_\_\_\_

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

98

10. Describe any other water rights used for the same purposes as described above. 67-2255,  
67-4313
11. a. Who owns the property at the point of diversion? Applicant  
b. Who owns the land to be irrigated or place of use? Applicant  
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. \_\_\_\_\_

12. Remarks: \_\_\_\_\_

**UNCLASSIFIED**

MAR 14 1994



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A 20x20 grid with handwritten numbers. The numbers are located at the following approximate coordinates (row, column) starting from the top-left: 7 at (10, 10), 33 at (11, 9), 40 at (11, 11), 6 at (12, 9), 12 at (12, 11), 16 at (13, 8), and a circled 0 at (12, 10).

**Scale: 2 inches equal 1 mile.**

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

public waters of  
MAR 14 1990

Rex McWinegar  
(Applicant)

Received by MS. Date 10/20/89 Time 1:34 pm Preliminary check by GG  
Fee \$ 30-165 Receipted by GG # C012419 Date 10-19-89  
Publication prepared by GG Date 11-8-89 Published in Weiser Signal  
Publication approved ST Date 12-18-89  
11/16 & 11/23/89

### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. \_\_\_\_\_, and said application is hereby \_\_\_\_\_.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before \_\_\_\_\_, 19 \_\_\_\_.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAR 14 1990



State of Idaho  
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000  
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS  
GOVERNOR

R. KEITH HIGGINSON  
DIRECTOR

May 3, 1995

REX M WINEGAR  
PATRON APT #219  
1581 E TEMPLE WAY  
LOS ANGELES CA 90024

RE: WATER RIGHT NO. 67-07802

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen  
Water Rights Supervisor

SK:rl

Enclosure

RECORDED  
MAY 18 1995

# MEMORANDUM

TO: File 67-07802 / Rex W. Winegar  
FROM: Brenda Chapman  
DATE: April 24, 1995  
RE: Recommendation Adjustment(s)

=====

Per telephone conversation today with John Winegar, the permit holder's son, the licensed rate of diversion will be adjusted based on the following information:

## F. FLOW CALCULATIONS

Mr. Winegar stated that the water is indeed pumped from the well into the north side of Warm Springs Creek using the well's 10 hp pump. Water collects in a boarded-up pool adjacent to the well discharge location where a 35 hp pump pumps water into a 6" x 900' pipeline to the sprinkler lines. The water is lifted approximately 70'. Because of the lift, they have to run the pump at ~85 psi in order for the sprinklers to produce 35 psi at the heads. They use 60 "11/64" sprinklers and run 5 lines at a time. Because of the odd shapes of the fields, each line runs anywhere from 11 to 20 sprinklers.

Therefore, the recommended rate (also capacity) has been reduced.

60 sprinklers x 5.18 gpm = 310.8 gpm or .69 cfs

$$\frac{8.8 \times .7 \times 35 \text{ hp}}{70' + (2.31 \times 85 \text{ psi})} = .81 \text{ cfs}$$

## H. RECOMMENDATIONS

### 1. Recommended Amounts

| Beneficial Use | Period of Use | Rate of Div | Annual Vol |
|----------------|---------------|-------------|------------|
| Irrigation     | 3-15 to 11-15 | .69         | Not listed |

The volume recommendation is addressed in the remarks based on current supplemental groundwater processing procedures.

RECEIVED  
MAY 18 1995

# LICENSE REVIEW CHECKLIST



PERMIT NO. 67-07802 DATE 4-19-95

NAME ☒ Change OK Or Address Change? CHECK WITH 67-07676

PRIORITY DATE ☒ Advance? ☒ Advanced to: Order to reinstate needed?  
Incorrect fee for rate recommended? NO

SOURCE ☒ Changes or just clarification of originally intended source? Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed? Also has a redispersion in  
INJECTION SCENARIO ☒ Overlaps? Same 1/4 1/4 from Spring Creek

PLACE OF USE ☒ Amendment needed? Surface water rights (winegar & u fiber)  
☒ Overlaps? 67-62255 on Dist Water

DIV RATE ☒ Permit/fee limits: .92 CFS  
Meas Q = Well Theo Q = 1.47 Recommend: .69 CFS  
43.4 x .02 = .87 Redispersion pump = .69 CFS

ANNUAL VOLUME ☒ Volume Limit: Season: D/4.5 (3-15 to 11-15)  
Calculations: 43.4 x 4.5 = 195.3

Flow limit: cfs x x 1.9835 =  
Combined volumes exceed capacity/allowable

USES ☒ Change in Nature of Use or additional uses? Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater YES PPU Scenario NO  
Irr/Dom Combination NO Shared G/W System NO

NEW REMARKS NO Multiple p/d(s) in 1/4 1/4?  
YES Other WB3 WB8 W44 (67-02255) G03?

NEW CONDITIONS ☒ Watermaster control - District Out of District  
☒ Measuring/Locking Devices  
☒ Irrigation Overlap  
☒ Other  
☒ Water Quality Heat/Cool/Fish verified

COMMENTS: Reduce acres & rate; add exchange remarks.

NOTE: SEE ATTACHED PAGES FROM EXAM DR 67-02255 listing & showing the diverting works from Warm Spring Creek in the SENE of 16.

| RECOMMENDATION    | CFS        | VOLUME         | SRBA Claim Filed        | Adjustment Memo Needed |
|-------------------|------------|----------------|-------------------------|------------------------|
| <u>Irrigation</u> | <u>.69</u> | <u>195.3</u>   | <u>NO</u>               | <u>YES</u>             |
| <u></u>           | <u></u>    | <u>IN</u>      | <u>LICENSE</u>          | <u></u>                |
| <u></u>           | <u></u>    | <u>REMARKS</u> | <u></u>                 | <u></u>                |
| <u></u>           | <u></u>    | <u></u>        | <u>1ST AMEND LETTER</u> | <u></u>                |
| <u></u>           | <u></u>    | <u></u>        | <u>2ND AMEND LETTER</u> | <u></u>                |

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**RECEIVED**  
MAR 8 1993  
Department of Water Resources

**A. GENERAL INFORMATION**


Permit No. 67-67802  
1. Owner: Rex Winegar Phone No. 549-1178  
Current Address: 970 Jonathan Rd Weiser Ida 83672  
2. Accompanied by: Dave Winegar EXAM. DATE: 6-16-92  
Address: same Phone No. same  
Relationship to Permit Holder: son/employee  
3. Source: groundwater tributary to -NA-

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: 67-67155 Winegar, 67-62384A Weiser River Tr.  
67-64313 - Winegar ☐ Copies Attached  
2. Other water rights with same point of diversion: 67-67155 Winegar, 67-64313 Winegar  
NO OTHER GW rights ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = \_\_\_\_\_

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).  
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).  
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

MAY 18 1995

**System Description (continued)**

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 12" 10 hp motor to push water up a 85' well from a static water level of 10' and a dynamic level estimated at 42'. The well pumps into Spring Creek; then is pumped out again into Sprinkler lines.

☐ See Remarks on page 4 for continuation

4.

| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|------------|----|------------------|-----------|-----------------------------------|
| irrigation                            | Teco       | 10 |                  |           |                                   |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |
|                                       |            |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

| Ident. No. | Gov't. Lot | 1/4 | 1/4 | 1/4 | Sec. | Twp. | Rge. | County     | Method of Determination/Remarks |
|------------|------------|-----|-----|-----|------|------|------|------------|---------------------------------|
|            |            | se  | se  | ne  | 16   | 11n  | 6w   | WASHINGTON | Quads; Aerials; Field Exam      |
|            |            |     |     |     |      |      |      |            |                                 |
|            |            |     |     |     |      |      |      |            |                                 |
|            |            |     |     |     |      |      |      |            |                                 |

6. **Place(s) of Use:**

Indicate Method of Determination

| Twp. | Rge. | Sec. | NE 1/4 |        |        |        | NW 1/4 |        |        |        | SW 1/4 |        |        |        | SE 1/4 |        |        |        | Totals |
|------|------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|      |      |      | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 |        |
| 11n  | 6w   | 16   | 30.4   |        |        | 6      |        |        |        |        |        |        |        |        |        |        |        |        | 36.4   |
|      |      | 9    |        |        |        |        |        |        |        |        |        |        |        |        |        |        | 7      |        | 7.0    |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |      |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | 43.4   |

Do not use this space

MICHAEL WED

MAY 18 1995

Do not use this space

#### D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

$$\text{Theoretical: } \frac{10 \times 88 \times .70}{42 + (2.3 \times 0)} = \frac{616}{42} = 1.47 \text{ cfs}$$

open discharge

#### E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\text{Theoretical} = 1.47 \text{ cfs} \quad \text{Allow} = 43.4 \times .02 = .87 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

#### F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: \_\_\_\_\_ psi x 2.31 = \_\_\_\_\_ ft (1); Dynamic pumping level: \_\_\_\_\_ ft (2)

Total Head: (1) + (2) = \_\_\_\_\_ (3)

; Flow rate: \_\_\_\_\_ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = \_\_\_\_\_ (5)

Meter Input KW: 3.6 x \_\_\_\_\_ KH x \_\_\_\_\_ CTR or \_\_\_\_\_ MULT x \_\_\_\_\_ PTR x \_\_\_\_\_ N/ \_\_\_\_\_ T = \_\_\_\_\_ (6)

Meter Input HP: (6) x 1.34 = \_\_\_\_\_ (7)

Panel Input KW: \_\_\_\_\_ Ave PF x \_\_\_\_\_ Ave Volts x \_\_\_\_\_ Ave Amps x .001732 = \_\_\_\_\_ (6)

Panel Input HP: (6) x 1.34 = \_\_\_\_\_ (7) Efficiency: (5)/(7) x 100 = \_\_\_\_\_ %

#### G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 43.4 \times 4.5 = 195.3 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .87 \times 245 \times 1.9835 = 422.78 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 195.3 \text{ AFA}$$

2. Volume Calculations for Other Uses:

\* See attached adjustment explanation memo. *one*

MICROFILMED

MAY 18 1995

## H. REMARKS AND OVERLAP REVIEW ANALYSIS

\* None of these other well are used on the same PU.

- At the time of the examination the well was in use because of the fact that it was running; the creek was running heavy, the only possible measurement was the theoretical.

## I. RECOMMENDATIONS

### 1. Recommended Amounts

| Beneficial Use | Period of Use |       | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|----------------|---------------|-------|------------------------------|--------------------------|
|                | From          | To    |                              |                          |
| * IRRIGATION   | 3-15          | 11-15 | .87 cfs                      | 195.3 AFA                |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
|                |               |       |                              |                          |
| Totals:        |               |       | .87 cfs                      | 195.3 AFA                |

### 2. Recommended Amendments

- ☐ Change P.D. as reflected above      ☐ Add P.D. as reflected above      ☐ None  
☒ Change P.U. as reflected above      ☐ Add P.U. as reflected above      ☐ Other

## J. AUTHENTICATION

Field Examiner's Name DAVID GRAY  
Signature [Signature]  
Certification Date \_\_\_\_\_  
Field Report Preparation Date 8-17-92

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

\* See attached adjustment explanation memo. RC

MICROFILMED

MAY 18 1995

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE, IDAHO

## REPORT OF ENGINEER

Permit No. 26421 (67-02255)

This proof is for Beneficial Use

In Water District No. \_\_\_\_\_

1. Name of applicant William W. Winegar

2. Source of water supply: Warm Springs Creek

3. Location of point of diversion: Is in the SE $\frac{1}{4}$ NE $\frac{1}{4}$  of Section 16

T. 11 North R. 6 West County of Washington

4. Describe works as they exist, giving dimensions and capacities of same: 20 hp. G.E. hor.

motor, mtd on end. Cornell centrifugal pump 6" x 4" mtd  
over a concrete head box on N. bank of stream. 6" x 900'  
of steel pipe buried across pasture. He has another  
farm and shifts his sprinkler systems to suit the  
irrig. requirements. Plenty of sprinkler equipment

5. Water is used for: Irrigation

6. State whether or not water has been turned into works of diversion: yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

E $\frac{1}{2}$ NE $\frac{1}{4}$ , Section 16 and SE $\frac{1}{4}$ SE $\frac{1}{4}$ , Section 9, all in Township 11 North, Range 6 West.

He has bared many of nozzles to a larger size  
but is gradually going to a  $\frac{3}{16}$ " single jet.

(Submit map on attached plat, showing location and details of above description)

8. What large stream would the water here appropriated finally reach?

Remarks: \_\_\_\_\_


Actually, the water he uses in irrigation season

R+GW

T  
H  
N

9

16



(1958)

From Exam for  
67-02255 showing  
where water is pumped

From Warm  
Springs Creek

Subdivisions = Three

Area = 60 acres.

Q = 50 inches

Q = by calculation

MAX 18 1995

PERMIT 67-07802 INIT Duffy  
T. R. S. Q/Q  
P/D 11n 6w 11e Sesane  
SCALE \_\_\_\_\_  
PHOTO ID. \_\_\_\_\_

(GRID overlay)  
16 acres

49.2  
Acres  
under  
67-7676

Land  
under  
Permit  
# 67-07802

A  
43.4

C  
33.2

MAY 18 1995

PERMIT 01-07802 INIT [Signature]  
T. R. S. Q/Q  
P/D 11/2 16 16  
SCALE \_\_\_\_\_  
PHOTO ID. \_\_\_\_\_

MAY 18 1995



9 10.  
16 15

A  
43.4

C  
33.2

MAY 18 1995

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 67-01802

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 11n, Rge 6w, Sec. 16, se 1/4 ne 1/4 or Lot \_\_\_\_\_.
2. Owner: Rex Winegar  
Address Winer, Idaho, City \_\_\_\_\_, St \_\_\_\_\_
3. Casing  $\geq$  12 inches above ground: Yes ☒ No \_\_\_\_\_
4. Access Port: Yes ☒ No \_\_\_\_\_ Static Water Level: 10'  
Pressure Gauge: Yes \_\_\_\_\_ No ☒ Casing Diameter: 12"  
Flowing: Yes ☒ No \_\_\_\_\_ Temperature: NT
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes \_\_\_\_\_ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**RECEIVED**  
MAY 18 1995


67-7802

View of well. THIS PUMPS  
INTO SPRING CREEK : THEN IS  
PUMPED TO P/U. SOUTH OF PROP.



View to the North.

On the right is Johnatho  
Rel. : well 67-7676. on  
left is land covered by  
THIS SYSTEM.



RECEIVED

MAY 18 1995



View to the North/West. From Left  
to right you go from LAND in  
SECTION 16 TO LAND IN SECTION 9.

RECEIVED

MAY 18 1995

# EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO  
Office of State Auditor

AGENCY USE

|      |          |
|------|----------|
| 8647 |          |
| Date | 04/03/90 |
| Code | 193002   |

**VENDOR:** If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

|              |      |
|--------------|------|
| Document No. |      |
| Pre-Audit    | Date |
| Warrant No.  |      |

PAY TO  
[ REX WINEGAR  
970 JOHATHAN RD.  
WEISER, ID 83672 ]

CHECK ONE:

( 1 ) MISCELLANEOUS EXPENDITURE  
( ) STATE CONTRACT

( ) PURCHASE ORDER

( ) MISCELLANEOUS ENCUMBRANCE REQUISITION

PAYMENT: ( ) PARTIAL ( ) FINAL

Encumbrance Reference No.

| LINE No. | PROGRAM   | FUND | ACCT. |     | DESCRIPTION                                                                              | LINE AMOUNT | AGENCY USE |
|----------|-----------|------|-------|-----|------------------------------------------------------------------------------------------|-------------|------------|
|          |           |      | Maj   | Min |                                                                                          |             |            |
| 1        | 06 20 122 | 1238 | 8831  |     | REFUNDS<br>PER RITA FLECK<br>RECEIPT #C013677<br>3/29/90 25.00<br><br>67-4313<br>67-7802 | 25.00       |            |
| TOTAL    |           |      |       |     |                                                                                          | 25.00       |            |

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 10, 1990

Rex Winegar  
970 Jonathan Rd.  
Weiser, ID 83672

Dear Mr. Winegar:

Re: Permit Nos. 67-7676 and 67-7802

The department received the proof of beneficial use forms. The fee requirement has been removed for Permit No. 67-7676 and \$100 has been applied to the proof submittal for Permit No. 67-7802. I have initiated a refund of \$25. It will be sent to you later from the Auditor's Office.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact you prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK  
Secretary/Records Manager

c: Western Region

MAILED  
JUN 26 1990

MEMORANDUM

March 29, 1990

TO: Permit No. 67-7676 and 67-7802

FROM: Rita Fleck

Re: Proof of Beneficial Use Submittals

On December 26, 1989, the department received the proof of beneficial use form from Rex Winegar for Permit No. 67-7676 with a fee of \$125. On February 13, 1990, Dave Tuthill received another proof of beneficial use form for the same permit. Mr. Winegar wishes the department to accept this second amended proof.

The difference between the two proofs is that Mr. Winegar is indicating his only use as stockwater at 0.04 cfs for which there is no fee.

Also on February 13, 1990, Mr. Winegar submitted proof of beneficial use for Permit No. 67-7802. On this form, Mr. Winegar indicates he has developed 46 acres of irrigation with a diversion rate of 0.92 cfs. The license exam fee based on 0.92 cfs is \$100. Since the amended proof for Permit No. 67-7676 now requires no fee, Mr. Winegar wants \$100 applied to the license exam fee for Permit No. 67-7802. The remaining \$25 will be refunded.

Rex Winegar's address is 970 Johathan Rd., Weiser, ID 83672.

c: Fiscal Sec.

**MicroFILMED**

JUN 26 1990

**RECEIPT  
For Monies Paid  
to the  
IDAHO DEPARTMENT OF WATER RESOURCES**

**Receipt No:** C013677

**Date:** 03/29/90  
**Time:** 14:01:01

**Received**


**From:** WINEGAR, REX M./SUSAN L.

| Type of Payment                  | Program Acct Class | Amount         |
|----------------------------------|--------------------|----------------|
| PROOF OF BENEFICIAL USE(67-7802) | 0620122 1238 6490  | \$100.00       |
| OVERPAYMENT                      | 0620122 1238 6490  | \$25.00        |
| <b>Total</b>                     |                    | <hr/> \$125.00 |

CHECK 163

Idaho Department of Water Resources

Region: STATE

Signature: 

**MICROFILMED**

JUN 26 1990

*keep in file as a  
record of transaction*

S T A T E   O F   I D A H O  
D E P A R T M E N T   O F   W A T E R   R E S O U R C E S

-----

Statehouse  
Boise, Idaho 83720  
(208) 327-7900  
January 18, 1990

REX M. WINEGAR  
970 JONATHAN RD.  
WEISER, ID 83672

P E R M I T   A P P R O V A L   N O T I C E

RE: PERMIT NO.      P67-07802

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

**RECORDED & FILMED**

MAR 14 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor  
Water Right Permits Section

GS: SC  
Enclosures

RECEIVED  
MAR 14 1990

Department Water Resources

## AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.  
County of Washington }

Sarah Boles

being duly sworn,  
deposes and says:

That she is the Clerk of  
THE WEISER SIGNAL, a weekly newspaper published at  
Weiser, in the County of Washington and State of Idaho; that  
said paper has been and is in general circulation in the  
county aforesaid, and in the vicinity of Weiser; that the ad-  
vertisement, a copy of which is attached hereto, was pub-  
lished in said newspaper once a week for two consecu-  
tive weeks in the regular and entire issue of said paper dur-  
ing the period and time of publication, and was published in  
the newspaper proper and not in a supplement; that said  
paper has been established and regularly published for more  
than seventy-eight consecutive weeks prior to the date of  
first publication of said advertisement.

Such notice was published in the issue beginning with  
November 16, 1989, and ending  
with the issue of November 23, 1989.

Fees, \$ 194.54

Subscribed and sworn to before me this 23  
day of November, 1989.

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1990

MICROFILMED

MAR 14 1990

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07784

H J H CO.  
C/O CARL HENNINGS  
1005 W. 2ND ST.  
WEISER, ID 83672  
Source: GROUNDWATER  
Diversion Pt: SWNW Sec 14 T 11N R 06W  
Use: IRRIGATION (.960 CFS)  
Date Filed: 10/04/1989  
In: T11N R06W S11 NWSW  
S14 SENW  
48.0 ACRES TOTAL

67-07802

WINEGAR, REX M.  
970 JONATHAN RD.  
WEISER, ID 83672  
Source: GROUNDWATER  
Diversion Pt: SESENE Sec 16 T 11N R 06W  
Use: IRRIGATION (.920 CFS)  
Date Filed: 10/19/1989  
In: T11N R06W S09 SESE  
S16 NENE SENE  
46.0 ACRES TOTAL

67-07804

SMITH, ESTHER M.  
727 OLDS FERRY RD.  
WEISER, ID 83672  
Source: WASTE WATER  
Tributary: HOG CREEK  
Diversion Pt: LOT 1 (NENE) Sec 19 T 11N R 06W  
Use: IRRIGATION (.200 CFS)  
IRRIGATION STORAGE (5.00 AF)  
IRRIGATION FROM STORAGE (5.00 AF)  
DIVERSION TO STORAGE (.200 CFS)  
Date Filed: 9/12/1989  
In: T11N R06W S19 Lot 1 (NENE) Lot 2 (NWNE)  
12.0 ACRES TOTAL

67-07806

CRAIG, SHELLY  
CRAIG, KARSON  
RT. 1 BOX 5  
MIDVALE, ID 83645  
Source: GROUNDWATER  
Diversion Pt: NWNE Sec 8 T 11N R 03W  
Use: IRRIGATION (.060 CFS)  
Date Filed: 10/23/1989  
In: T11N R03W S08 NESW  
2.0 ACRES TOTAL

67-07807

HILL, R. GLENN  
HILL, JEAN M.  
1452 WEISER RIVER RD.  
WEISER, ID 83672  
Source: UNNAMED STREAM  
Tributary: MONROE CREEK  
Diversion Pt: NWNE Sec 33 T 11N R 05W  
Use: IRRIGATION (.150 CFS)  
Date Filed: 9/20/1989  
In: T11N R05W S33 NWNE  
5.0 ACRES TOTAL

67-07808

CADA, WAYNE  
2000 E. VICTORY RD.  
MERIDIAN, ID 83642  
Source: SPRINGS  
Tributary: TENNISON CREEK  
Diversion Pt: SWNWNE Sec 19 T 11N R 01W  
SWSENE Sec 19 T 11N R 01W  
SWSENE Sec 19 T 11N R 01W  
Use: STOCKWATER (.030 CFS)  
Date Filed: 10/16/1989  
In: T11N R01W S19 NWNE SENE SENW

67-07809

CADA, WAYNE  
2000 E. VICTORY RD.  
MERIDIAN, ID 83642  
Source: SPRINGS  
Tributary: SOUTH CRANE CREEK  
Diversion Pt: NWSWSW Sec 23 T 11N R 02W  
NESWSW Sec 16 T 11N R 02W  
SWSWNE Sec 22 T 11N R 02W  
Use: STOCKWATER (.030 CFS)  
Date Filed: 10/16/1989  
In: T11N R02W S16 SWSW  
S22 SWNE  
S23 SWSW

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before DECEMBER 4, 1989.

R. KEITH HIGGINSON, Director  
Published 11/16/1989 & 11/23 1989

76-2S

67-07802

WINEGAR, REX M.  
970 JONATHAN RD.  
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt:                SESENE    Sec 16 T 11N R 06W

Use: IRRIGATION                ( .920 CFS)

Date Filed: 10/19/1989

|                      |      |      |
|----------------------|------|------|
| In:    T11N R06W S09 | SESE |      |
| S16                  | NENE | SENE |

46.0 ACRES TOTAL

**Microfilm**

MAR 14 1990

TO: NANCY HANDZEL

FROM: GENE GIBSON *GG*

DATE: 10/27/1989

SUBJECT: REFUND ON APPLICATION

Nancy on 10/19/89 we received an Application For Permit from Rex Winegar. The filing fee paid for this application was \$65.00 according to receipt number C012419. The applicant has reduced the number of acres to be irrigated from 98 to 46 acres which also reduces his filing fee to \$45.00. Since the Application has not been processed or advertised a refund of \$20.00 is due to Mr. Winegar. Thank you for your assistance in this matter.

Gene

Rex M. Winegar  
970 Jonathan Road  
Weiser, Idaho 83672

**MICROFILMED**

MAR 14 1990